



Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

RMC

Band	Channel	Power(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
Band2	9262	22.99	22.29	33.01	PASS
Band2	9400	22.95	22.25	33.01	PASS
Band2	9538	22.79	22.09	33.01	PASS
Band4	1312	21.89	21.99	30.00	PASS
Band4	1413	22.43	22.53	30.00	PASS
Band4	1513	21.32	21.42	30.00	PASS
Band5	4132	23.19	22.19	38.45	PASS
Band5	4182	23.25	22.25	38.45	PASS
Band5	4233	23.44	22.44	38.45	PASS

Band	Channel	SubTest	Power(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
Band2	9262	1	22.78	22.08	33.01	PASS
Band2	9262	2	22.68	21.98	33.01	PASS
Band2	9262	3	22.2	21.5	33.01	PASS
Band2	9262	4	22.19	21.49	33.01	PASS
Band2	9400	1	22.79	22.09	33.01	PASS
Band2	9400	2	22.66	21.96	33.01	PASS
Band2	9400	3	22.22	21.52	33.01	PASS
Band2	9400	4	22.2	21.5	33.01	PASS
Band2	9538	1	21.8	21.1	33.01	PASS
Band2	9538	2	21.75	21.05	33.01	PASS
Band2	9538	3	21.22	20.52	33.01	PASS
Band2	9538	4	21.3	20.6	33.01	PASS
Band4	1312	1	21.8	21.9	30	PASS
Band4	1312	2	21.8	21.9	30	PASS
Band4	1312	3	21.64	21.74	30	PASS
Band4	1312	4	21.5	21.6	30	PASS
Band4	1413	1	22.38	22.48	30	PASS
Band4	1413	2	22.18	22.28	30	PASS
Band4	1413	3	22.02	22.12	30	PASS
Band4	1413	4	21.95	22.05	30	PASS
Band4	1513	1	21.26	21.36	30	PASS
Band4	1513	2	21.24	21.34	30	PASS
Band4	1513	3	21.19	21.29	30	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2024-0064-RF4-A12

Page 2 of 19

Band4	1513	4	20.99	21.09	30	PASS
Band5	4132	1	23.01	22.01	38.5	PASS
Band5	4132	2	23.17	22.17	38.5	PASS
Band5	4132	3	22.7	21.7	38.5	PASS
Band5	4132	4	22.75	21.75	38.5	PASS
Band5	4182	1	23.76	22.76	38.5	PASS
Band5	4182	2	23.81	22.81	38.5	PASS
Band5	4182	3	23.38	22.38	38.5	PASS
Band5	4182	4	23.37	22.37	38.5	PASS
Band5	4233	1	23.41	22.41	38.5	PASS
Band5	4233	2	23.47	22.47	38.5	PASS
Band5	4233	3	23.05	22.05	38.5	PASS
Band5	4233	4	23.03	22.03	38.5	PASS

Band	Channel	SubTest	Power(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
Band2	9262	1	20.71	20.01	33.01	PASS
Band2	9262	2	20.91	20.21	33.01	PASS
Band2	9262	3	21.37	20.67	33.01	PASS
Band2	9262	4	21.39	20.69	33.01	PASS
Band2	9262	5	22.77	22.07	33.01	PASS
Band2	9400	1	20.90	20.2	33.01	PASS
Band2	9400	2	20.86	20.16	33.01	PASS
Band2	9400	3	20.87	20.17	33.01	PASS
Band2	9400	4	21.18	20.48	33.01	PASS
Band2	9400	5	22.75	22.05	33.01	PASS
Band2	9538	1	20.21	19.51	33.01	PASS
Band2	9538	2	20.10	19.4	33.01	PASS
Band2	9538	3	20.15	19.45	33.01	PASS
Band2	9538	4	20.28	19.58	33.01	PASS
Band2	9538	5	21.71	21.01	33.01	PASS
Band4	1312	1	21.69	21.79	30	PASS
Band4	1312	2	21.67	21.77	30	PASS
Band4	1312	3	21.61	21.71	30	PASS
Band4	1312	4	21.45	21.55	30	PASS
Band4	1312	5	21.44	21.54	30	PASS
Band4	1413	1	22.23	22.33	30	PASS
Band4	1413	2	22.17	22.27	30	PASS
Band4	1413	3	22.16	22.26	30	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2024-0064-RF4-A12

Page 3 of 19

Band4	1413	4	22.15	22.25	30	PASS
Band4	1413	5	21.99	22.09	30	PASS
Band4	1513	1	21.28	21.38	30	PASS
Band4	1513	2	21.20	21.3	30	PASS
Band4	1513	3	21.04	21.14	30	PASS
Band4	1513	4	21.00	21.1	30	PASS
Band4	1513	5	20.94	21.04	30	PASS
Band5	4132	1	19.11	18.11	38.5	PASS
Band5	4132	2	20.08	19.08	38.5	PASS
Band5	4132	3	19.95	18.95	38.5	PASS
Band5	4132	4	20.11	19.11	38.5	PASS
Band5	4132	5	22.72	21.72	38.5	PASS
Band5	4182	1	20.04	19.04	38.5	PASS
Band5	4182	2	20.66	19.66	38.5	PASS
Band5	4182	3	20.09	19.09	38.5	PASS
Band5	4182	4	20.44	19.44	38.5	PASS
Band5	4182	5	23.40	22.4	38.5	PASS
Band5	4233	1	19.82	18.82	38.5	PASS
Band5	4233	2	20.33	19.33	38.5	PASS
Band5	4233	3	19.88	18.88	38.5	PASS
Band5	4233	4	20.12	19.12	38.5	PASS
Band5	4233	5	23.05	22.05	38.5	PASS




Appendix B: Peak-to-Average Ratio

Test Result

Band	Channel	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band2	9262	8.48	13	PASS
Band2	9400	8.44	13	PASS
Band2	9538	8.48	13	PASS
Band4	1312	3.02	13	PASS
Band4	1413	3	13	PASS
Band4	1513	3.02	13	PASS
Band5	4132	3.3	13	PASS
Band5	4182	3.26	13	PASS
Band5	4233	3.24	13	PASS




Test Graphs




Band2-9262-PASS




Band2-9400-PASS




Band2-9538-PASS




Band4-1312-PASS




Band4-1413-PASS




Band4-1513-PASS



Band5-4132-PASS



Band5-4182-PASS



Band5-4233-PASS



Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(MHz)	Verdict
Band2	9262	4.143	4.69	---	PASS
Band2	9400	4.144	4.69	---	PASS
Band2	9538	4.16	4.72	---	PASS
Band4	1312	4.138	4.70	---	PASS
Band4	1413	4.133	4.69	---	PASS
Band4	1513	4.146	4.68	---	PASS
Band5	4132	4.152	4.67	---	PASS
Band5	4182	4.135	4.67	---	PASS
Band5	4233	4.143	4.68	---	PASS




Test Graphs




Band2-9262-PASS




Band2-9400-PASS




Band2-9538-PASS



Band4-1312-PASS



Band4-1413-PASS



Band4-1513-PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2024-0064-RF4-A12


Page 9 of 19



Band5-4132-PASS



Band5-4182-PASS



Band5-4233-PASS




Appendix D: Band Edge

Test Result


Band	Channel	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band2	9262	1849.75	-31.78	-13	PASS
Band2	9538	1910.00	-26.09	-13	PASS
Band4	1312	1710.00	-34.62	-13	PASS
Band4	1513	1755.07	-35.96	-13	PASS
Band5	4132	823.93	-27.56	-13	PASS
Band5	4233	849.07	-28.45	-13	PASS




Test Graphs



Band2-9262-PASS




Band2-9538-PASS



Band4-1312-PASS



Band4-1513-PASS



Band5-4132-PASS



Band5-4233-PASS




Appendix E: Conducted Spurious Emission

Test Result


Band	Channel	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band2	9262	30~1000MHz	35.57	-51.91	-13	PASS
Band2	9262	1000~20000MHz	19172.08	-42.96	-13	PASS
Band2	9400	30~1000MHz	35.57	-51.98	-13	PASS
Band2	9400	1000~20000MHz	18705.63	-43.16	-13	PASS
Band2	9538	30~1000MHz	35.09	-51.74	-13	PASS
Band2	9538	1000~20000MHz	18660.98	-42.69	-13	PASS
Band4	1312	30~1000MHz	35.57	-51.94	-13	PASS
Band4	1312	1000~20000MHz	18671.43	-43.02	-13	PASS
Band4	1413	30~1000MHz	34.61	-51.86	-13	PASS
Band4	1413	1000~20000MHz	18634.38	-42.91	-13	PASS
Band4	1513	30~1000MHz	34.12	-52.12	-13	PASS
Band4	1513	1000~20000MHz	18679.5	-42.72	-13	PASS
Band5	4132	30~1000MHz	35.34	-61.11	-13	PASS
Band5	4132	1000~10000MHz	7492.5	-43.98	-13	PASS
Band5	4182	30~1000MHz	35.34	-61.33	-13	PASS
Band5	4182	1000~10000MHz	7498.8	-43.89	-13	PASS
Band5	4233	30~1000MHz	33.88	-61.45	-13	PASS
Band5	4233	1000~10000MHz	7494.3	-43.87	-13	PASS




Test Graphs




Band2-9262-30~1000MHz-PASS




Band2-9262-1000~20000MHz-PASS




Band2-9400-30~1000MHz-PASS




Band2-9400-1000~20000MHz-PASS




Band2-9538-30~1000MHz-PASS




Band2-9538-1000~20000MHz-PASS




Band4-1312-30~1000MHz-PASS




Band4-1312-1000~20000MHz-PASS




Band4-1413-30~1000MHz-PASS




Band4-1413-1000~20000MHz-PASS




Band4-1513-30~1000MHz-PASS




Band4-1513-1000~20000MHz-PASS




Band5-4132-30~1000MHz-PASS




Band5-4132-1000~10000MHz-PASS




Band5-4182-30~1000MHz-PASS



Band5-4182-1000~10000MHz-PASS



Band5-4233-30~1000MHz-PASS



Band5-4233-1000~10000MHz-PASS



Appendix F: Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VN	NT	0.22	0.000119	±2.5	PASS
Band2	9262	VL	NT	0.12	0.000065	±2.5	PASS
Band2	9262	VH	NT	0.76	0.000410	±2.5	PASS
Band2	9400	VN	NT	0.18	0.000096	±2.5	PASS
Band2	9400	VL	NT	0.07	0.000037	±2.5	PASS
Band2	9400	VH	NT	0.14	0.000074	±2.5	PASS
Band2	9538	VN	NT	0.11	0.000058	±2.5	PASS
Band2	9538	VL	NT	0.19	0.000100	±2.5	PASS
Band2	9538	VH	NT	-0.03	-0.000016	±2.5	PASS
Band4	1312	VN	NT	0.86	0.000502	±2.5	PASS
Band4	1312	VL	NT	2.12	0.001238	±2.5	PASS
Band4	1312	VH	NT	-0.87	-0.000508	±2.5	PASS
Band4	1413	VN	NT	0.99	0.000571	±2.5	PASS
Band4	1413	VL	NT	-1.05	-0.000606	±2.5	PASS
Band4	1413	VH	NT	0.97	0.000560	±2.5	PASS
Band4	1513	VN	NT	0.95	0.000542	±2.5	PASS
Band4	1513	VL	NT	2.98	0.001700	±2.5	PASS
Band4	1513	VH	NT	0.90	0.000514	±2.5	PASS
Band5	4132	VN	NT	-0.27	-0.000327	±2.5	PASS
Band5	4132	VL	NT	-0.33	-0.000399	±2.5	PASS
Band5	4132	VH	NT	0.09	0.000109	±2.5	PASS
Band5	4182	VN	NT	-0.04	-0.000048	±2.5	PASS
Band5	4182	VL	NT	-0.40	-0.000478	±2.5	PASS
Band5	4182	VH	NT	-0.18	-0.000215	±2.5	PASS
Band5	4233	VN	NT	0.70	0.000827	±2.5	PASS
Band5	4233	VL	NT	0.22	0.000260	±2.5	PASS
Band5	4233	VH	NT	0.32	0.000378	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	0.35	0.000189	±2.5	PASS
Band2	9262	NV	-20	1.22	0.000659	±2.5	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2024-0064-RF4-A12

Page 17 of 19

Band2	9262	NV	-10	0.60	0.000324	±2.5	PASS
Band2	9262	NV	0	-0.38	-0.000205	±2.5	PASS
Band2	9262	NV	10	0.64	0.000345	±2.5	PASS
Band2	9262	NV	20	-0.82	-0.000443	±2.5	PASS
Band2	9262	NV	30	-0.01	-0.000005	±2.5	PASS
Band2	9262	NV	40	0.55	0.000297	±2.5	PASS
Band2	9262	NV	50	0.73	0.000394	±2.5	PASS
Band2	9400	NV	-30	-0.01	-0.000005	±2.5	PASS
Band2	9400	NV	-20	0.22	0.000117	±2.5	PASS
Band2	9400	NV	-10	0.36	0.000191	±2.5	PASS
Band2	9400	NV	0	0.01	0.000005	±2.5	PASS
Band2	9400	NV	10	-0.02	-0.000011	±2.5	PASS
Band2	9400	NV	20	0.55	0.000293	±2.5	PASS
Band2	9400	NV	30	-0.01	-0.000005	±2.5	PASS
Band2	9400	NV	40	-0.04	-0.000021	±2.5	PASS
Band2	9400	NV	50	0.49	0.000261	±2.5	PASS
Band2	9538	NV	-30	0.59	0.000309	±2.5	PASS
Band2	9538	NV	-20	0.01	0.000005	±2.5	PASS
Band2	9538	NV	-10	-0.05	-0.000026	±2.5	PASS
Band2	9538	NV	0	1.20	0.000629	±2.5	PASS
Band2	9538	NV	10	0.16	0.000084	±2.5	PASS
Band2	9538	NV	20	0.61	0.000320	±2.5	PASS
Band2	9538	NV	30	0.80	0.000419	±2.5	PASS
Band2	9538	NV	40	-0.19	-0.000100	±2.5	PASS
Band2	9538	NV	50	0.31	0.000163	±2.5	PASS
Band4	1312	NV	-30	-1.31	-0.000765	±2.5	PASS
Band4	1312	NV	-20	0.00	0.000000	±2.5	PASS
Band4	1312	NV	-10	-0.01	-0.000006	±2.5	PASS
Band4	1312	NV	0	-0.69	-0.000403	±2.5	PASS
Band4	1312	NV	10	-1.62	-0.000946	±2.5	PASS
Band4	1312	NV	20	0.77	0.000450	±2.5	PASS
Band4	1312	NV	30	-0.12	-0.000070	±2.5	PASS
Band4	1312	NV	40	-0.85	-0.000496	±2.5	PASS
Band4	1312	NV	50	-0.13	-0.000076	±2.5	PASS
Band4	1413	NV	-30	0.35	0.000202	±2.5	PASS
Band4	1413	NV	-20	-0.91	-0.000525	±2.5	PASS
Band4	1413	NV	-10	0.54	0.000312	±2.5	PASS
Band4	1413	NV	0	0.29	0.000167	±2.5	PASS
Band4	1413	NV	10	-0.25	-0.000144	±2.5	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2024-0064-RF4-A12

Page 18 of 19

Band4	1413	NV	20	1.09	0.000629	±2.5	PASS
Band4	1413	NV	30	-0.43	-0.000248	±2.5	PASS
Band4	1413	NV	40	0.72	0.000416	±2.5	PASS
Band4	1413	NV	50	1.48	0.000854	±2.5	PASS
Band4	1513	NV	-30	0.59	0.000337	±2.5	PASS
Band4	1513	NV	-20	0.86	0.000491	±2.5	PASS
Band4	1513	NV	-10	0.69	0.000394	±2.5	PASS
Band4	1513	NV	0	0.09	0.000051	±2.5	PASS
Band4	1513	NV	10	0.57	0.000325	±2.5	PASS
Band4	1513	NV	20	0.68	0.000388	±2.5	PASS
Band4	1513	NV	30	0.07	0.000040	±2.5	PASS
Band4	1513	NV	40	0.93	0.000531	±2.5	PASS
Band4	1513	NV	50	1.78	0.001016	±2.5	PASS
Band5	4132	NV	-30	-0.19	-0.000230	±2.5	PASS
Band5	4132	NV	-20	-0.20	-0.000242	±2.5	PASS
Band5	4132	NV	-10	0.05	0.000061	±2.5	PASS
Band5	4132	NV	0	-0.04	-0.000048	±2.5	PASS
Band5	4132	NV	10	-0.30	-0.000363	±2.5	PASS
Band5	4132	NV	20	-0.45	-0.000545	±2.5	PASS
Band5	4132	NV	30	-0.12	-0.000145	±2.5	PASS
Band5	4132	NV	40	-0.39	-0.000472	±2.5	PASS
Band5	4132	NV	50	-0.32	-0.000387	±2.5	PASS
Band5	4182	NV	-30	-0.29	-0.000347	±2.5	PASS
Band5	4182	NV	-20	-0.52	-0.000622	±2.5	PASS
Band5	4182	NV	-10	-0.43	-0.000514	±2.5	PASS
Band5	4182	NV	0	-0.22	-0.000263	±2.5	PASS
Band5	4182	NV	10	-0.11	-0.000132	±2.5	PASS
Band5	4182	NV	20	-0.48	-0.000574	±2.5	PASS
Band5	4182	NV	30	-0.59	-0.000705	±2.5	PASS
Band5	4182	NV	40	-0.37	-0.000442	±2.5	PASS
Band5	4182	NV	50	-0.31	-0.000371	±2.5	PASS
Band5	4233	NV	-30	0.73	0.000862	±2.5	PASS
Band5	4233	NV	-20	0.38	0.000449	±2.5	PASS
Band5	4233	NV	-10	0.43	0.000508	±2.5	PASS
Band5	4233	NV	0	0.21	0.000248	±2.5	PASS
Band5	4233	NV	10	0.57	0.000673	±2.5	PASS
Band5	4233	NV	20	0.16	0.000189	±2.5	PASS
Band5	4233	NV	30	0.38	0.000449	±2.5	PASS
Band5	4233	NV	40	0.40	0.000472	±2.5	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2024-0064-RF4-A12

Page 19 of 19

Band5	4233	NV	50	0.58	0.000685	±2.5	PASS
-------	------	----	----	------	----------	------	------

-----END-----