







11AC20SISO_Ant1_5240



11AC20SISO_Ant1_5745



11AC20SISO_Ant1_5785



11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230



11AC40SISO_Ant1_5755




11AC40SISO_Ant1_5795




11AC80SISO_Ant1_5210




11AC80SISO_Ant1_5775



11AX20SISO_Ant1_5180



11AX20SISO_Ant1_5220




11AX20SISO_Ant1_5240




11AX20SISO_Ant1_5745




11AX20SISO_Ant1_5785



11AX20SISO_Ant1_5825




11AX40SISO_Ant1_5190




11AX40SISO_Ant1_5230



11AX40SISO_Ant1_5755



11AX40SISO_Ant1_5795





SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

SHEM-TRF-001 Rev. 02 Sep01, 2023

Report No.: SHCR240700132804

Page: 226 of 255

10.6 Appendix D: Frequency Stability

10.6.1 Test Result

Voltage							
Test Mode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	NT	-3.861004	20	PASS
			LV	NT	-7.722008	20	PASS
			HV	NT	-7.722008	20	PASS
		5220	NV	NT	-3.831418	20	PASS
			LV	NT	-7.662835	20	PASS
			HV	NT	-7.662835	20	PASS
		5240	NV	NT	-7.633588	20	PASS
			LV	NT	-7.633588	20	PASS
			HV	NT	-3.816794	20	PASS
		5745	NV	NT	-6.962576	20	PASS
			LV	NT	-3.481288	20	PASS
			HV	NT	-3.481288	20	PASS
		5785	NV	NT	-6.914434	20	PASS
			LV	NT	-6.914434	20	PASS
			HV	NT	-6.914434	20	PASS
		5825	NV	NT	-6.866953	20	PASS
			LV	NT	-6.866953	20	PASS
			HV	NT	-6.866953	20	PASS
11N20SISO	Ant1	5180	NV	NT	-3.861004	20	PASS
			LV	NT	-3.861004	20	PASS
			HV	NT	-7.722008	20	PASS
		5220	NV	NT	-3.831418	20	PASS
			LV	NT	-3.831418	20	PASS
			HV	NT	-3.831418	20	PASS
		5240	NV	NT	-7.633588	20	PASS
			LV	NT	-3.816794	20	PASS
			HV	NT	-3.816794	20	PASS
		5745	NV	NT	-6.962576	20	PASS
			LV	NT	-6.962576	20	PASS
			HV	NT	-3.481288	20	PASS
		5785	NV	NT	-6.914434	20	PASS
			LV	NT	-3.457217	20	PASS
			HV	NT	-3.457217	20	PASS
		5825	NV	NT	-6.866953	20	PASS
			LV	NT	-3.433476	20	PASS
			HV	NT	-3.433476	20	PASS
11N40SISO	Ant1	5190	NV	NT	-7.707129	20	PASS
			LV	NT	-7.707129	20	PASS
			HV	NT	-7.707129	20	PASS
		5230	NV	NT	-7.648184	20	PASS
			LV	NT	-7.648184	20	PASS
			HV	NT	-7.648184	20	PASS
		5755	NV	NT	-6.950478	20	PASS

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

SHEM-TRF-001 Rev. 02 Sep01, 2023

Report No.: SHCR240700132804

Page: 228 of 255

			LV	NT	-6.950478	20	PASS		
			HV	NT	-6.950478	20	PASS		
			NV	NT	-6.902502	20	PASS		
		5795	LV	NT	-6.902502	20	PASS		
			HV	NT	-13.805004	20	PASS		
11AC20SISO	Ant1	5180	NV	NT	-3.861004	20	PASS		
			LV	NT	-3.861004	20	PASS		
			HV	NT	-3.861004	20	PASS		
		5220	NV	NT	-3.831418	20	PASS		
			LV	NT	-7.662835	20	PASS		
			HV	NT	-3.831418	20	PASS		
		5240	NV	NT	-7.633588	20	PASS		
			LV	NT	-3.816794	20	PASS		
			HV	NT	-3.816794	20	PASS		
		5745	NV	NT	-3.481288	20	PASS		
			LV	NT	-6.962576	20	PASS		
			HV	NT	-6.962576	20	PASS		
		5785	NV	NT	-6.914434	20	PASS		
			LV	NT	-3.457217	20	PASS		
			HV	NT	-6.914434	20	PASS		
		5825	NV	NT	-10.300429	20	PASS		
			LV	NT	-3.433476	20	PASS		
			HV	NT	-6.866953	20	PASS		
				5190	NV	NT	-7.707129	20	PASS
					LV	NT	-7.707129	20	PASS
					HV	NT	-7.707129	20	PASS
5230	NV			NT	-7.648184	20	PASS		
	LV			NT	-7.648184	20	PASS		
	HV			NT	-7.648184	20	PASS		
5755	NV			NT	-6.950478	20	PASS		
	LV			NT	-6.950478	20	PASS		
	HV			NT	-6.950478	20	PASS		
5795	NV			NT	-6.902502	20	PASS		
	LV	NT	-6.902502	20	PASS				
	HV	NT	-6.902502	20	PASS				
11AC80SISO	Ant1	5210	NV	NT	0.000000	20	PASS		
			LV	NT	0.000000	20	PASS		
			HV	NT	0.000000	20	PASS		
		5775	NV	NT	0.000000	20	PASS		
			LV	NT	0.000000	20	PASS		
			HV	NT	0.000000	20	PASS		
11AX20SISO	Ant1	5180	NV	NT	-3.861004	20	PASS		
			LV	NT	-3.861004	20	PASS		
			HV	NT	-3.861004	20	PASS		
		5220	NV	NT	-3.831418	20	PASS		
			LV	NT	-3.831418	20	PASS		
			HV	NT	-3.831418	20	PASS		
		5240	NV	NT	-3.816794	20	PASS		
LV	NT		-3.816794	20	PASS				

		5745	HV	NT	-3.816794	20	PASS
			NV	NT	-6.962576	20	PASS
			LV	NT	-6.962576	20	PASS
			HV	NT	-3.481288	20	PASS
		5785	NV	NT	-3.457217	20	PASS
			LV	NT	-3.457217	20	PASS
			HV	NT	-3.457217	20	PASS
		5825	NV	NT	-6.866953	20	PASS
			LV	NT	-3.433476	20	PASS
			HV	NT	-3.433476	20	PASS
11AX40SISO	Ant1	5190	NV	NT	-7.707129	20	PASS
			LV	NT	-7.707129	20	PASS
			HV	NT	-7.707129	20	PASS
		5230	NV	NT	-7.648184	20	PASS
			LV	NT	-7.648184	20	PASS
			HV	NT	-7.648184	20	PASS
		5755	NV	NT	-6.950478	20	PASS
			LV	NT	-6.950478	20	PASS
			HV	NT	-6.950478	20	PASS
		5795	NV	NT	-6.902502	20	PASS
			LV	NT	-6.902502	20	PASS
			HV	NT	-6.902502	20	PASS
11AX80SISO	Ant1	5210	NV	NT	-15.355086	20	PASS
			LV	NT	-15.355086	20	PASS
			HV	NT	-15.355086	20	PASS
		5775	NV	NT	-13.852814	20	PASS
			LV	NT	-13.852814	20	PASS
			HV	NT	-13.852814	20	PASS

Temperature							
Test Mode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	-30	-7.722008	20	PASS
			NV	-20	-7.722008	20	PASS
			NV	-10	-3.861004	20	PASS
			NV	0	-7.722008	20	PASS
			NV	10	-7.722008	20	PASS
			NV	20	0.000000	20	PASS
			NV	30	-3.861004	20	PASS
			NV	40	-3.861004	20	PASS
			NV	50	-7.722008	20	PASS
		5220	NV	-30	-3.831418	20	PASS
			NV	-20	-7.662835	20	PASS
			NV	-10	-7.662835	20	PASS
			NV	0	-7.662835	20	PASS
			NV	10	-7.662835	20	PASS
			NV	20	-3.831418	20	PASS
			NV	30	-7.662835	20	PASS
			NV	40	-3.831418	20	PASS



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

SHEM-TRF-001 Rev. 02 Sep01, 2023

Report No.: SHCR240700132804

Page: 230 of 255

			NV	50	-7.662835	20	PASS
		5240	NV	-30	-3.816794	20	PASS
			NV	-20	-7.633588	20	PASS
			NV	-10	-7.633588	20	PASS
			NV	0	-7.633588	20	PASS
			NV	10	-3.816794	20	PASS
			NV	20	-11.450382	20	PASS
			NV	30	-7.633588	20	PASS
			NV	40	0.000000	20	PASS
			NV	50	-3.816794	20	PASS
		5745	NV	-30	-6.962576	20	PASS
			NV	-20	-6.962576	20	PASS
			NV	-10	-3.481288	20	PASS
			NV	0	-6.962576	20	PASS
			NV	10	-3.481288	20	PASS
			NV	20	-6.962576	20	PASS
			NV	30	-6.962576	20	PASS
			NV	40	-3.481288	20	PASS
			NV	50	-6.962576	20	PASS
		5785	NV	-30	-6.914434	20	PASS
			NV	-20	-6.914434	20	PASS
			NV	-10	-3.457217	20	PASS
			NV	0	-3.457217	20	PASS
			NV	10	-6.914434	20	PASS
			NV	20	-3.457217	20	PASS
			NV	30	-3.457217	20	PASS
			NV	40	-6.914434	20	PASS
			NV	50	-3.457217	20	PASS
		5825	NV	-30	-6.866953	20	PASS
			NV	-20	-6.866953	20	PASS
			NV	-10	-6.866953	20	PASS
			NV	0	-6.866953	20	PASS
			NV	10	-6.866953	20	PASS
			NV	20	-6.866953	20	PASS
			NV	30	-6.866953	20	PASS
			NV	40	-6.866953	20	PASS
			NV	50	-3.433476	20	PASS
11N20SISO	Ant1	5180	NV	-30	-3.861004	20	PASS
			NV	-20	-7.722008	20	PASS
			NV	-10	-3.861004	20	PASS
			NV	0	-7.722008	20	PASS
			NV	10	-7.722008	20	PASS
			NV	20	-3.861004	20	PASS
			NV	30	-3.861004	20	PASS
			NV	40	-3.861004	20	PASS
			NV	50	-3.861004	20	PASS
		5220	NV	-30	-3.831418	20	PASS
			NV	-20	-7.662835	20	PASS
			NV	-10	-3.831418	20	PASS



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

SHEM-TRF-001 Rev. 02 Sep01, 2023

Report No.: SHCR240700132804

Page: 231 of 255

			NV	0	-3.831418	20	PASS
			NV	10	-7.662835	20	PASS
			NV	20	-7.662835	20	PASS
			NV	30	-3.831418	20	PASS
			NV	40	-7.662835	20	PASS
			NV	50	-3.831418	20	PASS
		5240	NV	-30	-3.816794	20	PASS
			NV	-20	-7.633588	20	PASS
			NV	-10	-3.816794	20	PASS
			NV	0	-3.816794	20	PASS
			NV	10	-7.633588	20	PASS
			NV	20	-7.633588	20	PASS
			NV	30	-3.816794	20	PASS
			NV	40	-3.816794	20	PASS
			NV	50	-7.633588	20	PASS
		5745	NV	-30	-3.481288	20	PASS
			NV	-20	-3.481288	20	PASS
			NV	-10	-3.481288	20	PASS
			NV	0	-3.481288	20	PASS
			NV	10	-6.962576	20	PASS
			NV	20	-3.481288	20	PASS
			NV	30	-3.481288	20	PASS
			NV	40	-6.962576	20	PASS
			NV	50	-3.481288	20	PASS
		5785	NV	-30	-3.457217	20	PASS
			NV	-20	-3.457217	20	PASS
			NV	-10	-6.914434	20	PASS
			NV	0	-3.457217	20	PASS
			NV	10	-3.457217	20	PASS
			NV	20	-3.457217	20	PASS
			NV	30	-3.457217	20	PASS
			NV	40	-3.457217	20	PASS
			NV	50	-3.457217	20	PASS
		5825	NV	-30	-3.433476	20	PASS
			NV	-20	-3.433476	20	PASS
			NV	-10	-3.433476	20	PASS
			NV	0	-3.433476	20	PASS
			NV	10	-3.433476	20	PASS
			NV	20	-3.433476	20	PASS
			NV	30	-6.866953	20	PASS
			NV	40	-6.866953	20	PASS
			NV	50	-3.433476	20	PASS
11N40SISO	Ant1	5190	NV	-30	-7.707129	20	PASS
			NV	-20	-7.707129	20	PASS
			NV	-10	-7.707129	20	PASS
			NV	0	-15.414258	20	PASS
			NV	10	-7.707129	20	PASS
			NV	20	0.000000	20	PASS
			NV	30	0.000000	20	PASS

			NV	40	-7.707129	20	PASS
			NV	50	-7.707129	20	PASS
		5230	NV	-30	-15.296367	20	PASS
			NV	-20	-7.648184	20	PASS
			NV	-10	-7.648184	20	PASS
			NV	0	-7.648184	20	PASS
			NV	10	-7.648184	20	PASS
			NV	20	0.000000	20	PASS
			NV	30	-7.648184	20	PASS
			NV	40	0.000000	20	PASS
			NV	50	-7.648184	20	PASS
		5755	NV	-30	-6.950478	20	PASS
			NV	-20	-6.950478	20	PASS
			NV	-10	-6.950478	20	PASS
			NV	0	-6.950478	20	PASS
			NV	10	-6.950478	20	PASS
			NV	20	-6.950478	20	PASS
			NV	30	-6.950478	20	PASS
			NV	40	-6.950478	20	PASS
			NV	50	-13.900956	20	PASS
		5795	NV	-30	-6.902502	20	PASS
			NV	-20	-6.902502	20	PASS
			NV	-10	-6.902502	20	PASS
			NV	0	-6.902502	20	PASS
			NV	10	-6.902502	20	PASS
			NV	20	-6.902502	20	PASS
			NV	30	-13.805004	20	PASS
			NV	40	-6.902502	20	PASS
			NV	50	-6.902502	20	PASS
11AC20SISO	Ant1	5180	NV	-30	-3.861004	20	PASS
			NV	-20	-3.861004	20	PASS
			NV	-10	-7.722008	20	PASS
			NV	0	-3.861004	20	PASS
			NV	10	-7.722008	20	PASS
			NV	20	-3.861004	20	PASS
			NV	30	-3.861004	20	PASS
			NV	40	-7.722008	20	PASS
			NV	50	-7.722008	20	PASS
		5220	NV	-30	-3.831418	20	PASS
			NV	-20	-3.831418	20	PASS
			NV	-10	-3.831418	20	PASS
			NV	0	-7.662835	20	PASS
			NV	10	-3.831418	20	PASS
			NV	20	-7.662835	20	PASS
			NV	30	-3.831418	20	PASS
			NV	40	-11.494253	20	PASS
			NV	50	-3.831418	20	PASS
		5240	NV	-30	-7.633588	20	PASS
			NV	-20	-7.633588	20	PASS



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

SHEM-TRF-001 Rev. 02 Sep01, 2023

Report No.: SHCR240700132804

Page: 233 of 255

			NV	-10	-7.633588	20	PASS
			NV	0	-3.816794	20	PASS
			NV	10	-3.816794	20	PASS
			NV	20	-7.633588	20	PASS
			NV	30	-3.816794	20	PASS
			NV	40	-3.816794	20	PASS
			NV	50	-3.816794	20	PASS
		5745	NV	-30	-3.481288	20	PASS
			NV	-20	-6.962576	20	PASS
			NV	-10	-3.481288	20	PASS
			NV	0	-3.481288	20	PASS
			NV	10	-10.443864	20	PASS
			NV	20	-3.481288	20	PASS
			NV	30	-3.481288	20	PASS
		5785	NV	40	-6.962576	20	PASS
			NV	50	-6.962576	20	PASS
			NV	-30	-3.457217	20	PASS
			NV	-20	-6.914434	20	PASS
			NV	-10	-6.914434	20	PASS
			NV	0	-6.914434	20	PASS
			NV	10	-3.457217	20	PASS
		5825	NV	20	-3.457217	20	PASS
			NV	30	-6.914434	20	PASS
			NV	40	-3.457217	20	PASS
			NV	50	-3.457217	20	PASS
			NV	-30	-6.866953	20	PASS
			NV	-20	-3.433476	20	PASS
			NV	-10	-6.866953	20	PASS
11AC40SISO	Ant1	5190	NV	0	-3.433476	20	PASS
			NV	10	-6.866953	20	PASS
			NV	20	-3.433476	20	PASS
			NV	30	-3.433476	20	PASS
			NV	40	-3.433476	20	PASS
			NV	50	-6.866953	20	PASS
			NV	-30	-7.707129	20	PASS
		5230	NV	-20	-7.707129	20	PASS
			NV	-10	-7.707129	20	PASS
			NV	0	-7.707129	20	PASS
			NV	10	-7.707129	20	PASS
			NV	20	0.000000	20	PASS
			NV	30	-7.707129	20	PASS
			NV	40	0.000000	20	PASS
			NV	50	0.000000	20	PASS
			NV	-30	-7.648184	20	PASS
			NV	-20	-7.648184	20	PASS
			NV	-10	-7.648184	20	PASS
			NV	0	-7.648184	20	PASS
			NV	10	-7.648184	20	PASS
			NV	20	-7.648184	20	PASS

			NV	30	-7.648184	20	PASS
			NV	40	-7.648184	20	PASS
			NV	50	-7.648184	20	PASS
		5755	NV	-30	-6.950478	20	PASS
			NV	-20	0.000000	20	PASS
			NV	-10	-6.950478	20	PASS
			NV	0	-6.950478	20	PASS
			NV	10	-6.950478	20	PASS
			NV	20	-6.950478	20	PASS
			NV	30	-6.950478	20	PASS
			NV	40	0.000000	20	PASS
			NV	50	-6.950478	20	PASS
		5795	NV	-30	-6.902502	20	PASS
			NV	-20	-6.902502	20	PASS
			NV	-10	-6.902502	20	PASS
			NV	0	0.000000	20	PASS
			NV	10	0.000000	20	PASS
			NV	20	-6.902502	20	PASS
			NV	30	-6.902502	20	PASS
			NV	40	0.000000	20	PASS
			NV	50	-6.902502	20	PASS
11AC80SISO	Ant1	5210	NV	-30	0.000000	20	PASS
			NV	-20	0.000000	20	PASS
			NV	-10	-15.355086	20	PASS
			NV	0	0.000000	20	PASS
			NV	10	0.000000	20	PASS
			NV	20	0.000000	20	PASS
			NV	30	-15.355086	20	PASS
			NV	40	0.000000	20	PASS
			NV	50	-15.355086	20	PASS
		5775	NV	-30	0.000000	20	PASS
			NV	-20	0.000000	20	PASS
			NV	-10	0.000000	20	PASS
			NV	0	-13.852814	20	PASS
			NV	10	0.000000	20	PASS
			NV	20	0.000000	20	PASS
			NV	30	0.000000	20	PASS
			NV	40	0.000000	20	PASS
			NV	50	-13.852814	20	PASS
11AX20SISO	Ant1	5180	NV	-30	-3.861004	20	PASS
			NV	-20	-3.861004	20	PASS
			NV	-10	-7.722008	20	PASS
			NV	0	-3.861004	20	PASS
			NV	10	-3.861004	20	PASS
			NV	20	-3.861004	20	PASS
			NV	30	-3.861004	20	PASS
			NV	40	-3.861004	20	PASS
			NV	50	-3.861004	20	PASS
		5220	NV	-30	-3.831418	20	PASS



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

SHEM-TRF-001 Rev. 02 Sep01, 2023

Report No.: SHCR240700132804

Page: 235 of 255

			NV	-20	-3.831418	20	PASS
			NV	-10	-7.662835	20	PASS
			NV	0	-3.831418	20	PASS
			NV	10	-11.494253	20	PASS
			NV	20	-3.831418	20	PASS
			NV	30	-3.831418	20	PASS
			NV	40	-3.831418	20	PASS
			NV	50	-3.831418	20	PASS
		5240	NV	-30	-7.633588	20	PASS
			NV	-20	-7.633588	20	PASS
			NV	-10	-3.816794	20	PASS
			NV	0	-3.816794	20	PASS
			NV	10	-3.816794	20	PASS
			NV	20	-3.816794	20	PASS
			NV	30	-3.816794	20	PASS
			NV	40	-3.816794	20	PASS
			NV	50	-3.816794	20	PASS
		5745	NV	-30	-3.481288	20	PASS
			NV	-20	-6.962576	20	PASS
			NV	-10	-3.481288	20	PASS
			NV	0	-6.962576	20	PASS
			NV	10	-3.481288	20	PASS
			NV	20	-6.962576	20	PASS
			NV	30	-3.481288	20	PASS
			NV	40	-6.962576	20	PASS
			NV	50	-6.962576	20	PASS
		5785	NV	-30	-3.457217	20	PASS
			NV	-20	-3.457217	20	PASS
			NV	-10	-3.457217	20	PASS
			NV	0	-3.457217	20	PASS
			NV	10	-6.914434	20	PASS
			NV	20	-6.914434	20	PASS
			NV	30	-3.457217	20	PASS
			NV	40	-3.457217	20	PASS
		5825	NV	50	-6.914434	20	PASS
			NV	-30	-6.866953	20	PASS
			NV	-20	-3.433476	20	PASS
			NV	-10	-3.433476	20	PASS
			NV	0	-6.866953	20	PASS
			NV	10	-6.866953	20	PASS
			NV	20	-6.866953	20	PASS
			NV	30	-3.433476	20	PASS
			NV	40	-6.866953	20	PASS
			NV	50	-3.433476	20	PASS
11AX40SISO	Ant1	5190	NV	-30	-7.707129	20	PASS
			NV	-20	-7.707129	20	PASS
			NV	-10	-7.707129	20	PASS
			NV	0	-7.707129	20	PASS
			NV	10	-7.707129	20	PASS

			NV	20	0.000000	20	PASS
			NV	30	-7.707129	20	PASS
			NV	40	-7.707129	20	PASS
			NV	50	-7.707129	20	PASS
		5230	NV	-30	-7.648184	20	PASS
			NV	-20	-7.648184	20	PASS
			NV	-10	-7.648184	20	PASS
			NV	0	-7.648184	20	PASS
			NV	10	-7.648184	20	PASS
			NV	20	-7.648184	20	PASS
			NV	30	-7.648184	20	PASS
			NV	40	-7.648184	20	PASS
			NV	50	-7.648184	20	PASS
		5755	NV	-30	-6.950478	20	PASS
			NV	-20	-6.950478	20	PASS
			NV	-10	-6.950478	20	PASS
			NV	0	-6.950478	20	PASS
			NV	10	-6.950478	20	PASS
			NV	20	-6.950478	20	PASS
			NV	30	-6.950478	20	PASS
			NV	40	-6.950478	20	PASS
		5795	NV	50	-6.950478	20	PASS
			NV	-30	-6.902502	20	PASS
			NV	-20	-6.902502	20	PASS
			NV	-10	-6.902502	20	PASS
			NV	0	-6.902502	20	PASS
			NV	10	-6.902502	20	PASS
			NV	20	-6.902502	20	PASS
			NV	30	-6.902502	20	PASS
11AX80SISO	Ant1	5210	NV	40	-6.902502	20	PASS
			NV	50	-6.902502	20	PASS
			NV	-30	-15.355086	20	PASS
			NV	-20	-15.355086	20	PASS
			NV	-10	0.000000	20	PASS
			NV	0	-15.355086	20	PASS
			NV	10	-15.355086	20	PASS
			NV	20	-15.355086	20	PASS
		5775	NV	30	-15.355086	20	PASS
			NV	40	-15.355086	20	PASS
			NV	50	0.000000	20	PASS
			NV	-30	-13.852814	20	PASS
			NV	-20	-13.852814	20	PASS
			NV	-10	-13.852814	20	PASS
			NV	0	0.000000	20	PASS
			NV	10	-13.852814	20	PASS
			NV	20	-13.852814	20	PASS
			NV	30	-13.852814	20	PASS
			NV	40	-13.852814	20	PASS
			NV	50	-13.852814	20	PASS



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

SHEM-TRF-001 Rev. 02 Sep01, 2023

Report No.: SHCR240700132804

Page: 237 of 255


Note: NV:Normal Voltage; LV:Low Extreme Voltage;HV: High Extreme Voltage


10.7 Appendix E: Duty Cycle

10.7.1 Test Result


Test Mode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
11A	Ant1	5180	27.00	27.00	100.00	---	---
		5220	27.00	27.00	100.00	---	---
		5240	27.00	27.00	100.00	---	---
		5745	27.00	27.00	100.00	---	---
		5785	27.00	27.00	100.00	---	---
		5825	27.00	27.00	100.00	---	---
11N20SISO	Ant1	5180	27.00	27.00	100.00	---	---
		5220	27.00	27.00	100.00	---	---
		5240	27.00	27.00	100.00	---	---
		5745	27.00	27.00	100.00	---	---
		5785	27.00	27.00	100.00	---	---
		5825	27.00	27.00	100.00	---	---
11N40SISO	Ant1	5190	27.00	27.00	100.00	---	---
		5230	27.00	27.00	100.00	---	---
		5755	27.00	27.00	100.00	---	---
		5795	27.00	27.00	100.00	---	---
11AC20SISO	Ant1	5180	27.00	27.00	100.00	---	---
		5220	27.00	27.00	100.00	---	---
		5240	27.00	27.00	100.00	---	---
		5745	27.00	27.00	100.00	---	---
		5785	27.00	27.00	100.00	---	---
		5825	27.00	27.00	100.00	---	---
11AC40SISO	Ant1	5190	27.00	27.00	100.00	---	---
		5230	27.00	27.00	100.00	---	---
		5755	27.00	27.00	100.00	---	---
		5795	27.00	27.00	100.00	---	---
11AC80SISO	Ant1	5210	27.00	27.00	100.00	---	---
		5775	27.00	27.00	100.00	---	---
11AX20SISO	Ant1	5180	27.00	27.00	100.00	---	---
		5220	27.00	27.00	100.00	---	---
		5240	27.00	27.00	100.00	---	---
		5745	27.00	27.00	100.00	---	---
		5785	27.00	27.00	100.00	---	---
		5825	27.00	27.00	100.00	---	---
11AX40SISO	Ant1	5190	27.00	27.00	100.00	---	---
		5230	27.00	27.00	100.00	---	---
		5755	27.00	27.00	100.00	---	---
		5795	27.00	27.00	100.00	---	---
11AX80SISO	Ant1	5210	27.00	27.00	100.00	---	---
		5775	27.00	27.00	100.00	---	---

10.7.2 Test Graphs







11A_Ant1_5745




11A_Ant1_5785




11A_Ant1_5825




11N20SISO_Ant1_5180




11N20SISO_Ant1_5220




11N20SISO_Ant1_5240




11N20SISO_Ant1_5745




11N20SISO_Ant1_5785




11N20SISO_Ant1_5825




11N40SISO_Ant1_5190




11N40SISO_Ant1_5795




11AC20SISO_Ant1_5180




11AC20SISO_Ant1_5220




11AC20SISO_Ant1_5240




11AC20SISO_Ant1_5745




11AC20SISO_Ant1_5785




11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230




11AC40SISO_Ant1_5755




11AC40SISO_Ant1_5795




11AC80SISO_Ant1_5210



11AC80SISO_Ant1_5775



11AX20SISO_Ant1_5180



11AX20SISO_Ant1_5220

