

Appendix Test Data for BT(BDR/EDR) (Conducted Measurement)

Product Name: MINI PARTY LIGHT BT SPEAKER

Trade Mark: 

Test Model: V12

FCC ID: 2BHTU-V1201

Environmental Conditions


Temperature:	23.8℃
Relative Humidity:	58%
ATM Pressure:	100.0 kPa
Test Engineer:	Allen Lai
Supervised by:	Hugo Chen
NOTE	N/A

Appendix A: 20dB Emission Bandwidth

Test Result


TestMode	Antenna	Frequency[MHz]	20db EBW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant1	2402	1.020	2401.493	2402.513	---	---
DH5	Ant1	2441	1.038	2440.490	2441.528	---	---
DH5	Ant1	2480	1.041	2479.490	2480.531	---	---
2DH5	Ant1	2402	1.293	2401.373	2402.666	---	---
2DH5	Ant1	2441	1.356	2440.334	2441.690	---	---
2DH5	Ant1	2480	1.347	2479.343	2480.690	---	---

Test Graphs






DH5-Ant1-2480



2DH5-Ant1-2402



2DH5-Ant1-2441





Appendix B: Occupied Channel Bandwidth

Test Result


TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant1	2402	0.91553	2401.5464	2402.4619	---	---
DH5	Ant1	2441	0.94166	2440.5349	2441.4766	---	---
DH5	Ant1	2480	0.93936	2479.5340	2480.4733	---	---
2DH5	Ant1	2402	1.2042	2401.4097	2402.6139	---	---
2DH5	Ant1	2441	1.2102	2440.4109	2441.6211	---	---
2DH5	Ant1	2480	1.2315	2479.4027	2480.6342	---	---

Test Graphs







DH5-Ant1-2480



2DH5-Ant1-2402



2DH5-Ant1-2441





Appendix C: Maximum peak conducted output power

Test Result


Test Mode	Antenna	Frequency[MHz]	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
DH5	Ant1	2402	-2.85	≤30	PASS
DH5	Ant1	2441	-2.51	≤30	PASS
DH5	Ant1	2480	-2.55	≤30	PASS
2DH5	Ant1	2402	-2.10	≤20.97	PASS
2DH5	Ant1	2441	-1.81	≤20.97	PASS
2DH5	Ant1	2480	-1.84	≤20.97	PASS

Test Graphs







DH5-Ant1-2480-PASS



2DH5-Ant1-2402-PASS



2DH5-Ant1-2441-PASS



Appendix D: Carrier frequency separation

Test Result

TestMode	Antenna	Frequency[MHz]	Result[MHz]	Limit[MHz]	Verdict
DH5	Ant1	Hop	1.278	≥ 1.041	PASS
2DH5	Ant1	Hop	0.984	≥ 0.904	PASS

Test Graphs





Appendix E: Time of occupancy

Test Result

TestMode	Antenna	Frequency[MHz]	BurstWidth [ms]	TotalHops [Num]	Result[s]	Limit[s]	Verdict
DH5	Ant1	Hop	2.878	130	0.374	≤0.4	PASS
2DH5	Ant1	Hop	2.884	130	0.375	≤0.4	PASS

Test Graphs






Appendix F: Number of hopping channels

Test Result

TestMode	Antenna	Frequency[MHz]	Result[Num]	Limit[Num]	Verdict
DH5	Ant1	Hop	79	≥15	PASS
2DH5	Ant1	Hop	79	≥15	PASS

Test Graphs





Appendix G: Band edge measurements


Test Result

TestMode	Antenna	ChName	Frequency[MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	Low	2402	-3.59	-49.96	≤-23.59	PASS
DH5	Ant1	High	2480	-3.12	-49.58	≤-23.12	PASS
DH5	Ant1	Low	Hop_2402	-4.56	-50.25	≤-24.56	PASS
DH5	Ant1	High	Hop_2480	-3.47	-49.64	≤-23.47	PASS
2DH5	Ant1	Low	2402	-3.41	-50.31	≤-23.41	PASS
2DH5	Ant1	High	2480	-3.39	-49.27	≤-23.39	PASS
2DH5	Ant1	Low	Hop_2402	-7.33	-49.74	≤-27.33	PASS
2DH5	Ant1	High	Hop_2480	-3.49	-48.76	≤-23.49	PASS


Test Graphs








2DH5-Ant1-2480-PASS



2DH5-Ant1-Hop_2402-PASS




2DH5-Ant1-Hop_2480-PASS


Appendix H: Conducted Spurious Emission

Test Result


TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	0~Reference	-3.98	-3.98	---	PASS
DH5	Ant1	2402	30~1000	-3.98	-63.22	≤-23.98	PASS
DH5	Ant1	2402	1000~26500	-3.98	-50.63	≤-23.98	PASS
DH5	Ant1	2441	0~Reference	-3.77	-3.77	---	PASS
DH5	Ant1	2441	30~1000	-3.77	-62.02	≤-23.77	PASS
DH5	Ant1	2441	1000~26500	-3.77	-50.41	≤-23.77	PASS
DH5	Ant1	2480	0~Reference	-3.73	-3.73	---	PASS
DH5	Ant1	2480	30~1000	-3.73	-62.68	≤-23.73	PASS
DH5	Ant1	2480	1000~26500	-3.73	-49.41	≤-23.73	PASS
2DH5	Ant1	2402	0~Reference	-4.38	-4.38	---	PASS
2DH5	Ant1	2402	30~1000	-4.38	-62.7	≤-24.38	PASS
2DH5	Ant1	2402	1000~26500	-4.38	-49.58	≤-24.38	PASS
2DH5	Ant1	2441	0~Reference	-4.02	-4.02	---	PASS
2DH5	Ant1	2441	30~1000	-4.02	-62.73	≤-24.02	PASS
2DH5	Ant1	2441	1000~26500	-4.02	-50.48	≤-24.02	PASS
2DH5	Ant1	2480	0~Reference	-4.10	-4.10	---	PASS
2DH5	Ant1	2480	30~1000	-4.10	-62.28	≤-24.1	PASS
2DH5	Ant1	2480	1000~26500	-4.10	-50.09	≤-24.1	PASS

Test Graphs







DH5-Ant1-2402-1000~26500-PASS



DH5-Ant1-2441-0~Reference-PASS




DH5-Ant1-2441-30~1000-PASS




DH5-Ant1-2441-1000~26500-PASS




DH5-Ant1-2480-0~Reference-PASS




DH5-Ant1-2480-30~1000-PASS




DH5-Ant1-2480-1000~26500-PASS




2DH5-Ant1-2402-0~Reference-PASS




2DH5-Ant1-2402-30~1000-PASS




2DH5-Ant1-2402-1000~26500-PASS



2DH5-Ant1-2441-0~Reference-PASS




2DH5-Ant1-2441-30~1000-PASS




2DH5-Ant1-2441-1000~26500-PASS



2DH5-Ant1-2480-0~Reference-PASS



2DH5-Ant1-2480-30~1000-PASS



Appendix I: Duty Cycle

Test Result

TestMode	Antenna	Frequency[MHz]	ON Time[ms]	Period[ms]	Duty Cycle[%]	Duty Cycle Factor[dB]
DH5	Ant1	2402	2.88	3.76	76.60	1.16
DH5	Ant1	2441	2.88	3.75	76.80	1.15
DH5	Ant1	2480	2.88	3.75	76.80	1.15
2DH5	Ant1	2402	2.89	3.76	76.86	1.14
2DH5	Ant1	2441	2.88	3.75	76.80	1.15
2DH5	Ant1	2480	2.88	3.75	76.80	1.15

Test Graphs

