

RF Test Data for 2.4G WiFi (Conducted Measurements)

General Description of EUT	
Product Name:	Smart Irrigation Timmer
Test Model:	SWT60-US-WIFI
Sample ID:	HC-C-202406-0290-01-02
Environmental Conditions	
Temperature:	22.0℃-25℃
Relative Humidity:	43%-55%
Test Voltage:	DC 6V
Test Engineer:	Zkn Zhou
Note: For a more detailed features description, please refer to the report TBR-C-202406-0290-551 The report only show the worst case data.	

Contents

1.Duty Cycle.....3

2.Maximum Conducted Output Power9

3.-6dB Bandwidth.....10

4.Occupied Channel Bandwidth.....16

5.Maximum Power Spectral Density Level.....22

6.Band Edge28

7.Conducted RF Spurious Emission.....35


8.Restrict Band.....45

1.Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant1	50.18	2.99	0.12
NVNT	b	2437	Ant1	50.18	2.99	0.12
NVNT	b	2462	Ant1	50.18	2.99	0.12
NVNT	g	2412	Ant1	50	3.01	0.5
NVNT	g	2437	Ant1	50.12	3	0.49
NVNT	g	2462	Ant1	50.25	2.99	0.49
NVNT	n(HT20)	2412	Ant1	50.94	2.93	0.53
NVNT	n(HT20)	2437	Ant1	50.94	2.93	0.53
NVNT	n(HT20)	2462	Ant1	50.94	2.93	0.53

Test Graphs


Duty Cycle NVNT b 2412MHz Ant1




Duty Cycle NVNT b 2437MHz Ant1




Duty Cycle NVNT b 2462MHz Ant1




Duty Cycle NVNT g 2412MHz Ant1




Duty Cycle NVNT g 2437MHz Ant1




Duty Cycle NVNT g 2462MHz Ant1




Duty Cycle NVNT n(HT20) 2412MHz Ant1



Duty Cycle NVNT n(HT20) 2437MHz Ant1





2. Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	14.21	30	Pass
NVNT	b	2437	Ant1	14.32	30	Pass
NVNT	b	2462	Ant1	14.05	30	Pass
NVNT	g	2412	Ant1	14.47	30	Pass
NVNT	g	2437	Ant1	14.51	30	Pass
NVNT	g	2462	Ant1	14.71	30	Pass
NVNT	n(HT20)	2412	Ant1	14.15	30	Pass
NVNT	n(HT20)	2437	Ant1	14.53	30	Pass
NVNT	n(HT20)	2462	Ant1	14.49	30	Pass


Note: The duty factor has been compensated into the result.

3.-6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant1	8.55	0.5	Pass
NVNT	b	2437	Ant1	8.3	0.5	Pass
NVNT	b	2462	Ant1	8.06	0.5	Pass
NVNT	g	2412	Ant1	16.33	0.5	Pass
NVNT	g	2437	Ant1	16.34	0.5	Pass
NVNT	g	2462	Ant1	16.36	0.5	Pass
NVNT	n(HT20)	2412	Ant1	17.63	0.5	Pass
NVNT	n(HT20)	2437	Ant1	17.56	0.5	Pass
NVNT	n(HT20)	2462	Ant1	17.55	0.5	Pass

Test Graphs


-6dB Bandwidth NVNT b 2412MHz Ant1




-6dB Bandwidth NVNT b 2437MHz Ant1




-6dB Bandwidth NVNT b 2462MHz Ant1




-6dB Bandwidth NVNT g 2412MHz Ant1




-6dB Bandwidth NVNT g 2437MHz Ant1




-6dB Bandwidth NVNT g 2462MHz Ant1




-6dB Bandwidth NVNT n(HT20) 2412MHz Ant1



-6dB Bandwidth NVNT n(HT20) 2437MHz Ant1






4.Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	b	2412	Ant1	12.994
NVNT	b	2437	Ant1	13.035
NVNT	b	2462	Ant1	13.021
NVNT	g	2412	Ant1	16.598
NVNT	g	2437	Ant1	16.585
NVNT	g	2462	Ant1	16.597
NVNT	n(HT20)	2412	Ant1	17.723
NVNT	n(HT20)	2437	Ant1	17.736
NVNT	n(HT20)	2462	Ant1	17.693

Test Graphs


OBW NVNT b 2412MHz Ant1




OBW NVNT b 2437MHz Ant1




OBW NVNT b 2462MHz Ant1




OBW NVNT g 2412MHz Ant1




OBW NVNT g 2437MHz Ant1




OBW NVNT g 2462MHz Ant1




OBW NVNT n(HT20) 2412MHz Ant1



OBW NVNT n(HT20) 2437MHz Ant1





5. Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	-22.728	8	Pass
NVNT	b	2437	Ant1	-22.445	8	Pass
NVNT	b	2462	Ant1	-22.243	8	Pass
NVNT	g	2412	Ant1	-25.123	8	Pass
NVNT	g	2437	Ant1	-25.222	8	Pass
NVNT	g	2462	Ant1	-24.962	8	Pass
NVNT	n(HT20)	2412	Ant1	-25.696	8	Pass
NVNT	n(HT20)	2437	Ant1	-25.102	8	Pass
NVNT	n(HT20)	2462	Ant1	-25.874	8	Pass


Note: The duty factor has been compensated into the result.

Test Graphs


PSD NVNT b 2412MHz Ant1




PSD NVNT b 2437MHz Ant1




PSD NVNT b 2462MHz Ant1




PSD NVNT g 2412MHz Ant1




PSD NVNT g 2437MHz Ant1




PSD NVNT g 2462MHz Ant1




PSD NVNT n(HT20) 2412MHz Ant1



PSD NVNT n(HT20) 2437MHz Ant1






6.Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-48.38	-30	Pass
NVNT	b	2462	Ant1	-48.54	-30	Pass
NVNT	g	2412	Ant1	-42.81	-30	Pass
NVNT	g	2462	Ant1	-44.43	-30	Pass
NVNT	n(HT20)	2412	Ant1	-44.69	-30	Pass
NVNT	n(HT20)	2462	Ant1	-44.04	-30	Pass

Test Graphs


Band Edge NVNT b 2412MHz Ant1 Ref




Band Edge NVNT b 2412MHz Ant1 Emission




Band Edge NVNT b 2462MHz Ant1 Ref




Band Edge NVNT b 2462MHz Ant1 Emission




Band Edge NVNT g 2412MHz Ant1 Ref




Band Edge NVNT g 2412MHz Ant1 Emission




Band Edge NVNT g 2462MHz Ant1 Ref




Band Edge NVNT g 2462MHz Ant1 Emission




Band Edge NVNT n(HT20) 2412MHz Ant1 Ref




Band Edge NVNT n(HT20) 2412MHz Ant1 Emission



Band Edge NVNT n(HT20) 2462MHz Ant1 Ref



Band Edge NVNT n(HT20) 2462MHz Ant1 Emission




7. Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-49.35	-30	Pass
NVNT	b	2437	Ant1	-50.07	-30	Pass
NVNT	b	2462	Ant1	-49.77	-30	Pass
NVNT	g	2412	Ant1	-47.03	-30	Pass
NVNT	g	2437	Ant1	-47.99	-30	Pass
NVNT	g	2462	Ant1	-48.42	-30	Pass
NVNT	n(HT20)	2412	Ant1	-47.81	-30	Pass
NVNT	n(HT20)	2437	Ant1	-48.15	-30	Pass
NVNT	n(HT20)	2462	Ant1	-47.15	-30	Pass

Test Graphs


Tx. Spurious NVNT b 2412MHz Ant1 Ref




Tx. Spurious NVNT b 2412MHz Ant1 Emission




Tx. Spurious NVNT b 2437MHz Ant1 Ref




Tx. Spurious NVNT b 2437MHz Ant1 Emission




Tx. Spurious NVNT b 2462MHz Ant1 Ref




Tx. Spurious NVNT b 2462MHz Ant1 Emission




Tx. Spurious NVNT g 2412MHz Ant1 Ref




Tx. Spurious NVNT g 2412MHz Ant1 Emission




Tx. Spurious NVNT g 2437MHz Ant1 Ref




Tx. Spurious NVNT g 2437MHz Ant1 Emission




Tx. Spurious NVNT g 2462MHz Ant1 Ref




Tx. Spurious NVNT g 2462MHz Ant1 Emission




Tx. Spurious NVNT n(HT20) 2412MHz Ant1 Ref




Tx. Spurious NVNT n(HT20) 2412MHz Ant1 Emission




Tx. Spurious NVNT n(HT20) 2437MHz Ant1 Ref




Tx. Spurious NVNT n(HT20) 2437MHz Ant1 Emission



Tx. Spurious NVNT n(HT20) 2462MHz Ant1 Ref



Tx. Spurious NVNT n(HT20) 2462MHz Ant1 Emission




8.Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant1	2310	-51.38	3	-	46.88	Peak	74	Pass
NVNT	b	2412	Ant1	2310	-60.22	3	2.99	41.03	Average	54	Pass
NVNT	b	2412	Ant1	2389.677	-46.59	3	-	51.67	Peak	74	Pass
NVNT	b	2412	Ant1	2389.794	-58.52	3	2.99	42.73	Average	54	Pass
NVNT	b	2412	Ant1	2390	-49.65	3	-	48.61	Peak	74	Pass
NVNT	b	2412	Ant1	2390	-58.41	3	2.99	42.84	Average	54	Pass
NVNT	b	2462	Ant1	2483.5	-49.87	3	-	48.39	Peak	74	Pass
NVNT	b	2462	Ant1	2483.5	-58.86	3	2.99	42.39	Average	54	Pass
NVNT	b	2462	Ant1	2495.283	-46.45	3	-	51.81	Peak	74	Pass
NVNT	b	2462	Ant1	2497.138	-57.57	3	2.99	43.68	Average	54	Pass
NVNT	b	2462	Ant1	2500	-50.04	3	-	48.22	Peak	74	Pass
NVNT	b	2462	Ant1	2500	-58.49	3	2.99	42.76	Average	54	Pass
NVNT	g	2412	Ant1	2310	-51.69	3	-	46.57	Peak	74	Pass
NVNT	g	2412	Ant1	2310	-60	3	3.01	41.27	Average	54	Pass
NVNT	g	2412	Ant1	2389.677	-35.75	3	-	62.51	Peak	74	Pass
NVNT	g	2412	Ant1	2389.677	-51.42	3	3.01	49.85	Average	54	Pass
NVNT	g	2412	Ant1	2390	-37.69	3	-	60.57	Peak	74	Pass
NVNT	g	2412	Ant1	2390	-51.9	3	3.01	49.37	Average	54	Pass
NVNT	g	2462	Ant1	2483.5	-36.97	3	-	61.29	Peak	74	Pass
NVNT	g	2462	Ant1	2483.5	-48.25	3	2.99	53	Average	54	Pass
NVNT	g	2462	Ant1	2484.418	-34.56	3	-	63.7	Peak	74	Pass
NVNT	g	2462	Ant1	2483.517	-48.24	3	2.99	53.01	Average	54	Pass
NVNT	g	2462	Ant1	2500	-46.69	3	-	51.57	Peak	74	Pass
NVNT	g	2462	Ant1	2500	-56.3	3	2.99	44.95	Average	54	Pass
NVNT	n(HT20)	2412	Ant1	2310	-51.71	3	-	46.55	Peak	74	Pass
NVNT	n(HT20)	2412	Ant1	2310	-60.65	3	2.93	40.54	Average	54	Pass
NVNT	n(HT20)	2412	Ant1	2389.326	-33.65	3	-	64.61	Peak	74	Pass
NVNT	n(HT20)	2412	Ant1	2389.677	-48.26	3	2.93	52.93	Average	54	Pass
NVNT	n(HT20)	2412	Ant1	2390	-38.39	3	-	59.87	Peak	74	Pass
NVNT	n(HT20)	2412	Ant1	2390	-47.6	3	2.93	53.59	Average	54	Pass
NVNT	n(HT20)	2462	Ant1	2483.5	-35.42	3	-	62.84	Peak	74	Pass
NVNT	n(HT20)	2462	Ant1	2483.5	-48.38	3	2.93	52.81	Average	54	Pass
NVNT	n(HT20)	2462	Ant1	2483.729	-31.01	3	-	67.25	Peak	74	Pass
NVNT	n(HT20)	2462	Ant1	2483.835	-47.79	3	2.93	53.4	Average	54	Pass
NVNT	n(HT20)	2462	Ant1	2500	-46.17	3	-	52.09	Peak	74	Pass
NVNT	n(HT20)	2462	Ant1	2500	-58.06	3	2.93	43.13	Average	54	Pass

Test Graphs


Restrict Band NVNT b 2412MHz Ant1 Peak




Restrict Band NVNT b 2412MHz Ant1 Average




Restrict Band NVNT b 2462MHz Ant1 Peak




Restrict Band NVNT b 2462MHz Ant1 Average




Restrict Band NVNT g 2412MHz Ant1 Peak




Restrict Band NVNT g 2412MHz Ant1 Average




Restrict Band NVNT g 2462MHz Ant1 Peak




Restrict Band NVNT g 2462MHz Ant1 Average




Restrict Band NVNT n(HT20) 2412MHz Ant1 Peak




Restrict Band NVNT n(HT20) 2412MHz Ant1 Average



Restrict Band NVNT n(HT20) 2462MHz Ant1 Peak



Restrict Band NVNT n(HT20) 2462MHz Ant1 Average



-----END OF REPORT-----