



Model: XH-X10

Shenzhen Chenxing Electronic Technology Co., LTD

PRODUCT SPECIFICATION FOR APPROVAL

CUSTOMER: Hancai

PRODUCT NAME: A11coil

PART No. : 01.011.0211

PRODUCT SPEC
transmitting coil
Sensitivity specification: $6.8 \pm 0.2 \mu\text{H}$
Diskette specification: $43.5 \times 5.3 \times 0.8$ double-groove
Coil specification: silk-covered wire $0.08 \times 105 \times 11$ Ts (Inside diameter of coil 18.5mm) outgoing line 6mm/ Common double-sided tape

DATE Dec. 19, 2024

VERSION: REV 1.0

Revision	Modified Content	Principle	Date	Note
REV 1.0	first release	Xue Lei	Dec. 19, 2024	

PREPARED BY	CHECKED BY	APPROVED BY

Authorized signature & company chop		
-------------------------------------	--	--

Attached is the product specification, if you have any questions, please timely feedback to us, thank you!


company name: Shenzhen Chenxing Electronic Technology Co., LTD

factory address: 5F, Building 1, Xinken City Science and Technology Industrial Park, 51 Dabao Road, Xinken Street, Bao'an District, Shenzhen



SPECIFICATION

一、product size


	Disc diameterA	43.5±0.5mm
	Coil outside diameterB	41.5±1mm
	Inside diameter of coilC	18.5±0.5mm
	Product thicknessD	<2.4mm
	Outlet lengthE	6mm±2mm
	Solder lengthF	2-5mm
	Disc opening diameterG	5±0.3mm
	Diskette thickness	0.8±0.1mm
	Diskette shape	Circular double slot
	gum	Common double-sided tape
	Shatter-proof black film	no

company name: Shenzhen Chenxing Electronic Technology Co., LTD

factory address: 5F, Building 1, Xink City Science and Technology Industrial Park, 51 Dabao Road, Xin 'an Street, Bao 'an District, Shenzhen



二、schematic diagram



三、Winding parameter


TERMINAL		WIRE	Turns	Winding Direction
S	F	silk-covered wire 0.08*105P	11Ts	CCW

四、electrical specification:

TEMPERATURE:25±10°C, RELATIVE HUMIDITY:65±20%

ITEM	TERMINAL	SPECIFICATION	TEST FREQUENCY	TEST EQUIPMENTS
IND.	S-F	L: 6.8±0.2uH	100KHz/1.0V	LCZ METER 1062B

五、product picture



company name: Shenzhen Chenxing Electronic Technology Co., LTD

factory address: 5F, Building 1, Xinken City Science and Technology Industrial Park, 51
Dabao Road, Xinken Street, Bao'an District, Shenzhen