


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-46.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.87	-13	Pass	2985
30	1000	0.1	RMS	971.997	-55.12	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.3	-13	Pass	830
1830	1920	1	RMS	1850.25	16.06	60	Pass	601
1920	3000	1	RMS	2669.694	-39.36	-13	Pass	1080
3000	12000	1	RMS	11904.989	-46.54	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.65	-13	Pass	8000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.89	-13	Pass	2985
30	1000	0.1	RMS	922.392	-54.78	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.32	-13	Pass	830
1830	1920	1	RMS	1851.15	15.48	60	Pass	601
1920	3000	1	RMS	2668.693	-39.4	-13	Pass	1080
3000	12000	1	RMS	11905.99	-46.55	-13	Pass	9000
12000	20000	1	RMS	19842.98	-28.64	-13	Pass	8000



1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.06	-13	Pass	2985
30	1000	0.1	RMS	993.399	-55.09	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.26	-13	Pass	830
1830	1920	1	RMS	1850.25	15.24	60	Pass	601
1920	3000	1	RMS	2668.693	-39.33	-13	Pass	1080
3000	12000	1	RMS	11907.99	-46.48	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.75	-13	Pass	8000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.94	-13	Pass	2985
30	1000	0.1	RMS	935.093	-55.17	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.32	-13	Pass	830
1830	1920	1	RMS	1851.15	14.68	60	Pass	601
1920	3000	1	RMS	2666.691	-39.41	-13	Pass	1080
3000	12000	1	RMS	11907.99	-46.62	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.75	-13	Pass	8000



1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.49	-13	Pass	2985
30	1000	0.1	RMS	943.694	-55.13	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.31	-13	Pass	830
1830	1920	1	RMS	1879.5	15.5	60	Pass	601
1920	3000	1	RMS	2670.695	-39.4	-13	Pass	1080
3000	12000	1	RMS	11913.99	-46.48	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.64	-13	Pass	8000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.17	-13	Pass	2985
30	1000	0.1	RMS	928.893	-55.23	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.33	-13	Pass	830
1830	1920	1	RMS	1880.4	14.83	60	Pass	601
1920	3000	1	RMS	2668.693	-39.35	-13	Pass	1080
3000	12000	1	RMS	11915.991	-46.38	-13	Pass	9000
12000	20000	1	RMS	19854.982	-28.64	-13	Pass	8000



1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.17	-13	Pass	2985
30	1000	0.1	RMS	905.29	-55.08	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.26	-13	Pass	830
1830	1920	1	RMS	1879.5	14.63	60	Pass	601
1920	3000	1	RMS	2670.695	-39.38	-13	Pass	1080
3000	12000	1	RMS	11899.989	-46.46	-13	Pass	9000
12000	20000	1	RMS	19840.98	-28.59	-13	Pass	8000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.56	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.91	-13	Pass	2985
30	1000	0.1	RMS	927.793	-55.03	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.28	-13	Pass	830
1830	1920	1	RMS	1880.4	14.07	60	Pass	601
1920	3000	1	RMS	2668.693	-39.38	-13	Pass	1080
3000	12000	1	RMS	11917.991	-46.56	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.63	-13	Pass	8000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.64	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.91	-13	Pass	2985
30	1000	0.1	RMS	986.399	-55.05	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.25	-13	Pass	830
1830	1920	1	RMS	1908.9	15.69	60	Pass	601
1920	3000	1	RMS	2769.787	-39.41	-13	Pass	1080
3000	12000	1	RMS	11913.99	-46.53	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.61	-13	Pass	8000



1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.77	-13	Pass	2985
30	1000	0.1	RMS	928.693	-55.04	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.25	-13	Pass	830
1830	1920	1	RMS	1909.8	15.2	60	Pass	601
1920	3000	1	RMS	2670.695	-39.33	-13	Pass	1080
3000	12000	1	RMS	11905.99	-46.61	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.65	-13	Pass	8000



1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.1	-13	Pass	2985
30	1000	0.1	RMS	912.691	-55.14	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.28	-13	Pass	830
1830	1920	1	RMS	1908.9	14.89	60	Pass	601
1920	3000	1	RMS	2672.697	-39.36	-13	Pass	1080
3000	12000	1	RMS	11911.99	-46.4	-13	Pass	9000
12000	20000	1	RMS	19832.979	-28.67	-13	Pass	8000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.38	-13	Pass	2985
30	1000	0.1	RMS	864.986	-55.08	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.24	-13	Pass	830
1830	1920	1	RMS	1909.8	14.45	60	Pass	601
1920	3000	1	RMS	2668.693	-39.42	-13	Pass	1080
3000	12000	1	RMS	11918.991	-46.59	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.6	-13	Pass	8000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.18	-13	Pass	2985
30	1000	0.1	RMS	997.6	-55.24	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.28	-13	Pass	830
1830	1920	1	RMS	1850.25	16	60	Pass	601
1920	3000	1	RMS	2669.694	-39.39	-13	Pass	1080
3000	12000	1	RMS	11923.992	-46.61	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.66	-13	Pass	8000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.91	-13	Pass	2985
30	1000	0.1	RMS	897.689	-55.25	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.27	-13	Pass	830
1830	1920	1	RMS	1852.8	15.08	60	Pass	601
1920	3000	1	RMS	2666.691	-39.4	-13	Pass	1080
3000	12000	1	RMS	11907.99	-46.46	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.66	-13	Pass	8000



1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.71	-13	Pass	2985
30	1000	0.1	RMS	875.987	-54.84	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.28	-13	Pass	830
1830	1920	1	RMS	1850.25	15.23	60	Pass	601
1920	3000	1	RMS	2668.693	-39.4	-13	Pass	1080
3000	12000	1	RMS	11930.992	-46.44	-13	Pass	9000
12000	20000	1	RMS	19840.98	-28.61	-13	Pass	8000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.67	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.21	-13	Pass	2985
30	1000	0.1	RMS	997	-55.09	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.3	-13	Pass	830
1830	1920	1	RMS	1852.8	14.39	60	Pass	601
1920	3000	1	RMS	2672.697	-39.41	-13	Pass	1080
3000	12000	1	RMS	11902.989	-46.54	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.52	-13	Pass	8000



1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.64	-13	Pass	2985
30	1000	0.1	RMS	881.188	-55.22	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.28	-13	Pass	830
1830	1920	1	RMS	1878.75	15.7	60	Pass	601
1920	3000	1	RMS	2667.692	-39.38	-13	Pass	1080
3000	12000	1	RMS	11915.991	-46.49	-13	Pass	9000
12000	20000	1	RMS	19840.98	-28.64	-13	Pass	8000



1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.57	-13	Pass	2985
30	1000	0.1	RMS	896.989	-55.11	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.28	-13	Pass	830
1830	1920	1	RMS	1881.3	14.87	60	Pass	601
1920	3000	1	RMS	2672.697	-39.35	-13	Pass	1080
3000	12000	1	RMS	11895.988	-46.58	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.69	-13	Pass	8000



1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-37.99	-13	Pass	2985
30	1000	0.1	RMS	988.599	-55.1	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.29	-13	Pass	830
1830	1920	1	RMS	1878.75	14.83	60	Pass	601
1920	3000	1	RMS	2666.691	-39.41	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.48	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.7	-13	Pass	8000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.7	-13	Pass	2985
30	1000	0.1	RMS	929.293	-55.23	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.29	-13	Pass	830
1830	1920	1	RMS	1881.3	14.07	60	Pass	601
1920	3000	1	RMS	2671.696	-39.37	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.51	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.67	-13	Pass	8000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.69	-13	Pass	601
0.15	30	0.01	RMS	0.17	-40.31	-13	Pass	2985
30	1000	0.1	RMS	977.298	-55.35	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.24	-13	Pass	830
1830	1920	1	RMS	1907.25	15.72	60	Pass	601
1920	3000	1	RMS	2670.695	-39.41	-13	Pass	1080
3000	12000	1	RMS	11904.989	-46.39	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.72	-13	Pass	8000



1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.88	-13	Pass	2985
30	1000	0.1	RMS	936.793	-55.16	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.27	-13	Pass	830
1830	1920	1	RMS	1909.8	15.08	60	Pass	601
1920	3000	1	RMS	2667.692	-39.38	-13	Pass	1080
3000	12000	1	RMS	11907.99	-46.52	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.71	-13	Pass	8000



1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.75	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.42	-13	Pass	2985
30	1000	0.1	RMS	920.592	-55.3	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.29	-13	Pass	830
1830	1920	1	RMS	1907.25	14.92	60	Pass	601
1920	3000	1	RMS	2670.695	-39.42	-13	Pass	1080
3000	12000	1	RMS	11905.99	-46.59	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.39	-13	Pass	8000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.69	-13	Pass	2985
30	1000	0.1	RMS	902.79	-55.21	-13	Pass	9700
1000	1830	1	RMS	1801.966	-44.28	-13	Pass	830
1830	1920	1	RMS	1909.8	14.35	60	Pass	601
1920	3000	1	RMS	2669.694	-39.37	-13	Pass	1080
3000	12000	1	RMS	11912.99	-46.45	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.58	-13	Pass	8000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.69	-13	Pass	2985
30	1000	0.1	RMS	875.587	-54.98	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.29	-13	Pass	830
1830	1920	1	RMS	1850.4	15.92	60	Pass	601
1920	3000	1	RMS	2670.695	-39.4	-13	Pass	1080
3000	12000	1	RMS	11920.991	-46.56	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.64	-13	Pass	8000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.96	-13	Pass	2985
30	1000	0.1	RMS	925.592	-54.89	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.26	-13	Pass	830
1830	1920	1	RMS	1854.6	16	60	Pass	601
1920	3000	1	RMS	2669.694	-39.4	-13	Pass	1080
3000	12000	1	RMS	11899.989	-46.59	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.69	-13	Pass	8000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.87	-13	Pass	601
0.15	30	0.01	RMS	0.17	-39.95	-13	Pass	2985
30	1000	0.1	RMS	866.686	-55.06	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.27	-13	Pass	830
1830	1920	1	RMS	1850.4	15.13	60	Pass	601
1920	3000	1	RMS	2670.695	-39.38	-13	Pass	1080
3000	12000	1	RMS	11915.991	-46.52	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.57	-13	Pass	8000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.76	-13	Pass	2985
30	1000	0.1	RMS	956.496	-55.05	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.25	-13	Pass	830
1830	1920	1	RMS	1854.6	15.2	60	Pass	601
1920	3000	1	RMS	2670.695	-39.34	-13	Pass	1080
3000	12000	1	RMS	11917.991	-46.4	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.68	-13	Pass	8000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.01	-13	Pass	2985
30	1000	0.1	RMS	987.399	-55.07	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.33	-13	Pass	830
1830	1920	1	RMS	1877.85	16	60	Pass	601
1920	3000	1	RMS	2670.695	-39.38	-13	Pass	1080
3000	12000	1	RMS	11913.99	-46.69	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.64	-13	Pass	8000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.15	-13	Pass	2985
30	1000	0.1	RMS	905.49	-54.9	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.23	-13	Pass	830
1830	1920	1	RMS	1882.2	15.66	60	Pass	601
1920	3000	1	RMS	2669.694	-39.38	-13	Pass	1080
3000	12000	1	RMS	11901.989	-46.49	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.64	-13	Pass	8000



1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.32	-13	Pass	2985
30	1000	0.1	RMS	923.592	-55.19	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.28	-13	Pass	830
1830	1920	1	RMS	1877.85	15.27	60	Pass	601
1920	3000	1	RMS	2672.697	-39.34	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.51	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.64	-13	Pass	8000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.5	-13	Pass	2985
30	1000	0.1	RMS	868.286	-55.09	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.28	-13	Pass	830
1830	1920	1	RMS	1882.2	14.97	60	Pass	601
1920	3000	1	RMS	2669.694	-39.31	-13	Pass	1080
3000	12000	1	RMS	11901.989	-46.58	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.64	-13	Pass	8000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.7	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.27	-13	Pass	2985
30	1000	0.1	RMS	897.989	-55	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.31	-13	Pass	830
1830	1920	1	RMS	1905.3	15.75	60	Pass	601
1920	3000	1	RMS	2672.697	-39.32	-13	Pass	1080
3000	12000	1	RMS	11909.99	-46.64	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.63	-13	Pass	8000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.06	-13	Pass	2985
30	1000	0.1	RMS	908.091	-54.92	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.31	-13	Pass	830
1830	1920	1	RMS	1909.65	15.49	60	Pass	601
1920	3000	1	RMS	2672.697	-39.33	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.44	-13	Pass	9000
12000	20000	1	RMS	19841.98	-28.69	-13	Pass	8000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.53	-13	Pass	2985
30	1000	0.1	RMS	933.393	-54.76	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.27	-13	Pass	830
1830	1920	1	RMS	1905.3	15.07	60	Pass	601
1920	3000	1	RMS	2667.692	-39.4	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.49	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.62	-13	Pass	8000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.31	-13	Pass	2985
30	1000	0.1	RMS	889.889	-54.98	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.26	-13	Pass	830
1830	1920	1	RMS	1909.65	14.86	60	Pass	601
1920	3000	1	RMS	2672.697	-39.34	-13	Pass	1080
3000	12000	1	RMS	11904.989	-46.5	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.52	-13	Pass	8000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.86	-13	Pass	2985
30	1000	0.1	RMS	899.19	-55.17	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.27	-13	Pass	830
1830	1920	1	RMS	1850.55	16.08	60	Pass	601
1920	3000	1	RMS	2670.695	-39.39	-13	Pass	1080
3000	12000	1	RMS	11904.989	-46.61	-13	Pass	9000
12000	20000	1	RMS	19843.98	-28.42	-13	Pass	8000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.63	-13	Pass	2985
30	1000	0.1	RMS	888.088	-55.13	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.25	-13	Pass	830
1830	1920	1	RMS	1859.4	16.26	60	Pass	601
1920	3000	1	RMS	2668.693	-39.4	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.52	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.7	-13	Pass	8000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.9	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.97	-13	Pass	2985
30	1000	0.1	RMS	899.09	-54.96	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.26	-13	Pass	830
1830	1920	1	RMS	1850.55	15.23	60	Pass	601
1920	3000	1	RMS	2670.695	-39.37	-13	Pass	1080
3000	12000	1	RMS	11911.99	-46.56	-13	Pass	9000
12000	20000	1	RMS	19839.98	-28.51	-13	Pass	8000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.99	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.08	-13	Pass	2985
30	1000	0.1	RMS	992.699	-55.17	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.26	-13	Pass	830
1830	1920	1	RMS	1859.4	15.47	60	Pass	601
1920	3000	1	RMS	2670.695	-39.36	-13	Pass	1080
3000	12000	1	RMS	11919.991	-46.63	-13	Pass	9000
12000	20000	1	RMS	19862.983	-28.76	-13	Pass	8000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.37	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.26	-13	Pass	2985
30	1000	0.1	RMS	935.693	-55.06	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.27	-13	Pass	830
1830	1920	1	RMS	1875.6	16.77	60	Pass	601
1920	3000	1	RMS	2671.696	-39.41	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.47	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.73	-13	Pass	8000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.64	-13	Pass	2985
30	1000	0.1	RMS	926.292	-55.13	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.3	-13	Pass	830
1830	1920	1	RMS	1884.45	15.89	60	Pass	601
1920	3000	1	RMS	2666.691	-39.35	-13	Pass	1080
3000	12000	1	RMS	11906.99	-46.63	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.7	-13	Pass	8000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.88	-13	Pass	2985
30	1000	0.1	RMS	993.099	-55	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.23	-13	Pass	830
1830	1920	1	RMS	1875.6	15.75	60	Pass	601
1920	3000	1	RMS	2670.695	-39.42	-13	Pass	1080
3000	12000	1	RMS	11911.99	-46.46	-13	Pass	9000
12000	20000	1	RMS	19857.982	-28.65	-13	Pass	8000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.61	-13	Pass	2985
30	1000	0.1	RMS	930.493	-54.99	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.27	-13	Pass	830
1830	1920	1	RMS	1884.45	15.1	60	Pass	601
1920	3000	1	RMS	2668.693	-39.36	-13	Pass	1080
3000	12000	1	RMS	11911.99	-46.5	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.65	-13	Pass	8000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.45	-13	Pass	2985
30	1000	0.1	RMS	986.399	-55.06	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.27	-13	Pass	830
1830	1920	1	RMS	1900.65	17.05	60	Pass	601
1920	3000	1	RMS	2665.69	-39.42	-13	Pass	1080
3000	12000	1	RMS	11913.99	-46.6	-13	Pass	9000
12000	20000	1	RMS	19854.982	-28.71	-13	Pass	8000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.77	-13	Pass	2985
30	1000	0.1	RMS	962.396	-55.01	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.26	-13	Pass	830
1830	1920	1	RMS	1909.35	15.93	60	Pass	601
1920	3000	1	RMS	2668.693	-39.39	-13	Pass	1080
3000	12000	1	RMS	11901.989	-46.48	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.57	-13	Pass	8000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.6	-13	Pass	2985
30	1000	0.1	RMS	931.893	-54.91	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.28	-13	Pass	830
1830	1920	1	RMS	1900.65	16.08	60	Pass	601
1920	3000	1	RMS	2668.693	-39.36	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.58	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.69	-13	Pass	8000




1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.24	-13	Pass	2985
30	1000	0.1	RMS	888.489	-55.11	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.24	-13	Pass	830
1830	1920	1	RMS	1909.35	15.18	60	Pass	601
1920	3000	1	RMS	2664.69	-39.39	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.6	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.67	-13	Pass	8000




1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.13	-13	Pass	2985
30	1000	0.1	RMS	953.595	-55.01	-13	Pass	9700
1000	1830	1	RMS	1823.993	-44.03	-13	Pass	830
1830	1920	1	RMS	1850.85	16.27	60	Pass	601
1920	3000	1	RMS	2673.698	-39.42	-13	Pass	1080
3000	12000	1	RMS	11899.989	-46.56	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.71	-13	Pass	8000




1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.41	-13	Pass	2985
30	1000	0.1	RMS	987.999	-55.08	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.3	-13	Pass	830
1830	1920	1	RMS	1864.2	16.66	60	Pass	601
1920	3000	1	RMS	2669.694	-39.43	-13	Pass	1080
3000	12000	1	RMS	11912.99	-46.64	-13	Pass	9000
12000	20000	1	RMS	19843.98	-28.78	-13	Pass	8000




1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.05	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.5	-13	Pass	2985
30	1000	0.1	RMS	896.589	-55.19	-13	Pass	9700
1000	1830	1	RMS	1823.993	-44.15	-13	Pass	830
1830	1920	1	RMS	1850.85	15.48	60	Pass	601
1920	3000	1	RMS	2674.699	-39.38	-13	Pass	1080
3000	12000	1	RMS	11913.99	-46.64	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.52	-13	Pass	8000




1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.72	-13	Pass	2985
30	1000	0.1	RMS	900.59	-55.38	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.28	-13	Pass	830
1830	1920	1	RMS	1864.2	15.96	60	Pass	601
1920	3000	1	RMS	2669.694	-39.35	-13	Pass	1080
3000	12000	1	RMS	11915.991	-46.52	-13	Pass	9000
12000	20000	1	RMS	19857.982	-28.68	-13	Pass	8000




1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.17	-13	Pass	2985
30	1000	0.1	RMS	947.095	-55.02	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.27	-13	Pass	830
1830	1920	1	RMS	1873.35	17.26	60	Pass	601
1920	3000	1	RMS	2669.694	-39.29	-13	Pass	1080
3000	12000	1	RMS	11897.989	-46.62	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.58	-13	Pass	8000




1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.9	-13	Pass	2985
30	1000	0.1	RMS	900.59	-55.1	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.31	-13	Pass	830
1830	1920	1	RMS	1886.7	16.11	60	Pass	601
1920	3000	1	RMS	2664.69	-39.38	-13	Pass	1080
3000	12000	1	RMS	11906.99	-46.49	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.62	-13	Pass	8000




1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:55, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.13	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.98	-13	Pass	2985
30	1000	0.1	RMS	941.194	-55.06	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.27	-13	Pass	830
1830	1920	1	RMS	1873.35	16.35	60	Pass	601
1920	3000	1	RMS	2667.692	-39.4	-13	Pass	1080
3000	12000	1	RMS	11898.989	-46.63	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.68	-13	Pass	8000




1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:56, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.31	-13	Pass	2985
30	1000	0.1	RMS	899.99	-55.1	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.31	-13	Pass	830
1830	1920	1	RMS	1886.7	15.44	60	Pass	601
1920	3000	1	RMS	2665.69	-39.39	-13	Pass	1080
3000	12000	1	RMS	11918.991	-46.58	-13	Pass	9000
12000	20000	1	RMS	19838.98	-28.66	-13	Pass	8000




1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-46.7	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.75	-13	Pass	2985
30	1000	0.1	RMS	994.699	-55.13	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.29	-13	Pass	830
1830	1920	1	RMS	1895.85	17.42	60	Pass	601
1920	3000	1	RMS	2672.697	-39.37	-13	Pass	1080
3000	12000	1	RMS	11907.99	-46.57	-13	Pass	9000
12000	20000	1	RMS	19842.98	-28.77	-13	Pass	8000




1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.03	-13	Pass	2985
30	1000	0.1	RMS	900.99	-55.26	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.25	-13	Pass	830
1830	1920	1	RMS	1909.2	16.04	60	Pass	601
1920	3000	1	RMS	2671.696	-39.35	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.52	-13	Pass	9000
12000	20000	1	RMS	19854.982	-28.6	-13	Pass	8000




1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.61	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.43	-13	Pass	2985
30	1000	0.1	RMS	911.391	-55.06	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.3	-13	Pass	830
1830	1920	1	RMS	1895.85	16.34	60	Pass	601
1920	3000	1	RMS	2673.698	-39.31	-13	Pass	1080
3000	12000	1	RMS	11924.992	-46.55	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.68	-13	Pass	8000




1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.81	-13	Pass	2985
30	1000	0.1	RMS	927.893	-55.27	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.32	-13	Pass	830
1830	1920	1	RMS	1909.2	15.31	60	Pass	601
1920	3000	1	RMS	2669.694	-39.41	-13	Pass	1080
3000	12000	1	RMS	11923.992	-46.47	-13	Pass	9000
12000	20000	1	RMS	19855.982	-28.63	-13	Pass	8000




1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.24	-13	Pass	2985
30	1000	0.1	RMS	940.194	-55.18	-13	Pass	9700
1000	1830	1	RMS	1815.983	-44.17	-13	Pass	830
1830	1920	1	RMS	1851.15	16.39	60	Pass	601
1920	3000	1	RMS	2668.693	-39.31	-13	Pass	1080
3000	12000	1	RMS	11901.989	-46.62	-13	Pass	9000
12000	20000	1	RMS	19842.98	-28.69	-13	Pass	8000




1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.89	-13	Pass	2985
30	1000	0.1	RMS	979.198	-55.16	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.3	-13	Pass	830
1830	1920	1	RMS	1868.85	16.73	60	Pass	601
1920	3000	1	RMS	2661.687	-39.42	-13	Pass	1080
3000	12000	1	RMS	11932.993	-46.63	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.46	-13	Pass	8000




1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:63, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.61	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.28	-13	Pass	2985
30	1000	0.1	RMS	981.498	-55.03	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.15	-13	Pass	830
1830	1920	1	RMS	1851.15	15.45	60	Pass	601
1920	3000	1	RMS	2674.699	-39.4	-13	Pass	1080
3000	12000	1	RMS	11917.991	-46.62	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.64	-13	Pass	8000




1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:64, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.36	-13	Pass	2985
30	1000	0.1	RMS	915.591	-55.2	-13	Pass	9700
1000	1830	1	RMS	1825.995	-44.27	-13	Pass	830
1830	1920	1	RMS	1868.85	15.9	60	Pass	601
1920	3000	1	RMS	2670.695	-39.45	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.58	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.72	-13	Pass	8000




1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.06	-13	Pass	2985
30	1000	0.1	RMS	896.489	-55.22	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.3	-13	Pass	830
1830	1920	1	RMS	1871.1	17.41	60	Pass	601
1920	3000	1	RMS	2670.695	-39.33	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.47	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.6	-13	Pass	8000




1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.75	-13	Pass	2985
30	1000	0.1	RMS	843.384	-55.02	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.29	-13	Pass	830
1830	1920	1	RMS	1888.95	16.55	60	Pass	601
1920	3000	1	RMS	2670.695	-39.44	-13	Pass	1080
3000	12000	1	RMS	11907.99	-46.32	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.57	-13	Pass	8000




1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:67, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.29	-13	Pass	2985
30	1000	0.1	RMS	844.884	-55.05	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.24	-13	Pass	830
1830	1920	1	RMS	1871.1	16.31	60	Pass	601
1920	3000	1	RMS	2668.693	-39.36	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.41	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.64	-13	Pass	8000




1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:68, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.51	-13	Pass	2985
30	1000	0.1	RMS	989.399	-55.25	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.3	-13	Pass	830
1830	1920	1	RMS	1888.95	15.77	60	Pass	601
1920	3000	1	RMS	2667.692	-39.34	-13	Pass	1080
3000	12000	1	RMS	11917.991	-46.54	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.62	-13	Pass	8000



1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-47.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.14	-13	Pass	2985
30	1000	0.1	RMS	877.587	-54.77	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.23	-13	Pass	830
1830	1920	1	RMS	1891.05	17.11	60	Pass	601
1920	3000	1	RMS	2673.698	-39.3	-13	Pass	1080
3000	12000	1	RMS	11934.993	-46.56	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.4	-13	Pass	8000



1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.19	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.05	-13	Pass	2985
30	1000	0.1	RMS	921.392	-55.27	-13	Pass	9700
1000	1830	1	RMS	1805.971	-43.32	-13	Pass	830
1830	1920	1	RMS	1908.9	23.27	60	Pass	601
1920	3000	1	RMS	2839.852	-38	-13	Pass	1080
3000	12000	1	RMS	11915.991	-45.81	-13	Pass	9000
12000	20000	1	RMS	16251.531	-31.68	-13	Pass	8000



1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:71, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.18	-13	Pass	2985
30	1000	0.1	RMS	959.396	-55.09	-13	Pass	9700
1000	1830	1	RMS	1813.981	-43.36	-13	Pass	830
1830	1920	1	RMS	1891.05	22.75	60	Pass	601
1920	3000	1	RMS	2839.852	-37.94	-13	Pass	1080
3000	12000	1	RMS	11907.99	-45.94	-13	Pass	9000
12000	20000	1	RMS	16251.531	-31.77	-13	Pass	8000



1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:72, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.64	-13	Pass	2985
30	1000	0.1	RMS	923.892	-55.12	-13	Pass	9700
1000	1830	1	RMS	1820.989	-43.33	-13	Pass	830
1830	1920	1	RMS	1908.9	22.72	60	Pass	601
1920	3000	1	RMS	2839.852	-37.98	-13	Pass	1080
3000	12000	1	RMS	11903.989	-45.87	-13	Pass	9000
12000	20000	1	RMS	16248.531	-31.8	-13	Pass	8000



END