


## **Annex C. LTE Transmitter Spurious Emissions**

## 1. LTE\_Band26


### 1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -46.66      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.05      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 793.999         | -56.69      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 824.25          | 7.88        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 896.026         | -57.33      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2668.834        | -38.38      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5763.395        | -49.69      | -13         | Pass    | 7000        |




## 1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -46.85      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.81      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 799.299         | -56.71      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 825.167         | 7.16        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 999.4           | -57.28      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2769.885        | -38.39      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5770.396        | -49.73      | -13         | Pass    | 7000        |




### 1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -47.32      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.89      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 790.898         | -56.64      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 824.25          | 6.92        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 901.73          | -57.17      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2668.834        | -38.39      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5766.395        | -49.72      | -13         | Pass    | 7000        |




#### 1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -46.61      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.53      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 804.1           | -56.67      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 825.167         | 6.23        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 901.229         | -57.28      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2669.835        | -38.31      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5769.396        | -49.75      | -13         | Pass    | 7000        |




### 1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -46.82      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -40.26      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 799.899         | -56.48      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 847.9           | 7.46        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 900.329         | -57.32      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2664.832        | -38.36      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5766.395        | -49.71      | -13         | Pass    | 7000        |




### 1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -46.71      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -40.9       | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 774.596         | -56.67      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 848.725         | 6.9         | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 892.823         | -57.34      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2669.835        | -38.34      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5769.396        | -49.7       | -13         | Pass    | 7000        |




### 1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -46.99      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.29      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 804.9           | -56.49      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 847.9           | 6.51        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 975.583         | -57.3       | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2669.835        | -38.34      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5769.396        | -49.75      | -13         | Pass    | 7000        |




### 1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -46.86      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -40.17      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 764.995         | -56.74      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 848.725         | 5.97        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 987.591         | -57.29      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2671.836        | -38.33      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5768.395        | -49.65      | -13         | Pass    | 7000        |




### 1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -45.53      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.96      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 782.197         | -56.62      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 824.25          | 7.87        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 898.528         | -57.24      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2668.834        | -38.38      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5761.394        | -49.71      | -13         | Pass    | 7000        |




### 1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -46.98      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.29      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 777.496         | -56.72      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 826.725         | 7.46        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 998.699         | -57.33      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2668.834        | -38.34      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5769.396        | -49.72      | -13         | Pass    | 7000        |




### 1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -47.47      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.52      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 789.598         | -56.7       | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 824.25          | 7.07        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 925.147         | -57.31      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2670.835        | -38.36      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5762.395        | -49.69      | -13         | Pass    | 7000        |




### 1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -46.99      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.53      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 802.7           | -56.71      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 826.725         | 6.6         | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 883.917         | -57.35      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2668.834        | -38.38      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5760.394        | -49.7       | -13         | Pass    | 7000        |




### 1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -46.62      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.99      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 780.397         | -56.5       | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 846.25          | 8.54        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 904.031         | -57.32      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2667.834        | -38.39      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5768.395        | -49.69      | -13         | Pass    | 7000        |




#### 1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -46.91      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.41      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 802.7           | -56.71      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 848.725         | 6.45        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 999.7           | -57.38      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2666.833        | -38.4       | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5769.396        | -49.73      | -13         | Pass    | 7000        |




### 1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -46.99      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -40.3       | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 803.8           | -56.67      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 846.25          | 7.59        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 904.432         | -57.31      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2666.833        | -38.41      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5769.396        | -49.72      | -13         | Pass    | 7000        |




### 1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -46.63      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.55      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 788.898         | -56.61      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 848.725         | 5.59        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 902.63          | -57.34      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2668.834        | -38.39      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5766.395        | -49.74      | -13         | Pass    | 7000        |




### 1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -46.74      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.41      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 803.4           | -56.67      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 824.342         | 7.59        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 896.026         | -57.28      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2667.834        | -38.38      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5767.395        | -49.63      | -13         | Pass    | 7000        |




### 1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -46.62      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.99      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 803.8           | -56.68      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 828.65          | 8.51        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 916.24          | -57.35      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2667.834        | -38.39      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5770.396        | -49.67      | -13         | Pass    | 7000        |




### 1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -46.47      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.74      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 799.499         | -56.54      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 824.342         | 6.89        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 899.828         | -57.35      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2669.835        | -38.4       | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5769.396        | -49.73      | -13         | Pass    | 7000        |




### 1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -46.65      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.55      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 804.2           | -56.72      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 828.65          | 7.73        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 979.685         | -57.37      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2670.835        | -38.39      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5760.394        | -49.74      | -13         | Pass    | 7000        |




### 1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -45.83      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -40.77      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 803.3           | -56.66      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 844.325         | 8.77        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 984.789         | -57.27      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2669.835        | -38.41      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5766.395        | -49.68      | -13         | Pass    | 7000        |




### 1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -47.32      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.84      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 801.4           | -56.72      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 848.633         | 7.37        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 998.299         | -57.3       | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2668.834        | -38.42      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5767.395        | -49.67      | -13         | Pass    | 7000        |




### 1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -46.5       | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.39      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 794.699         | -56.62      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 844.325         | 7.95        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 902.23          | -57.33      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2666.833        | -38.38      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5762.395        | -49.73      | -13         | Pass    | 7000        |




### 1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -46.89      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.15      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 762.294         | -56.82      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 848.633         | 6.78        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 960.772         | -57.34      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2674.837        | -38.4       | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5767.395        | -49.74      | -13         | Pass    | 7000        |




### 1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -46.28      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -40.09      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 801.5           | -56.69      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 824.617         | 7.75        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 897.927         | -57.34      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2663.832        | -38.41      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5766.395        | -49.72      | -13         | Pass    | 7000        |




### 1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -47.16      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.38      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 799.899         | -56.64      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 833.417         | 9.25        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 906.533         | -57.36      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2669.835        | -38.42      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5767.395        | -49.76      | -13         | Pass    | 7000        |




### 1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -46.5       | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.7       | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 803.5           | -56.69      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 824.617         | 7.13        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 898.427         | -57.33      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2670.835        | -38.42      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5767.395        | -49.74      | -13         | Pass    | 7000        |




### 1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -47.61      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.68      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 799.399         | -56.54      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 833.417         | 8.46        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 917.741         | -57.29      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2670.835        | -38.37      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5768.395        | -49.76      | -13         | Pass    | 7000        |




### 1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -46.53      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -40.03      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 794.599         | -56.7       | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 839.558         | 7.72        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 934.053         | -57.4       | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2671.836        | -38.38      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5765.395        | -49.7       | -13         | Pass    | 7000        |




### 1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -47.36      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.02      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 772.796         | -56.65      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 848.358         | 7.2         | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 921.844         | -57.3       | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2670.835        | -38.38      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5769.396        | -49.71      | -13         | Pass    | 7000        |




### 1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -46.52      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.32      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 793.599         | -56.71      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 839.558         | 6.78        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 998.099         | -57.39      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2665.833        | -38.36      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5770.396        | -49.76      | -13         | Pass    | 7000        |




### 1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -46.75      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.29      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 804.9           | -56.68      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 848.358         | 6.31        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 912.938         | -57.35      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2668.834        | -38.42      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5766.395        | -49.69      | -13         | Pass    | 7000        |




### 1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -47.24      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -40.24      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 804.6           | -56.6       | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 824.8           | 7.27        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 901.63          | -57.28      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2670.835        | -38.35      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5771.396        | -49.72      | -13         | Pass    | 7000        |




### 1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -47.27      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -38.4       | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 803.4           | -56.72      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 838.183         | 8.13        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 961.573         | -57.3       | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2670.835        | -38.41      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5764.395        | -49.75      | -13         | Pass    | 7000        |




### 1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -47.3       | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.47      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 804.9           | -56.73      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 824.892         | 6.64        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 896.226         | -57.32      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2670.835        | -38.39      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5764.395        | -49.73      | -13         | Pass    | 7000        |




### 1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -46.63      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -40.42      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 804.8           | -56.63      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 838.183         | 7.32        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 979.986         | -57.34      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2668.834        | -38.41      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5770.396        | -49.7       | -13         | Pass    | 7000        |




### 1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -47.28      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -38.83      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 804.3           | -56.7       | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 834.883         | 8.23        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 896.226         | -57.36      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2670.835        | -38.36      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5759.394        | -49.71      | -13         | Pass    | 7000        |




**1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -46.7       | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.88      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 796.099         | -56.7       | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 848.175         | 7.67        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 998.199         | -57.33      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2667.834        | -38.39      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5770.396        | -49.74      | -13         | Pass    | 7000        |




### 1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -47         | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -38.83      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 790.598         | -56.67      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 834.883         | 7.33        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 999.8           | -57.21      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2671.836        | -38.39      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5762.395        | -49.72      | -13         | Pass    | 7000        |



#### 1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -47.03      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -39.12      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 792.998         | -56.62      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 848.175         | 6.89        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 993.695         | -57.33      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2667.834        | -38.41      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 5767.395        | -49.68      | -13         | Pass    | 7000        |



---

END