



SHENZHEN HANYANG ANTENNA DESIGN CO.LTD.

Antenna test report

Project name : **RB8762-35A2**

Measuring program : **Genreal Test System (GTS.)**

testing equipment : **Agilent E5071C**

Test engineer : **Yin Xin**


The gain standard of EIRP is mainly the implementation standard of Active DUT Test.

Date : **2023-09-26**

Testing Environment



SHENZHEN HANYANG ANTENNA DESIGN CO., LTD.




Testing Principle



SHENZHEN HANYANG ANTENNA DESIGN CO., LTD.



RayZone1800 Test Setup



Passive test data




SHENZHEN HANYANG ANTENNA DESIGN CO., LTD.

Freq	Efficiency_dB	Gain_dBi	Efficiency_Pcent_%
2400	-2.92	1.21	51.02
2410	-2.85	1.22	51.94
2420	-2.84	1.21	52.03
2430	-2.89	1.13	51.45
2440	-2.92	1.07	51.09
2450	-2.98	0.95	50.4
2460	-3.12	0.78	48.79
2470	-3.29	0.57	46.85
2480	-3.48	0.3	44.84




3D Radiation pattern




SHENZHEN HANYANG ANTENNA DESIGN CO., LTD.



2450MHz





Antenna location




Figure 6. Mechanical Dimension of

Note: Unit is mm. Size tolerance: ± 0.13 mm.

Antenna supplier: ITON Technology Corp,
Address: East, 7th Floor, Building C, Shenzhen
International Innovation Center (Futian Technology Plaza),
No. 1006, Shennan Avenue, Huaifu Street, Futian District,
Shenzhen



深圳汉阳天线设计有限公司
SHENZHEN HANYANG ANTENNA DESIGN CO. LTD.

5G

Welcome calls consultations, negotiations and guidance come!

Thank you