


Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5785MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1273.3773	6.83	38.33	45.16	68.20	23.04	PASS	Vertical	PK
2	2400.9901	12.31	37.40	49.71	68.20	18.49	PASS	Vertical	PK
3	4123.2123	17.75	35.01	52.76	68.20	15.44	PASS	Vertical	PK
4	7589.506	-2.68	47.65	44.97	68.20	23.23	PASS	Vertical	PK
5	11286.6191	4.63	47.23	51.86	68.20	16.34	PASS	Vertical	PK
6	15884.6256	10.03	43.34	53.37	68.20	14.83	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5785MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20092.1637	-23.49	61.43	37.94	74.00	36.06	PASS	Horizontal	PK
2	23704.2282	-21.38	58.65	37.27	74.00	36.73	PASS	Horizontal	PK
3	25975.799	-19.08	58.37	39.29	74.00	34.71	PASS	Horizontal	PK
4	29298.972	-20.16	58.12	37.96	74.00	36.04	PASS	Horizontal	PK
5	32393.9758	-15.47	54.51	39.04	74.00	34.96	PASS	Horizontal	PK
6	39020.0808	-10.75	49.47	38.72	74.00	35.28	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5785MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19562.2225	-23.94	62.17	38.23	74.00	35.77	PASS	Vertical	PK
2	22502.6601	-24.37	60.53	36.16	74.00	37.84	PASS	Vertical	PK
3	25211.2484	-18.86	57.81	38.95	74.00	35.05	PASS	Vertical	PK
4	29801.3121	-19.59	57.56	37.97	74.00	36.03	PASS	Vertical	PK
5	36198.3279	-14.90	51.89	36.99	74.00	37.01	PASS	Vertical	PK
6	39032.0413	-10.76	48.76	38.00	74.00	36.00	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1804.1536	9.84	36.21	46.05	68.20	22.15	PASS	Horizontal	PK
2	2976.4651	13.25	35.41	48.66	68.20	19.54	PASS	Horizontal	PK
3	4253.2836	18.00	32.53	50.53	68.20	17.67	PASS	Horizontal	PK
4	5338.3226	21.52	31.42	52.94	68.20	15.26	PASS	Horizontal	PK
5	10601.1734	6.29	42.71	49.00	68.20	19.20	PASS	Horizontal	PK
6	14246.1497	14.20	38.56	52.76	68.20	15.44	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1626.3084	8.61	36.54	45.15	68.20	23.05	PASS	Vertical	PK
2	2541.2027	12.34	35.35	47.69	68.20	20.51	PASS	Vertical	PK
3	4709.814	20.26	31.11	51.37	68.20	16.83	PASS	Vertical	PK
4	8268.8179	-2.12	45.83	43.71	68.20	24.49	PASS	Vertical	PK
5	13451.8301	10.44	41.02	51.46	68.20	16.74	PASS	Vertical	PK
6	15890.7594	10.33	40.83	51.16	68.20	17.04	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20324.013	-24.03	61.47	37.44	74.00	36.56	PASS	Horizontal	PK
2	22722.5489	-24.37	60.26	35.89	74.00	38.11	PASS	Horizontal	PK
3	26616.1446	-19.45	58.56	39.11	74.00	34.89	PASS	Horizontal	PK
4	29699.188	-19.43	58.08	38.65	74.00	35.35	PASS	Horizontal	PK
5	33377.4951	-16.11	54.25	38.14	74.00	35.86	PASS	Horizontal	PK
6	38997.0799	-10.74	48.13	37.39	74.00	36.61	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20072.8429	-23.40	61.20	37.80	74.00	36.20	PASS	Vertical	PK
2	23196.3679	-23.47	60.08	36.61	74.00	37.39	PASS	Vertical	PK
3	26548.982	-19.42	59.23	39.81	74.00	34.19	PASS	Vertical	PK
4	31335.0134	-17.56	56.53	38.97	74.00	35.03	PASS	Vertical	PK
5	34015.0806	-16.16	53.02	36.86	74.00	37.14	PASS	Vertical	PK
6	37182.7673	-15.02	50.91	35.89	74.00	38.11	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1435.2624	8.29	36.05	44.34	68.20	23.86	PASS	Horizontal	PK
2	2214.1143	10.32	36.59	46.91	68.20	21.29	PASS	Horizontal	PK
3	3797.1198	16.50	33.53	50.03	68.20	18.17	PASS	Horizontal	PK
4	8770.2514	-0.39	45.68	45.29	68.20	22.91	PASS	Horizontal	PK
5	12395.293	6.65	43.96	50.61	68.20	17.59	PASS	Horizontal	PK
6	15903.0269	10.45	42.08	52.53	68.20	15.67	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1737.0491	9.04	36.11	45.15	68.20	23.05	PASS	Vertical	PK
2	2860.5907	13.04	35.68	48.72	68.20	19.48	PASS	Vertical	PK
3	3698.4799	15.76	34.24	50.00	68.20	18.20	PASS	Vertical	PK
4	4871.5248	20.28	31.36	51.64	68.20	16.56	PASS	Vertical	PK
5	8450.53	-0.76	45.35	44.59	68.20	23.61	PASS	Vertical	PK
6	11009.834	6.61	43.64	50.25	68.20	17.95	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20151.046	-23.77	61.82	38.05	74.00	35.95	PASS	Horizontal	PK
2	22942.4377	-24.85	61.02	36.17	74.00	37.83	PASS	Horizontal	PK
3	25573.743	-18.79	57.74	38.95	74.00	35.05	PASS	Horizontal	PK
4	28196.7679	-20.50	58.29	37.79	74.00	36.21	PASS	Horizontal	PK
5	31719.5888	-17.21	54.97	37.76	74.00	36.24	PASS	Horizontal	PK
6	36064.9226	-15.17	52.43	37.26	74.00	36.74	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20391.1756	-24.05	61.72	37.67	74.00	36.33	PASS	Vertical	PK
2	23913.0765	-20.62	59.04	38.42	74.00	35.58	PASS	Vertical	PK
3	26606.0242	-19.42	58.40	38.98	74.00	35.02	PASS	Vertical	PK
4	32435.3774	-15.62	54.68	39.06	74.00	34.94	PASS	Vertical	PK
5	37191.0476	-14.99	50.92	35.93	74.00	38.07	PASS	Vertical	PK
6	39757.0303	-10.86	47.28	36.42	74.00	37.58	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1529.1529	8.13	37.01	45.14	68.20	23.06	PASS	Horizontal	PK
2	2548.9549	12.43	37.55	49.98	68.20	18.22	PASS	Horizontal	PK
3	3910.341	17.03	35.22	52.25	68.20	15.95	PASS	Horizontal	PK
4	4871.8372	20.29	34.54	54.83	68.20	13.37	PASS	Horizontal	PK
5	8470.4647	-1.01	47.38	46.37	68.20	21.83	PASS	Horizontal	PK
6	11003.7002	6.76	45.36	52.12	68.20	16.08	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1424.6425	8.30	36.92	45.22	68.20	22.98	PASS	Vertical	PK
2	1927.3927	11.79	36.63	48.42	68.20	19.78	PASS	Vertical	PK
3	2809.681	12.31	37.93	50.24	68.20	17.96	PASS	Vertical	PK
4	4112.2112	18.01	35.34	53.35	68.20	14.85	PASS	Vertical	PK
5	8160.7107	-1.96	46.66	44.70	68.20	23.50	PASS	Vertical	PK
6	12847.6565	8.17	42.92	51.09	68.20	17.11	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20069.1628	-23.38	61.10	37.72	74.00	36.28	PASS	Horizontal	PK
2	22152.1261	-24.80	61.00	36.20	74.00	37.80	PASS	Horizontal	PK
3	25922.4369	-19.03	59.15	40.12	74.00	33.88	PASS	Horizontal	PK
4	29571.3029	-19.38	57.61	38.23	74.00	35.77	PASS	Horizontal	PK
5	33633.2653	-15.49	53.64	38.15	74.00	35.85	PASS	Horizontal	PK
6	38736.7095	-11.63	49.40	37.77	74.00	36.23	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20823.5929	-24.41	62.75	38.34	74.00	35.66	PASS	Vertical	PK
2	24682.2273	-19.83	58.01	38.18	74.00	35.82	PASS	Vertical	PK
3	27763.4305	-20.23	58.62	38.39	74.00	35.61	PASS	Vertical	PK
4	29968.7588	-19.62	57.58	37.96	74.00	36.04	PASS	Vertical	PK
5	34975.599	-15.39	53.34	37.95	74.00	36.05	PASS	Vertical	PK
6	38746.8299	-11.59	49.08	37.49	74.00	36.51	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5775MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1477.9978	8.10	37.44	45.54	68.20	22.66	PASS	Horizontal	PK
2	2268.9769	10.97	37.01	47.98	68.20	20.22	PASS	Horizontal	PK
3	3356.9857	14.78	37.21	51.99	68.20	16.21	PASS	Horizontal	PK
4	4300.8801	19.17	34.22	53.39	68.20	14.81	PASS	Horizontal	PK
5	8752.6168	0.25	46.87	47.12	68.20	21.08	PASS	Horizontal	PK
6	15904.5603	10.28	43.29	53.57	68.20	14.63	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5775MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1579.2079	8.49	36.80	45.29	68.20	22.91	PASS	Vertical	PK
2	2383.9384	11.78	36.96	48.74	68.20	19.46	PASS	Vertical	PK
3	3341.5842	14.71	36.62	51.33	68.20	16.87	PASS	Vertical	PK
4	8626.8751	-0.83	47.23	46.40	68.20	21.80	PASS	Vertical	PK
5	10966.8978	5.40	46.35	51.75	68.20	16.45	PASS	Vertical	PK
6	15899.1933	10.75	43.32	54.07	68.20	14.13	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5775MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20431.6573	-24.15	61.56	37.41	74.00	36.59	PASS	Horizontal	PK
2	22176.047	-24.75	61.49	36.74	74.00	37.26	PASS	Horizontal	PK
3	25372.2549	-19.27	57.75	38.48	74.00	35.52	PASS	Horizontal	PK
4	27658.5463	-20.39	58.66	38.27	74.00	35.73	PASS	Horizontal	PK
5	31300.052	-17.64	56.32	38.68	74.00	35.32	PASS	Horizontal	PK
6	37214.0486	-14.92	50.87	35.95	74.00	38.05	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5775MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20371.8549	-24.04	61.72	37.68	74.00	36.32	PASS	Vertical	PK
2	23192.6877	-23.50	59.51	36.01	74.00	37.99	PASS	Vertical	PK
3	25574.663	-18.79	58.32	39.53	74.00	34.47	PASS	Vertical	PK
4	30952.2781	-17.45	56.46	39.01	74.00	34.99	PASS	Vertical	PK
5	34335.2534	-15.88	52.26	36.38	74.00	37.62	PASS	Vertical	PK
6	38073.3629	-13.57	50.47	36.90	74.00	37.10	PASS	Vertical	PK

Test_Mode	802.11ax(HE20)Transmittin	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1540.5027	8.20	36.11	44.31	68.20	23.89	PASS	Horizontal	PK
2	2264.351	10.99	36.20	47.19	68.20	21.01	PASS	Horizontal	PK
3	3549.2366	15.35	34.83	50.18	68.20	18.02	PASS	Horizontal	PK
4	8748.7833	0.32	44.95	45.27	68.20	22.93	PASS	Horizontal	PK
5	10443.9963	4.71	43.36	48.07	68.20	20.13	PASS	Horizontal	PK
6	15894.593	10.53	41.35	51.88	68.20	16.32	PASS	Horizontal	PK

Test_Mode	802.11ax(HE20)Transmittin	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1581.5721	8.51	36.21	44.72	68.20	23.48	PASS	Vertical	PK
2	2554.7703	12.37	35.55	47.92	68.20	20.28	PASS	Vertical	PK
3	3797.1198	16.50	33.61	50.11	68.20	18.09	PASS	Vertical	PK
4	8581.6388	-0.79	45.88	45.09	68.20	23.11	PASS	Vertical	PK
5	12379.9587	6.17	43.64	49.81	68.20	18.39	PASS	Vertical	PK
6	15147.8099	11.53	39.34	50.87	68.20	17.33	PASS	Vertical	PK

Test_Mode	802.11ax(HE20)Transmittin	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20169.4468	-23.86	62.52	38.66	74.00	35.34	PASS	Horizontal	PK
2	21897.2759	-24.91	61.55	36.64	74.00	37.36	PASS	Horizontal	PK
3	24081.4433	-20.60	58.89	38.29	74.00	35.71	PASS	Horizontal	PK
4	26024.561	-19.16	58.17	39.01	74.00	34.99	PASS	Horizontal	PK
5	30452.6981	-18.71	56.80	38.09	74.00	35.91	PASS	Horizontal	PK
6	35951.7581	-15.24	52.04	36.80	74.00	37.20	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20)Transmittin	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20274.331	-24.03	61.38	37.35	74.00	36.65	PASS	Vertical	PK
2	23368.4147	-22.69	58.94	36.25	74.00	37.75	PASS	Vertical	PK
3	26954.7182	-20.13	59.82	39.69	74.00	34.31	PASS	Vertical	PK
4	29793.9518	-19.58	57.72	38.14	74.00	35.86	PASS	Vertical	PK
5	36762.3105	-15.17	51.54	36.37	74.00	37.63	PASS	Vertical	PK
6	39086.3235	-10.79	48.27	37.48	74.00	36.52	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20)Transmittin	Test_Frequency	5785MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1481.8321	8.08	36.44	44.52	68.20	23.68	PASS	Horizontal	PK
2	2291.8528	10.90	36.76	47.66	68.20	20.54	PASS	Horizontal	PK
3	3096.7398	13.90	35.09	48.99	68.20	19.21	PASS	Horizontal	PK
4	4105.8737	18.17	31.98	50.15	68.20	18.05	PASS	Horizontal	PK
5	8301.7868	-1.47	45.38	43.91	68.20	24.29	PASS	Horizontal	PK
6	13429.5953	9.85	41.16	51.01	68.20	17.19	PASS	Horizontal	PK

Test_Mode	802.11ax(HE20)Transmittin	Test_Frequency	5785MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1547.4698	8.24	35.74	43.98	68.20	24.22	PASS	Vertical	PK
2	2849.2233	13.04	35.54	48.58	68.20	19.62	PASS	Vertical	PK
3	4100.3734	18.30	32.15	50.45	68.20	17.75	PASS	Vertical	PK
4	9303.8869	2.38	44.27	46.65	68.20	21.55	PASS	Vertical	PK
5	11252.8835	6.36	44.09	50.45	68.20	17.75	PASS	Vertical	PK
6	14251.5168	14.80	38.19	52.99	68.20	15.21	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20)Transmittin	Test_Frequency	5785MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20987.3595	-24.76	61.83	37.07	74.00	36.93	PASS	Horizontal	PK
2	23419.0168	-22.48	59.07	36.59	74.00	37.41	PASS	Horizontal	PK
3	26944.5978	-20.11	58.91	38.80	74.00	35.20	PASS	Horizontal	PK
4	31559.5024	-17.20	55.70	38.50	74.00	35.50	PASS	Horizontal	PK
5	37168.0467	-15.09	52.46	37.37	74.00	36.63	PASS	Horizontal	PK
6	39429.4972	-12.09	48.39	36.30	74.00	37.70	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20)Transmittin	Test_Frequency	5785MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20392.0957	-24.05	62.05	38.00	74.00	36.00	PASS	Vertical	PK
2	22444.6978	-24.39	60.60	36.21	74.00	37.79	PASS	Vertical	PK
3	25204.8082	-18.84	57.46	38.62	74.00	35.38	PASS	Vertical	PK
4	27635.5454	-20.43	58.65	38.22	74.00	35.78	PASS	Vertical	PK
5	31765.5906	-17.23	55.17	37.94	74.00	36.06	PASS	Vertical	PK
6	36582.9033	-14.21	51.73	37.52	74.00	36.48	PASS	Vertical	PK

Test_Mode	802.11ax(HE20)Transmittin	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1657.1105	8.65	36.29	44.94	68.20	23.26	PASS	Horizontal	PK
2	3253.3169	13.56	34.85	48.41	68.20	19.79	PASS	Horizontal	PK
3	3907.8605	17.01	32.67	49.68	68.20	18.52	PASS	Horizontal	PK
4	8179.8787	-1.99	46.23	44.24	68.20	23.96	PASS	Horizontal	PK
5	10588.9059	5.79	43.54	49.33	68.20	18.87	PASS	Horizontal	PK
6	13835.9557	10.32	41.53	51.85	68.20	16.35	PASS	Horizontal	PK

Test_Mode	802.11ax(HE20)Transmittin	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1627.7752	8.61	37.34	45.95	68.20	22.25	PASS	Vertical	PK
2	2945.663	13.65	35.09	48.74	68.20	19.46	PASS	Vertical	PK
3	3549.2366	15.35	34.41	49.76	68.20	18.44	PASS	Vertical	PK
4	9296.9865	2.46	44.11	46.57	68.20	21.63	PASS	Vertical	PK
5	13441.0961	10.27	40.61	50.88	68.20	17.32	PASS	Vertical	PK
6	15896.8931	10.64	41.66	52.30	68.20	15.90	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20)Transmittin	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20559.5424	-24.58	61.32	36.74	74.00	37.26	PASS	Horizontal	PK
2	23168.7668	-23.70	59.53	35.83	74.00	38.17	PASS	Horizontal	PK
3	25683.2273	-18.79	58.02	39.23	74.00	34.77	PASS	Horizontal	PK
4	28251.9701	-20.53	59.10	38.57	74.00	35.43	PASS	Horizontal	PK
5	33464.8986	-15.88	54.08	38.20	74.00	35.80	PASS	Horizontal	PK
6	38979.5992	-10.80	48.33	37.53	74.00	36.47	PASS	Horizontal	PK

Test_Mode	802.11ax(HE20)Transmittin	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20308.3723	-24.03	61.99	37.96	74.00	36.04	PASS	Vertical	PK
2	22259.7704	-24.62	60.75	36.13	74.00	37.87	PASS	Vertical	PK
3	25618.8248	-18.72	57.33	38.61	74.00	35.39	PASS	Vertical	PK
4	27908.7964	-20.34	58.62	38.28	74.00	35.72	PASS	Vertical	PK
5	32168.5667	-16.80	54.75	37.95	74.00	36.05	PASS	Vertical	PK
6	38650.226	-12.06	49.83	37.77	74.00	36.23	PASS	Vertical	PK

Test_Mode	802.11ax(HE40)Transmittin	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1773.7182	9.36	35.86	45.22	68.20	22.98	PASS	Horizontal	PK
2	2948.2299	13.69	35.31	49.00	68.20	19.20	PASS	Horizontal	PK
3	4510.7007	20.87	31.70	52.57	68.20	15.63	PASS	Horizontal	PK
4	8738.8159	0.12	44.71	44.83	68.20	23.37	PASS	Horizontal	PK
5	11213.0142	6.17	43.85	50.02	68.20	18.18	PASS	Horizontal	PK
6	15110.2407	11.63	38.63	50.26	68.20	17.94	PASS	Horizontal	PK

Test_Mode	802.11ax(HE40)Transmittin	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1462.3975	8.20	36.24	44.44	68.20	23.76	PASS	Vertical	PK
2	2292.5862	10.89	35.85	46.74	68.20	21.46	PASS	Vertical	PK
3	3694.0796	15.68	33.53	49.21	68.20	18.99	PASS	Vertical	PK
4	4906.3604	20.46	32.51	52.97	68.20	15.23	PASS	Vertical	PK
5	9246.3831	0.99	44.60	45.59	68.20	22.61	PASS	Vertical	PK
6	11351.0234	6.39	43.35	49.74	68.20	18.46	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40)Transmittin	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	21079.3632	-24.72	61.68	36.96	74.00	37.04	PASS	Horizontal	PK
2	22349.934	-24.49	61.41	36.92	74.00	37.08	PASS	Horizontal	PK
3	24397.0159	-19.83	58.46	38.63	74.00	35.37	PASS	Horizontal	PK
4	27583.1033	-20.47	58.64	38.17	74.00	35.83	PASS	Horizontal	PK
5	30400.256	-18.67	56.54	37.87	74.00	36.13	PASS	Horizontal	PK
6	35093.3637	-15.15	52.70	37.55	74.00	36.45	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40)Transmittin	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20901.7961	-24.58	62.12	37.54	74.00	36.46	PASS	Vertical	PK
2	24825.753	-19.80	57.92	38.12	74.00	35.88	PASS	Vertical	PK
3	27434.0574	-20.39	58.23	37.84	74.00	36.16	PASS	Vertical	PK
4	31436.2174	-17.36	55.63	38.27	74.00	35.73	PASS	Vertical	PK
5	35666.5467	-14.80	51.80	37.00	74.00	37.00	PASS	Vertical	PK
6	38444.1378	-12.10	49.86	37.76	74.00	36.24	PASS	Vertical	PK

Test_Mode	802.11ax(HE40)Transmittin	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1799.0199	9.72	36.04	45.76	68.20	22.44	PASS	Horizontal	PK
2	2887.7258	13.03	36.02	49.05	68.20	19.15	PASS	Horizontal	PK
3	3704.347	15.70	33.96	49.66	68.20	18.54	PASS	Horizontal	PK
4	9796.8865	4.19	43.79	47.98	68.20	20.22	PASS	Horizontal	PK
5	12856.8571	8.13	42.70	50.83	68.20	17.37	PASS	Horizontal	PK
6	14456.9971	11.20	39.43	50.63	68.20	17.57	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40)Transmittin	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1396.3931	8.29	37.06	45.35	68.20	22.85	PASS	Vertical	PK
2	2557.3372	12.33	35.94	48.27	68.20	19.93	PASS	Vertical	PK
3	3912.9942	17.07	33.48	50.55	68.20	17.65	PASS	Vertical	PK
4	8761.0507	-0.06	45.95	45.89	68.20	22.31	PASS	Vertical	PK
5	13459.4973	9.81	41.57	51.38	68.20	16.82	PASS	Vertical	PK
6	16841.4894	11.50	39.27	50.77	68.20	17.43	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40)Transmittin	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	21034.2814	-24.75	61.78	37.03	74.00	36.97	PASS	Horizontal	PK
2	23361.0544	-22.72	59.34	36.62	74.00	37.38	PASS	Horizontal	PK
3	28058.7624	-20.49	59.67	39.18	74.00	34.82	PASS	Horizontal	PK
4	30430.6172	-18.69	56.91	38.22	74.00	35.78	PASS	Horizontal	PK
5	33820.9528	-16.00	53.17	37.17	74.00	36.83	PASS	Horizontal	PK
6	38707.2683	-11.78	49.48	37.70	74.00	36.30	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40)Transmittin	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20485.9394	-24.33	61.50	37.17	74.00	36.83	PASS	Vertical	PK
2	23909.3964	-20.63	58.85	38.22	74.00	35.78	PASS	Vertical	PK
3	25583.8634	-18.76	58.27	39.51	74.00	34.49	PASS	Vertical	PK
4	27785.5114	-20.18	58.61	38.43	74.00	35.57	PASS	Vertical	PK
5	32385.6954	-15.52	55.16	39.64	74.00	34.36	PASS	Vertical	PK
6	38106.4843	-13.39	49.97	36.58	74.00	37.42	PASS	Vertical	PK

Test_Mode	802.11 ax(HE80)Transmittin	Test_Frequency	5775MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1444.0629	8.29	36.95	45.24	68.20	22.96	PASS	Horizontal	PK
2	2243.8163	10.92	36.05	46.97	68.20	21.23	PASS	Horizontal	PK
3	3951.1301	17.43	32.61	50.04	68.20	18.16	PASS	Horizontal	PK
4	8429.8287	-1.21	45.92	44.71	68.20	23.49	PASS	Horizontal	PK
5	10464.6976	5.11	43.12	48.23	68.20	19.97	PASS	Horizontal	PK
6	15893.8263	10.49	41.67	52.16	68.20	16.04	PASS	Horizontal	PK

Test_Mode	802.11ax(HE80)Transmittin	Test_Frequency	5775MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1564.3376	8.38	36.47	44.85	68.20	23.35	PASS	Vertical	PK
2	2549.27	12.43	35.14	47.57	68.20	20.63	PASS	Vertical	PK
3	3525.035	14.42	34.66	49.08	68.20	19.12	PASS	Vertical	PK
4	4506.3004	21.04	31.44	52.48	68.20	15.72	PASS	Vertical	PK
5	7758.9506	-2.40	46.10	43.70	68.20	24.50	PASS	Vertical	PK
6	14253.8169	14.59	38.66	53.25	68.20	14.95	PASS	Vertical	PK

Test_Mode	802.11 ax(HE80)Transmittin	Test_Frequency	5775MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19653.3061	-23.85	62.19	38.34	74.00	35.66	PASS	Horizontal	PK
2	21832.8733	-24.78	60.80	36.02	74.00	37.98	PASS	Horizontal	PK
3	24547.9019	-19.84	58.60	38.76	74.00	35.24	PASS	Horizontal	PK
4	26698.0279	-19.64	58.54	38.90	74.00	35.10	PASS	Horizontal	PK
5	32207.2083	-16.58	54.57	37.99	74.00	36.01	PASS	Horizontal	PK
6	37553.5421	-13.89	50.45	36.56	74.00	37.44	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE80)Transmittin	Test_Frequency	5775MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20383.8154	-24.04	61.64	37.60	74.00	36.40	PASS	Vertical	PK
2	24392.4157	-19.86	58.00	38.14	74.00	35.86	PASS	Vertical	PK
3	26632.7053	-19.49	58.68	39.19	74.00	34.81	PASS	Vertical	PK
4	28832.5133	-20.38	58.25	37.87	74.00	36.13	PASS	Vertical	PK
5	33545.8618	-15.59	53.87	38.28	74.00	35.72	PASS	Vertical	PK
6	37157.0063	-15.13	51.76	36.63	74.00	37.37	PASS	Vertical	PK

MIMO:

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1394.3894	8.37	36.61	44.98	68.20	23.22	PASS	Horizontal	PK
2	2442.7943	11.97	36.25	48.22	68.20	19.98	PASS	Horizontal	PK
3	4398.7899	19.09	33.68	52.77	68.20	15.43	PASS	Horizontal	PK
4	7612.6806	-2.72	47.53	44.81	68.20	23.39	PASS	Horizontal	PK
5	11243.4122	6.45	45.61	52.06	68.20	16.14	PASS	Horizontal	PK
6	16601.5301	11.30	42.04	53.34	68.20	14.86	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1361.9362	8.01	36.47	44.48	68.20	23.72	PASS	Vertical	PK
2	2398.7899	12.34	36.32	48.66	68.20	19.54	PASS	Vertical	PK
3	4288.2288	18.80	32.43	51.23	68.20	16.97	PASS	Vertical	PK
4	6909.4205	-4.51	48.66	44.15	68.20	24.05	PASS	Vertical	PK
5	11903.5452	4.09	45.31	49.40	68.20	18.80	PASS	Vertical	PK
6	16598.6549	11.23	41.68	52.91	68.20	15.29	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19806.0322	-23.60	61.56	37.96	74.00	36.04	PASS	Horizontal	PK
2	23021.5609	-24.87	59.63	34.76	74.00	39.24	PASS	Horizontal	PK
3	26088.0435	-19.32	58.49	39.17	74.00	34.83	PASS	Horizontal	PK
4	30068.1227	-19.67	57.37	37.70	74.00	36.30	PASS	Horizontal	PK
5	34389.5356	-15.88	52.05	36.17	74.00	37.83	PASS	Horizontal	PK
6	39041.2417	-10.77	49.02	38.25	74.00	35.75	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19418.6967	-23.94	61.74	37.80	74.00	36.20	PASS	Vertical	PK
2	22293.8118	-24.57	61.65	37.08	74.00	36.92	PASS	Vertical	PK
3	25687.8275	-18.80	58.17	39.37	74.00	34.63	PASS	Vertical	PK
4	29494.0198	-19.68	56.86	37.18	74.00	36.82	PASS	Vertical	PK
5	33141.0456	-16.22	53.76	37.54	74.00	36.46	PASS	Vertical	PK
6	38790.0716	-11.38	48.62	37.24	74.00	36.76	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5200MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1515.9516	8.04	36.83	44.87	68.20	23.33	PASS	Horizontal	PK
2	2091.3091	10.59	41.02	51.61	68.20	16.59	PASS	Horizontal	PK
3	3947.1947	17.76	34.52	52.28	68.20	15.92	PASS	Horizontal	PK
4	6892.1696	-4.41	48.24	43.83	68.20	24.37	PASS	Horizontal	PK
5	10777.0639	5.02	46.80	51.82	68.20	16.38	PASS	Horizontal	PK
6	15508.9754	9.51	42.06	51.57	68.20	16.63	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5200MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1568.2068	8.40	36.60	45.00	68.20	23.20	PASS	Vertical	PK
2	3053.9054	13.33	36.83	50.16	68.20	18.04	PASS	Vertical	PK
3	4503.3003	20.86	32.41	53.27	68.20	14.93	PASS	Vertical	PK
4	7483.8742	-3.88	48.51	44.63	68.20	23.57	PASS	Vertical	PK
5	11001.9001	6.81	44.86	51.67	68.20	16.53	PASS	Vertical	PK
6	15501.5001	9.92	42.00	51.92	68.20	16.28	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5200MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19680.9072	-23.81	60.77	36.96	74.00	37.04	PASS	Horizontal	PK
2	22152.1261	-24.80	61.05	36.25	74.00	37.75	PASS	Horizontal	PK
3	24378.6151	-19.94	58.36	38.42	74.00	35.58	PASS	Horizontal	PK
4	28799.392	-20.42	57.87	37.45	74.00	36.55	PASS	Horizontal	PK
5	33303.8922	-16.10	54.40	38.30	74.00	35.70	PASS	Horizontal	PK
6	38959.3584	-10.86	48.00	37.14	74.00	36.86	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5200MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20222.8089	-24.02	61.18	37.16	74.00	36.84	PASS	Vertical	PK
2	22459.4184	-24.40	60.34	35.94	74.00	38.06	PASS	Vertical	PK
3	25211.2484	-18.86	57.37	38.51	74.00	35.49	PASS	Vertical	PK
4	29275.971	-20.18	57.59	37.41	74.00	36.59	PASS	Vertical	PK
5	34056.4823	-16.09	52.80	36.71	74.00	37.29	PASS	Vertical	PK
6	38969.4788	-10.83	48.21	37.38	74.00	36.62	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5240MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1541.8042	8.15	36.18	44.33	68.20	23.87	PASS	Horizontal	PK
2	2652.9153	11.87	36.42	48.29	68.20	19.91	PASS	Horizontal	PK
3	4106.1606	18.14	33.97	52.11	68.20	16.09	PASS	Horizontal	PK
4	6903.6702	-4.36	48.54	44.18	68.20	24.02	PASS	Horizontal	PK
5	10279.664	4.17	45.12	49.29	68.20	18.91	PASS	Horizontal	PK
6	15501.5001	9.92	41.92	51.84	68.20	16.36	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5240MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1480.7481	8.07	36.45	44.52	68.20	23.68	PASS	Vertical	PK
2	2402.0902	12.36	37.13	49.49	68.20	18.71	PASS	Vertical	PK
3	3943.3443	17.69	34.00	51.69	68.20	16.51	PASS	Vertical	PK
4	6889.2945	-4.46	48.64	44.18	68.20	24.02	PASS	Vertical	PK
5	10994.4247	6.60	45.21	51.81	68.20	16.39	PASS	Vertical	PK
6	15099.555	11.59	41.06	52.65	68.20	15.55	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5240MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19906.3163	-23.32	61.10	37.78	74.00	36.22	PASS	Horizontal	PK
2	22234.0094	-24.66	61.80	37.14	74.00	36.86	PASS	Horizontal	PK
3	25709.9084	-18.82	58.17	39.35	74.00	34.65	PASS	Horizontal	PK
4	29755.3102	-19.51	56.93	37.42	74.00	36.58	PASS	Horizontal	PK
5	33289.1716	-16.10	53.76	37.66	74.00	36.34	PASS	Horizontal	PK
6	38425.737	-12.09	49.07	36.98	74.00	37.02	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5240MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20373.6949	-24.04	61.39	37.35	74.00	36.65	PASS	Vertical	PK
2	24113.6445	-20.69	58.40	37.71	74.00	36.29	PASS	Vertical	PK
3	26580.2632	-19.41	58.28	38.87	74.00	35.13	PASS	Vertical	PK
4	28972.3589	-20.19	58.30	38.11	74.00	35.89	PASS	Vertical	PK
5	32470.3388	-15.81	55.04	39.23	74.00	34.77	PASS	Vertical	PK
6	38961.1984	-10.86	48.11	37.25	74.00	36.75	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1476.3476	8.09	36.88	44.97	68.20	23.23	PASS	Horizontal	PK
2	2435.0935	12.04	36.61	48.65	68.20	19.55	PASS	Horizontal	PK
3	4394.3894	18.89	33.81	52.70	68.20	15.50	PASS	Horizontal	PK
4	6893.8947	-4.38	48.44	44.06	68.20	24.14	PASS	Horizontal	PK
5	10592.4796	5.98	45.39	51.37	68.20	16.83	PASS	Horizontal	PK
6	15507.8254	9.58	41.75	51.33	68.20	16.87	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1459.2959	8.17	36.92	45.09	68.20	23.11	PASS	Vertical	PK
2	2443.8944	11.96	35.68	47.64	68.20	20.56	PASS	Vertical	PK
3	3905.9406	16.96	33.24	50.20	68.20	18.00	PASS	Vertical	PK
4	6800.74	-4.73	47.77	43.04	68.20	25.16	PASS	Vertical	PK
5	10618.9309	5.29	45.54	50.83	68.20	17.37	PASS	Vertical	PK
6	15891.9446	10.39	42.67	53.06	68.20	15.14	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19165.6866	-24.37	62.35	37.98	74.00	36.02	PASS	Horizontal	PK
2	21851.2741	-24.81	61.94	37.13	74.00	36.87	PASS	Horizontal	PK
3	25106.3643	-19.30	58.06	38.76	74.00	35.24	PASS	Horizontal	PK
4	28487.4995	-20.76	57.68	36.92	74.00	37.08	PASS	Horizontal	PK
5	32420.6568	-15.55	54.82	39.27	74.00	34.73	PASS	Horizontal	PK
6	38506.7003	-12.19	49.14	36.95	74.00	37.05	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20363.5745	-24.05	61.18	37.13	74.00	36.87	PASS	Vertical	PK
2	22333.3733	-24.51	60.57	36.06	74.00	37.94	PASS	Vertical	PK
3	24251.6501	-20.63	58.81	38.18	74.00	35.82	PASS	Vertical	PK
4	27788.2715	-20.19	58.89	38.70	74.00	35.30	PASS	Vertical	PK
5	32221.0088	-16.49	55.11	38.62	74.00	35.38	PASS	Vertical	PK
6	36237.8895	-14.92	51.99	37.07	74.00	36.93	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1399.89	8.43	36.96	45.39	68.20	22.81	PASS	Horizontal	PK
2	2094.0594	10.58	43.26	53.84	68.20	14.36	PASS	Horizontal	PK
3	3765.6766	15.33	34.54	49.87	68.20	18.33	PASS	Horizontal	PK
4	7409.1205	-4.08	49.59	45.51	68.20	22.69	PASS	Horizontal	PK
5	12836.2418	7.57	43.20	50.77	68.20	17.43	PASS	Horizontal	PK
6	16602.1051	11.27	41.57	52.84	68.20	15.36	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1434.5435	8.29	36.85	45.14	68.20	23.06	PASS	Vertical	PK
2	2447.7448	11.92	36.45	48.37	68.20	19.83	PASS	Vertical	PK
3	4110.5611	18.01	34.61	52.62	68.20	15.58	PASS	Vertical	PK
4	7108.3804	-4.41	47.52	43.11	68.20	25.09	PASS	Vertical	PK
5	11243.9872	6.46	45.36	51.82	68.20	16.38	PASS	Vertical	PK
6	15891.3696	10.37	42.51	52.88	68.20	15.32	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19742.5497	-23.71	61.78	38.07	74.00	35.93	PASS	Horizontal	PK
2	22298.4119	-24.56	60.74	36.18	74.00	37.82	PASS	Horizontal	PK
3	25292.2117	-19.06	57.58	38.52	74.00	35.48	PASS	Horizontal	PK
4	28878.5151	-20.31	57.77	37.46	74.00	36.54	PASS	Horizontal	PK
5	31772.0309	-17.24	55.74	38.50	74.00	35.50	PASS	Horizontal	PK
6	37683.2673	-13.88	49.72	35.84	74.00	38.16	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20141.8457	-23.73	61.19	37.46	74.00	36.54	PASS	Vertical	PK
2	23468.6987	-22.32	58.79	36.47	74.00	37.53	PASS	Vertical	PK
3	27155.2862	-20.41	58.21	37.80	74.00	36.20	PASS	Vertical	PK
4	31061.7625	-17.51	56.14	38.63	74.00	35.37	PASS	Vertical	PK
5	34407.0163	-15.85	52.17	36.32	74.00	37.68	PASS	Vertical	PK
6	37138.6055	-15.22	51.00	35.78	74.00	38.22	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1437.8438	8.27	37.25	45.52	68.20	22.68	PASS	Horizontal	PK
2	1995.0495	9.70	42.23	51.93	68.20	16.27	PASS	Horizontal	PK
3	4407.5908	18.67	33.36	52.03	68.20	16.17	PASS	Horizontal	PK
4	7195.2098	-4.79	51.72	46.93	68.20	21.27	PASS	Horizontal	PK
5	11257.2129	6.15	46.28	52.43	68.20	15.77	PASS	Horizontal	PK
6	15505.5253	9.70	41.27	50.97	68.20	17.23	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1498.3498	7.99	38.82	46.81	68.20	21.39	PASS	Vertical	PK
2	2699.1199	12.30	36.24	48.54	68.20	19.66	PASS	Vertical	PK
3	4391.6392	18.76	34.00	52.76	68.20	15.44	PASS	Vertical	PK
4	6819.141	-4.90	49.32	44.42	68.20	23.78	PASS	Vertical	PK
5	10999.025	6.81	45.44	52.25	68.20	15.95	PASS	Vertical	PK
6	16599.805	11.38	41.36	52.74	68.20	15.46	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19927.4771	-23.26	61.41	38.15	74.00	35.85	PASS	Horizontal	PK
2	23232.2493	-23.30	59.50	36.20	74.00	37.80	PASS	Horizontal	PK
3	26380.6152	-19.46	57.90	38.44	74.00	35.56	PASS	Horizontal	PK
4	30432.4573	-18.69	56.55	37.86	74.00	36.14	PASS	Horizontal	PK
5	35407.0963	-14.85	50.93	36.08	74.00	37.92	PASS	Horizontal	PK
6	39683.4273	-11.40	47.20	35.80	74.00	38.20	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20118.8448	-23.62	61.86	38.24	74.00	35.76	PASS	Vertical	PK
2	24466.9387	-19.83	58.29	38.46	74.00	35.54	PASS	Vertical	PK
3	29180.2872	-20.26	58.14	37.88	74.00	36.12	PASS	Vertical	PK
4	32963.4785	-16.50	53.57	37.07	74.00	36.93	PASS	Vertical	PK
5	36632.5853	-14.35	49.92	35.57	74.00	38.43	PASS	Vertical	PK
6	39572.1029	-12.04	46.90	34.86	74.00	39.14	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5200MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1265.6766	6.55	37.26	43.81	68.20	24.39	PASS	Horizontal	PK
2	2195.8196	10.14	41.35	51.49	68.20	16.71	PASS	Horizontal	PK
3	3543.4543	15.03	35.02	50.05	68.20	18.15	PASS	Horizontal	PK
4	7583.9292	-2.89	47.46	44.57	68.20	23.63	PASS	Horizontal	PK
5	11941.4971	5.09	45.56	50.65	68.20	17.55	PASS	Horizontal	PK
6	15495.1748	9.62	42.49	52.11	68.20	16.09	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5200MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1352.0352	7.90	36.55	44.45	68.20	23.75	PASS	Vertical	PK
2	2532.4532	12.28	36.99	49.27	68.20	18.93	PASS	Vertical	PK
3	3988.4488	16.84	33.21	50.05	68.20	18.15	PASS	Vertical	PK
4	7602.9051	-2.38	46.67	44.29	68.20	23.91	PASS	Vertical	PK
5	11215.8108	6.19	45.77	51.96	68.20	16.24	PASS	Vertical	PK
6	15250.7875	11.58	40.90	52.48	68.20	15.72	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5200MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19028.6011	-24.49	63.38	38.89	74.00	35.11	PASS	Horizontal	PK
2	22245.0498	-24.64	61.60	36.96	74.00	37.04	PASS	Horizontal	PK
3	25576.5031	-18.78	57.83	39.05	74.00	34.95	PASS	Horizontal	PK
4	29144.4058	-20.24	57.57	37.33	74.00	36.67	PASS	Horizontal	PK
5	32410.5364	-15.49	55.18	39.69	74.00	34.31	PASS	Horizontal	PK
6	37569.1828	-13.81	49.22	35.41	74.00	38.59	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5200MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19923.797	-23.27	60.95	37.68	74.00	36.32	PASS	Vertical	PK
2	23138.4055	-23.94	59.16	35.22	74.00	38.78	PASS	Vertical	PK
3	26480.8992	-19.43	59.54	40.11	74.00	33.89	PASS	Vertical	PK
4	30012.0005	-19.62	57.31	37.69	74.00	36.31	PASS	Vertical	PK
5	34438.2975	-15.70	52.85	37.15	74.00	36.85	PASS	Vertical	PK
6	39015.4806	-10.75	47.38	36.63	74.00	37.37	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5240MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1421.3421	8.34	36.59	44.93	68.20	23.27	PASS	Horizontal	PK
2	2198.5699	10.10	38.98	49.08	68.20	19.12	PASS	Horizontal	PK
3	3960.396	17.55	34.04	51.59	68.20	16.61	PASS	Horizontal	PK
4	6835.8168	-5.06	48.95	43.89	68.20	24.31	PASS	Horizontal	PK
5	10769.0135	5.04	45.80	50.84	68.20	17.36	PASS	Horizontal	PK
6	15500.925	9.94	41.91	51.85	68.20	16.35	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5240MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1498.3498	7.99	36.47	44.46	68.20	23.74	PASS	Vertical	PK
2	2422.9923	12.16	36.86	49.02	68.20	19.18	PASS	Vertical	PK
3	3691.4191	15.79	34.00	49.79	68.20	18.41	PASS	Vertical	PK
4	6796.7148	-4.85	49.10	44.25	68.20	23.95	PASS	Vertical	PK
5	9299.24	2.53	46.03	48.56	68.20	19.64	PASS	Vertical	PK
6	15112.7806	11.62	41.71	53.33	68.20	14.87	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5240MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19342.3337	-24.06	62.04	37.98	74.00	36.02	PASS	Horizontal	PK
2	22684.8274	-24.36	59.57	35.21	74.00	38.79	PASS	Horizontal	PK
3	26229.7292	-19.57	58.47	38.90	74.00	35.10	PASS	Horizontal	PK
4	30089.2836	-19.69	58.45	38.76	74.00	35.24	PASS	Horizontal	PK
5	34611.2645	-14.99	50.81	35.82	74.00	38.18	PASS	Horizontal	PK
6	39052.2821	-10.77	48.95	38.18	74.00	35.82	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5240MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20042.4817	-23.25	61.35	38.10	74.00	35.90	PASS	Vertical	PK
2	23403.3761	-22.53	59.17	36.64	74.00	37.36	PASS	Vertical	PK
3	27922.5969	-20.36	58.58	38.22	74.00	35.78	PASS	Vertical	PK
4	31528.2211	-17.24	55.44	38.20	74.00	35.80	PASS	Vertical	PK
5	34615.8646	-15.00	50.96	35.96	74.00	38.04	PASS	Vertical	PK
6	37684.1874	-13.89	49.89	36.00	74.00	38.00	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1451.0451	8.22	36.86	45.08	68.20	23.12	PASS	Horizontal	PK
2	2191.9692	10.18	39.47	49.65	68.20	18.55	PASS	Horizontal	PK
3	3941.1441	17.65	35.25	52.90	68.20	15.30	PASS	Horizontal	PK
4	6895.6198	-4.34	49.20	44.86	68.20	23.34	PASS	Horizontal	PK
5	10039.877	3.98	45.59	49.57	68.20	18.63	PASS	Horizontal	PK
6	15514.7257	9.21	42.61	51.82	68.20	16.38	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1482.9483	8.06	36.56	44.62	68.20	23.58	PASS	Vertical	PK
2	2565.4565	12.27	36.16	48.43	68.20	19.77	PASS	Vertical	PK
3	4290.9791	18.86	32.76	51.62	68.20	16.58	PASS	Vertical	PK
4	7612.6806	-2.72	48.14	45.42	68.20	22.78	PASS	Vertical	PK
5	11969.6735	5.70	45.18	50.88	68.20	17.32	PASS	Vertical	PK
6	15899.42	10.76	41.88	52.64	68.20	15.56	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19847.4339	-23.48	61.35	37.87	74.00	36.13	PASS	Horizontal	PK
2	22743.7097	-24.38	59.94	35.56	74.00	38.44	PASS	Horizontal	PK
3	25993.2797	-19.10	58.52	39.42	74.00	34.58	PASS	Horizontal	PK
4	29778.3111	-19.55	57.97	38.42	74.00	35.58	PASS	Horizontal	PK
5	34428.1771	-15.75	52.69	36.94	74.00	37.06	PASS	Horizontal	PK
6	39046.7619	-10.77	48.27	37.50	74.00	36.50	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20416.9367	-24.11	62.35	38.24	74.00	35.76	PASS	Vertical	PK
2	23325.173	-22.89	59.21	36.32	74.00	37.68	PASS	Vertical	PK
3	26794.6318	-19.88	58.41	38.53	74.00	35.47	PASS	Vertical	PK
4	31040.6016	-17.46	56.37	38.91	74.00	35.09	PASS	Vertical	PK
5	35134.7654	-15.05	52.40	37.35	74.00	36.65	PASS	Vertical	PK
6	39007.2003	-10.74	48.12	37.38	74.00	36.62	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1466.4466	8.14	36.57	44.71	68.20	23.49	PASS	Horizontal	PK
2	2193.0693	10.17	41.57	51.74	68.20	16.46	PASS	Horizontal	PK
3	3960.396	17.55	34.91	52.46	68.20	15.74	PASS	Horizontal	PK
4	7195.2098	-4.79	54.01	49.22	68.20	18.98	PASS	Horizontal	PK
5	10992.6996	6.53	44.64	51.17	68.20	17.03	PASS	Horizontal	PK
6	15500.35	9.97	41.44	51.41	68.20	16.79	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1579.758	8.55	37.39	45.94	68.20	22.26	PASS	Vertical	PK
2	2935.6436	13.41	35.85	49.26	68.20	18.94	PASS	Vertical	PK
3	4285.4785	18.72	33.31	52.03	68.20	16.17	PASS	Vertical	PK
4	7382.6691	-3.95	48.18	44.23	68.20	23.97	PASS	Vertical	PK
5	11004.7752	6.74	45.07	51.81	68.20	16.39	PASS	Vertical	PK
6	15897.6949	10.68	42.43	53.11	68.20	15.09	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20523.6609	-24.45	61.41	36.96	74.00	37.04	PASS	Horizontal	PK
2	23670.1868	-21.54	59.16	37.62	74.00	36.38	PASS	Horizontal	PK
3	27375.175	-20.39	58.14	37.75	74.00	36.25	PASS	Horizontal	PK
4	30980.7992	-17.39	57.16	39.77	74.00	34.23	PASS	Horizontal	PK
5	35502.7801	-14.77	51.31	36.54	74.00	37.46	PASS	Horizontal	PK
6	39049.522	-10.77	48.12	37.35	74.00	36.65	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20523.6609	-24.45	61.50	37.05	74.00	36.95	PASS	Vertical	PK
2	24420.9368	-19.82	58.25	38.43	74.00	35.57	PASS	Vertical	PK
3	27954.7982	-20.42	59.56	39.14	74.00	34.86	PASS	Vertical	PK
4	31299.132	-17.65	55.76	38.11	74.00	35.89	PASS	Vertical	PK
5	35813.7526	-15.05	52.71	37.66	74.00	36.34	PASS	Vertical	PK
6	39034.8014	-10.77	47.89	37.12	74.00	36.88	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5210MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1396.0396	8.39	37.49	45.88	68.20	22.32	PASS	Horizontal	PK
2	2438.9439	12.00	37.39	49.39	68.20	18.81	PASS	Horizontal	PK
3	3948.8449	17.80	33.81	51.61	68.20	16.59	PASS	Horizontal	PK
4	7301.0151	-3.92	47.54	43.62	68.20	24.58	PASS	Horizontal	PK
5	11000.175	6.85	44.31	51.16	68.20	17.04	PASS	Horizontal	PK
6	15502.0751	9.88	41.79	51.67	68.20	16.53	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5210MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1428.4928	8.31	36.50	44.81	68.20	23.39	PASS	Vertical	PK
2	2410.8911	12.28	35.98	48.26	68.20	19.94	PASS	Vertical	PK
3	3951.5952	17.78	34.83	52.61	68.20	15.59	PASS	Vertical	PK
4	6906.5453	-4.43	48.77	44.34	68.20	23.86	PASS	Vertical	PK
5	11238.2369	6.41	45.73	52.14	68.20	16.06	PASS	Vertical	PK
6	15500.925	9.94	41.48	51.42	68.20	16.78	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5210MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	20460.1784	-24.25	61.35	37.10	74.00	36.90	PASS	Horizontal	PK
2	25063.1225	-19.52	57.78	38.26	74.00	35.74	PASS	Horizontal	PK
3	28769.9508	-20.50	58.14	37.64	74.00	36.36	PASS	Horizontal	PK
4	32438.1375	-15.64	54.78	39.14	74.00	34.86	PASS	Horizontal	PK
5	35880.9152	-15.14	53.14	38.00	74.00	36.00	PASS	Horizontal	PK
6	39245.4898	-11.15	47.64	36.49	74.00	37.51	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5210MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20180.4872	-23.91	61.62	37.71	74.00	36.29	PASS	Vertical	PK
2	23705.1482	-21.38	59.16	37.78	74.00	36.22	PASS	Vertical	PK
3	27365.0546	-20.39	58.49	38.10	74.00	35.90	PASS	Vertical	PK
4	30478.4591	-18.72	56.61	37.89	74.00	36.11	PASS	Vertical	PK
5	34583.6633	-15.03	51.08	36.05	74.00	37.95	PASS	Vertical	PK
6	38950.158	-10.88	48.16	37.28	74.00	36.72	PASS	Vertical	PK

Test_Mode	802.11ax(HE20)Transmittin	Test_Frequency	5180MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1497.2497	7.99	35.79	43.78	68.20	24.42	PASS	Horizontal	PK
2	2242.5743	10.86	36.38	47.24	68.20	20.96	PASS	Horizontal	PK
3	4102.8603	18.24	34.11	52.35	68.20	15.85	PASS	Horizontal	PK
4	6835.8168	-5.06	48.40	43.34	68.20	24.86	PASS	Horizontal	PK
5	10291.1646	4.33	44.77	49.10	68.20	19.10	PASS	Horizontal	PK
6	15899.42	10.76	42.25	53.01	68.20	15.19	PASS	Horizontal	PK

Test_Mode	802.11ax(HE20)Transmittin	Test_Frequency	5180MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1403.1903	8.42	36.68	45.10	68.20	23.10	PASS	Vertical	PK
2	2388.3388	11.98	36.94	48.92	68.20	19.28	PASS	Vertical	PK
3	4146.3146	16.94	34.24	51.18	68.20	17.02	PASS	Vertical	PK
4	7282.6141	-3.81	46.94	43.13	68.20	25.07	PASS	Vertical	PK
5	11750.0125	4.22	44.86	49.08	68.20	19.12	PASS	Vertical	PK
6	16598.6549	11.23	41.47	52.70	68.20	15.50	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20)Transmittin	Test_Frequency	5180MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20253.1701	-24.02	61.28	37.26	74.00	36.74	PASS	Horizontal	PK
2	23200.968	-23.44	58.62	35.18	74.00	38.82	PASS	Horizontal	PK
3	26706.3083	-19.66	58.04	38.38	74.00	35.62	PASS	Horizontal	PK
4	30394.7358	-18.70	56.84	38.14	74.00	35.86	PASS	Horizontal	PK
5	34965.4786	-15.40	52.67	37.27	74.00	36.73	PASS	Horizontal	PK
6	39297.0119	-11.47	47.80	36.33	74.00	37.67	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20)Transmittin	Test_Frequency	5180MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19783.9514	-23.65	61.59	37.94	74.00	36.06	PASS	Vertical	PK
2	23665.5866	-21.56	58.42	36.86	74.00	37.14	PASS	Vertical	PK
3	27871.9949	-20.28	59.03	38.75	74.00	35.25	PASS	Vertical	PK
4	32271.6109	-16.19	54.95	38.76	74.00	35.24	PASS	Vertical	PK
5	36566.3427	-14.29	51.51	37.22	74.00	36.78	PASS	Vertical	PK
6	39752.4301	-10.89	46.35	35.46	74.00	38.54	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20)Transmittin	Test_Frequency	5200MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1428.4928	8.31	37.16	45.47	68.20	22.73	PASS	Horizontal	PK
2	2193.0693	10.17	43.31	53.48	68.20	14.72	PASS	Horizontal	PK
3	4099.56	18.29	33.50	51.79	68.20	16.41	PASS	Horizontal	PK
4	7352.7676	-3.71	49.23	45.52	68.20	22.68	PASS	Horizontal	PK
5	11329.0915	5.39	45.71	51.10	68.20	17.10	PASS	Horizontal	PK
6	15899.42	10.76	42.62	53.38	68.20	14.82	PASS	Horizontal	PK

Test_Mode	802.11ax(HE20)Transmittin	Test_Frequency	5200MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1431.7932	8.30	37.21	45.51	68.20	22.69	PASS	Vertical	PK
2	2435.6436	12.04	36.75	48.79	68.20	19.41	PASS	Vertical	PK
3	3952.1452	17.77	33.87	51.64	68.20	16.56	PASS	Vertical	PK
4	7034.7767	-4.78	48.21	43.43	68.20	24.77	PASS	Vertical	PK
5	11247.4374	6.49	45.70	52.19	68.20	16.01	PASS	Vertical	PK
6	15494.5997	9.59	41.59	51.18	68.20	17.02	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20)Transmittin	Test_Frequency	5200MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19803.2721	-23.61	61.55	37.94	74.00	36.06	PASS	Horizontal	PK
2	21763.8706	-24.74	61.04	36.30	74.00	37.70	PASS	Horizontal	PK
3	23804.5122	-20.93	58.15	37.22	74.00	36.78	PASS	Horizontal	PK
4	28243.6897	-20.52	57.95	37.43	74.00	36.57	PASS	Horizontal	PK
5	33332.4133	-16.11	54.25	38.14	74.00	35.86	PASS	Horizontal	PK
6	38518.6607	-12.20	48.50	36.30	74.00	37.70	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20)Transmittin	Test_Frequency	5200MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19786.7115	-23.64	61.27	37.63	74.00	36.37	PASS	Vertical	PK
2	22943.3577	-24.86	59.95	35.09	74.00	38.91	PASS	Vertical	PK
3	26009.8404	-19.12	58.22	39.10	74.00	34.90	PASS	Vertical	PK
4	29917.2367	-19.61	56.92	37.31	74.00	36.69	PASS	Vertical	PK
5	33436.3775	-15.97	54.12	38.15	74.00	35.85	PASS	Vertical	PK
6	39237.2095	-11.09	46.06	34.97	74.00	39.03	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20)Transmittin	Test_Frequency	5240MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1542.9043	8.15	37.28	45.43	68.20	22.77	PASS	Horizontal	PK
2	2197.4697	10.11	41.27	51.38	68.20	16.82	PASS	Horizontal	PK
3	3536.3036	14.76	35.80	50.56	68.20	17.64	PASS	Horizontal	PK
4	7361.3931	-3.78	49.21	45.43	68.20	22.77	PASS	Horizontal	PK
5	11004.7752	6.74	44.78	51.52	68.20	16.68	PASS	Horizontal	PK
6	15512.4256	9.33	42.05	51.38	68.20	16.82	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20)Transmittin	Test_Frequency	5240MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1515.9516	8.04	36.54	44.58	68.20	23.62	PASS	Vertical	PK
2	2531.3531	12.27	36.12	48.39	68.20	19.81	PASS	Vertical	PK
3	4109.4609	18.04	33.42	51.46	68.20	16.74	PASS	Vertical	PK
4	6889.2945	-4.46	48.19	43.73	68.20	24.47	PASS	Vertical	PK
5	10268.1634	4.03	45.59	49.62	68.20	18.58	PASS	Vertical	PK
6	15107.0304	11.63	40.70	52.33	68.20	15.87	PASS	Vertical	PK

Test_Mode	802.11ax(HE20)Transmittin	Test_Frequency	5240MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20317.5727	-24.03	61.01	36.98	74.00	37.02	PASS	Horizontal	PK
2	23356.4543	-22.75	60.02	37.27	74.00	36.73	PASS	Horizontal	PK
3	26299.652	-19.52	57.30	37.78	74.00	36.22	PASS	Horizontal	PK
4	29733.2293	-19.49	57.04	37.55	74.00	36.45	PASS	Horizontal	PK
5	32447.3379	-15.69	54.52	38.83	74.00	35.17	PASS	Horizontal	PK
6	37149.646	-15.16	51.66	36.50	74.00	37.50	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20)Transmittin	Test_Frequency	5240MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20259.6104	-24.02	61.67	37.65	74.00	36.35	PASS	Vertical	PK
2	23272.7309	-23.12	59.48	36.36	74.00	37.64	PASS	Vertical	PK
3	27515.9406	-20.44	58.21	37.77	74.00	36.23	PASS	Vertical	PK
4	31012.0805	-17.38	55.76	38.38	74.00	35.62	PASS	Vertical	PK
5	35639.8656	-14.75	51.41	36.66	74.00	37.34	PASS	Vertical	PK
6	39019.1608	-10.75	48.35	37.60	74.00	36.40	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40)Transmittin	Test_Frequency	5190MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1474.1474	8.11	36.14	44.25	68.20	23.95	PASS	Horizontal	PK
2	2741.4741	12.13	36.71	48.84	68.20	19.36	PASS	Horizontal	PK
3	4402.6403	18.97	33.60	52.57	68.20	15.63	PASS	Horizontal	PK
4	6975.5488	-5.13	49.11	43.98	68.20	24.22	PASS	Horizontal	PK
5	10987.5244	6.30	45.38	51.68	68.20	16.52	PASS	Horizontal	PK
6	15894.2447	10.51	42.97	53.48	68.20	14.72	PASS	Horizontal	PK

Test_Mode	802.11ax(HE40)Transmittin	Test_Frequency	5190MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1474.1474	8.11	37.34	45.45	68.20	22.75	PASS	Vertical	PK
2	2496.1496	12.00	36.66	48.66	68.20	19.54	PASS	Vertical	PK
3	4085.8086	17.42	33.88	51.30	68.20	16.90	PASS	Vertical	PK
4	6875.4938	-4.72	48.68	43.96	68.20	24.24	PASS	Vertical	PK
5	10620.656	5.19	46.07	51.26	68.20	16.94	PASS	Vertical	PK
6	15506.1003	9.67	41.63	51.30	68.20	16.90	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40)Transmittin	Test_Frequency	5190MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	19920.1168	-23.28	61.78	38.50	74.00	35.50	PASS	Horizontal	PK
2	23608.5443	-21.82	58.68	36.86	74.00	37.14	PASS	Horizontal	PK
3	26237.0895	-19.56	57.62	38.06	74.00	35.94	PASS	Horizontal	PK
4	29241.9297	-20.22	58.13	37.91	74.00	36.09	PASS	Horizontal	PK
5	34356.4143	-15.88	52.66	36.78	74.00	37.22	PASS	Horizontal	PK
6	39169.1268	-10.85	47.84	36.99	74.00	37.01	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40)Transmittin	Test_Frequency	5190MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20925.717	-24.62	61.78	37.16	74.00	36.84	PASS	Vertical	PK
2	23997.7199	-20.37	58.93	38.56	74.00	35.44	PASS	Vertical	PK
3	28010.0004	-20.49	58.14	37.65	74.00	36.35	PASS	Vertical	PK
4	31359.8544	-17.50	55.59	38.09	74.00	35.91	PASS	Vertical	PK
5	36508.3803	-14.54	51.18	36.64	74.00	37.36	PASS	Vertical	PK
6	39763.4705	-10.81	45.61	34.80	74.00	39.20	PASS	Vertical	PK

Test_Mode	802.11ax(HE40)Transmittin	Test_Frequency	5230MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1569.3069	8.42	37.52	45.94	68.20	22.26	PASS	Horizontal	PK
2	2935.6436	13.41	37.18	50.59	68.20	17.61	PASS	Horizontal	PK
3	4293.1793	18.92	33.13	52.05	68.20	16.15	PASS	Horizontal	PK
4	7190.0345	-4.73	49.14	44.41	68.20	23.79	PASS	Horizontal	PK
5	11990.9495	6.12	45.67	51.79	68.20	16.41	PASS	Horizontal	PK
6	15889.0695	10.25	42.58	52.83	68.20	15.37	PASS	Horizontal	PK

Test_Mode	802.11ax(HE40)Transmittin	Test_Frequency	5230MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1626.5127	8.65	36.45	45.10	68.20	23.10	PASS	Vertical	PK
2	2560.5061	12.31	37.23	49.54	68.20	18.66	PASS	Vertical	PK
3	3954.8955	17.69	34.49	52.18	68.20	16.02	PASS	Vertical	PK
4	7308.4904	-3.88	47.29	43.41	68.20	24.79	PASS	Vertical	PK
5	11216.3858	6.20	45.68	51.88	68.20	16.32	PASS	Vertical	PK
6	15499.2	9.93	41.29	51.22	68.20	16.98	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40)Transmittin	Test_Frequency	5230MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19900.796	-23.33	61.25	37.92	74.00	36.08	PASS	Horizontal	PK
2	22215.6086	-24.69	61.18	36.49	74.00	37.51	PASS	Horizontal	PK
3	26049.402	-19.22	57.41	38.19	74.00	35.81	PASS	Horizontal	PK
4	29655.0262	-19.36	57.33	37.97	74.00	36.03	PASS	Horizontal	PK
5	35094.2838	-15.15	51.61	36.46	74.00	37.54	PASS	Horizontal	PK
6	39039.4016	-10.77	48.72	37.95	74.00	36.05	PASS	Horizontal	PK

Test_Mode	802.11ax(HE40)Transmittin	Test_Frequency	5230MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20393.9358	-24.05	60.97	36.92	74.00	37.08	PASS	Vertical	PK
2	23156.8063	-23.79	59.82	36.03	74.00	37.97	PASS	Vertical	PK
3	26663.9866	-19.56	57.77	38.21	74.00	35.79	PASS	Vertical	PK
4	30081.0032	-19.69	57.68	37.99	74.00	36.01	PASS	Vertical	PK
5	32816.2727	-16.38	53.58	37.20	74.00	36.80	PASS	Vertical	PK
6	38451.4981	-12.11	48.81	36.70	74.00	37.30	PASS	Vertical	PK

Test_Mode	802.11ax(HE80)Transmittin	Test_Frequency	5210MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1435.0935	8.28	37.30	45.58	68.20	22.62	PASS	Horizontal	PK
2	2191.9692	10.18	39.43	49.61	68.20	18.59	PASS	Horizontal	PK
3	3916.3916	17.17	33.93	51.10	68.20	17.10	PASS	Horizontal	PK
4	7401.6451	-4.08	49.17	45.09	68.20	23.11	PASS	Horizontal	PK
5	11174.4087	4.85	47.24	52.09	68.20	16.11	PASS	Horizontal	PK
6	15904.0202	10.34	42.76	53.10	68.20	15.10	PASS	Horizontal	PK

Test_Mode	802.11ax(HE80)Transmittin	Test_Frequency	5210MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1571.5072	8.45	36.55	45.00	68.20	23.20	PASS	Vertical	PK
2	2570.407	12.22	36.92	49.14	68.20	19.06	PASS	Vertical	PK
3	4099.56	18.29	33.82	52.11	68.20	16.09	PASS	Vertical	PK
4	7379.794	-3.92	48.74	44.82	68.20	23.38	PASS	Vertical	PK
5	11215.2358	6.19	45.80	51.99	68.20	16.21	PASS	Vertical	PK
6	15895.3948	10.56	42.78	53.34	68.20	14.86	PASS	Vertical	PK

Test_Mode	802.11ax(HE80)Transmittin	Test_Frequency	5210MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20304.6922	-24.03	60.82	36.79	74.00	37.21	PASS	Horizontal	PK
2	22485.1794	-24.38	60.21	35.83	74.00	38.17	PASS	Horizontal	PK
3	24394.2558	-19.85	57.87	38.02	74.00	35.98	PASS	Horizontal	PK
4	28658.6263	-20.81	58.30	37.49	74.00	36.51	PASS	Horizontal	PK
5	33629.5852	-15.48	53.44	37.96	74.00	36.04	PASS	Horizontal	PK
6	38704.5082	-11.79	49.70	37.91	74.00	36.09	PASS	Horizontal	PK

Test_Mode	802.11ax(HE80)Transmittin	Test_Frequency	5210MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20009.3604	-23.09	61.84	38.75	74.00	35.25	PASS	Vertical	PK
2	22479.6592	-24.39	60.93	36.54	74.00	37.46	PASS	Vertical	PK
3	26422.9369	-19.44	58.52	39.08	74.00	34.92	PASS	Vertical	PK
4	29844.5538	-19.60	57.89	38.29	74.00	35.71	PASS	Vertical	PK
5	34936.9575	-15.42	51.86	36.44	74.00	37.56	PASS	Vertical	PK
6	39040.3216	-10.77	47.66	36.89	74.00	37.11	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1712.8713	9.10	37.27	46.37	68.20	21.83	PASS	Horizontal	PK
2	2470.297	11.97	38.05	50.02	68.20	18.18	PASS	Horizontal	PK
3	4513.7514	20.75	35.27	56.02	68.20	12.18	PASS	Horizontal	PK
4	7404.727	-4.07	49.31	45.24	68.20	22.96	PASS	Horizontal	PK
5	9802.2535	4.28	44.79	49.07	68.20	19.13	PASS	Horizontal	PK
6	11974.365	5.79	45.42	51.21	68.20	16.99	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1637.5138	8.60	37.67	46.27	68.20	21.93	PASS	Vertical	PK
2	2574.2574	12.08	37.82	49.90	68.20	18.30	PASS	Vertical	PK
3	3917.4917	17.11	37.08	54.19	68.20	14.01	PASS	Vertical	PK
4	7482.1655	-3.90	48.35	44.45	68.20	23.75	PASS	Vertical	PK
5	10604.2403	6.12	44.41	50.53	68.20	17.67	PASS	Vertical	PK
6	15104.8737	11.63	41.12	52.75	68.20	15.45	PASS	Vertical	PK

Test_Mode	802.11 n(H240) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20448.2179	-24.21	61.06	36.85	74.00	37.15	PASS	Horizontal	PK
2	23064.8026	-24.52	59.81	35.29	74.00	38.71	PASS	Horizontal	PK
3	25819.3928	-18.93	58.24	39.31	74.00	34.69	PASS	Horizontal	PK
4	31035.0814	-17.44	56.32	38.88	74.00	35.12	PASS	Horizontal	PK
5	34117.2047	-15.99	53.38	37.39	74.00	36.61	PASS	Horizontal	PK
6	38121.2048	-13.30	50.40	37.10	74.00	36.90	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20052.6021	-23.30	61.45	38.15	74.00	35.85	PASS	Vertical	PK
2	23950.798	-20.52	58.75	38.23	74.00	35.77	PASS	Vertical	PK
3	26647.4259	-19.52	58.61	39.09	74.00	34.91	PASS	Vertical	PK
4	31454.6182	-17.33	55.31	37.98	74.00	36.02	PASS	Vertical	PK
5	35859.7544	-15.12	51.96	36.84	74.00	37.16	PASS	Vertical	PK
6	38742.2297	-11.61	48.67	37.06	74.00	36.94	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5785MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	1485.1485	8.05	37.33	45.38	68.20	22.82	PASS	Horizontal	PK
2	2685.3685	12.25	40.06	52.31	68.20	15.89	PASS	Horizontal	PK
3	3453.2453	15.15	37.40	52.55	68.20	15.65	PASS	Horizontal	PK
4	7889.2926	-1.68	46.83	45.15	68.20	23.05	PASS	Horizontal	PK
5	12001.2001	6.19	46.49	52.68	68.20	15.52	PASS	Horizontal	PK
6	15105.6404	11.63	42.10	53.73	68.20	14.47	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5785MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1634.7635	8.60	37.59	46.19	68.20	22.01	PASS	Vertical	PK
2	2548.4048	12.42	37.39	49.81	68.20	18.39	PASS	Vertical	PK
3	3974.6975	16.95	35.82	52.77	68.20	15.43	PASS	Vertical	PK
4	7598.7066	-2.32	47.23	44.91	68.20	23.29	PASS	Vertical	PK
5	9785.3857	3.70	45.37	49.07	68.20	19.13	PASS	Vertical	PK
6	16827.6885	11.05	42.83	53.88	68.20	14.32	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5785MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19921.0368	-23.28	61.56	38.28	74.00	35.72	PASS	Horizontal	PK
2	22354.5342	-24.48	61.07	36.59	74.00	37.41	PASS	Horizontal	PK
3	25103.6041	-19.31	58.10	38.79	74.00	35.21	PASS	Horizontal	PK
4	27923.5169	-20.36	59.02	38.66	74.00	35.34	PASS	Horizontal	PK
5	33392.2157	-16.11	55.36	39.25	74.00	34.75	PASS	Horizontal	PK
6	38343.8538	-12.28	49.34	37.06	74.00	36.94	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5785MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	21164.9266	-24.66	61.67	37.01	74.00	36.99	PASS	Vertical	PK
2	24379.5352	-19.93	58.20	38.27	74.00	35.73	PASS	Vertical	PK
3	27439.5776	-20.40	58.50	38.10	74.00	35.90	PASS	Vertical	PK
4	31361.6945	-17.49	55.83	38.34	74.00	35.66	PASS	Vertical	PK
5	36428.3371	-14.88	51.29	36.41	74.00	37.59	PASS	Vertical	PK
6	38702.6681	-11.81	49.77	37.96	74.00	36.04	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1624.475	8.62	36.28	44.90	68.20	23.30	PASS	Horizontal	PK
2	2793.4862	12.14	36.32	48.46	68.20	19.74	PASS	Horizontal	PK
3	3442.8962	15.15	34.60	49.75	68.20	18.45	PASS	Horizontal	PK
4	7929.1619	-2.39	46.99	44.60	68.20	23.60	PASS	Horizontal	PK
5	11002.9335	6.78	43.90	50.68	68.20	17.52	PASS	Horizontal	PK
6	14249.9833	14.95	36.94	51.89	68.20	16.31	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1658.9439	8.67	36.35	45.02	68.20	23.18	PASS	Vertical	PK
2	2394.893	12.14	36.33	48.47	68.20	19.73	PASS	Vertical	PK
3	3363.6909	14.73	35.32	50.05	68.20	18.15	PASS	Vertical	PK
4	7896.1931	-1.67	46.17	44.50	68.20	23.70	PASS	Vertical	PK
5	11007.5338	6.67	43.67	50.34	68.20	17.86	PASS	Vertical	PK
6	15107.1738	11.63	38.65	50.28	68.20	17.92	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19772.9109	-23.66	61.53	37.87	74.00	36.13	PASS	Horizontal	PK
2	21461.1784	-24.85	61.92	37.07	74.00	36.93	PASS	Horizontal	PK
3	24043.7217	-20.49	58.71	38.22	74.00	35.78	PASS	Horizontal	PK
4	27471.7789	-20.41	58.43	38.02	74.00	35.98	PASS	Horizontal	PK
5	32384.7754	-15.53	54.47	38.94	74.00	35.06	PASS	Horizontal	PK
6	39014.5606	-10.75	48.47	37.72	74.00	36.28	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	21250.49	-24.69	61.95	37.26	74.00	36.74	PASS	Vertical	PK
2	24162.4065	-20.82	58.75	37.93	74.00	36.07	PASS	Vertical	PK
3	27403.6961	-20.38	57.91	37.53	74.00	36.47	PASS	Vertical	PK
4	30854.7542	-17.64	56.38	38.74	74.00	35.26	PASS	Vertical	PK
5	36179.0072	-14.94	51.95	37.01	74.00	36.99	PASS	Vertical	PK
6	38700.828	-11.82	48.70	36.88	74.00	37.12	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1543.4362	8.22	37.18	45.40	68.20	22.80	PASS	Horizontal	PK
2	2198.7132	10.06	37.95	48.01	68.20	20.19	PASS	Horizontal	PK
3	3119.8413	13.45	35.20	48.65	68.20	19.55	PASS	Horizontal	PK
4	7899.26	-1.65	45.47	43.82	68.20	24.38	PASS	Horizontal	PK
5	12000.4334	6.25	44.44	50.69	68.20	17.51	PASS	Horizontal	PK
6	15115.6077	11.61	38.90	50.51	68.20	17.69	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1586.7058	8.55	36.37	44.92	68.20	23.28	PASS	Vertical	PK
2	2379.1253	11.62	36.65	48.27	68.20	19.93	PASS	Vertical	PK
3	3417.2278	14.72	35.38	50.10	68.20	18.10	PASS	Vertical	PK
4	8327.8552	-2.20	45.71	43.51	68.20	24.69	PASS	Vertical	PK
5	11001.4001	6.82	44.12	50.94	68.20	17.26	PASS	Vertical	PK
6	15110.2407	11.63	38.81	50.44	68.20	17.76	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20744.4698	-24.46	61.39	36.93	74.00	37.07	PASS	Horizontal	PK
2	24015.2006	-20.41	60.04	39.63	74.00	34.37	PASS	Horizontal	PK
3	27392.6557	-20.38	57.78	37.40	74.00	36.60	PASS	Horizontal	PK
4	29650.426	-19.35	57.11	37.76	74.00	36.24	PASS	Horizontal	PK
5	33596.4639	-15.40	54.31	38.91	74.00	35.09	PASS	Horizontal	PK
6	36178.0871	-14.95	51.91	36.96	74.00	37.04	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20693.8678	-24.54	61.72	37.18	74.00	36.82	PASS	Vertical	PK
2	23347.2539	-22.79	59.46	36.67	74.00	37.33	PASS	Vertical	PK
3	26199.368	-19.59	58.13	38.54	74.00	35.46	PASS	Vertical	PK
4	29919.0768	-19.60	57.57	37.97	74.00	36.03	PASS	Vertical	PK
5	33591.8637	-15.42	54.25	38.83	74.00	35.17	PASS	Vertical	PK
6	37125.725	-15.28	51.09	35.81	74.00	38.19	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5785MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1560.5061	8.34	37.85	46.19	68.20	22.01	PASS	Horizontal	PK
2	2298.6799	10.88	37.72	48.60	68.20	19.60	PASS	Horizontal	PK
3	2904.2904	13.08	37.19	50.27	68.20	17.93	PASS	Horizontal	PK
4	3566.5567	14.99	37.12	52.11	68.20	16.09	PASS	Horizontal	PK
5	8476.5984	-1.09	46.89	45.80	68.20	22.40	PASS	Horizontal	PK
6	12400.66	6.74	44.43	51.17	68.20	17.03	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5785MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1232.6733	6.34	38.05	44.39	68.20	23.81	PASS	Vertical	PK
2	1935.0935	12.00	38.33	50.33	68.20	17.87	PASS	Vertical	PK
3	2951.0451	13.69	36.98	50.67	68.20	17.53	PASS	Vertical	PK
4	3900.9901	16.94	35.22	52.16	68.20	16.04	PASS	Vertical	PK
5	7870.8914	-1.73	46.68	44.95	68.20	23.25	PASS	Vertical	PK
6	11972.0648	5.75	45.22	50.97	68.20	17.23	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5785MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20336.8935	-24.04	62.03	37.99	74.00	36.01	PASS	Horizontal	PK
2	23472.3789	-22.30	59.23	36.93	74.00	37.07	PASS	Horizontal	PK
3	25186.4075	-18.90	58.05	39.15	74.00	34.85	PASS	Horizontal	PK
4	29145.3258	-20.24	58.53	38.29	74.00	35.71	PASS	Horizontal	PK
5	32393.9758	-15.47	54.51	39.04	74.00	34.96	PASS	Horizontal	PK
6	39020.0808	-10.75	49.47	38.72	74.00	35.28	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5785MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20989.1996	-24.76	61.78	37.02	74.00	36.98	PASS	Vertical	PK
2	25564.5426	-18.82	58.13	39.31	74.00	34.69	PASS	Vertical	PK
3	29163.7265	-20.25	58.45	38.20	74.00	35.80	PASS	Vertical	PK
4	32508.0603	-15.99	54.96	38.97	74.00	35.03	PASS	Vertical	PK
5	34393.2157	-15.88	53.12	37.24	74.00	36.76	PASS	Vertical	PK
6	39032.0413	-10.76	48.76	38.00	74.00	36.00	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1550.4034	8.26	35.66	43.92	68.20	24.28	PASS	Horizontal	PK
2	2441.0961	12.10	36.49	48.59	68.20	19.61	PASS	Horizontal	PK
3	3433.7289	15.00	34.83	49.83	68.20	18.37	PASS	Horizontal	PK
4	5040.9361	21.27	31.82	53.09	68.20	15.11	PASS	Horizontal	PK
5	8736.5158	0.06	45.40	45.46	68.20	22.74	PASS	Horizontal	PK
6	13253.2502	8.65	42.32	50.97	68.20	17.23	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1697.8132	9.10	36.48	45.58	68.20	22.62	PASS	Vertical	PK
2	2541.2027	12.34	35.35	47.69	68.20	20.51	PASS	Vertical	PK
3	3528.3352	14.55	34.50	49.05	68.20	19.15	PASS	Vertical	PK
4	8559.404	-0.64	45.52	44.88	68.20	23.32	PASS	Vertical	PK
5	11275.1183	5.22	45.33	50.55	68.20	17.65	PASS	Vertical	PK
6	15108.7072	11.63	39.16	50.79	68.20	17.41	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19466.5387	-23.94	62.41	38.47	74.00	35.53	PASS	Horizontal	PK
2	23175.207	-23.64	59.65	36.01	74.00	37.99	PASS	Horizontal	PK
3	25987.7595	-19.09	58.19	39.10	74.00	34.90	PASS	Horizontal	PK
4	28918.9968	-20.26	58.41	38.15	74.00	35.85	PASS	Horizontal	PK
5	33609.3444	-15.42	54.03	38.61	74.00	35.39	PASS	Horizontal	PK
6	37272.0109	-14.82	51.47	36.65	74.00	37.35	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20849.354	-24.47	62.17	37.70	74.00	36.30	PASS	Vertical	PK
2	23723.5489	-21.30	59.27	37.97	74.00	36.03	PASS	Vertical	PK
3	26668.5867	-19.57	58.70	39.13	74.00	34.87	PASS	Vertical	PK
4	31625.745	-17.16	54.93	37.77	74.00	36.23	PASS	Vertical	PK
5	36350.134	-14.97	51.91	36.94	74.00	37.06	PASS	Vertical	PK
6	39015.4806	-10.75	47.82	37.07	74.00	36.93	PASS	Vertical	PK