


Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1796.8198	9.69	36.39	46.08	68.20	22.12	PASS	Horizontal	PK
2	2427.8952	12.16	35.28	47.44	68.20	20.76	PASS	Horizontal	PK
3	3322.6215	14.42	34.81	49.23	68.20	18.97	PASS	Horizontal	PK
4	7257.5172	-3.65	46.59	42.94	68.20	25.26	PASS	Horizontal	PK
5	10904.0269	6.38	43.97	50.35	68.20	17.85	PASS	Horizontal	PK
6	13832.8889	10.16	41.22	51.38	68.20	16.82	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1581.2054	8.51	36.27	44.78	68.20	23.42	PASS	Vertical	PK
2	2524.7016	12.14	35.71	47.85	68.20	20.35	PASS	Vertical	PK
3	3891.7261	16.28	33.92	50.20	68.20	18.00	PASS	Vertical	PK
4	8450.53	-0.76	45.35	44.59	68.20	23.61	PASS	Vertical	PK
5	11248.2832	6.50	43.93	50.43	68.20	17.77	PASS	Vertical	PK
6	15897.6598	10.68	41.14	51.82	68.20	16.38	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20095.8438	-23.51	61.95	38.44	74.00	35.56	PASS	Horizontal	PK
2	22765.7906	-24.38	60.66	36.28	74.00	37.72	PASS	Horizontal	PK
3	25965.6786	-19.07	59.07	40.00	74.00	34.00	PASS	Horizontal	PK
4	27990.6796	-20.47	58.58	38.11	74.00	35.89	PASS	Horizontal	PK
5	32444.5778	-15.67	55.61	39.94	74.00	34.06	PASS	Horizontal	PK
6	36064.9226	-15.17	52.43	37.26	74.00	36.74	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20391.1756	-24.05	61.72	37.67	74.00	36.33	PASS	Vertical	PK
2	22859.6344	-24.58	60.26	35.68	74.00	38.32	PASS	Vertical	PK
3	27012.6805	-20.22	59.16	38.94	74.00	35.06	PASS	Vertical	PK
4	29475.619	-19.75	57.57	37.82	74.00	36.18	PASS	Vertical	PK
5	34232.2093	-15.87	53.14	37.27	74.00	36.73	PASS	Vertical	PK
6	37191.0476	-14.99	50.92	35.93	74.00	38.07	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1585.8086	8.54	36.79	45.33	68.20	22.87	PASS	Horizontal	PK
2	2872.9373	13.04	37.67	50.71	68.20	17.49	PASS	Horizontal	PK
3	4736.5237	19.89	34.76	54.65	68.20	13.55	PASS	Horizontal	PK
4	9149.0099	1.07	45.77	46.84	68.20	21.36	PASS	Horizontal	PK
5	10595.0397	6.10	45.14	51.24	68.20	16.96	PASS	Horizontal	PK
6	15105.6404	11.63	41.40	53.03	68.20	15.17	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1633.1133	8.61	36.87	45.48	68.20	22.72	PASS	Vertical	PK
2	2388.8889	11.94	37.34	49.28	68.20	18.92	PASS	Vertical	PK
3	3354.7855	14.80	36.52	51.32	68.20	16.88	PASS	Vertical	PK
4	7415.461	-4.07	48.41	44.34	68.20	23.86	PASS	Vertical	PK
5	10277.6185	4.15	45.16	49.31	68.20	18.89	PASS	Vertical	PK
6	13833.6556	10.20	43.05	53.25	68.20	14.95	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19919.1968	-23.28	61.30	38.02	74.00	35.98	PASS	Horizontal	PK
2	22152.1261	-24.80	61.00	36.20	74.00	37.80	PASS	Horizontal	PK
3	24717.1887	-19.82	58.28	38.46	74.00	35.54	PASS	Horizontal	PK
4	27901.4361	-20.33	58.75	38.42	74.00	35.58	PASS	Horizontal	PK
5	31427.0171	-17.37	55.89	38.52	74.00	35.48	PASS	Horizontal	PK
6	36132.0853	-15.03	51.81	36.78	74.00	37.22	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	21151.126	-24.67	61.68	37.01	74.00	36.99	PASS	Vertical	PK
2	23729.9892	-21.27	59.27	38.00	74.00	36.00	PASS	Vertical	PK
3	26429.3772	-19.44	58.77	39.33	74.00	34.67	PASS	Vertical	PK
4	30463.7386	-18.72	56.74	38.02	74.00	35.98	PASS	Vertical	PK
5	34142.0457	-15.95	52.87	36.92	74.00	37.08	PASS	Vertical	PK
6	38746.8299	-11.59	49.08	37.49	74.00	36.51	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5775MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1477.9978	8.10	37.44	45.54	68.20	22.66	PASS	Horizontal	PK
2	2453.7954	12.03	37.91	49.94	68.20	18.26	PASS	Horizontal	PK
3	3356.9857	14.78	37.21	51.99	68.20	16.21	PASS	Horizontal	PK
4	7342.6228	-3.72	48.24	44.52	68.20	23.68	PASS	Horizontal	PK
5	9253.2836	1.18	46.75	47.93	68.20	20.27	PASS	Horizontal	PK
6	15105.6404	11.63	41.71	53.34	68.20	14.86	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5775MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1424.6425	8.30	37.28	45.58	68.20	22.62	PASS	Vertical	PK
2	1955.9956	12.04	36.62	48.66	68.20	19.54	PASS	Vertical	PK
3	3341.5842	14.71	36.62	51.33	68.20	16.87	PASS	Vertical	PK
4	7360.2574	-3.77	49.41	45.64	68.20	22.56	PASS	Vertical	PK
5	10618.8079	5.30	46.37	51.67	68.20	16.53	PASS	Vertical	PK
6	16601.5068	11.30	43.31	54.61	68.20	13.59	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5775MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20066.4027	-23.37	61.67	38.30	74.00	35.70	PASS	Horizontal	PK
2	21736.2695	-24.75	61.11	36.36	74.00	37.64	PASS	Horizontal	PK
3	25255.4102	-18.97	57.36	38.39	74.00	35.61	PASS	Horizontal	PK
4	29150.846	-20.24	58.09	37.85	74.00	36.15	PASS	Horizontal	PK
5	33610.2644	-15.42	53.59	38.17	74.00	35.83	PASS	Horizontal	PK
6	38716.4687	-11.74	50.09	38.35	74.00	35.65	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5775MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20371.8549	-24.04	61.72	37.68	74.00	36.32	PASS	Vertical	PK
2	23209.2484	-23.40	59.63	36.23	74.00	37.77	PASS	Vertical	PK
3	25731.0692	-18.85	58.10	39.25	74.00	34.75	PASS	Vertical	PK
4	29761.7505	-19.53	58.25	38.72	74.00	35.28	PASS	Vertical	PK
5	33432.6973	-15.99	53.83	37.84	74.00	36.16	PASS	Vertical	PK
6	37148.7259	-15.17	51.57	36.40	74.00	37.60	PASS	Vertical	PK

Test_Mode	802.11ax(HE20)Transmittin	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1593.6729	8.61	36.22	44.83	68.20	23.37	PASS	Horizontal	PK
2	2199.4466	10.05	36.97	47.02	68.20	21.18	PASS	Horizontal	PK
3	3549.2366	15.35	34.83	50.18	68.20	18.02	PASS	Horizontal	PK
4	5406.5271	21.88	31.31	53.19	68.20	15.01	PASS	Horizontal	PK
5	8071.0047	-2.81	46.10	43.29	68.20	24.91	PASS	Horizontal	PK
6	12833.8556	7.45	42.63	50.08	68.20	18.12	PASS	Horizontal	PK

Test_Mode	802.11ax(HE20)Transmittin	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1641.7094	8.59	36.20	44.79	68.20	23.41	PASS	Vertical	PK
2	2554.7703	12.37	35.55	47.92	68.20	20.28	PASS	Vertical	PK
3	4098.9066	18.24	32.38	50.62	68.20	17.58	PASS	Vertical	PK
4	8736.5158	0.06	45.67	45.73	68.20	22.47	PASS	Vertical	PK
5	13347.5565	9.49	41.55	51.04	68.20	17.16	PASS	Vertical	PK
6	15888.4592	10.22	41.47	51.69	68.20	16.51	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20)Transmittin	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	21143.7658	-24.67	61.25	36.58	74.00	37.42	PASS	Horizontal	PK
2	25284.8514	-19.05	57.71	38.66	74.00	35.34	PASS	Horizontal	PK
3	28067.9627	-20.49	58.94	38.45	74.00	35.55	PASS	Horizontal	PK
4	32381.0952	-15.55	54.51	38.96	74.00	35.04	PASS	Horizontal	PK
5	36551.6221	-14.35	51.32	36.97	74.00	37.03	PASS	Horizontal	PK
6	38720.1488	-11.72	49.48	37.76	74.00	36.24	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20)Transmittin	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19946.7979	-23.20	61.16	37.96	74.00	36.04	PASS	Vertical	PK
2	23368.4147	-22.69	58.94	36.25	74.00	37.75	PASS	Vertical	PK
3	25703.4681	-18.82	58.68	39.86	74.00	34.14	PASS	Vertical	PK
4	29118.6447	-20.22	58.56	38.34	74.00	35.66	PASS	Vertical	PK
5	31963.3985	-17.66	55.34	37.68	74.00	36.32	PASS	Vertical	PK
6	37504.7802	-14.11	50.48	36.37	74.00	37.63	PASS	Vertical	PK

Test_Mode	802.11ax(HE20)Transmittin	Test_Frequency	5785MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1794.9863	9.66	36.76	46.42	68.20	21.78	PASS	Horizontal	PK
2	2735.1823	12.25	36.05	48.30	68.20	19.90	PASS	Horizontal	PK
3	3918.4946	17.12	32.84	49.96	68.20	18.24	PASS	Horizontal	PK
4	7893.8929	-1.67	44.95	43.28	68.20	24.92	PASS	Horizontal	PK
5	10789.0193	4.98	44.94	49.92	68.20	18.28	PASS	Horizontal	PK
6	14709.2473	11.52	38.54	50.06	68.20	18.14	PASS	Horizontal	PK

Test_Mode	802.11ax(HE20)Transmittin	Test_Frequency	5785MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1702.9469	9.11	36.71	45.82	68.20	22.38	PASS	Vertical	PK
2	2497.5665	11.86	35.99	47.85	68.20	20.35	PASS	Vertical	PK
3	3449.1299	15.26	33.57	48.83	68.20	19.37	PASS	Vertical	PK
4	7415.461	-4.07	47.40	43.33	68.20	24.87	PASS	Vertical	PK
5	9805.3204	4.23	44.08	48.31	68.20	19.89	PASS	Vertical	PK
6	13841.3228	10.61	42.27	52.88	68.20	15.32	PASS	Vertical	PK

Test_Mode	802.11ax(HE20)Transmittin	Test_Frequency	5785MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20640.5056	-24.63	62.26	37.63	74.00	36.37	PASS	Horizontal	PK
2	23936.0774	-20.56	58.89	38.33	74.00	35.67	PASS	Horizontal	PK
3	25991.4397	-19.09	58.66	39.57	74.00	34.43	PASS	Horizontal	PK
4	28984.3194	-20.17	58.77	38.60	74.00	35.40	PASS	Horizontal	PK
5	31327.6531	-17.58	56.31	38.73	74.00	35.27	PASS	Horizontal	PK
6	34637.0255	-15.07	51.59	36.52	74.00	37.48	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20)Transmittin	Test_Frequency	5785MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	21096.8439	-24.71	62.31	37.60	74.00	36.40	PASS	Vertical	PK
2	23387.7355	-22.60	59.66	37.06	74.00	36.94	PASS	Vertical	PK
3	25685.9874	-18.79	58.81	40.02	74.00	33.98	PASS	Vertical	PK
4	28240.0096	-20.52	59.09	38.57	74.00	35.43	PASS	Vertical	PK
5	32433.5373	-15.61	55.31	39.70	74.00	34.30	PASS	Vertical	PK
6	36582.9033	-14.21	51.73	37.52	74.00	36.48	PASS	Vertical	PK

Test_Mode	802.11ax(HE20)Transmittin	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1479.632	8.09	36.15	44.24	68.20	23.96	PASS	Horizontal	PK
2	2398.1932	12.26	35.65	47.91	68.20	20.29	PASS	Horizontal	PK
3	3336.1891	14.63	35.11	49.74	68.20	18.46	PASS	Horizontal	PK
4	4749.7833	19.70	32.72	52.42	68.20	15.78	PASS	Horizontal	PK
5	8744.1829	0.23	45.35	45.58	68.20	22.62	PASS	Horizontal	PK
6	13447.9965	10.51	41.32	51.83	68.20	16.37	PASS	Horizontal	PK

Test_Mode	802.11ax(HE20)Transmittin	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1433.4289	8.30	36.54	44.84	68.20	23.36	PASS	Vertical	PK
2	2290.0193	10.91	36.04	46.95	68.20	21.25	PASS	Vertical	PK
3	3101.5068	13.92	34.81	48.73	68.20	19.47	PASS	Vertical	PK
4	7785.7857	-2.54	45.68	43.14	68.20	25.06	PASS	Vertical	PK
5	9802.2535	4.28	43.95	48.23	68.20	19.97	PASS	Vertical	PK
6	12837.6892	7.65	42.39	50.04	68.20	18.16	PASS	Vertical	PK

Test_Mode	802.11ax(HE20)Transmittin	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20173.1269	-23.88	62.21	38.33	74.00	35.67	PASS	Horizontal	PK
2	21884.3954	-24.88	61.99	37.11	74.00	36.89	PASS	Horizontal	PK
3	24206.5683	-20.89	59.06	38.17	74.00	35.83	PASS	Horizontal	PK
4	25805.5922	-18.92	58.29	39.37	74.00	34.63	PASS	Horizontal	PK
5	28887.7155	-20.30	58.51	38.21	74.00	35.79	PASS	Horizontal	PK
6	31741.6697	-17.22	54.89	37.67	74.00	36.33	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20)Transmittin	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18775.591	-24.98	63.03	38.05	74.00	35.95	PASS	Vertical	PK
2	21570.6628	-24.83	62.17	37.34	74.00	36.66	PASS	Vertical	PK
3	25709.9084	-18.82	57.46	38.64	74.00	35.36	PASS	Vertical	PK
4	28311.7725	-20.56	58.48	37.92	74.00	36.08	PASS	Vertical	PK
5	33274.451	-16.09	54.24	38.15	74.00	35.85	PASS	Vertical	PK
6	37572.8629	-13.79	50.75	36.96	74.00	37.04	PASS	Vertical	PK

Test_Mode	802.11ax(HE40)Transmittin	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1518.5012	8.07	37.00	45.07	68.20	23.13	PASS	Horizontal	PK
2	1933.9623	11.96	35.43	47.39	68.20	20.81	PASS	Horizontal	PK
3	2535.3357	12.26	36.20	48.46	68.20	19.74	PASS	Horizontal	PK
4	8125.4417	-2.21	45.93	43.72	68.20	24.48	PASS	Horizontal	PK
5	9447.2632	2.86	44.11	46.97	68.20	21.23	PASS	Horizontal	PK
6	15893.0595	10.44	41.39	51.83	68.20	16.37	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40)Transmittin	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1359.724	7.91	36.60	44.51	68.20	23.69	PASS	Vertical	PK
2	2432.2955	12.15	36.16	48.31	68.20	19.89	PASS	Vertical	PK
3	3452.7969	15.17	34.82	49.99	68.20	18.21	PASS	Vertical	PK
4	4760.7841	19.58	32.23	51.81	68.20	16.39	PASS	Vertical	PK
5	8619.9747	-0.85	45.46	44.61	68.20	23.59	PASS	Vertical	PK
6	13838.2559	10.44	41.79	52.23	68.20	15.97	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40)Transmittin	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19840.0736	-23.51	62.08	38.57	74.00	35.43	PASS	Horizontal	PK
2	21451.058	-24.85	61.28	36.43	74.00	37.57	PASS	Horizontal	PK
3	24738.3495	-19.81	58.03	38.22	74.00	35.78	PASS	Horizontal	PK
4	26915.1566	-20.07	59.14	39.07	74.00	34.93	PASS	Horizontal	PK
5	32094.0438	-17.21	55.03	37.82	74.00	36.18	PASS	Horizontal	PK
6	36557.1423	-14.33	50.97	36.64	74.00	37.36	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40)Transmittin	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20901.7961	-24.58	62.12	37.54	74.00	36.46	PASS	Vertical	PK
2	24825.753	-19.80	57.92	38.12	74.00	35.88	PASS	Vertical	PK
3	27434.0574	-20.39	58.23	37.84	74.00	36.16	PASS	Vertical	PK
4	32244.0098	-16.35	55.22	38.87	74.00	35.13	PASS	Vertical	PK
5	34999.52	-15.37	53.42	38.05	74.00	35.95	PASS	Vertical	PK
6	38444.1378	-12.10	49.86	37.76	74.00	36.24	PASS	Vertical	PK

Test_Mode	802.11ax(HE40)Transmittin	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	1356.0571	7.87	36.35	44.22	68.20	23.98	PASS	Horizontal	PK
2	2296.6198	10.88	35.72	46.60	68.20	21.60	PASS	Horizontal	PK
3	3353.0569	14.81	34.55	49.36	68.20	18.84	PASS	Horizontal	PK
4	7752.0501	-2.36	46.16	43.80	68.20	24.40	PASS	Horizontal	PK
5	11001.4001	6.82	43.73	50.55	68.20	17.65	PASS	Horizontal	PK
6	15099.5066	11.58	38.85	50.43	68.20	17.77	PASS	Horizontal	PK

Test_Mode	802.11ax(HE40)Transmittin	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1431.5954	8.30	36.51	44.81	68.20	23.39	PASS	Vertical	PK
2	2198.3466	10.06	37.74	47.80	68.20	20.40	PASS	Vertical	PK
3	3377.9919	14.61	34.41	49.02	68.20	19.18	PASS	Vertical	PK
4	7755.117	-2.38	46.10	43.72	68.20	24.48	PASS	Vertical	PK
5	10989.1326	6.37	44.01	50.38	68.20	17.82	PASS	Vertical	PK
6	14253.8169	14.59	38.14	52.73	68.20	15.47	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40)Transmittin	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20163.9266	-23.84	62.21	38.37	74.00	35.63	PASS	Horizontal	PK
2	22103.3641	-24.90	62.25	37.35	74.00	36.65	PASS	Horizontal	PK
3	24002.3201	-20.38	58.19	37.81	74.00	36.19	PASS	Horizontal	PK
4	26951.9581	-20.13	58.88	38.75	74.00	35.25	PASS	Horizontal	PK
5	30430.6172	-18.69	56.91	38.22	74.00	35.78	PASS	Horizontal	PK
6	34921.3169	-15.43	52.85	37.42	74.00	36.58	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40)Transmittin	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20409.5764	-24.08	61.56	37.48	74.00	36.52	PASS	Vertical	PK
2	23130.1252	-24.00	59.94	35.94	74.00	38.06	PASS	Vertical	PK
3	25583.8634	-18.76	58.27	39.51	74.00	34.49	PASS	Vertical	PK
4	28760.7504	-20.53	58.31	37.78	74.00	36.22	PASS	Vertical	PK
5	32232.9693	-16.42	55.69	39.27	74.00	34.73	PASS	Vertical	PK
6	38106.4843	-13.39	49.97	36.58	74.00	37.42	PASS	Vertical	PK

Test_Mode	802.11ax(HE80)Transmittin	Test_Frequency	5775MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1495.3997	7.98	35.96	43.94	68.20	24.26	PASS	Horizontal	PK
2	2243.8163	10.92	36.05	46.97	68.20	21.23	PASS	Horizontal	PK
3	3441.7961	15.14	34.74	49.88	68.20	18.32	PASS	Horizontal	PK
4	8695.8797	-0.70	45.84	45.14	68.20	23.06	PASS	Horizontal	PK
5	11272.0515	5.38	45.15	50.53	68.20	17.67	PASS	Horizontal	PK
6	15888.4592	10.22	40.73	50.95	68.20	17.25	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE80)Transmittin	Test_Frequency	5775MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1564.3376	8.38	36.47	44.85	68.20	23.35	PASS	Vertical	PK
2	2438.8959	12.11	35.67	47.78	68.20	20.42	PASS	Vertical	PK
3	3432.9955	14.98	34.41	49.39	68.20	18.81	PASS	Vertical	PK
4	7349.5233	-3.69	46.72	43.03	68.20	25.17	PASS	Vertical	PK
5	9796.8865	4.19	43.22	47.41	68.20	20.79	PASS	Vertical	PK
6	13255.5504	8.53	42.37	50.90	68.20	17.30	PASS	Vertical	PK

Test_Mode	802.11 ax(HE80)Transmittin	Test_Frequency	5775MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19502.4201	-23.94	61.98	38.04	74.00	35.96	PASS	Horizontal	PK
2	23403.3761	-22.53	59.17	36.64	74.00	37.36	PASS	Horizontal	PK
3	25762.3505	-18.88	58.40	39.52	74.00	34.48	PASS	Horizontal	PK
4	29157.2863	-20.24	58.89	38.65	74.00	35.35	PASS	Horizontal	PK
5	33604.7442	-15.40	53.99	38.59	74.00	35.41	PASS	Horizontal	PK
6	38442.2977	-12.11	49.70	37.59	74.00	36.41	PASS	Horizontal	PK

Test_Mode	802.11ax(HE80)Transmittin	Test_Frequency	5775MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		

Test Graph






Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20813.4725	-24.38	61.71	37.33	74.00	36.67	PASS	Vertical	PK
2	22797.0719	-24.40	61.28	36.88	74.00	37.12	PASS	Vertical	PK
3	24807.3523	-19.80	57.61	37.81	74.00	36.19	PASS	Vertical	PK
4	29543.7017	-19.49	58.31	38.82	74.00	35.18	PASS	Vertical	PK
5	33662.7065	-15.57	53.52	37.95	74.00	36.05	PASS	Vertical	PK
6	38514.0606	-12.20	49.25	37.05	74.00	36.95	PASS	Vertical	PK

Note:

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
Final Test Level =Receiver Reading - Correct Factor
Correct Factor = Preamplifier Factor– Antenna Factor–Cable Factor
- 2) Scan from 9kHz to 40GHz, the disturbance above 18GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

6.9 Radiated Emission which fall in the restricted bands

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.407 (b)				
Test Method:	ANSI C63.10 2013				
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)				
Receiver Setup:	Frequency	Detector	RBW	VBW	Remark
	0.009MHz-0.090MHz	Peak	10kHz	30kHz	Peak
	0.009MHz-0.090MHz	Average	10kHz	30kHz	Average
	0.090MHz-0.110MHz	Quasi-peak	10kHz	30kHz	Quasi-peak
	0.110MHz-0.490MHz	Peak	10kHz	30kHz	Peak
	0.110MHz-0.490MHz	Average	10kHz	30kHz	Average
	0.490MHz -30MHz	Quasi-peak	10kHz	30kHz	Quasi-peak
	30MHz-1GHz	Quasi-peak	100 kHz	300kHz	Quasi-peak
	Above 1GHz	Peak	1MHz	3MHz	Peak
		Peak	1MHz	10kHz	Average
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30
	1.705MHz-30MHz	30	-	-	30
	30MHz-88MHz	100	40.0	Quasi-peak	3
	88MHz-216MHz	150	43.5	Quasi-peak	3
	216MHz-960MHz	200	46.0	Quasi-peak	3
	960MHz-1GHz	500	54.0	Quasi-peak	3
	Above 1GHz	500	54.0	Average	3
	*(1) For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz. (2) For transmitters operating in the 5.25-5.35 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz. (3) For transmitters operating in the 5.47-5.725 GHz band: All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz. (4) For transmitters operating in the 5.725-5.85 GHz band: (i) All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge. Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed				

	the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. Note: (i) $EIRP = ((E*d)^2) / 30$ where: • E is the field strength in V/m; • d is the measurement distance in meters; • EIRP is the equivalent isotropically radiated power in watts. (ii) Working in dB units, the above equation is equivalent to: $EIRP[dBm] = E[dB\mu V/m] + 20 \log(d[meters]) - 104.77$ (iii) Or, if d is 3 meters: $EIRP[dBm] = E[dB\mu V/m] - 95.2$
Test Setup:	 Figure 1. Below 30MHz  Figure 2. 30MHz to 1GHz  Figure 3. Above 1 GHz
Test Procedure:	j. 1) Below 1G: The EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation. 2) Above 1G: The EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation. Note: For the radiated emission test above 1GHz:

	Place the measurement antenna away from each area of the EUT determined to be a source of emissions at the specified measurement distance, while keeping the measurement antenna aimed at the source of emissions at each frequency of significant emissions, with polarization oriented for maximum response. The measurement antenna may have to be higher or lower than the EUT, depending on the radiation pattern of the emission and staying aimed at the emission source for receiving the maximum signal. The final measurement antenna elevation shall be that which maximizes the emissions. The measurement antenna elevation for maximum emissions shall be restricted to a range of heights of from 1 m to 4 m above the ground or reference ground plane. k. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. l. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. m. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. n. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. o. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet. p. Test the EUT in the lowest channel, the Highest channel q. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case. r. Repeat above procedures until all frequencies measured was complete.
Test Mode:	Transmitting mode with modulation
Test Results:	Pass


Test Data:

Remark: Through Pre-scan, for SISO,Ant1 was the worst case mode.Only the worst case of was recorded in the report.

SISO:

Test_Mode	802.11 a Transmitting	Test_Frequency	5180MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	20.05	33.53	53.58	68.24	14.66	PASS	Horizontal	PK
2	5150	20.05	18.96	39.01	54.00	14.99	PASS	Horizontal	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5180MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	20.05	33.17	53.22	68.24	15.02	PASS	Vertical	PK
2	5150	20.05	19.11	39.16	54.00	14.84	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	20.05	30.48	50.53	68.24	17.71	PASS	Horizontal	PK
2	5150	20.05	18.30	38.35	54.00	15.65	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	20.05	33.15	53.20	68.24	15.04	PASS	Vertical	PK
2	5150	20.05	18.46	38.51	54.00	15.49	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	19.80	32.78	52.58	68.20	15.62	PASS	Horizontal	PK
2	5150	19.80	18.40	38.20	54.00	15.80	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	19.80	31.00	50.80	68.20	17.40	PASS	Vertical	PK
2	5150	19.80	18.69	38.49	54.00	15.51	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	20.05	32.12	52.17	68.24	16.07	PASS	Horizontal	PK
2	5150	20.05	18.55	38.60	54.00	15.40	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	20.05	30.82	50.87	68.24	17.37	PASS	Vertical	PK
2	5150	20.05	19.28	39.33	54.00	14.67	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	19.80	30.84	50.64	68.20	17.56	PASS	Horizontal	PK
2	5150	19.80	18.49	38.29	54.00	15.71	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	19.80	30.96	50.76	68.20	17.44	PASS	Vertical	PK
2	5150	19.80	18.52	38.32	54.00	15.68	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5210MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	19.80	32.16	51.96	68.20	16.24	PASS	Horizontal	PK
2	5150	19.80	19.55	39.35	54.00	14.65	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5210MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	19.80	30.23	50.03	68.20	18.17	PASS	Vertical	PK
2	5150	19.80	18.93	38.73	54.00	15.27	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20)Transmittin	Test_Frequency	5180MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	20.05	31.09	51.14	68.24	17.10	PASS	Horizontal	PK
2	5150	20.05	18.97	39.02	54.00	14.98	PASS	Horizontal	AV

Test_Mode	802.11ax(HE20)Transmittin	Test_Frequency	5180MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	20.05	31.43	51.48	68.24	16.76	PASS	Vertical	PK
2	5150	20.05	18.71	38.76	54.00	15.24	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40)Transmittin	Test_Frequency	5190MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	19.80	30.79	50.59	68.20	17.61	PASS	Horizontal	PK
2	5150	19.80	18.24	38.04	54.00	15.96	PASS	Horizontal	AV

Test_Mode	802.11ax(HE40)Transmittin	Test_Frequency	5190MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	19.80	32.10	51.90	68.20	16.30	PASS	Vertical	PK
2	5150	19.80	18.32	38.12	54.00	15.88	PASS	Vertical	AV

Test_Mode	802.11ax(HE80)Transmittin	Test_Frequency	5210MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	19.80	31.43	51.23	68.20	16.97	PASS	Horizontal	PK
2	5150	19.80	18.70	38.50	54.00	15.50	PASS	Horizontal	AV

Test_Mode	802.11ax(HE80)Transmittin	Test_Frequency	5210MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	19.80	31.40	51.20	68.20	17.00	PASS	Vertical	PK
2	5150	19.80	18.42	38.22	54.00	15.78	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5745.6478	-9.33	94.39	85.06	122.20	37.14	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5748.3342	-9.21	98.19	88.98	122.20	33.22	PASS	Vertical	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5785MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5787.7339	-9.26	95.59	86.33	122.20	35.87	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5785MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5785.943	-9.26	98.84	89.58	122.20	32.62	PASS	Vertical	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5829.8199	-9.08	96.14	87.06	122.20	35.14	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5821.7609	-9.14	98.60	89.46	122.20	32.74	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5747.4387	-9.25	102.99	93.74	122.20	28.46	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5751.916	-9.16	102.69	93.53	122.20	28.67	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5831.6108	-9.07	102.67	93.60	122.20	28.60	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5828.9245	-9.08	102.84	93.76	122.20	28.44	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5760.8704	-9.18	98.56	89.38	122.20	32.82	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5746.5433	-9.29	99.76	90.47	122.20	31.73	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5785.943	-9.26	93.56	84.30	122.20	37.90	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5794.002	-9.28	97.27	87.99	122.20	34.21	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5752.8114	-9.16	103.22	94.06	122.20	28.14	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5741.1706	-9.50	103.75	94.25	122.20	27.95	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5819.0745	-9.16	103.85	94.69	122.20	27.51	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5821.7609	-9.14	104.04	94.90	122.20	27.30	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5765.3477	-9.20	100.33	91.13	122.20	31.07	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5749.2296	-9.18	99.90	90.72	122.20	31.48	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5786.8384	-9.26	99.51	90.25	122.20	31.95	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5790.4202	-9.28	100.56	91.28	122.20	30.92	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5775MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5811.0155	-9.22	90.53	81.31	122.20	40.89	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5775MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5802.061	-9.29	93.90	84.61	122.20	37.59	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20)Transmittin	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5742.9615	-9.43	104.80	95.37	122.20	26.83	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20)Transmittin	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5749.2296	-9.18	104.45	95.27	122.20	26.93	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20)Transmittin	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5822.6563	-9.13	105.74	96.61	122.20	25.59	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20)Transmittin	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5826.2381	-9.11	105.38	96.27	122.20	25.93	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40)Transmittin	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5756.3932	-9.17	99.86	90.69	122.20	31.51	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40)Transmittin	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5751.0205	-9.15	101.43	92.28	122.20	29.92	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40)Transmittin	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5785.943	-9.26	101.62	92.36	122.20	29.84	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40)Transmittin	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5785.943	-9.26	101.90	92.64	122.20	29.56	PASS	Vertical	PK

Test_Mode	802.11 ax(HE80)Transmittin	Test_Frequency	5775MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5790.4202	-9.28	97.42	88.14	122.20	34.06	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE80)Transmittin	Test_Frequency	5775MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5792.2111	-9.27	97.75	88.48	122.20	33.72	PASS	Vertical	PK

MIMO:

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	20.05	30.93	50.98	68.24	17.26	PASS	Horizontal	PK
2	5150	20.05	18.36	38.41	54.00	15.59	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	20.05	31.24	51.29	68.24	16.95	PASS	Vertical	PK
2	5150	20.05	18.56	38.61	54.00	15.39	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	19.80	31.66	51.46	68.20	16.74	PASS	Horizontal	PK
2	5150	19.80	18.22	38.02	54.00	15.98	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	19.80	31.15	50.95	68.20	17.25	PASS	Vertical	PK
2	5150	19.80	18.65	38.45	54.00	15.55	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	20.05	32.02	52.07	68.24	16.17	PASS	Horizontal	PK
2	5150	20.05	18.84	38.89	54.00	15.11	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	20.05	30.79	50.84	68.24	17.40	PASS	Vertical	PK
2	5150	20.05	18.48	38.53	54.00	15.47	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	19.80	30.17	49.97	68.20	18.23	PASS	Horizontal	PK
2	5150	19.80	18.65	38.45	54.00	15.55	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	19.80	32.65	52.45	68.20	15.75	PASS	Vertical	PK
2	5150	19.80	18.76	38.56	54.00	15.44	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5210MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	19.80	30.99	50.79	68.20	17.41	PASS	Horizontal	PK
2	5150	19.80	18.23	38.03	54.00	15.97	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5210MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	19.80	31.39	51.19	68.20	17.01	PASS	Vertical	PK
2	5150	19.80	18.46	38.26	54.00	15.74	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	20.05	30.92	50.97	68.24	17.27	PASS	Horizontal	PK
2	5150	20.05	18.34	38.39	54.00	15.61	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	20.05	30.79	50.84	68.24	17.40	PASS	Vertical	PK
2	5150	20.05	18.45	38.50	54.00	15.50	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	19.80	31.90	51.70	68.20	16.50	PASS	Horizontal	PK
2	5150	19.80	18.98	38.78	54.00	15.22	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	19.80	31.45	51.25	68.20	16.95	PASS	Vertical	PK
2	5150	19.80	18.76	38.56	54.00	15.44	PASS	Vertical	AV

Test_Mode	802.11 ax(HE80) Transmitting	Test_Frequency	5210MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	19.80	32.49	52.29	68.20	15.91	PASS	Horizontal	PK
2	5150	19.80	18.24	38.04	54.00	15.96	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE80) Transmitting	Test_Frequency	5210MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\18
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	19.80	31.30	51.10	68.20	17.10	PASS	Vertical	PK
2	5150	19.80	18.50	38.30	54.00	15.70	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5747.4387	-9.25	103.41	94.16	122.20	28.04	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5751.916	-9.16	104.26	95.10	122.20	27.10	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5821.7609	-9.14	103.11	93.97	122.20	28.23	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5822.6563	-9.13	103.24	94.11	122.20	28.09	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5753.7069	-9.16	101.57	92.41	122.20	29.79	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5760.8704	-9.18	101.90	92.72	122.20	29.48	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5794.002	-9.28	100.78	91.50	122.20	30.70	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5800.2701	-9.30	100.80	91.50	122.20	30.70	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5739.3797	-9.58	103.97	94.39	122.20	27.81	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5738.4842	-9.62	104.45	94.83	122.20	27.37	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5821.7609	-9.14	104.32	95.18	122.20	27.02	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5821.7609	-9.14	103.72	94.58	122.20	27.62	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5764.4522	-9.20	100.93	91.73	122.20	30.47	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5761.7659	-9.18	100.97	91.79	122.20	30.41	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5790.4202	-9.28	100.37	91.09	122.20	31.11	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5790.4202	-9.28	100.82	91.54	122.20	30.66	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5775MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5747.4387	-9.25	97.77	88.52	122.20	33.68	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5775MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5794.002	-9.28	99.05	89.77	122.20	32.43	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20)Transmittin	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5740.2751	-9.55	105.03	95.48	122.20	26.72	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20)Transmittin	Test_Frequency	5745MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5741.1706	-9.50	105.07	95.57	122.20	26.63	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20)Transmittin	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5831.6108	-9.07	103.89	94.82	122.20	27.38	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20)Transmittin	Test_Frequency	5825MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5822.6563	-9.13	104.17	95.04	122.20	27.16	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40)Transmittin	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5751.0205	-9.15	101.26	92.11	122.20	30.09	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40)Transmittin	Test_Frequency	5755MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5746.5433	-9.29	101.11	91.82	122.20	30.38	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40)Transmittin	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5789.5248	-9.27	101.19	91.92	122.20	30.28	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40)Transmittin	Test_Frequency	5795MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5785.0475	-9.25	101.56	92.31	122.20	29.89	PASS	Vertical	PK

Test_Mode	802.11 ax(HE80)Transmittin	Test_Frequency	5775MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5797.5838	-9.29	98.73	89.44	122.20	32.76	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE80)Transmittin	Test_Frequency	5775MHz
Tset_Engineer	Aiden.wang	Test_Date	2024\09\20
Remark	\		

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5808.3292	-9.24	98.62	89.38	122.20	32.82	PASS	Vertical	PK

Note:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
Final Test Level =Receiver Reading - Correct Factor
Correct Factor = Preamplifier Factor– Antenna Factor–Cable Factor

2) Scan from 1GHz to 25GHz, the disturbance above 13GHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

7 Appendix A

Refer to Appendix: 5G Wi-Fi of EED32Q81407204

PHOTOGRAPHS OF EUT Constructional Details

Refer to Report No.EED32Q81407201 for EUT external and internal photos.

The test report is effective only with both signature and specialized stamp, The result(s) shown in this report refer only to the sample(s) tested. Without written approval of CTI, this report can't be reproduced except in full.

*** End of Report ***