

# USER MANUAL



## F16S Smart Frame



**Changing** touch  
Touch our good life easily

# Frame Introduction

---




# Frame Introduction

## Main Interface

In the main interface you will find the most used features.  
To access the menu, simply tap once on the screen.



The first time you start our product, please connect it to your wifi network and log in your google account



# Function Introduction

---

## Setting






### Clock

Alarm,Clock,Timer,Stopwatch,Bedtime



### Display

Click to enter the time control  selection , you can set the time range of daymode and nightmode, and adjust the brightness of each mode.

DayMode	8.00	18.00	
NightMode	18.00	6.00	



For more product function explanations, please scan the QR code

Email: [help@changingtouch.com](mailto:help@changingtouch.com)

<https://store.changingtouch.com/>

# Package List

---



Smart Frame



USB to Type-C  
(For power supply)



Adapter



Stand



Stylus Pencil



User Manual

# FAQ

---

Questions	Answers
Startup&Shutdown	Hold down the power button for several seconds.
Frame can't boot	<ol style="list-style-type: none"><li>1. Check if the battery is fully charged.</li><li>2. Check the power adapter before restarting the frame again.</li><li>3. It is recommended to connect the adapter when using, and the battery is only used for short time entertainment.</li><li>4. If it is still unable to boot after charging,please contact us.</li></ol>
Extinguishing screen	The frame screen is always on by default. Please press the power button if you want to turn off the screen.
Undercharge	<ol style="list-style-type: none"><li>1. Reduce brightness appropriately.</li><li>2. Reduce the volume appropriately.</li></ol>
Active Stylus Support	The frame supports MPP and USI protocol active stylus, but due to the different manufacturers of active stylus, the drawing effect will be different, and the actual effect shall prevail.
Home button lost	Please try rotating the frame to show.

# Frame Specifications

---

Model	F16S
Appearance	Oak Wood or Walnut Wood or Black Plastic
Screen size	15.6 inch
Resolution	1920*1080P
Color Gamut	90%NTSC
Brightness	255CD/M <sup>2</sup>
Speaker	4Ω/2W*2
Touch	Support (10 finger)
Active Stylus	Support (MPP/USI protocol)
Battery capacity	3.8V/4000mAh





FCC ID : 2BKBA-FRAME

**FCC COMPLIANCE STATEMENT:**

This device complies with part 15 of the FCC Rules.

Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:  
Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.

Warning: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**FCC Radiation Exposure Statement**

The device has been evaluated to meet general RF exposure requirement.

The device can be used in portable exposure condition without restriction.