

Appendix Test Data


Report No.:	1821C50013512502	Test Sample No.:	1-2-2
Start Test Date:	2025-6-17	Finish Test Date:	2025-6-23
Test Engineer:	Hussen Quan	Auditor:	Justin Feng
Temperature:	27℃	Relative Humidity:	52%
Pressure:	101kPa		


Appendix A: 20dB Bandwidth

Test Result


Test Mode	Antenna	Frequency [MHz]	20db EBW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant1	2402	1.03	2401.51	2402.54		
DH5	Ant1	2441	1.03	2440.50	2441.54		
DH5	Ant1	2480	1.03	2479.50	2480.54		
2DH5	Ant1	2402	1.34	2401.34	2402.68		
2DH5	Ant1	2441	1.34	2440.34	2441.68		
2DH5	Ant1	2480	1.34	2479.33	2480.67		
3DH5	Ant1	2402	1.29	2401.36	2402.65		
3DH5	Ant1	2441	1.29	2440.36	2441.64		
3DH5	Ant1	2480	1.30	2479.35	2480.65		

































Report No.:1821C50013512502


Page 7 of 55


Appendix B: 99% Occupied Bandwidth

Test Result


Test Mode	Antenna	Frequency [MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant1	2402	0.89610	2401.5534	2402.4496		
DH5	Ant1	2441	0.89910	2440.5504	2441.4496		
DH5	Ant1	2480	0.90210	2479.5504	2480.4525		
2DH5	Ant1	2402	1.1868	2401.4156	2402.6024		
2DH5	Ant1	2441	1.1898	2440.4126	2441.6024		
2DH5	Ant1	2480	1.1898	2479.4126	2480.6024		
3DH5	Ant1	2402	1.1598	2401.4306	2402.5904		
3DH5	Ant1	2441	1.1628	2440.4276	2441.5904		
3DH5	Ant1	2480	1.1628	2479.4246	2480.5874		




































Appendix C: Maximum Conducted Output Power

Test Result Peak


Test Mode	Antenna	Frequency[MHz]	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
DH5	Ant1	2402	-0.52	≤20.97	PASS
DH5	Ant1	2441	-0.88	≤20.97	PASS
DH5	Ant1	2480	-1.69	≤20.97	PASS
2DH5	Ant1	2402	-0.25	≤20.97	PASS
2DH5	Ant1	2441	-0.38	≤20.97	PASS
2DH5	Ant1	2480	-1.32	≤20.97	PASS
3DH5	Ant1	2402	-0.13	≤20.97	PASS
3DH5	Ant1	2441	-0.12	≤20.97	PASS
3DH5	Ant1	2480	-1.26	≤20.97	PASS

Test Graphs
























Report No.:1821C50013512502


Page 18 of 55

Appendix D: Carrier frequency separation

Test Result


Test Mode	Antenna	Frequency [MHz]	Result [MHz]	Limit[MHz]	Verdict
DH5	Ant1	Нор	1.009	≥0.687	PASS
2DH5	Ant1	Нор	1.009	≥0.893	PASS
3DH5	Ant1	Нор	1.001	≥0.867	PASS






Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.







Report No.:1821C50013512502


Page 21 of 55

Appendix E: Dwell Time


Test Result

Test	Antonno	Frequency	Burst Width	Total Hops	Result	Limit	Vandist
Mode	Antenna	[MHz]	[ms]	[Num]	[s]	[s]	Verdict
DH5	Ant1	Нор	2.885	109	0.314	≤0.4	PASS
2DH5	Ant1	Нор	2.890	99	0.286	≤0.4	PASS
3DH5	Ant1	Нор	2.892	114	0.33	≤0.4	PASS


















Report No.:1821C50013512502


Page 25 of 55


Appendix F: Number of Hopping Channel

Test Result


Test Mode	Antenna	Frequency [MHz]	Result [Num]	Limit [Num]	Verdict
DH5	Ant1	Нор	79	≥15	PASS
2DH5	Ant1	Нор	79	≥15	PASS
3DH5	Ant1	Нор	79	≥15	PASS











Report No.:1821C50013512502

Page 28 of 55


Appendix G: Conducted Band edge


Test Result

Test	A t	Ch.	Frequency	Ref. Level	Result	Limit	\
Mode	Antenna	Name	[MHz]	[dBm]	[dBm]	[dBm]	Verdict
DH5	Ant1	Low	2402	-0.77	-51.81	≤-20.77	PASS
DH5	Ant1	High	2480	-0.36	-50.35	≤-20.36	PASS
DH5	Ant1	Low	Hop_2402	-3.45	-54.07	≤-23.45	PASS
DH5	Ant1	High	Hop_2480	-2.78	-55.1	≤-22.78	PASS
2DH5	Ant1	Low	2402	-2.93	-53.04	≤-22.93	PASS
2DH5	Ant1	High	2480	-2.17	-53.09	≤-22.17	PASS
2DH5	Ant1	Low	Hop_2402	-5.24	-57.65	≤-25.24	PASS
2DH5	Ant1	High	Hop_2480	-2.66	-57.07	≤-22.66	PASS
3DH5	Ant1	Low	2402	-2.99	-52.63	≤-22.99	PASS
3DH5	Ant1	High	2480	-2.13	-52.03	≤-22.13	PASS
3DH5	Ant1	Low	Hop_2402	-6.90	-57.4	≤-26.9	PASS
3DH5	Ant1	High	Hop_2480	-3.66	-54.33	≤-23.66	PASS


Remark:1. Regarding the spurious emissions from 30MHz to 26.5GHz, the cable lose have been set in the 'offset' of the Spectrum Analyzer during the test.











































Appendix H: Conducted Spurious Emission

Test Result


Test			Freq. Range	Ref. Level	Result	Limit	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Mode	Antenna	Frequency[MHz]	[MHz]	[dBm]	[dBm]	[dBm]	Verdict
DH5	Ant1	2402	0~Reference	-0.83	-0.83		PASS
DH5	Ant1	2402	30~1000	-0.83	-68.94	≤-20.83	PASS
DH5	Ant1	2402	1000~26500	-0.83	-54.26	≤-20.83	PASS
DH5	Ant1	2441	0~Reference	-0.26	-0.26		PASS
DH5	Ant1	2441	30~1000	-0.26	-69.28	≤-20.26	PASS
DH5	Ant1	2441	1000~26500	-0.26	-54.63	≤-20.26	PASS
DH5	Ant1	2480	0~Reference	-0.41	-0.41		PASS
DH5	Ant1	2480	30~1000	-0.41	-69.02	≤-20.41	PASS
DH5	Ant1	2480	1000~26500	-0.41	-55.5	≤-20.41	PASS
2DH5	Ant1	2402	0~Reference	-3.02	-3.02		PASS
2DH5	Ant1	2402	30~1000	-3.02	-68.77	≤-23.02	PASS
2DH5	Ant1	2402	1000~26500	-3.02	-51.58	≤-23.02	PASS
2DH5	Ant1	2441	0~Reference	-1.80	-1.80		PASS
2DH5	Ant1	2441	30~1000	-1.80	-69.69	≤-21.8	PASS
2DH5	Ant1	2441	1000~26500	-1.80	-54.91	≤-21.8	PASS
2DH5	Ant1	2480	0~Reference	-2.08	-2.08		PASS
2DH5	Ant1	2480	30~1000	-2.08	-68.95	≤-22.08	PASS
2DH5	Ant1	2480	1000~26500	-2.08	-55.38	≤-22.08	PASS
3DH5	Ant1	2402	0~Reference	-3.00	-3.00		PASS
3DH5	Ant1	2402	30~1000	-3.00	-68.09	≤-23	PASS
3DH5	Ant1	2402	1000~26500	-3.00	-54.2	≤-23	PASS
3DH5	Ant1	2441	0~Reference	-1.79	-1.79		PASS
3DH5	Ant1	2441	30~1000	-1.79	-68.76	≤-21.79	PASS
3DH5	Ant1	2441	1000~26500	-1.79	-54.88	≤-21.79	PASS
3DH5	Ant1	2480	0~Reference	-2.07	-2.07		PASS
3DH5	Ant1	2480	30~1000	-2.07	-68.3	≤-22.07	PASS
3DH5	Ant1	2480	1000~26500	-2.07	-54.57	≤-22.07	PASS

Remark:Regarding the spurious emissions from 30MHz to 26.5GHz, the cable lose have been set in the 'TDF' of the Spectrum Analyzer during the test.


























































































Report No.:1821C50013512502

Page 50 of 55


Appendix I: Duty Cycle

Test Result

Test Mode	Antenna	Frequency[MHz]	ON Time	Period	Duty Cycle	Duty Cycle
			[ms]	[ms]	[%]	Factor[dB]
DH5	Ant1	2402	2.80	3.70	75.68	1.21
DH5	Ant1	2441	2.80	3.70	75.68	1.21
DH5	Ant1	2480	2.80	3.70	75.68	1.21
2DH5	Ant1	2402	2.80	3.70	75.68	1.21
2DH5	Ant1	2441	2.80	3.70	75.68	1.21
2DH5	Ant1	2480	2.80	3.70	75.68	1.21
3DH5	Ant1	2402	2.80	3.70	75.68	1.21
3DH5	Ant1	2441	2.80	3.70	75.68	1.21
3DH5	Ant1	2480	2.80	3.70	75.68	1.21




Test Graphs





Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.






























---End---