


Antenna Specification

一、Dimensions



二、General Specifications


Part Number	PCB_ANTENNA
Frequency Range	2400 - 2500 Mhz
Band Width	100MHz
Peak Gain	-0.5 dBi
Return Loss	-10dB (MAX)

VSWR	≤ 2.0(MAX)
Antenna type	FR4_ PCB _Antenna
Antenna size	10.2 x 3.5 mm
Manufacture	Shenzhen Chufeng communication Technology CO.,LTD 5F, No.51 Yangtaishan Road, Shiyan Street ,Baoan District, Shenzhen, Guangdong,China


三、TEST

ANTENNA INFORMATION


- Antenna Type: PCB antenna
- Antenna Radiation Pattern




XY vertical




XY horizontal




xz vertical



xz horizontal



YZ vertical



YZ horizontal

Antenna Radiation Gain

Radiation Pattern		
Plane	Frequency [MHz]	Max Value [dB]
XY	2400	-0.5 dBi
	2450	-1.5 dBi
	2500	-1.0 dBi
XZ	2400	-1.8 dBi
	2450	-2.0 dBi
	2500	-3.2 dBi
ZY	2400	-1.7 dBi
	2450	-2.8 dBi
	2500	-2.2 dBi

Return loss

Frequency [MHz]	Return loss [dB]	VSWR
2400	-11.7 dB	1.75
2450	-31.9 dB	1.02
2500	-12.1 dB	1.65

