



802.11ax80_5610MHz_RU_Full_Chain 3



ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 25.FEB.2025 10:13:35


802.11ax80_5690MHz_RU_Full_Chain 3



ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 14:14:22


5725-5850MHz

802.11a_5745MHz_Chain 0




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 14:32:04

802.11a_5785MHz_Chain 0




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 14:49:00

802.11a_5825MHz_Chain 0




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 15:07:40

802.11a_5745MHz_Chain 1




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 14:34:35

802.11a_5785MHz_Chain 1




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 14:51:54

802.11a_5825MHz_Chain 1




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 15:09:36

802.11a_5745MHz_Chain 2




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 14:40:25

802.11a_5785MHz_Chain 2




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 14:54:31

802.11a_5825MHz_Chain 2




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 15:12:31

802.11a_5745MHz_Chain 3




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 14:46:01

802.11a_5785MHz_Chain 3




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 14:58:16

802.11a_5825MHz_Chain 3




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 15:14:30

802.11ac20_5745MHz_Chain 0




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 15:25:43

802.11ac20_5785MHz_Chain 0




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 15:45:17

802.11ac20_5825MHz_Chain 0




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 15:57:52

802.11ac20_5745MHz_Chain 1




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 15:33:06

802.11ac20_5785MHz_Chain 1




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 15:48:29

802.11ac20_5825MHz_Chain 1




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 15:59:56

802.11ac20_5745MHz_Chain 2




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 15:35:19

802.11ac20_5785MHz_Chain 2




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 15:50:47

802.11ac20_5825MHz_Chain 2




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 16:01:41

802.11ac20_5745MHz_Chain 3




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 15:37:26

802.11ac20_5785MHz_Chain 3




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 15:53:48

802.11ac20_5825MHz_Chain 3




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 16:03:24

802.11ac40_5755MHz_Chain 0




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 16:10:06

802.11ac40_5795MHz_Chain 0




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 16:14:53

802.11ac40_5755MHz_Chain 1




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 16:11:10

802.11ac40_5795MHz_Chain 1




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 16:16:06


802.11ac40_5755MHz_Chain 2




802.11ac40_5795MHz_Chain 2




802.11ac40_5755MHz_Chain 3




802.11ac40_5795MHz_Chain 3




802.11ac80_5775MHz_Chain 0



802.11ac80_5775MHz_Chain 1




802.11ac80_5775MHz_Chain 2




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 16:24:29

802.11ac80_5775MHz_Chain 3




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 16:25:50

802.11ax20_5745MHz_RU_Full_Chain 0




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 16:35:51

802.11ax20_5785MHz_RU_Full_Chain 0




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 16:45:07

802.11ax20_5825MHz_RU_Full_Chain 0




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 17:01:52

802.11ax20_5745MHz_RU_Full_Chain 1




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 16:38:03

802.11ax20_5785MHz_RU_Full_Chain 1




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 16:47:27

802.11ax20_5825MHz_RU_Full_Chain 1




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 17:03:28

802.11ax20_5745MHz_RU_Full_Chain 2




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 16:40:10

802.11ax20_5785MHz_RU_Full_Chain 2




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 16:52:55

802.11ax20_5825MHz_RU_Full_Chain 2




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 17:05:09

802.11ax20_5745MHz_RU_Full_Chain 3




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 16:42:20

802.11ax20_5785MHz_RU_Full_Chain 3




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 16:59:59

802.11ax20_5825MHz_RU_Full_Chain 3




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 17:06:57

802.11ax40_5755MHz_RU_Full_Chain 0




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 17:09:31

802.11ax40_5795MHz_RU_Full_Chain 0




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 17:23:42

802.11ax40_5755MHz_RU_Full_Chain 1




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 17:10:27

802.11ax40_5795MHz_RU_Full_Chain 1




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 17:24:43

802.11ax40_5755MHz_RU_Full_Chain 2




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 17:11:31

802.11ax40_5795MHz_RU_Full_Chain 2




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 17:25:42

802.11ax40_5755MHz_RU_Full_Chain 3




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 17:15:45

802.11ax40_5795MHz_RU_Full_Chain 3




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 17:26:53

802.11ax80_5775MHz_RU_Full_Chain 0




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 17:29:15

802.11ax80_5775MHz_RU_Full_Chain 1




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 17:31:17

802.11ax80_5775MHz_RU_Full_Chain 2



ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 17:32:33

802.11ax80_5775MHz_RU_Full_Chain 3



ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.JAN.2025 17:33:51

Maximum Conducted Output Power

5150-5250MHz

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	Chain 0	5180	25.46	30	Pass
		5200	25.71	30	Pass
		5240	25.17	30	Pass
	Chain 1	5180	25.94	30	Pass
		5200	25.73	30	Pass
		5240	25.51	30	Pass
	Chain 2	5180	25.38	30	Pass
		5200	25.54	30	Pass
		5240	25.45	30	Pass
	Chain 3	5180	25.82	30	Pass
		5200	25.57	30	Pass
		5240	25.36	30	Pass
802.11ac20	Chain 0	5180	21.19	30	Pass
		5200	21.12	30	Pass
		5240	20.88	30	Pass
	Chain 1	5180	20.86	30	Pass
		5200	21.06	30	Pass
		5240	20.42	30	Pass
	Chain 2	5180	20.49	30	Pass
		5200	21.28	30	Pass
		5240	20.87	30	Pass
	Chain 3	5180	20.89	30	Pass
		5200	21.03	30	Pass
		5240	20.62	30	Pass
	Total	5180	26.89	29.96	Pass
		5200	27.14	29.96	Pass
		5240	26.72	29.96	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11ac40	Chain 0	5190	21.15	30	Pass
		5230	21.37	30	Pass
	Chain 1	5190	20.97	30	Pass
		5230	21.05	30	Pass
	Chain 2	5190	21.09	30	Pass
		5230	21.17	30	Pass
	Chain 3	5190	21.16	30	Pass
		5230	21.32	30	Pass
	Total	5190	27.11	29.96	Pass
		5230	27.25	29.96	Pass
802.11ac80	Chain 0	5210	22.37	30	Pass
	Chain 1	5210	21.9	30	Pass
	Chain 2	5210	21.77	30	Pass
	Chain 3	5210	22.20	30	Pass
	Total	5210	28.09	29.96	Pass
802.11ax20	Chain 0	5180	21.36	30	Pass
		5200	21.59	30	Pass
		5240	20.82	30	Pass
	Chain 1	5180	21.06	30	Pass
		5200	21.5	30	Pass
		5240	20.59	30	Pass
	Chain 2	5180	20.65	30	Pass
		5200	21.25	30	Pass
		5240	21.22	30	Pass
	Chain 3	5180	21.08	30	Pass
		5200	21.53	30	Pass
		5240	21.03	30	Pass
	Total	5180	27.07	29.96	Pass
		5200	27.49	29.96	Pass
		5240	26.94	29.96	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11ax40	Chain 0	5190	21.76	30	Pass
		5230	21.34	30	Pass
	Chain 1	5190	21.61	30	Pass
		5230	21.3	30	Pass
	Chain 2	5190	21.24	30	Pass
		5230	21.39	30	Pass
	Chain 3	5190	21.27	30	Pass
		5230	21.58	30	Pass
	Total	5190	27.50	29.96	Pass
		5230	27.42	29.96	Pass
802.11ax80	Chain 0	5210	22.38	30	Pass
	Chain 1	5210	22.18	30	Pass
	Chain 2	5210	22.12	30	Pass
	Chain 3	5210	22.25	30	Pass
	Total	5210	28.25	29.96	Pass

5250-5350MHz

Mode	Antenna	Test Frequency (MHz)	TPC	Average Output Power(dBm)	Limit (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11a	Chain 0	5260	TPC_H	20.26	23.98	5.67	25.93	30.00	Pass
			TPC_L	13.75	/	5.67	19.42	19.93	Pass
		5280	TPC_H	19.89	23.98	5.67	25.56	30.00	Pass
			TPC_L	12.52	/	5.67	18.19	19.56	Pass
		5320	TPC_H	20.18	23.98	5.67	25.85	30.00	Pass
			TPC_L	13.63	/	5.67	19.30	19.85	Pass
	Chain 1	5260	TPC_H	20.35	23.98	5.80	26.15	30.00	Pass
			TPC_L	13.48	/	5.80	19.28	20.15	Pass
		5280	TPC_H	20.03	23.98	5.80	25.83	30.00	Pass
			TPC_L	13.25	/	5.80	19.05	19.83	Pass
		5320	TPC_H	21.09	23.98	5.80	26.89	30.00	Pass
			TPC_L	14.43	/	5.80	20.23	20.89	Pass
	Chain 2	5260	TPC_H	20.53	23.98	4.62	25.15	30.00	Pass
			TPC_L	13.46	/	4.62	18.08	19.15	Pass
		5280	TPC_H	20.03	23.98	4.62	24.65	30.00	Pass
			TPC_L	13.32	/	4.62	17.94	18.65	Pass
		5320	TPC_H	20.03	23.98	4.62	24.65	30.00	Pass
			TPC_L	13.28	/	4.62	17.90	18.65	Pass
	Chain 3	5260	TPC_H	20.57	23.98	5.17	25.74	30.00	Pass
			TPC_L	13.67	/	5.17	18.84	19.74	Pass
		5280	TPC_H	20.34	23.98	5.17	25.51	30.00	Pass
			TPC_L	13.31	/	5.17	18.48	19.51	Pass
		5320	TPC_H	20.78	23.98	5.17	25.95	30.00	Pass
			TPC_L	13.46	/	5.17	18.63	19.95	Pass

Mode	Antenna	Test Frequency (MHz)	TPC	Average Output Power(dBm)	Limit (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11ac20	Chain 0	5260	TPC_H	14.62	23.98	5.67	20.29	30.00	Pass
			TPC_L	7.65	/	5.67	13.32	14.29	Pass
		5280	TPC_H	14.15	23.98	5.67	19.82	30.00	Pass
			TPC_L	7.31	/	5.67	12.98	13.82	Pass
		5320	TPC_H	14.65	23.98	5.67	20.32	30.00	Pass
			TPC_L	7.51	/	5.67	13.18	14.32	Pass
	Chain 1	5260	TPC_H	14.4	23.98	5.80	20.20	30.00	Pass
			TPC_L	6.98	/	5.80	12.78	14.20	Pass
		5280	TPC_H	14.5	23.98	5.80	20.30	30.00	Pass
			TPC_L	7.12	/	5.80	12.92	14.30	Pass
		5320	TPC_H	15.59	23.98	5.80	21.39	30.00	Pass
			TPC_L	8.25	/	5.80	14.05	15.39	Pass
	Chain 2	5260	TPC_H	14.59	23.98	4.62	19.21	30.00	Pass
			TPC_L	7.67	/	4.62	12.29	13.21	Pass
		5280	TPC_H	13.97	23.98	4.62	18.59	30.00	Pass
			TPC_L	6.86	/	4.62	11.48	12.59	Pass
		5320	TPC_H	14.52	23.98	4.62	19.14	30.00	Pass
			TPC_L	7.25	/	4.62	11.87	13.14	Pass
	Chain 3	5260	TPC_H	14.72	23.98	5.17	19.89	30.00	Pass
			TPC_L	7.21	/	5.17	12.38	13.89	Pass
		5280	TPC_H	14.75	23.98	5.17	19.92	30.00	Pass
			TPC_L	7.18	/	5.17	12.35	13.92	Pass
		5320	TPC_H	14.98	23.98	5.17	20.15	30.00	Pass
			TPC_L	7.65	/	5.17	12.82	14.15	Pass
	Total	5260	TPC_H	20.60	23.43	6.55	27.15	30.00	Pass
			TPC_L	13.41	/	6.55	19.96	21.15	Pass
		5280	TPC_H	20.37	23.43	6.55	26.92	30.00	Pass
			TPC_L	13.14	/	6.55	19.69	20.92	Pass
		5320	TPC_H	20.98	23.43	6.55	27.53	30.00	Pass
			TPC_L	13.70	/	6.55	20.25	21.53	Pass

Mode	Antenna	Test Frequency (MHz)	TPC	Average Output Power(dBm)	Limit (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11ac40	Chain 0	5270	TPC_H	16.27	23.98	5.67	21.94	30.00	Pass
			TPC_L	9.12	/	5.67	14.79	15.94	Pass
		5310	TPC_H	16.48	23.98	5.67	22.15	30.00	Pass
			TPC_L	9.15	/	5.67	14.82	16.15	Pass
	Chain 1	5270	TPC_H	16.18	23.98	5.80	21.98	30.00	Pass
			TPC_L	9.13	/	5.80	14.93	15.98	Pass
		5310	TPC_H	17.32	23.98	5.80	23.12	30.00	Pass
			TPC_L	9.98	/	5.80	15.78	17.12	Pass
	Chain 2	5270	TPC_H	16.34	23.98	4.62	20.96	30.00	Pass
			TPC_L	9.11	/	4.62	13.73	14.96	Pass
		5310	TPC_H	16.1	23.98	4.62	20.72	30.00	Pass
			TPC_L	8.76	/	4.62	13.38	14.72	Pass
	Chain 3	5270	TPC_H	16.8	23.98	5.17	21.97	30.00	Pass
			TPC_L	9.21	/	5.17	14.38	15.97	Pass
		5310	TPC_H	16.95	23.98	5.17	22.12	30.00	Pass
			TPC_L	9.85	/	5.17	15.02	16.12	Pass
	Total	5270	TPC_H	22.42	23.43	6.55	28.97	30.00	Pass
			TPC_L	15.16	/	6.55	21.71	22.97	Pass
		5310	TPC_H	22.76	23.43	6.55	29.31	30.00	Pass
			TPC_L	15.48	/	6.55	22.03	23.31	Pass
802.11ac80	Chain 0	5290	TPC_H	16.89	23.98	5.67	22.56	30.00	Pass
			TPC_L	4.22	/	5.67	9.89	16.56	Pass
	Chain 1	5290	TPC_H	17.33	23.98	5.80	23.13	30.00	Pass
			TPC_L	4.64	/	5.80	10.44	17.13	Pass
	Chain 2	5290	TPC_H	16.84	23.98	4.62	21.46	30.00	Pass
			TPC_L	3.98	/	4.62	8.60	15.46	Pass
	Chain 3	5290	TPC_H	17.22	23.98	5.17	22.39	30.00	Pass
			TPC_L	4.36	/	5.17	9.53	16.39	Pass
	Total	5290	TPC_H	23.10	23.43	6.55	29.65	30.00	Pass
			TPC_L	10.33	/	6.55	16.88	23.65	Pass

Mode	Antenna	Test Frequency (MHz)	TPC	Average Output Power(dBm)	Limit (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11ax20	Chain 0	5260	TPC_H	14.72	23.98	5.67	20.39	30.00	Pass
			TPC_L	7.43	/	5.67	13.10	14.39	Pass
		5280	TPC_H	14.33	23.98	5.67	20.00	30.00	Pass
			TPC_L	7.15	/	5.67	12.82	14.00	Pass
		5320	TPC_H	14.64	23.98	5.67	20.31	30.00	Pass
			TPC_L	7.21	/	5.67	12.88	14.31	Pass
	Chain 1	5260	TPC_H	14.57	23.98	5.80	20.37	30.00	Pass
			TPC_L	7.31	/	5.80	13.11	14.37	Pass
		5280	TPC_H	14.7	23.98	5.80	20.50	30.00	Pass
			TPC_L	7.26	/	5.80	13.06	14.50	Pass
		5320	TPC_H	15.51	23.98	5.80	21.31	30.00	Pass
			TPC_L	7.87	/	5.80	13.67	15.31	Pass
	Chain 2	5260	TPC_H	14.97	23.98	4.62	19.59	30.00	Pass
			TPC_L	7.75	/	4.62	12.37	13.59	Pass
		5280	TPC_H	14.43	23.98	4.62	19.05	30.00	Pass
			TPC_L	7.12	/	4.62	11.74	13.05	Pass
		5320	TPC_H	14.61	23.98	4.62	19.23	30.00	Pass
			TPC_L	7.16	/	4.62	11.78	13.23	Pass
	Chain 3	5260	TPC_H	14.9	23.98	5.17	20.07	30.00	Pass
			TPC_L	7.32	/	5.17	12.49	14.07	Pass
		5280	TPC_H	14.63	23.98	5.17	19.80	30.00	Pass
			TPC_L	7.41	/	5.17	12.58	13.80	Pass
		5320	TPC_H	14.63	23.98	5.17	19.80	30.00	Pass
			TPC_L	7.63	/	5.17	12.80	13.80	Pass
	Total	5260	TPC_H	20.81	23.43	6.55	27.36	30.00	Pass
			TPC_L	13.48	/	6.55	20.03	21.36	Pass
		5280	TPC_H	20.55	23.43	6.55	27.10	30.00	Pass
			TPC_L	13.26	/	6.55	19.81	21.10	Pass
		5320	TPC_H	20.89	23.43	6.55	27.44	30.00	Pass
			TPC_L	13.50	/	6.55	20.05	21.44	Pass

Mode	Antenna	Test Frequency (MHz)	TPC	Average Output Power(dBm)	Limit (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11ax40	Chain 0	5270	TPC_H	16.62	23.98	5.67	22.29	30.00	Pass
			TPC_L	8.75	/	5.67	14.42	16.29	Pass
		5310	TPC_H	16.61	23.98	5.67	22.28	30.00	Pass
			TPC_L	8.86	/	5.67	14.53	16.28	Pass
	Chain 1	5270	TPC_H	16.42	23.98	5.80	22.22	30.00	Pass
			TPC_L	8.93	/	5.80	14.73	16.22	Pass
		5310	TPC_H	17.3	23.98	5.80	23.10	30.00	Pass
			TPC_L	9.21	/	5.80	15.01	17.10	Pass
	Chain 2	5270	TPC_H	16.45	23.98	4.62	21.07	30.00	Pass
			TPC_L	8.82	/	4.62	13.44	15.07	Pass
		5310	TPC_H	15.94	23.98	4.62	20.56	30.00	Pass
			TPC_L	8.26	/	4.62	12.88	14.56	Pass
	Chain 3	5270	TPC_H	17.4	23.98	5.17	22.57	30.00	Pass
			TPC_L	9.16	/	5.17	14.33	16.57	Pass
		5310	TPC_H	17.33	23.98	5.17	22.50	30.00	Pass
			TPC_L	9.17	/	5.17	14.34	16.50	Pass
	Total	5270	TPC_H	22.76	23.43	6.55	29.31	30.00	Pass
			TPC_L	14.94	/	6.55	21.49	23.31	Pass
		5310	TPC_H	22.85	23.43	6.55	29.40	30.00	Pass
			TPC_L	14.91	/	6.55	21.46	23.40	Pass
802.11ax80	Chain 0	5290	TPC_H	17.16	23.98	5.67	22.83	30.00	Pass
			TPC_L	4.25	/	5.67	9.92	16.83	Pass
	Chain 1	5290	TPC_H	17.57	23.98	5.80	23.37	30.00	Pass
			TPC_L	4.53	/	5.80	10.33	17.37	Pass
	Chain 2	5290	TPC_H	16.91	23.98	4.62	21.53	30.00	Pass
			TPC_L	4.12	/	4.62	8.74	15.53	Pass
	Chain 3	5290	TPC_H	17.33	23.98	5.17	22.50	30.00	Pass
			TPC_L	4.21	/	5.17	9.38	16.50	Pass
	Total	5290	TPC_H	23.27	23.43	6.55	29.82	30.00	Pass
			TPC_L	10.30	/	6.55	16.85	23.82	Pass

5470-5725MHz

Mode	Antenna	Test Frequency (MHz)	TPC	Average Output Power(dBm)	Limit (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11a	Chain 0	5500	TPC_H	18.96	23.98	3.92	22.88	30.00	Pass
			TPC_L	11.82	/	3.92	15.74	16.88	Pass
		5580	TPC_H	20.70	23.98	3.92	24.62	30.00	Pass
			TPC_L	12.87	/	3.92	16.79	18.62	Pass
		5700	TPC_H	20.10	23.98	3.92	24.02	30.00	Pass
			TPC_L	12.76	/	3.92	16.68	18.02	Pass
		5720	TPC_H	19.83	23.98	3.92	23.75	30.00	Pass
			TPC_L	12.53	/	3.92	16.45	17.75	Pass
	Chain 1	5500	TPC_H	18.30	23.98	3.14	21.44	30.00	Pass
			TPC_L	11.26	/	3.14	14.40	15.44	Pass
		5580	TPC_H	20.73	23.98	3.14	23.87	30.00	Pass
			TPC_L	12.68	/	3.14	15.82	17.87	Pass
		5700	TPC_H	20.32	23.98	3.14	23.46	30.00	Pass
			TPC_L	13.14	/	3.14	16.28	17.46	Pass
		5720	TPC_H	20.32	23.98	3.14	23.46	30.00	Pass
			TPC_L	12.92	/	3.14	16.06	17.46	Pass
	Chain 2	5500	TPC_H	19.00	23.98	3.23	22.23	30.00	Pass
			TPC_L	11.94	/	3.23	15.17	16.23	Pass
		5580	TPC_H	19.55	23.98	3.23	22.78	30.00	Pass
			TPC_L	12.25	/	3.23	15.48	16.78	Pass
		5700	TPC_H	19.20	23.98	3.23	22.43	30.00	Pass
			TPC_L	12.04	/	3.23	15.27	16.43	Pass
		5720	TPC_H	19.35	23.98	3.23	22.58	30.00	Pass
			TPC_L	12.32	/	3.23	15.55	16.58	Pass
	Chain 3	5500	TPC_H	19.31	23.98	4.60	23.91	30.00	Pass
			TPC_L	12.27	/	4.60	16.87	17.91	Pass
		5580	TPC_H	20.06	23.98	4.60	24.66	30.00	Pass
			TPC_L	12.75	/	4.60	17.35	18.66	Pass
		5700	TPC_H	19.92	23.98	4.60	24.52	30.00	Pass
			TPC_L	12.54	/	4.60	17.14	18.52	Pass
		5720	TPC_H	19.79	23.98	4.60	24.39	30.00	Pass
			TPC_L	12.37	/	4.60	16.97	18.39	Pass

Mode	Antenna	Test Frequency (MHz)	TPC	Average Output Power(dBm)	Limit (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11ac20	Chain 0	5500	TPC_H	12.76	23.98	3.92	16.68	30.00	Pass
			TPC_L	5.85	/	3.92	9.77	10.68	Pass
		5580	TPC_H	14.3	23.98	3.92	18.22	30.00	Pass
			TPC_L	6.75	/	3.92	10.67	12.22	Pass
		5700	TPC_H	14.53	23.98	3.92	18.45	30.00	Pass
			TPC_L	6.84	/	3.92	10.76	12.45	Pass
		5720	TPC_H	14.21	23.98	3.92	18.13	30.00	Pass
			TPC_L	6.87	/	3.92	10.79	12.13	Pass
	Chain 1	5500	TPC_H	12.21	23.98	3.14	15.35	30.00	Pass
			TPC_L	5.16	/	3.14	8.30	9.35	Pass
		5580	TPC_H	14.97	23.98	3.14	18.11	30.00	Pass
			TPC_L	6.86	/	3.14	10.00	12.11	Pass
		5700	TPC_H	14.73	23.98	3.14	17.87	30.00	Pass
			TPC_L	6.65	/	3.14	9.79	11.87	Pass
		5720	TPC_H	14.78	23.98	3.14	17.92	30.00	Pass
			TPC_L	6.78	/	3.14	9.92	11.92	Pass
	Chain 2	5500	TPC_H	12.81	23.98	3.23	16.04	30.00	Pass
			TPC_L	5.75	/	3.23	8.98	10.04	Pass
		5580	TPC_H	13.24	23.98	3.23	16.47	30.00	Pass
			TPC_L	5.86	/	3.23	9.09	10.47	Pass
		5700	TPC_H	13.23	23.98	3.23	16.46	30.00	Pass
			TPC_L	5.79	/	3.23	9.02	10.46	Pass
		5720	TPC_H	12.73	23.98	3.23	15.96	30.00	Pass
			TPC_L	5.54	/	3.23	8.77	9.96	Pass
	Chain 3	5500	TPC_H	12.87	23.98	4.60	17.47	30.00	Pass
			TPC_L	5.68	/	4.60	10.28	11.47	Pass
		5580	TPC_H	14.39	23.98	4.60	18.99	30.00	Pass
			TPC_L	6.58	/	4.60	11.18	12.99	Pass
		5700	TPC_H	14.5	23.98	4.60	19.10	30.00	Pass
			TPC_L	6.62	/	4.60	11.22	13.10	Pass
		5720	TPC_H	14.41	23.98	4.60	19.01	30.00	Pass
			TPC_L	6.47	/	4.60	11.07	13.01	Pass
	Total	5500	TPC_H	18.69	23.98	5.74	24.43	30.00	Pass
			TPC_L	11.73	/	5.74	17.47	18.43	Pass
		5580	TPC_H	20.29	23.98	5.74	26.03	30.00	Pass
			TPC_L	12.55	/	5.74	18.29	20.03	Pass
		5700	TPC_H	20.31	23.98	5.74	26.05	30.00	Pass
			TPC_L	12.51	/	5.74	18.25	20.05	Pass
		5720	TPC_H	20.12	23.98	5.74	25.86	30.00	Pass
			TPC_L	12.47	/	5.74	18.21	19.86	Pass

Mode	Antenna	Test Frequency (MHz)	TPC	Average Output Power(dBm)	Limit (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11ac40	Chain 0	5510	TPC_H	16.19	23.98	3.92	20.11	30.00	Pass
			TPC_L	8.76	/	3.92	12.68	14.11	Pass
		5550	TPC_H	17.23	23.98	3.92	21.15	30.00	Pass
			TPC_L	9.24	/	3.92	13.16	15.15	Pass
		5670	TPC_H	17.21	23.98	3.92	21.13	30.00	Pass
			TPC_L	9.18	/	3.92	13.10	15.13	Pass
		5710	TPC_H	17.53	23.98	3.92	21.45	30.00	Pass
			TPC_L	9.25	/	3.92	13.17	15.45	Pass
	Chain 1	5510	TPC_H	16.65	23.98	3.14	19.79	30.00	Pass
			TPC_L	8.56	/	3.14	11.70	13.79	Pass
		5550	TPC_H	17.93	23.98	3.14	21.07	30.00	Pass
			TPC_L	9.54	/	3.14	12.68	15.07	Pass
		5670	TPC_H	17.76	23.98	3.14	20.90	30.00	Pass
			TPC_L	9.62	/	3.14	12.76	14.90	Pass
		5710	TPC_H	17.18	23.98	3.14	20.32	30.00	Pass
			TPC_L	9.35	/	3.14	12.49	14.32	Pass
	Chain 2	5510	TPC_H	15.9	23.98	3.23	19.13	30.00	Pass
			TPC_L	7.86	/	3.23	11.09	13.13	Pass
		5550	TPC_H	17.12	23.98	3.23	20.35	30.00	Pass
			TPC_L	9.26	/	3.23	12.49	14.35	Pass
		5670	TPC_H	16.81	23.98	3.23	20.04	30.00	Pass
			TPC_L	8.64	/	3.23	11.87	14.04	Pass
		5710	TPC_H	17.13	23.98	3.23	20.36	30.00	Pass
			TPC_L	9.67	/	3.23	12.90	14.36	Pass
	Chain 3	5510	TPC_H	16.54	23.98	4.60	21.14	30.00	Pass
			TPC_L	8.69	/	4.60	13.29	15.14	Pass
		5550	TPC_H	17.26	23.98	4.60	21.86	30.00	Pass
			TPC_L	9.25	/	4.60	13.85	15.86	Pass
		5670	TPC_H	17.28	23.98	4.60	21.88	30.00	Pass
			TPC_L	9.36	/	4.60	13.96	15.88	Pass
		5710	TPC_H	17.41	23.98	4.60	22.01	30.00	Pass
			TPC_L	9.37	/	4.60	13.97	16.01	Pass
	Total	5510	TPC_H	22.35	23.98	5.74	28.09	30.00	Pass
			TPC_L	14.50	/	5.74	20.24	22.09	Pass
		5550	TPC_H	23.42	23.98	5.74	29.16	30.00	Pass
			TPC_L	15.34	/	5.74	21.08	23.16	Pass
		5670	TPC_H	23.30	23.98	5.74	29.04	30.00	Pass
			TPC_L	15.24	/	5.74	20.98	23.04	Pass
		5710	TPC_H	23.34	23.98	5.74	29.08	30.00	Pass
			TPC_L	15.43	/	5.74	21.17	23.08	Pass

Mode	Antenna	Test Frequency (MHz)	TPC	Average Output Power(dBm)	Limit (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11ac80	Chain 0	5530	TPC_H	17.22	23.98	3.92	21.14	30.00	Pass
			TPC_L	9.95	/	3.92	13.87	15.14	Pass
		5610	TPC_H	15.82	23.98	3.92	19.74	30.00	Pass
			TPC_L	8.86	/	3.92	12.78	13.74	Pass
		5690	TPC_H	17.58	23.98	3.92	21.50	30.00	Pass
			TPC_L	9.65	/	3.92	13.57	15.50	Pass
	Chain 1	5530	TPC_H	17.93	23.98	3.14	21.07	30.00	Pass
			TPC_L	9.85	/	3.14	12.99	15.07	Pass
		5610	TPC_H	15.91	23.98	3.14	19.05	30.00	Pass
			TPC_L	8.28	/	3.14	11.42	13.05	Pass
		5690	TPC_H	17.29	23.98	3.14	20.43	30.00	Pass
			TPC_L	9.64	/	3.14	12.78	14.43	Pass
	Chain 2	5530	TPC_H	17.51	23.98	3.23	20.74	30.00	Pass
			TPC_L	9.04	/	3.23	12.27	14.74	Pass
		5610	TPC_H	15.55	23.98	3.23	18.78	30.00	Pass
			TPC_L	8.33	/	3.23	11.56	12.78	Pass
		5690	TPC_H	17.29	23.98	3.23	20.52	30.00	Pass
			TPC_L	9.75	/	3.23	12.98	14.52	Pass
	Chain 3	5530	TPC_H	17.71	23.98	4.60	22.31	30.00	Pass
			TPC_L	9.76	/	4.60	14.36	16.31	Pass
		5610	TPC_H	14.72	23.98	4.60	19.32	30.00	Pass
			TPC_L	7.66	/	4.60	12.26	13.32	Pass
		5690	TPC_H	17.55	23.98	4.60	22.15	30.00	Pass
			TPC_L	9.62	/	4.60	14.22	16.15	Pass
	Total	5530	TPC_H	23.62	23.98	5.74	29.36	30.00	Pass
			TPC_L	15.68	/	5.74	21.42	23.36	Pass
		5610	TPC_H	21.55	23.98	5.74	27.29	30.00	Pass
			TPC_L	14.32	/	5.74	20.06	21.29	Pass
		5690	TPC_H	23.45	23.98	5.74	29.19	30.00	Pass
			TPC_L	15.69	/	5.74	21.43	23.19	Pass

Mode	Antenna	Test Frequency (MHz)	TPC	Average Output Power(dBm)	Limit (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11ax20	Chain 0	5500	TPC_H	13.02	23.98	3.92	16.94	30.00	Pass
			TPC_L	6.05	/	3.92	9.97	10.94	Pass
		5580	TPC_H	14.9	23.98	3.92	18.82	30.00	Pass
			TPC_L	6.85	/	3.92	10.77	12.82	Pass
		5700	TPC_H	14.47	23.98	3.92	18.39	30.00	Pass
			TPC_L	6.75	/	3.92	10.67	12.39	Pass
		5720	TPC_H	14.71	23.98	3.92	18.63	30.00	Pass
			TPC_L	6.78	/	3.92	10.70	12.63	Pass
	Chain 1	5500	TPC_H	13.66	23.98	3.14	16.80	30.00	Pass
			TPC_L	6.45	/	3.14	9.59	10.80	Pass
		5580	TPC_H	16.02	23.98	3.14	19.16	30.00	Pass
			TPC_L	8.46	/	3.14	11.60	13.16	Pass
		5700	TPC_H	15.33	23.98	3.14	18.47	30.00	Pass
			TPC_L	7.62	/	3.14	10.76	12.47	Pass
		5720	TPC_H	15.34	23.98	3.14	18.48	30.00	Pass
			TPC_L	7.41	/	3.14	10.55	12.48	Pass
	Chain 2	5500	TPC_H	13.05	23.98	3.23	16.28	30.00	Pass
			TPC_L	6.02	/	3.23	9.25	10.28	Pass
		5580	TPC_H	14.78	23.98	3.23	18.01	30.00	Pass
			TPC_L	6.84	/	3.23	10.07	12.01	Pass
		5700	TPC_H	14.19	23.98	3.23	17.42	30.00	Pass
			TPC_L	6.89	/	3.23	10.12	11.42	Pass
		5720	TPC_H	13.73	23.98	3.23	16.96	30.00	Pass
			TPC_L	6.24	/	3.23	9.47	10.96	Pass
	Chain 3	5500	TPC_H	13.28	23.98	4.60	17.88	30.00	Pass
			TPC_L	6.56	/	4.60	11.16	11.88	Pass
		5580	TPC_H	15.33	23.98	4.60	19.93	30.00	Pass
			TPC_L	8.12	/	4.60	12.72	13.93	Pass
		5700	TPC_H	14.62	23.98	4.60	19.22	30.00	Pass
			TPC_L	7.54	/	4.60	12.14	13.22	Pass
		5720	TPC_H	15.08	23.98	4.60	19.68	30.00	Pass
			TPC_L	7.89	/	4.60	12.49	13.68	Pass
	Total	5500	TPC_H	19.28	23.98	5.74	25.02	30.00	Pass
			TPC_L	12.32	/	5.74	18.06	19.02	Pass
		5580	TPC_H	21.31	23.98	5.74	27.05	30.00	Pass
			TPC_L	13.65	/	5.74	19.39	21.05	Pass
		5700	TPC_H	20.69	23.98	5.74	26.43	30.00	Pass
			TPC_L	13.24	/	5.74	18.98	20.43	Pass
		5720	TPC_H	20.78	23.98	5.74	26.52	30.00	Pass
			TPC_L	13.15	/	5.74	18.89	20.52	Pass

Mode	Antenna	Test Frequency (MHz)	TPC	Average Output Power(dBm)	Limit (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11ax40	Chain 0	5510	TPC_H	13.69	23.98	3.92	17.61	30.00	Pass
			TPC_L	6.77	/	3.92	10.69	11.61	Pass
		5550	TPC_H	14.67	23.98	3.92	18.59	30.00	Pass
			TPC_L	7.52	/	3.92	11.44	12.59	Pass
		5670	TPC_H	15.01	23.98	3.92	18.93	30.00	Pass
			TPC_L	7.62	/	3.92	11.54	12.93	Pass
		5710	TPC_H	15.40	23.98	3.92	19.32	30.00	Pass
			TPC_L	7.43	/	3.92	11.35	13.32	Pass
	Chain 1	5510	TPC_H	14.10	23.98	3.14	17.24	30.00	Pass
			TPC_L	7.05	/	3.14	10.19	11.24	Pass
		5550	TPC_H	15.19	23.98	3.14	18.33	30.00	Pass
			TPC_L	7.65	/	3.14	10.79	12.33	Pass
		5670	TPC_H	15.46	23.98	3.14	18.60	30.00	Pass
			TPC_L	7.92	/	3.14	11.06	12.60	Pass
		5710	TPC_H	15.55	23.98	3.14	18.69	30.00	Pass
			TPC_L	8.12	/	3.14	11.26	12.69	Pass
	Chain 2	5510	TPC_H	13.56	23.98	3.23	16.79	30.00	Pass
			TPC_L	6.13	/	3.23	9.36	10.79	Pass
		5550	TPC_H	14.24	23.98	3.23	17.47	30.00	Pass
			TPC_L	6.56	/	3.23	9.79	11.47	Pass
		5670	TPC_H	14.57	23.98	3.23	17.80	30.00	Pass
			TPC_L	6.85	/	3.23	10.08	11.80	Pass
		5710	TPC_H	14.56	23.98	3.23	17.79	30.00	Pass
			TPC_L	6.92	/	3.23	10.15	11.79	Pass
	Chain 3	5510	TPC_H	14.08	23.98	4.60	18.68	30.00	Pass
			TPC_L	6.53	/	4.60	11.13	12.68	Pass
		5550	TPC_H	15.00	23.98	4.60	19.60	30.00	Pass
			TPC_L	7.21	/	4.60	11.81	13.60	Pass
		5670	TPC_H	14.98	23.98	4.60	19.58	30.00	Pass
			TPC_L	6.84	/	4.60	11.44	13.58	Pass
		5710	TPC_H	15.45	23.98	4.60	20.05	30.00	Pass
			TPC_L	6.75	/	4.60	11.35	14.05	Pass
	Total	5510	TPC_H	19.88	23.98	5.74	25.62	30.00	Pass
			TPC_L	12.68	/	5.74	18.42	19.62	Pass
		5550	TPC_H	20.81	23.98	5.74	26.55	30.00	Pass
			TPC_L	13.28	/	5.74	19.02	20.55	Pass
		5670	TPC_H	21.04	23.98	5.74	26.78	30.00	Pass
			TPC_L	13.35	/	5.74	19.09	20.78	Pass
		5710	TPC_H	21.28	23.98	5.74	27.02	30.00	Pass
			TPC_L	13.36	/	5.74	19.10	21.02	Pass

Mode	Antenna	Test Frequency (MHz)	TPC	Average Output Power(dBm)	Limit (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11ax80	Chain 0	5530	TPC_H	17.69	23.98	3.92	21.61	30.00	Pass
			TPC_L	9.86	/	3.92	13.78	15.61	Pass
		5610	TPC_H	15.55	23.98	3.92	19.47	30.00	Pass
			TPC_L	7.88	/	3.92	11.80	13.47	Pass
		5690	TPC_H	17.11	23.98	3.92	21.03	30.00	Pass
			TPC_L	9.88	/	3.92	13.80	15.03	Pass
	Chain 1	5530	TPC_H	18.33	23.98	3.14	21.47	30.00	Pass
			TPC_L	10.89	/	3.14	14.03	15.47	Pass
		5610	TPC_H	16.54	23.98	3.14	19.68	30.00	Pass
			TPC_L	8.79	/	3.14	11.93	13.68	Pass
		5690	TPC_H	18.27	23.98	3.14	21.41	30.00	Pass
			TPC_L	10.78	/	3.14	13.92	15.41	Pass
	Chain 2	5530	TPC_H	17.26	23.98	3.23	20.49	30.00	Pass
			TPC_L	9.86	/	3.23	13.09	14.49	Pass
		5610	TPC_H	15.82	23.98	3.23	19.05	30.00	Pass
			TPC_L	7.87	/	3.23	11.10	13.05	Pass
		5690	TPC_H	17.63	23.98	3.23	20.86	30.00	Pass
			TPC_L	9.87	/	3.23	13.10	14.86	Pass
	Chain 3	5530	TPC_H	18.22	23.98	4.60	22.82	30.00	Pass
			TPC_L	10.14	/	4.60	14.74	16.82	Pass
		5610	TPC_H	15.71	23.98	4.60	20.31	30.00	Pass
			TPC_L	7.86	/	4.60	12.46	14.31	Pass
		5690	TPC_H	17.73	23.98	4.60	22.33	30.00	Pass
			TPC_L	9.95	/	4.60	14.55	16.33	Pass
	Total	5530	TPC_H	23.92	23.98	5.74	29.66	30.00	Pass
			TPC_L	16.23	/	5.74	21.97	23.66	Pass
		5610	TPC_H	21.94	23.98	5.74	27.68	30.00	Pass
			TPC_L	14.14	/	5.74	19.88	21.68	Pass
		5690	TPC_H	23.73	23.98	5.74	29.47	30.00	Pass
			TPC_L	16.16	/	5.74	21.90	23.47	Pass

5725-5850MHz

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	Chain 0	5745	21.77	30	Pass
		5785	21.73	30	Pass
		5825	22.05	30	Pass
	Chain 1	5745	22.0	30	Pass
		5785	21.99	30	Pass
		5825	22.34	30	Pass
	Chain 2	5745	22.0	30	Pass
		5785	22.22	30	Pass
		5825	23.07	30	Pass
	Chain 3	5745	21.04	30	Pass
		5785	21.44	30	Pass
		5825	21.73	30	Pass
802.11ac20	Chain 0	5745	21.09	30	Pass
		5785	20.03	30	Pass
		5825	19.81	30	Pass
	Chain 1	5745	20.79	30	Pass
		5785	20.02	30	Pass
		5825	21.46	30	Pass
	Chain 2	5745	20.39	30	Pass
		5785	18.83	30	Pass
		5825	17.5	30	Pass
	Chain 3	5745	20.58	30	Pass
		5785	19.81	30	Pass
		5825	21.16	30	Pass
	Total	5745	26.74	30	Pass
		5785	25.72	30	Pass
		5825	26.26	30	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11ac40	Chain 0	5755	19.97	30	Pass
		5795	19.81	30	Pass
	Chain 1	5755	20.67	30	Pass
		5795	20.64	30	Pass
	Chain 2	5755	19.42	30	Pass
		5795	19.63	30	Pass
	Chain 3	5755	19.87	30	Pass
		5795	19.59	30	Pass
	Total	5755	26.03	30	Pass
		5795	25.96	30	Pass
802.11ac80	Chain 0	5775	20.98	30	Pass
	Chain 1	5775	20.02	30	Pass
	Chain 2	5775	20.4	30	Pass
	Chain 3	5775	20.79	30	Pass
	Total	5775	26.58	30	Pass
802.11ax20	Chain 0	5745	21.14	30	Pass
		5785	19.81	30	Pass
		5825	20.57	30	Pass
	Chain 1	5745	20.92	30	Pass
		5785	20.49	30	Pass
		5825	21.47	30	Pass
	Chain 2	5745	21.21	30	Pass
		5785	19.02	30	Pass
		5825	19.9	30	Pass
	Chain 3	5745	20.58	30	Pass
		5785	19.9	30	Pass
		5825	21.1	30	Pass
	Total	5745	26.99	30	Pass
		5785	25.86	30	Pass
		5825	26.82	30	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11ax40	Chain 0	5755	21.71	30	Pass
		5795	20.21	30	Pass
	Chain 1	5755	21.52	30	Pass
		5795	21.47	30	Pass
	Chain 2	5755	21.7	30	Pass
		5795	19.91	30	Pass
	Chain 3	5755	20.73	30	Pass
		5795	20.06	30	Pass
	Total	5755	27.45	30	Pass
		5795	26.48	30	Pass
802.11ax80	Chain 0	5775	20.96	30	Pass
	Chain 1	5775	21.71	30	Pass
	Chain 2	5775	20.48	30	Pass
	Chain 3	5775	20.62	30	Pass
	Total	5775	26.99	30	Pass

Power Spectral Density

5150-5250MHz

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	Chain 0	5180	14.27	0.26	14.53	17	Pass
		5200	14.37	0.26	14.63	17	Pass
		5240	13.95	0.26	14.21	17	Pass
	Chain 1	5180	14.62	0.26	14.88	17	Pass
		5200	14.46	0.26	14.72	17	Pass
		5240	14.43	0.26	14.69	17	Pass
	Chain 2	5180	14.21	0.26	14.47	17	Pass
		5200	14.30	0.26	14.56	17	Pass
		5240	14.24	0.26	14.50	17	Pass
	Chain 3	5180	14.77	0.26	15.03	17	Pass
		5200	14.24	0.26	14.50	17	Pass
		5240	14.21	0.26	14.47	17	Pass
802.11ac20	Chain 0	5180	9.28	0.96	10.24	17	Pass
		5200	8.73	0.96	9.69	17	Pass
		5240	8.75	0.96	9.71	17	Pass
	Chain 1	5180	9.00	0.96	9.96	17	Pass
		5200	9.19	0.96	10.15	17	Pass
		5240	8.45	0.96	9.41	17	Pass
	Chain 2	5180	9.46	0.96	10.42	17	Pass
		5200	9.15	0.96	10.11	17	Pass
		5240	9.33	0.96	10.29	17	Pass
	Chain 3	5180	8.84	0.96	9.80	17	Pass
		5200	9.03	0.96	9.99	17	Pass
		5240	9.26	0.96	10.22	17	Pass
	Total	5180	15.17	0.96	16.13	16.96	Pass
		5200	15.05	0.96	16.01	16.96	Pass
		5240	14.98	0.96	15.94	16.96	Pass

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11ac40	Chain 0	5190	6.80	0.96	7.76	17	Pass
		5230	6.45	0.96	7.41	17	Pass
	Chain 1	5190	7.29	0.96	8.25	17	Pass
		5230	6.62	0.96	7.58	17	Pass
	Chain 2	5190	6.18	0.96	7.14	17	Pass
		5230	6.49	0.96	7.45	17	Pass
	Chain 3	5190	6.39	0.96	7.35	17	Pass
		5230	6.53	0.96	7.49	17	Pass
	Total	5190	12.71	0.96	13.67	16.96	Pass
		5230	12.54	0.96	13.50	16.96	Pass
802.11ac80	Chain 0	5210	4.18	0.97	5.15	17	Pass
	Chain 1	5210	4.13	0.97	5.10	17	Pass
	Chain 2	5210	4.21	0.97	5.18	17	Pass
	Chain 3	5210	4.64	0.97	5.61	17	Pass
	Total	5210	10.32	0.97	11.29	16.96	Pass
802.11ax20	Chain 0	5180	9.53	0.96	10.49	17	Pass
		5200	9.10	0.96	10.06	17	Pass
		5240	8.86	0.96	9.82	17	Pass
	Chain 1	5180	8.81	0.96	9.77	17	Pass
		5200	8.95	0.96	9.91	17	Pass
		5240	8.56	0.96	9.52	17	Pass
	Chain 2	5180	9.17	0.96	10.13	17	Pass
		5200	9.73	0.96	10.69	17	Pass
		5240	9.00	0.96	9.96	17	Pass
	Chain 3	5180	9.09	0.96	10.05	17	Pass
		5200	8.55	0.96	9.51	17	Pass
		5240	9.41	0.96	10.37	17	Pass
	Total	5180	15.18	0.96	16.14	16.96	Pass
		5200	15.12	0.96	16.08	16.96	Pass
		5240	14.99	0.96	15.95	16.96	Pass

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11ax40	Chain 0	5190	7.28	0.96	8.24	17	Pass
		5230	6.65	0.96	7.61	17	Pass
	Chain 1	5190	6.42	0.96	7.38	17	Pass
		5230	6.51	0.96	7.47	17	Pass
	Chain 2	5190	6.45	0.96	7.41	17	Pass
		5230	7.06	0.96	8.02	17	Pass
	Chain 3	5190	6.61	0.96	7.57	17	Pass
		5230	7.37	0.96	8.33	17	Pass
	Total	5190	12.72	0.96	13.68	16.96	Pass
		5230	12.93	0.96	13.89	16.96	Pass
802.11ax80	Chain 0	5210	4.69	0.97	5.66	17	Pass
	Chain 1	5210	4.56	0.97	5.53	17	Pass
	Chain 2	5210	4.76	0.97	5.73	17	Pass
	Chain 3	5210	4.15	0.97	5.12	17	Pass
	Total	5210	10.57	0.97	11.54	16.96	Pass

5250-5350MHz

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	Chain 0	5260	9.03	0.26	9.29	11	Pass
		5280	8.79	0.26	9.05	11	Pass
		5320	8.90	0.26	9.16	11	Pass
	Chain 1	5260	9.22	0.26	9.48	11	Pass
		5280	9.13	0.26	9.39	11	Pass
		5320	10.04	0.26	10.30	11	Pass
	Chain 2	5260	9.49	0.26	9.75	11	Pass
		5280	9.11	0.26	9.37	11	Pass
		5320	8.96	0.26	9.22	11	Pass
	Chain 3	5260	9.30	0.26	9.56	11	Pass
		5280	9.26	0.26	9.52	11	Pass
		5320	9.45	0.26	9.71	11	Pass
802.11ac20	Chain 0	5260	2.94	0.96	3.90	11	Pass
		5280	2.11	0.96	3.07	11	Pass
		5320	2.59	0.96	3.55	11	Pass
	Chain 1	5260	2.38	0.96	3.34	11	Pass
		5280	2.62	0.96	3.58	11	Pass
		5320	3.16	0.96	4.12	11	Pass
	Chain 2	5260	2.92	0.96	3.88	11	Pass
		5280	2.39	0.96	3.35	11	Pass
		5320	3.30	0.96	4.26	11	Pass
	Chain 3	5260	2.98	0.96	3.94	11	Pass
		5280	3.46	0.96	4.42	11	Pass
		5320	3.51	0.96	4.47	11	Pass
	Total	5260	8.83	0.96	9.79	10.45	Pass
		5280	8.70	0.96	9.66	10.45	Pass
		5320	9.17	0.96	10.13	10.45	Pass

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11ac40	Chain 0	5270	1.70	0.96	2.66	11	Pass
		5310	0.92	0.96	1.88	11	Pass
	Chain 1	5270	1.96	0.96	2.92	11	Pass
		5310	2.47	0.96	3.43	11	Pass
	Chain 2	5270	1.83	0.96	2.79	11	Pass
		5310	1.87	0.96	2.83	11	Pass
	Chain 3	5270	2.36	0.96	3.32	11	Pass
		5310	2.30	0.96	3.26	11	Pass
	Total	5270	7.99	0.96	8.95	10.45	Pass
		5310	7.95	0.96	8.91	10.45	Pass
802.11ac80	Chain 0	5290	-1.35	0.97	-0.38	11	Pass
	Chain 1	5290	0.12	0.97	1.09	11	Pass
	Chain 2	5290	-0.16	0.97	0.81	11	Pass
	Chain 3	5290	-0.09	0.97	0.88	11	Pass
	Total	5290	5.69	0.97	6.66	10.45	Pass
802.11ax20	Chain 0	5260	2.46	0.96	3.42	11	Pass
		5280	2.08	0.96	3.04	11	Pass
		5320	2.75	0.96	3.71	11	Pass
	Chain 1	5260	3.00	0.96	3.96	11	Pass
		5280	2.74	0.96	3.70	11	Pass
		5320	3.28	0.96	4.24	11	Pass
	Chain 2	5260	3.01	0.96	3.97	11	Pass
		5280	2.54	0.96	3.50	11	Pass
		5320	2.97	0.96	3.93	11	Pass
	Chain 3	5260	3.13	0.96	4.09	11	Pass
		5280	3.21	0.96	4.17	11	Pass
		5320	3.44	0.96	4.40	11	Pass
	Total	5260	8.93	0.96	9.89	10.45	Pass
		5280	8.68	0.96	9.64	10.45	Pass
		5320	9.14	0.96	10.10	10.45	Pass

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11ax40	Chain 0	5270	1.57	0.96	2.53	11	Pass
		5310	1.84	0.96	2.80	11	Pass
	Chain 1	5270	1.94	0.96	2.90	11	Pass
		5310	2.39	0.96	3.35	11	Pass
	Chain 2	5270	2.13	0.96	3.09	11	Pass
		5310	1.68	0.96	2.64	11	Pass
	Chain 3	5270	2.06	0.96	3.02	11	Pass
		5310	2.78	0.96	3.74	11	Pass
	Total	5270	7.95	0.96	8.91	10.45	Pass
		5310	8.22	0.96	9.18	10.45	Pass
802.11ax80	Chain 0	5290	-0.57	0.97	0.40	11	Pass
	Chain 1	5290	0.14	0.97	1.11	11	Pass
	Chain 2	5290	-0.41	0.97	0.56	11	Pass
	Chain 3	5290	0.08	0.97	1.05	11	Pass
	Total	5290	5.84	0.97	6.81	10.45	Pass

5470-5725MHz

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	Chain 0	5500	7.70	0.26	7.96	11	Pass
		5580	9.53	0.26	9.79	11	Pass
		5700	8.73	0.26	8.99	11	Pass
		5720	8.56	0.26	8.82	11	Pass
	Chain 1	5500	7.05	0.26	7.31	11	Pass
		5580	9.62	0.26	9.88	11	Pass
		5700	9.21	0.26	9.47	11	Pass
		5720	9.10	0.26	9.36	11	Pass
	Chain 2	5500	7.64	0.26	7.90	11	Pass
		5580	8.31	0.26	8.57	11	Pass
		5700	7.97	0.26	8.23	11	Pass
		5720	8.00	0.26	8.26	11	Pass
	Chain 3	5500	8.22	0.26	8.48	11	Pass
		5580	8.90	0.26	9.16	11	Pass
		5700	8.83	0.26	9.09	11	Pass
		5720	8.63	0.26	8.89	11	Pass

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11ac20	Chain 0	5500	0.83	0.96	1.79	11	Pass
		5580	2.90	0.96	3.86	11	Pass
		5700	2.96	0.96	3.92	11	Pass
		5720	3.25	0.96	4.21	11	Pass
	Chain 1	5500	1.05	0.96	2.01	11	Pass
		5580	3.42	0.96	4.38	11	Pass
		5700	3.04	0.96	4.00	11	Pass
		5720	3.97	0.96	4.93	11	Pass
	Chain 2	5500	1.90	0.96	2.86	11	Pass
		5580	1.69	0.96	2.65	11	Pass
		5700	2.16	0.96	3.12	11	Pass
		5720	1.77	0.96	2.73	11	Pass
	Chain 3	5500	2.51	0.96	3.47	11	Pass
		5580	4.40	0.96	5.36	11	Pass
		5700	3.73	0.96	4.69	11	Pass
		5720	2.94	0.96	3.90	11	Pass
	Total	5500	7.65	0.96	8.61	11	Pass
		5580	9.23	0.96	10.19	11	Pass
		5700	9.03	0.96	9.99	11	Pass
		5720	9.07	0.96	10.03	11	Pass

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11ac40	Chain 0	5510	1.56	0.96	2.52	11	Pass
		5550	2.87	0.96	3.83	11	Pass
		5670	3.49	0.96	4.45	11	Pass
		5710	3.29	0.96	4.25	11	Pass
	Chain 1	5510	1.94	0.96	2.90	11	Pass
		5550	2.91	0.96	3.87	11	Pass
		5670	3.36	0.96	4.32	11	Pass
		5710	3.71	0.96	4.67	11	Pass
	Chain 2	5510	1.94	0.96	2.90	11	Pass
		5550	3.12	0.96	4.08	11	Pass
		5670	2.82	0.96	3.78	11	Pass
		5710	3.17	0.96	4.13	11	Pass
	Chain 3	5510	2.75	0.96	3.71	11	Pass
		5550	4.30	0.96	5.26	11	Pass
		5670	4.10	0.96	5.06	11	Pass
		5710	3.59	0.96	4.55	11	Pass
	Total	5510	8.09	0.96	9.05	11	Pass
		5550	9.36	0.96	10.32	11	Pass
		5670	9.49	0.96	10.45	11	Pass
		5710	9.47	0.96	10.43	11	Pass
802.11ac80	Chain 0	5530	0.25	0.97	1.22	11	Pass
		5610	-1.32	0.97	-0.35	11	Pass
		5690	0.54	0.97	1.51	11	Pass
	Chain 1	5530	0.34	0.97	1.31	11	Pass
		5610	-0.86	0.97	0.11	11	Pass
		5690	1.24	0.97	2.21	11	Pass
	Chain 2	5530	0.11	0.97	1.08	11	Pass
		5610	-1.37	0.97	-0.40	11	Pass
		5690	-0.04	0.97	0.93	11	Pass
	Chain 3	5530	1.79	0.97	2.76	11	Pass
		5610	-0.56	0.97	0.41	11	Pass
		5690	1.00	0.97	1.97	11	Pass
	Total	5530	6.70	0.97	7.67	11	Pass
		5610	5.01	0.97	5.98	11	Pass
		5690	6.73	0.97	7.70	11	Pass

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11ax20	Chain 0	5500	0.97	0.96	1.93	11	Pass
		5580	3.33	0.96	4.29	11	Pass
		5700	3.62	0.96	4.58	11	Pass
		5720	3.30	0.96	4.26	11	Pass
	Chain 1	5500	1.45	0.96	2.41	11	Pass
		5580	4.47	0.96	5.43	11	Pass
		5700	4.32	0.96	5.28	11	Pass
		5720	4.36	0.96	5.32	11	Pass
	Chain 2	5500	1.69	0.96	2.65	11	Pass
		5580	3.08	0.96	4.04	11	Pass
		5700	2.46	0.96	3.42	11	Pass
		5720	2.92	0.96	3.88	11	Pass
	Chain 3	5500	2.68	0.96	3.64	11	Pass
		5580	4.64	0.96	5.60	11	Pass
		5700	3.25	0.96	4.21	11	Pass
		5720	3.94	0.96	4.90	11	Pass
	Total	5500	7.76	0.96	8.72	11	Pass
		5580	9.95	0.96	10.91	11	Pass
		5700	9.48	0.96	10.44	11	Pass
		5720	9.69	0.96	10.65	11	Pass

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11ax40	Chain 0	5510	-0.81	0.96	0.15	11	Pass
		5550	0.71	0.96	1.67	11	Pass
		5670	1.77	0.96	2.73	11	Pass
		5710	1.60	0.96	2.56	11	Pass
	Chain 1	5510	-0.21	0.96	0.75	11	Pass
		5550	0.46	0.96	1.42	11	Pass
		5670	1.74	0.96	2.70	11	Pass
		5710	1.42	0.96	2.38	11	Pass
	Chain 2	5510	-0.27	0.96	0.69	11	Pass
		5550	0.42	0.96	1.38	11	Pass
		5670	0.97	0.96	1.93	11	Pass
		5710	1.01	0.96	1.97	11	Pass
	Chain 3	5510	0.56	0.96	1.52	11	Pass
		5550	1.55	0.96	2.51	11	Pass
		5670	1.81	0.96	2.77	11	Pass
		5710	1.28	0.96	2.24	11	Pass
	Total	5510	5.87	0.96	6.83	11	Pass
		5550	6.83	0.96	7.79	11	Pass
		5670	7.61	0.96	8.57	11	Pass
		5710	7.35	0.96	8.31	11	Pass
802.11ax80	Chain 0	5530	0.92	0.97	1.89	11	Pass
		5610	-1.37	0.97	-0.40	11	Pass
		5690	1.00	0.97	1.97	11	Pass
	Chain 1	5530	0.41	0.97	1.38	11	Pass
		5610	-0.49	0.97	0.48	11	Pass
		5690	1.48	0.97	2.45	11	Pass
	Chain 2	5530	1.02	0.97	1.99	11	Pass
		5610	-1.24	0.97	-0.27	11	Pass
		5690	0.38	0.97	1.35	11	Pass
	Chain 3	5530	1.50	0.97	2.47	11	Pass
		5610	-0.10	0.97	0.87	11	Pass
		5690	1.08	0.97	2.05	11	Pass
	Total	5530	7.00	0.97	7.97	11	Pass
		5610	5.25	0.97	6.22	11	Pass
		5690	7.02	0.97	7.99	11	Pass

5725-5850MHz

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/500kHz)	Duty Cycle Factor(dB)	Result (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
802.11a	Chain 0	5745	7.82	0.26	8.08	30	Pass
		5785	7.91	0.26	8.17	30	Pass
		5825	8.10	0.26	8.36	30	Pass
	Chain 1	5745	8.12	0.26	8.38	30	Pass
		5785	7.99	0.26	8.25	30	Pass
		5825	8.25	0.26	8.51	30	Pass
	Chain 2	5745	7.96	0.26	8.22	30	Pass
		5785	8.22	0.26	8.48	30	Pass
		5825	9.11	0.26	9.37	30	Pass
	Chain 3	5745	7.30	0.26	7.56	30	Pass
		5785	7.26	0.26	7.52	30	Pass
		5825	7.68	0.26	7.94	30	Pass
802.11ac20	Chain 0	5745	7.48	0.96	8.44	30	Pass
		5785	6.17	0.96	7.13	30	Pass
		5825	6.05	0.96	7.01	30	Pass
	Chain 1	5745	6.65	0.96	7.61	30	Pass
		5785	6.59	0.96	7.55	30	Pass
		5825	6.98	0.96	7.94	30	Pass
	Chain 2	5745	7.85	0.96	8.81	30	Pass
		5785	6.56	0.96	7.52	30	Pass
		5825	6.66	0.96	7.62	30	Pass
	Chain 3	5745	7.28	0.96	8.24	30	Pass
		5785	6.80	0.96	7.76	30	Pass
		5825	7.64	0.96	8.60	30	Pass
	Total	5745	13.36	0.96	14.32	30	Pass
		5785	12.56	0.96	13.52	30	Pass
		5825	12.89	0.96	13.85	30	Pass


Mode	Antenna	Test Frequency (MHz)	Reading (dBm/500kHz)	Duty Cycle Factor(dB)	Result (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
802.11ac40	Chain 0	5755	2.83	0.96	3.79	30	Pass
		5795	3.41	0.96	4.37	30	Pass
	Chain 1	5755	4.08	0.96	5.04	30	Pass
		5795	3.36	0.96	4.32	30	Pass
	Chain 2	5755	3.95	0.96	4.91	30	Pass
		5795	4.71	0.96	5.67	30	Pass
	Chain 3	5755	3.34	0.96	4.30	30	Pass
		5795	3.66	0.96	4.62	30	Pass
	Total	5755	9.60	0.96	10.56	30	Pass
		5795	9.84	0.96	10.80	30	Pass
802.11ac80	Chain 0	5775	0.83	0.97	1.80	30	Pass
	Chain 1	5775	1.23	0.97	2.20	30	Pass
	Chain 2	5775	2.43	0.97	3.40	30	Pass
	Chain 3	5775	1.38	0.97	2.35	30	Pass
	Total	5775	7.53	0.97	8.50	30	Pass
802.11ax20	Chain 0	5745	6.94	0.96	7.90	30	Pass
		5785	6.17	0.96	7.13	30	Pass
		5825	7.10	0.96	8.06	30	Pass
	Chain 1	5745	7.12	0.96	8.08	30	Pass
		5785	6.44	0.96	7.40	30	Pass
		5825	7.88	0.96	8.84	30	Pass
	Chain 2	5745	7.37	0.96	8.33	30	Pass
		5785	6.59	0.96	7.55	30	Pass
		5825	6.03	0.96	6.99	30	Pass
	Chain 3	5745	6.58	0.96	7.54	30	Pass
		5785	6.99	0.96	7.95	30	Pass
		5825	7.66	0.96	8.62	30	Pass
	Total	5745	13.03	0.96	13.99	30	Pass
		5785	12.58	0.96	13.54	30	Pass
		5825	13.24	0.96	14.20	30	Pass

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/500kHz)	Duty Cycle Factor(dB)	Result (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
802.11ax40	Chain 0	5755	4.11	0.96	5.07	30	Pass
		5795	3.45	0.96	4.41	30	Pass
	Chain 1	5755	4.64	0.96	5.60	30	Pass
		5795	3.95	0.96	4.91	30	Pass
	Chain 2	5755	5.13	0.96	6.09	30	Pass
		5795	4.81	0.96	5.77	30	Pass
	Chain 3	5755	4.10	0.96	5.06	30	Pass
		5795	4.27	0.96	5.23	30	Pass
	Total	5755	10.54	0.96	11.50	30	Pass
		5795	10.17	0.96	11.13	30	Pass
802.11ax80	Chain 0	5775	0.66	0.97	1.63	30	Pass
	Chain 1	5775	1.90	0.97	2.87	30	Pass
	Chain 2	5775	2.24	0.97	3.21	30	Pass
	Chain 3	5775	0.96	0.97	1.93	30	Pass
	Total	5775	7.51	0.97	8.48	30	Pass

Result = Reading + Duty Cycle Factor


5150-5250MHz

802.11a_5180MHz_Chain 0




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.FEB.2025 10:06:26

802.11a_5200MHz_Chain 0




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.FEB.2025 10:13:32

802.11a_5240MHz_Chain 0




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.FEB.2025 10:18:16

802.11a_5180MHz_Chain 1




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.FEB.2025 10:09:45

802.11a_5200MHz_Chain 1




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.FEB.2025 10:14:49

802.11a_5240MHz_Chain 1




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.FEB.2025 10:18:49

802.11a_5180MHz_Chain 2




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.FEB.2025 10:12:12

802.11a_5200MHz_Chain 2




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.FEB.2025 10:16:25

802.11a_5240MHz_Chain 2




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.FEB.2025 10:19:28

802.11a_5180MHz_Chain 3




ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.FEB.2025 10:12:49

802.11a_5200MHz_Chain 3



ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.FEB.2025 10:17:10

802.11a_5240MHz_Chain 3



ProjectNo.:2401X96326E-RF Tester:Rainbow Zhu
Date: 11.FEB.2025 10:20:13