



Annex for Bluetooth Low Energy

Test Report No.: CTL2506185011-WF02

TABLE OF CONTENTS

1. Duty Cycle	3
1.1 Test Result	3
1.1.1 Ant1	3
1.2 Test Graph.....	4
1.2.1 Ant1	4
2. Bandwidth.....	8
2.1 Test Result	8
2.1.1 OBW	8
2.1.2 6dB BW	8
2.2 Test Graph.....	9
2.2.1 OBW	9
2.2.2 6dB BW	13
3. Maximum Conducted Output Power	16
3.1 Test Result	16
3.1.1 Power	16
4. Maximum Power Spectral Density	17
4.1 Test Result	17
4.1.1 PSD	17
4.2 Test Graph.....	18
4.2.1 PSD	18



5. Unwanted Emissions In Non-restricted Frequency Bands..... 22

5.1 Test Result 22

5.1.1 Ref..... 22

5.1.2 CSE 22

5.2 Test Graph..... 23

5.2.1 Ref..... 23

5.2.2 CSE 27

FCC ID: 2BKJZ-Y-02

1. Duty Cycle

1.1 Test Result


1.1.1 Ant1

Ant1							
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
1M	SISO	2402	2.137	2.500	85.48	0.68	0.03
		2440	2.137	2.500	85.48	0.68	0.03
		2480	2.138	2.501	85.49	0.68	0.03
2M	SISO	2402	1.085	2.500	43.40	3.63	0.03
		2440	1.085	2.500	43.40	3.63	0.03
		2480	1.085	2.500	43.40	3.63	0.03


FCC ID: 2BKJZ-Y-02

1.2 Test Graph


1.2.1 Ant1



FCC ID: 2BKJZ-Y-02



FCC ID: 2BKJZ-Y-02



FCC ID: 2BKJZ-Y-02

2. Bandwidth

2.1 Test Result

2.1.1 OBW

Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
1M	SISO	2402	1	1.033	/	Pass
		2440	1	1.032	/	Pass
		2480	1	1.034	/	Pass
2M	SISO	2402	1	2.063	/	Pass
		2440	1	2.055	/	Pass
		2480	1	2.060	/	Pass


2.1.2 6dB BW

Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
1M	SISO	2402	1	0.662	≥ 0.5	Pass
		2440	1	0.663	≥ 0.5	Pass
		2480	1	0.665	≥ 0.5	Pass
2M	SISO	2402	1	1.232	≥ 0.5	Pass
		2440	1	1.224	≥ 0.5	Pass
		2480	1	1.244	≥ 0.5	Pass


FCC ID: 2BKJZ-Y-02

2.2 Test Graph


2.2.1 OBW



FCC ID: 2BKJZ-Y-02




FCC ID: 2BKJZ-Y-02




FCC ID: 2BKJZ-Y-02


2.2.2 6dB BW



FCC ID: 2BKJZ-Y-02



FCC ID: 2BKJZ-Y-02



3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

Mode	TX Type	Frequency (MHz)	Maximum Peak Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
1M	SISO	2402	-0.14	<=30	Pass
		2440	0.64	<=30	Pass
		2480	0.42	<=30	Pass
2M	SISO	2402	0.03	<=30	Pass
		2440	0.84	<=30	Pass
		2480	0.64	<=30	Pass
Note1: Antenna Gain: Ant1: -0.58dBi;					

FCC ID: 2BKJZ-Y-02

4. Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/3kHz)		Verdict
			ANT1	Limit	
1M	SISO	2402	-16.27	<=8	Pass
		2440	-15.49	<=8	Pass
		2480	-15.71	<=8	Pass
2M	SISO	2402	-19.91	<=8	Pass
		2440	-19.35	<=8	Pass
		2480	-18.88	<=8	Pass

Note1: Antenna Gain: Ant1: -0.58dBi;


FCC ID: 2BKJZ-Y-02

4.2 Test Graph


4.2.1 PSD



FCC ID: 2BKJZ-Y-02



FCC ID: 2BKJZ-Y-02



5. Unwanted Emissions In Non-restricted Frequency Bands

5.1 Test Result

5.1.1 Ref

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
1M	SISO	2402	1	-0.31
		2440	1	0.48
		2480	1	0.18
2M	SISO	2402	1	-1.14
		2440	1	-0.33
		2480	1	-0.50

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

5.1.2 CSE


Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
1M	SISO	2402	1	0.48	-19.52	Pass
		2440	1	0.48	-19.52	Pass
		2480	1	0.48	-19.52	Pass
2M	SISO	2402	1	-0.33	-20.33	Pass
		2440	1	-0.33	-20.33	Pass
		2480	1	-0.33	-20.33	Pass

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.


FCC ID: 2BKJZ-Y-02

5.2 Test Graph


5.2.1 Ref



FCC ID: 2BKJZ-Y-02




FCC ID: 2BKJZ-Y-02




FCC ID: 2BKJZ-Y-02


5.2.2 CSE




FCC ID: 2BKJZ-Y-02



FCC ID: 2BKJZ-Y-02



FCC ID: 2BKJZ-Y-02



FCC ID: 2BKJZ-Y-02

