

Dongguan Chuangjie Electronics Co., LTD
Add:No.6, Qilin East Road, Daning,
Humen Town, Dongguan City

承认书项目表

NO.	内 容 (Contents)	页数 (Number of Page)	页码 (Page Code)
1	承认书封面 (Spec Cover)	1	1
2	承认书项目表 (Spec Item)	1	2
3	工程成品图 (Drawing)	1	3
4	电性测试报告 (Test Reports)	1	4
5	S 参数测试 (S Parameter)	1	5
6	增益测试 (Gain Test)	1	6
7			
8			
9			
10	-	-	-
11	-	-	-
12	-	-	-

电性测试报告


Test Reports

Electrical Properties	
Frequency	2.4~2.5GHz;4.9~5.9GHz
Impedance	50 Ohm Nominal
V.S.W.R	1.92 : 1 Max
Return Loss	-10 dB Max
Radiation	Omni-directional
Gain (Peak)	5dBi
Cable Loss	3.2 dB / m Max @ 2450 MHz
Polarization	Linear, Vertical
Admitted Power	1 W
Connector	ipex
Physical Properties	
Antenna Material	FPCB
Cable Type	O.D. 1.13mm // 120 mm
Operating Temp.	-10 ~ +60 °C
Storage Temp.	-10 ~ +70 °C
Cable Color	Black

ADD：东莞市虎门镇大宁麒麟东路6号

Tel:15818375487

SIGN	DATE	DESCRIPTION	APPROVER
A			
A			
A			



东莞市创捷电子有限公司

Tel:86-0769-33891210
Fax:86-0769-82381572

TITLE: 2.4GHz Antenna

PART NO.: NB030-081B-1X130



DWG NAME: NB030-081B-1X130.DWG

APPROVED BY	CHECKED BY	DESIGNED BY	UNITS: mm	SCALE: 1/1	Tolerance
jeff 2014-02-26	leon 2014-02-26	YD 2014-02-26			X.X .00,20 X.XX .00,10 XA .N3A
			REVISION: A		

S 参数测试

S Parameter Test

Agilent E5071C



ADD：东莞市虎门镇大宁麒麟东路6号

Tel:15818375487

增益测试

Gain Test

*Antenna
Radiation
Pattern
VS
Gain*

