

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B41_5MHz_EIRP

Band: 41 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2557.5	1	0	23.81	1.30	25.11	<=33.01	Pass
			13	23.76	1.30	25.06	<=33.01	Pass
			24	23.86	1.30	25.16	<=33.01	Pass
		12	0	22.82	1.30	24.12	<=33.01	Pass
			6	22.78	1.30	24.08	<=33.01	Pass
			13	22.93	1.30	24.23	<=33.01	Pass
		25	0	22.80	1.30	24.10	<=33.01	Pass
	2605	1	0	23.74	1.30	25.04	<=33.01	Pass
			13	23.60	1.30	24.90	<=33.01	Pass
			24	23.63	1.30	24.93	<=33.01	Pass
		12	0	22.63	1.30	23.93	<=33.01	Pass
			6	22.62	1.30	23.92	<=33.01	Pass
			13	22.60	1.30	23.90	<=33.01	Pass
		25	0	22.63	1.30	23.93	<=33.01	Pass
	2652.5	1	0	23.69	1.30	24.99	<=33.01	Pass
			13	23.54	1.30	24.84	<=33.01	Pass
			24	23.65	1.30	24.95	<=33.01	Pass
		12	0	22.68	1.30	23.98	<=33.01	Pass
			6	22.56	1.30	23.86	<=33.01	Pass
			13	22.65	1.30	23.95	<=33.01	Pass
		25	0	22.60	1.30	23.90	<=33.01	Pass
16QAM	2557.5	1	0	23.59	1.30	24.89	<=33.01	Pass
			13	23.61	1.30	24.91	<=33.01	Pass
			24	23.85	1.30	25.15	<=33.01	Pass
		12	0	21.73	1.30	23.03	<=33.01	Pass
			6	21.91	1.30	23.21	<=33.01	Pass
			13	21.93	1.30	23.23	<=33.01	Pass
		25	0	21.87	1.30	23.17	<=33.01	Pass
	2605	1	0	22.57	1.30	23.87	<=33.01	Pass
			13	22.59	1.30	23.89	<=33.01	Pass
			24	22.68	1.30	23.98	<=33.01	Pass
		12	0	21.58	1.30	22.88	<=33.01	Pass
			6	21.51	1.30	22.81	<=33.01	Pass
			13	21.55	1.30	22.85	<=33.01	Pass
		25	0	21.78	1.30	23.08	<=33.01	Pass
	2652.5	1	0	22.59	1.30	23.89	<=33.01	Pass
			13	22.22	1.30	23.52	<=33.01	Pass
			24	22.59	1.30	23.89	<=33.01	Pass
		12	0	21.36	1.30	22.66	<=33.01	Pass
			6	21.44	1.30	22.74	<=33.01	Pass
			13	21.51	1.30	22.81	<=33.01	Pass
		25	0	21.56	1.30	22.86	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B41_10MHz_EIRP

Band: 41 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2560	1	0	23.90	1.30	25.20	<=33.01	Pass
			25	23.84	1.30	25.14	<=33.01	Pass
			49	23.89	1.30	25.19	<=33.01	Pass
		25	0	22.76	1.30	24.06	<=33.01	Pass
			13	22.78	1.30	24.08	<=33.01	Pass
			25	22.70	1.30	24.00	<=33.01	Pass
		50	0	22.90	1.30	24.20	<=33.01	Pass
	2605	1	0	23.69	1.30	24.99	<=33.01	Pass
			25	23.55	1.30	24.85	<=33.01	Pass
			49	23.60	1.30	24.90	<=33.01	Pass
		25	0	22.66	1.30	23.96	<=33.01	Pass
			13	22.70	1.30	24.00	<=33.01	Pass
			25	22.68	1.30	23.98	<=33.01	Pass
		50	0	22.72	1.30	24.02	<=33.01	Pass
	2650	1	0	23.66	1.30	24.96	<=33.01	Pass
			25	23.72	1.30	25.02	<=33.01	Pass
			49	23.72	1.30	25.02	<=33.01	Pass
		25	0	22.73	1.30	24.03	<=33.01	Pass
			13	22.53	1.30	23.83	<=33.01	Pass
			25	22.54	1.30	23.84	<=33.01	Pass
		50	0	22.44	1.30	23.74	<=33.01	Pass
16QAM	2560	1	0	22.96	1.30	24.26	<=33.01	Pass
			25	22.65	1.30	23.95	<=33.01	Pass
			49	22.84	1.30	24.14	<=33.01	Pass
		25	0	21.89	1.30	23.19	<=33.01	Pass
			13	21.84	1.30	23.14	<=33.01	Pass
			25	21.76	1.30	23.06	<=33.01	Pass
		50	0	21.76	1.30	23.06	<=33.01	Pass
	2605	1	0	22.48	1.30	23.78	<=33.01	Pass
			25	22.41	1.30	23.71	<=33.01	Pass
			49	22.95	1.30	24.25	<=33.01	Pass
		25	0	21.95	1.30	23.25	<=33.01	Pass
			13	21.93	1.30	23.23	<=33.01	Pass
			25	21.99	1.30	23.29	<=33.01	Pass
		50	0	21.55	1.30	22.85	<=33.01	Pass
	2650	1	0	23.42	1.30	24.72	<=33.01	Pass
			25	23.32	1.30	24.62	<=33.01	Pass
			49	23.44	1.30	24.74	<=33.01	Pass
		25	0	21.68	1.30	22.98	<=33.01	Pass
			13	21.65	1.30	22.95	<=33.01	Pass
			25	21.62	1.30	22.92	<=33.01	Pass
		50	0	21.64	1.30	22.94	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain



1.1.3 B41 15MHz EIRP

Band: 41 / Bandwidth: 15MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	2562.5	1	0	23.92	1.30	25.22	<=33.01	Pass		
			38	23.79	1.30	25.09	<=33.01	Pass		
			74	23.79	1.30	25.09	<=33.01	Pass		
		36	0	22.80	1.30	24.10	<=33.01	Pass		
			18	22.83	1.30	24.13	<=33.01	Pass		
			39	22.78	1.30	24.08	<=33.01	Pass		
		75	0	22.73	1.30	24.03	<=33.01	Pass		
		2605	1	0	23.48	1.30	24.78	<=33.01	Pass	
				38	23.53	1.30	24.83	<=33.01	Pass	
	74			23.69	1.30	24.99	<=33.01	Pass		
	36		0	22.64	1.30	23.94	<=33.01	Pass		
			18	22.57	1.30	23.87	<=33.01	Pass		
			39	22.70	1.30	24.00	<=33.01	Pass		
	75		0	22.64	1.30	23.94	<=33.01	Pass		
	2647.5		1	0	23.75	1.30	25.05	<=33.01	Pass	
				38	23.60	1.30	24.90	<=33.01	Pass	
		74		23.60	1.30	24.90	<=33.01	Pass		
		36	0	22.74	1.30	24.04	<=33.01	Pass		
			18	22.66	1.30	23.96	<=33.01	Pass		
			39	22.52	1.30	23.82	<=33.01	Pass		
		75	0	22.68	1.30	23.98	<=33.01	Pass		
		16QAM	2562.5	1	0	22.84	1.30	24.14	<=33.01	Pass
					38	22.54	1.30	23.84	<=33.01	Pass
	74				22.62	1.30	23.92	<=33.01	Pass	
36	0			21.80	1.30	23.10	<=33.01	Pass		
	18			21.77	1.30	23.07	<=33.01	Pass		
	39			21.76	1.30	23.06	<=33.01	Pass		
75	0			21.80	1.30	23.10	<=33.01	Pass		
2605	1			0	22.39	1.30	23.69	<=33.01	Pass	
				38	22.63	1.30	23.93	<=33.01	Pass	
			74	22.65	1.30	23.95	<=33.01	Pass		
	36		0	21.58	1.30	22.88	<=33.01	Pass		
			18	21.69	1.30	22.99	<=33.01	Pass		
			39	21.66	1.30	22.96	<=33.01	Pass		
	75		0	21.58	1.30	22.88	<=33.01	Pass		
	2647.5		1	0	23.30	1.30	24.60	<=33.01	Pass	
				38	23.30	1.30	24.60	<=33.01	Pass	
74				23.22	1.30	24.52	<=33.01	Pass		
36			0	21.67	1.30	22.97	<=33.01	Pass		
			18	21.58	1.30	22.88	<=33.01	Pass		
			39	21.60	1.30	22.90	<=33.01	Pass		
75			0	21.67	1.30	22.97	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

1.1.4 B41_20MHz_EIRP

Band: 41 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2565	1	0	23.88	1.30	25.18	<=33.01	Pass
			50	23.76	1.30	25.06	<=33.01	Pass
			99	23.67	1.30	24.97	<=33.01	Pass
		50	0	22.70	1.30	24.00	<=33.01	Pass
			25	22.86	1.30	24.16	<=33.01	Pass
			50	22.73	1.30	24.03	<=33.01	Pass
		100	0	22.79	1.30	24.09	<=33.01	Pass
	2605	1	0	23.67	1.30	24.97	<=33.01	Pass
			50	23.75	1.30	25.05	<=33.01	Pass
			99	23.67	1.30	24.97	<=33.01	Pass
		50	0	22.64	1.30	23.94	<=33.01	Pass
			25	22.74	1.30	24.04	<=33.01	Pass
			50	22.65	1.30	23.95	<=33.01	Pass
		100	0	22.65	1.30	23.95	<=33.01	Pass
	2645	1	0	23.58	1.30	24.88	<=33.01	Pass
			50	23.63	1.30	24.93	<=33.01	Pass
			99	23.60	1.30	24.90	<=33.01	Pass
		50	0	22.60	1.30	23.90	<=33.01	Pass
			25	22.66	1.30	23.96	<=33.01	Pass
			50	22.62	1.30	23.92	<=33.01	Pass
		100	0	22.65	1.30	23.95	<=33.01	Pass
16QAM	2565	1	0	23.38	1.30	24.68	<=33.01	Pass
			50	23.49	1.30	24.79	<=33.01	Pass
			99	23.50	1.30	24.80	<=33.01	Pass
		50	0	21.84	1.30	23.14	<=33.01	Pass
			25	21.82	1.30	23.12	<=33.01	Pass
			50	21.84	1.30	23.14	<=33.01	Pass
		100	0	21.69	1.30	22.99	<=33.01	Pass
	2605	1	0	23.30	1.30	24.60	<=33.01	Pass
			50	22.92	1.30	24.22	<=33.01	Pass
			99	23.43	1.30	24.73	<=33.01	Pass
		50	0	21.86	1.30	23.16	<=33.01	Pass
			25	21.66	1.30	22.96	<=33.01	Pass
			50	21.66	1.30	22.96	<=33.01	Pass
		100	0	21.66	1.30	22.96	<=33.01	Pass
	2645	1	0	22.25	1.30	23.55	<=33.01	Pass
			50	22.47	1.30	23.77	<=33.01	Pass
			99	22.44	1.30	23.74	<=33.01	Pass
		50	0	21.72	1.30	23.02	<=33.01	Pass
			25	21.72	1.30	23.02	<=33.01	Pass
			50	21.53	1.30	22.83	<=33.01	Pass
		100	0	21.62	1.30	22.92	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B41_5MHz

Band: 41 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2557.5	25	0	20	3.06	-42.372	-0.0166	-2.5 to 2.5	Pass
					3.60	-43.345	-0.0169	-2.5 to 2.5	Pass
					4.14	-18.654	-0.0073	-2.5 to 2.5	Pass
				-30	3.60	-39.883	-0.0156	-2.5 to 2.5	Pass
				-20	3.60	-16.565	-0.0065	-2.5 to 2.5	Pass
				-10	3.60	-34.704	-0.0136	-2.5 to 2.5	Pass
				0	3.60	-12.832	-0.0050	-2.5 to 2.5	Pass
				10	3.60	-17.896	-0.0070	-2.5 to 2.5	Pass
				30	3.60	-15.664	-0.0061	-2.5 to 2.5	Pass
				40	3.60	-18.411	-0.0072	-2.5 to 2.5	Pass
				50	3.60	-14.763	-0.0058	-2.5 to 2.5	Pass
	2605	25	0	20	3.06	7.982	0.0031	-2.5 to 2.5	Pass
					3.60	-40.040	-0.0154	-2.5 to 2.5	Pass
					4.14	-54.917	-0.0211	-2.5 to 2.5	Pass
				-30	3.60	-19.627	-0.0075	-2.5 to 2.5	Pass
				-20	3.60	-11.945	-0.0046	-2.5 to 2.5	Pass
				-10	3.60	-53.716	-0.0206	-2.5 to 2.5	Pass
				0	3.60	-50.426	-0.0194	-2.5 to 2.5	Pass
				10	3.60	-13.847	-0.0053	-2.5 to 2.5	Pass
				30	3.60	-23.704	-0.0091	-2.5 to 2.5	Pass
				40	3.60	-35.248	-0.0135	-2.5 to 2.5	Pass
				50	3.60	-52.114	-0.0200	-2.5 to 2.5	Pass
	2652.5	25	0	20	3.06	21.758	0.0082	-2.5 to 2.5	Pass
					3.60	1.087	0.0004	-2.5 to 2.5	Pass
					4.14	-49.825	-0.0188	-2.5 to 2.5	Pass
				-30	3.60	-23.961	-0.0090	-2.5 to 2.5	Pass
				-20	3.60	-44.932	-0.0169	-2.5 to 2.5	Pass
				-10	3.60	-23.932	-0.0090	-2.5 to 2.5	Pass
				0	3.60	-33.875	-0.0128	-2.5 to 2.5	Pass
				10	3.60	-37.622	-0.0142	-2.5 to 2.5	Pass
				30	3.60	-37.780	-0.0142	-2.5 to 2.5	Pass
				40	3.60	-43.159	-0.0163	-2.5 to 2.5	Pass
				50	3.60	-51.699	-0.0195	-2.5 to 2.5	Pass
16QAM	2557.5	25	0	20	3.06	7.138	0.0028	-2.5 to 2.5	Pass
					3.60	-8.683	-0.0034	-2.5 to 2.5	Pass
					4.14	39.568	0.0155	-2.5 to 2.5	Pass
				-30	3.60	15.979	0.0062	-2.5 to 2.5	Pass
				-20	3.60	38.438	0.0150	-2.5 to 2.5	Pass
				-10	3.60	38.824	0.0152	-2.5 to 2.5	Pass
				0	3.60	14.477	0.0057	-2.5 to 2.5	Pass
				10	3.60	36.063	0.0141	-2.5 to 2.5	Pass
				30	3.60	-0.229	-0.0001	-2.5 to 2.5	Pass
				40	3.60	15.678	0.0061	-2.5 to 2.5	Pass
				50	3.60	27.895	0.0109	-2.5 to 2.5	Pass
	2605	25	0	20	3.06	-45.776	-0.0176	-2.5 to 2.5	Pass
					3.60	7.267	0.0028	-2.5 to 2.5	Pass
					4.14	28.224	0.0108	-2.5 to 2.5	Pass
				-30	3.60	16.723	0.0064	-2.5 to 2.5	Pass
				-20	3.60	40.784	0.0157	-2.5 to 2.5	Pass
				-10	3.60	21.172	0.0081	-2.5 to 2.5	Pass

				0	3.60	35.777	0.0137	-2.5 to 2.5	Pass
				10	3.60	14.791	0.0057	-2.5 to 2.5	Pass
				30	3.60	3.276	0.0013	-2.5 to 2.5	Pass
				40	3.60	8.240	0.0032	-2.5 to 2.5	Pass
				50	3.60	31.557	0.0121	-2.5 to 2.5	Pass
	2652.5	25	0	20	3.06	-43.759	-0.0165	-2.5 to 2.5	Pass
					3.60	3.719	0.0014	-2.5 to 2.5	Pass
					4.14	40.984	0.0155	-2.5 to 2.5	Pass
				-30	3.60	43.488	0.0164	-2.5 to 2.5	Pass
				-20	3.60	6.552	0.0025	-2.5 to 2.5	Pass
				-10	3.60	30.899	0.0116	-2.5 to 2.5	Pass
				0	3.60	42.501	0.0160	-2.5 to 2.5	Pass
				10	3.60	-7.582	-0.0029	-2.5 to 2.5	Pass
				30	3.60	12.360	0.0047	-2.5 to 2.5	Pass
				40	3.60	21.930	0.0083	-2.5 to 2.5	Pass
				50	3.60	38.095	0.0144	-2.5 to 2.5	Pass

2.1.2 B41_10MHz

Band: 41 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2560	50	0	20	3.06	3.505	0.0014	-2.5 to 2.5	Pass
					3.60	-33.560	-0.0131	-2.5 to 2.5	Pass
					4.14	-44.618	-0.0174	-2.5 to 2.5	Pass
				-30	3.60	-28.253	-0.0110	-2.5 to 2.5	Pass
				-20	3.60	-15.092	-0.0059	-2.5 to 2.5	Pass
				-10	3.60	-33.503	-0.0131	-2.5 to 2.5	Pass
				0	3.60	-42.944	-0.0168	-2.5 to 2.5	Pass
				10	3.60	-41.327	-0.0161	-2.5 to 2.5	Pass
				30	3.60	-38.195	-0.0149	-2.5 to 2.5	Pass
				40	3.60	-48.523	-0.0190	-2.5 to 2.5	Pass
				50	3.60	-46.120	-0.0180	-2.5 to 2.5	Pass
	2605	50	0	20	3.06	-5.722	-0.0022	-2.5 to 2.5	Pass
					3.60	-47.622	-0.0183	-2.5 to 2.5	Pass
					4.14	-34.461	-0.0132	-2.5 to 2.5	Pass
				-30	3.60	-9.012	-0.0035	-2.5 to 2.5	Pass
				-20	3.60	-45.590	-0.0175	-2.5 to 2.5	Pass
				-10	3.60	-40.283	-0.0155	-2.5 to 2.5	Pass
				0	3.60	-25.206	-0.0097	-2.5 to 2.5	Pass
				10	3.60	-46.420	-0.0178	-2.5 to 2.5	Pass
				30	3.60	-6.881	-0.0026	-2.5 to 2.5	Pass
				40	3.60	-19.226	-0.0074	-2.5 to 2.5	Pass
				50	3.60	-34.561	-0.0133	-2.5 to 2.5	Pass
	2650	50	0	20	3.06	17.939	0.0068	-2.5 to 2.5	Pass
					3.60	-54.374	-0.0205	-2.5 to 2.5	Pass
					4.14	-43.273	-0.0163	-2.5 to 2.5	Pass
				-30	3.60	7.639	0.0029	-2.5 to 2.5	Pass
				-20	3.60	-7.982	-0.0030	-2.5 to 2.5	Pass
				-10	3.60	-9.227	-0.0035	-2.5 to 2.5	Pass
				0	3.60	-15.435	-0.0058	-2.5 to 2.5	Pass
				10	3.60	-24.662	-0.0093	-2.5 to 2.5	Pass
				30	3.60	-32.730	-0.0124	-2.5 to 2.5	Pass
				40	3.60	-35.892	-0.0135	-2.5 to 2.5	Pass
				50	3.60	-37.837	-0.0143	-2.5 to 2.5	Pass
16QAM	2560	50	0	20	3.06	-10.757	-0.0042	-2.5 to 2.5	Pass
					3.60	-4.921	-0.0019	-2.5 to 2.5	Pass
					4.14	42.300	0.0165	-2.5 to 2.5	Pass

				-30	3.60	18.725	0.0073	-2.5 to 2.5	Pass
				-20	3.60	20.442	0.0080	-2.5 to 2.5	Pass
				-10	3.60	33.803	0.0132	-2.5 to 2.5	Pass
				0	3.60	-12.417	-0.0049	-2.5 to 2.5	Pass
				10	3.60	6.995	0.0027	-2.5 to 2.5	Pass
				30	3.60	13.604	0.0053	-2.5 to 2.5	Pass
				40	3.60	29.039	0.0113	-2.5 to 2.5	Pass
				50	3.60	-9.298	-0.0036	-2.5 to 2.5	Pass
	2605	50	0	20	3.06	-9.084	-0.0035	-2.5 to 2.5	Pass
					3.60	13.604	0.0052	-2.5 to 2.5	Pass
					4.14	16.451	0.0063	-2.5 to 2.5	Pass
				-30	3.60	16.537	0.0063	-2.5 to 2.5	Pass
				-20	3.60	38.753	0.0149	-2.5 to 2.5	Pass
				-10	3.60	-3.347	-0.0013	-2.5 to 2.5	Pass
				0	3.60	15.392	0.0059	-2.5 to 2.5	Pass
				10	3.60	22.259	0.0085	-2.5 to 2.5	Pass
				30	3.60	15.535	0.0060	-2.5 to 2.5	Pass
				40	3.60	33.846	0.0130	-2.5 to 2.5	Pass
				50	3.60	17.710	0.0068	-2.5 to 2.5	Pass
	2650	50	0	20	3.06	-15.078	-0.0057	-2.5 to 2.5	Pass
					3.60	-6.566	-0.0025	-2.5 to 2.5	Pass
					4.14	27.280	0.0103	-2.5 to 2.5	Pass
				-30	3.60	17.052	0.0064	-2.5 to 2.5	Pass
				-20	3.60	27.308	0.0103	-2.5 to 2.5	Pass
				-10	3.60	28.381	0.0107	-2.5 to 2.5	Pass
				0	3.60	42.372	0.0160	-2.5 to 2.5	Pass
				10	3.60	-7.482	-0.0028	-2.5 to 2.5	Pass
				30	3.60	3.591	0.0014	-2.5 to 2.5	Pass
				40	3.60	-2.346	-0.0009	-2.5 to 2.5	Pass
				50	3.60	-0.973	-0.0004	-2.5 to 2.5	Pass

2.1.3 B41_15MHz

Band: 41 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2562.5	75	0	20	3.06	-28.081	-0.0110	-2.5 to 2.5	Pass
					3.60	-32.187	-0.0126	-2.5 to 2.5	Pass
					4.14	-34.819	-0.0136	-2.5 to 2.5	Pass
				-30	3.60	-24.691	-0.0096	-2.5 to 2.5	Pass
				-20	3.60	-45.476	-0.0177	-2.5 to 2.5	Pass
				-10	3.60	-23.775	-0.0093	-2.5 to 2.5	Pass
				0	3.60	-41.628	-0.0162	-2.5 to 2.5	Pass
				10	3.60	-54.216	-0.0212	-2.5 to 2.5	Pass
				30	3.60	-24.676	-0.0096	-2.5 to 2.5	Pass
				40	3.60	-28.925	-0.0113	-2.5 to 2.5	Pass
				50	3.60	-27.866	-0.0109	-2.5 to 2.5	Pass
	2605	75	0	20	3.06	-44.518	-0.0171	-2.5 to 2.5	Pass
					3.60	-50.755	-0.0195	-2.5 to 2.5	Pass
					4.14	-14.935	-0.0057	-2.5 to 2.5	Pass
				-30	3.60	-21.615	-0.0083	-2.5 to 2.5	Pass
				-20	3.60	-47.178	-0.0181	-2.5 to 2.5	Pass
				-10	3.60	-47.107	-0.0181	-2.5 to 2.5	Pass
				0	3.60	-35.963	-0.0138	-2.5 to 2.5	Pass
				10	3.60	-8.283	-0.0032	-2.5 to 2.5	Pass
				30	3.60	-29.955	-0.0115	-2.5 to 2.5	Pass
				40	3.60	-47.092	-0.0181	-2.5 to 2.5	Pass
				50	3.60	-19.355	-0.0074	-2.5 to 2.5	Pass

	2647.5	75	0	20	3.06	9.842	0.0037	-2.5 to 2.5	Pass
					3.60	-4.864	-0.0018	-2.5 to 2.5	Pass
					4.14	-37.193	-0.0140	-2.5 to 2.5	Pass
				-30	3.60	2.975	0.0011	-2.5 to 2.5	Pass
				-20	3.60	-18.668	-0.0071	-2.5 to 2.5	Pass
				-10	3.60	-29.283	-0.0111	-2.5 to 2.5	Pass
				0	3.60	-32.129	-0.0121	-2.5 to 2.5	Pass
				10	3.60	-33.202	-0.0125	-2.5 to 2.5	Pass
				30	3.60	-38.452	-0.0145	-2.5 to 2.5	Pass
				40	3.60	-34.876	-0.0132	-2.5 to 2.5	Pass
				50	3.60	-28.725	-0.0108	-2.5 to 2.5	Pass
16QAM	2562.5	75	0	20	3.06	26.093	0.0102	-2.5 to 2.5	Pass
					3.60	4.592	0.0018	-2.5 to 2.5	Pass
					4.14	16.208	0.0063	-2.5 to 2.5	Pass
				-30	3.60	12.932	0.0050	-2.5 to 2.5	Pass
				-20	3.60	22.931	0.0089	-2.5 to 2.5	Pass
				-10	3.60	0.472	0.0002	-2.5 to 2.5	Pass
				0	3.60	15.135	0.0059	-2.5 to 2.5	Pass
				10	3.60	24.076	0.0094	-2.5 to 2.5	Pass
				30	3.60	33.345	0.0130	-2.5 to 2.5	Pass
				40	3.60	12.560	0.0049	-2.5 to 2.5	Pass
				50	3.60	19.140	0.0075	-2.5 to 2.5	Pass
	2605	75	0	20	3.06	9.928	0.0038	-2.5 to 2.5	Pass
					3.60	17.667	0.0068	-2.5 to 2.5	Pass
					4.14	28.138	0.0108	-2.5 to 2.5	Pass
				-30	3.60	8.812	0.0034	-2.5 to 2.5	Pass
				-20	3.60	22.430	0.0086	-2.5 to 2.5	Pass
				-10	3.60	38.266	0.0147	-2.5 to 2.5	Pass
				0	3.60	36.364	0.0140	-2.5 to 2.5	Pass
				10	3.60	2.103	0.0008	-2.5 to 2.5	Pass
				30	3.60	7.510	0.0029	-2.5 to 2.5	Pass
				40	3.60	14.119	0.0054	-2.5 to 2.5	Pass
				50	3.60	20.428	0.0078	-2.5 to 2.5	Pass
	2647.5	75	0	20	3.06	13.132	0.0050	-2.5 to 2.5	Pass
					3.60	32.845	0.0124	-2.5 to 2.5	Pass
					4.14	19.240	0.0073	-2.5 to 2.5	Pass
				-30	3.60	33.274	0.0126	-2.5 to 2.5	Pass
				-20	3.60	28.939	0.0109	-2.5 to 2.5	Pass
				-10	3.60	26.636	0.0101	-2.5 to 2.5	Pass
				0	3.60	-2.332	-0.0009	-2.5 to 2.5	Pass
				10	3.60	8.054	0.0030	-2.5 to 2.5	Pass
				30	3.60	13.461	0.0051	-2.5 to 2.5	Pass
				40	3.60	25.735	0.0097	-2.5 to 2.5	Pass
				50	3.60	34.561	0.0131	-2.5 to 2.5	Pass

2.1.4 B41_20MHz

Band: 41 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2565	100	0	20	3.06	-45.805	-0.0179	-2.5 to 2.5	Pass
					3.60	-44.861	-0.0175	-2.5 to 2.5	Pass
					4.14	-32.601	-0.0127	-2.5 to 2.5	Pass
				-30	3.60	-21.114	-0.0082	-2.5 to 2.5	Pass
				-20	3.60	-44.546	-0.0174	-2.5 to 2.5	Pass
				-10	3.60	-36.235	-0.0141	-2.5 to 2.5	Pass
				0	3.60	2.947	0.0011	-2.5 to 2.5	Pass
				10	3.60	-1.087	-0.0004	-2.5 to 2.5	Pass

				30	3.60	-5.608	-0.0022	-2.5 to 2.5	Pass
				40	3.60	-20.828	-0.0081	-2.5 to 2.5	Pass
				50	3.60	-30.699	-0.0120	-2.5 to 2.5	Pass
	2605	100	0	20	3.06	-35.276	-0.0135	-2.5 to 2.5	Pass
					3.60	-26.865	-0.0103	-2.5 to 2.5	Pass
					4.14	-43.030	-0.0165	-2.5 to 2.5	Pass
				-30	3.60	-46.406	-0.0178	-2.5 to 2.5	Pass
				-20	3.60	-48.766	-0.0187	-2.5 to 2.5	Pass
				-10	3.60	-31.700	-0.0122	-2.5 to 2.5	Pass
				0	3.60	-25.249	-0.0097	-2.5 to 2.5	Pass
				10	3.60	-19.698	-0.0076	-2.5 to 2.5	Pass
				30	3.60	-10.400	-0.0040	-2.5 to 2.5	Pass
				40	3.60	-24.648	-0.0095	-2.5 to 2.5	Pass
				50	3.60	-30.456	-0.0117	-2.5 to 2.5	Pass
	2645	100	0	20	3.06	-2.561	-0.0010	-2.5 to 2.5	Pass
					3.60	-29.883	-0.0113	-2.5 to 2.5	Pass
					4.14	-27.008	-0.0102	-2.5 to 2.5	Pass
				-30	3.60	-40.340	-0.0153	-2.5 to 2.5	Pass
				-20	3.60	-11.358	-0.0043	-2.5 to 2.5	Pass
				-10	3.60	3.862	0.0015	-2.5 to 2.5	Pass
				0	3.60	-5.207	-0.0020	-2.5 to 2.5	Pass
				10	3.60	-14.820	-0.0056	-2.5 to 2.5	Pass
				30	3.60	-23.632	-0.0089	-2.5 to 2.5	Pass
				40	3.60	-21.586	-0.0082	-2.5 to 2.5	Pass
				50	3.60	-25.735	-0.0097	-2.5 to 2.5	Pass
16QAM	2565	100	0	20	3.06	29.426	0.0115	-2.5 to 2.5	Pass
					3.60	25.463	0.0099	-2.5 to 2.5	Pass
					4.14	9.069	0.0035	-2.5 to 2.5	Pass
				-30	3.60	33.474	0.0131	-2.5 to 2.5	Pass
				-20	3.60	2.346	0.0009	-2.5 to 2.5	Pass
				-10	3.60	19.813	0.0077	-2.5 to 2.5	Pass
				0	3.60	25.048	0.0098	-2.5 to 2.5	Pass
				10	3.60	28.052	0.0109	-2.5 to 2.5	Pass
				30	3.60	-9.584	-0.0037	-2.5 to 2.5	Pass
				40	3.60	-0.844	-0.0003	-2.5 to 2.5	Pass
				50	3.60	6.466	0.0025	-2.5 to 2.5	Pass
	2605	100	0	20	3.06	15.807	0.0061	-2.5 to 2.5	Pass
					3.60	26.464	0.0102	-2.5 to 2.5	Pass
					4.14	14.806	0.0057	-2.5 to 2.5	Pass
				-30	3.60	38.896	0.0149	-2.5 to 2.5	Pass
				-20	3.60	29.140	0.0112	-2.5 to 2.5	Pass
				-10	3.60	18.325	0.0070	-2.5 to 2.5	Pass
				0	3.60	28.625	0.0110	-2.5 to 2.5	Pass
				10	3.60	33.302	0.0128	-2.5 to 2.5	Pass
				30	3.60	25.220	0.0097	-2.5 to 2.5	Pass
				40	3.60	29.469	0.0113	-2.5 to 2.5	Pass
				50	3.60	39.811	0.0153	-2.5 to 2.5	Pass
	2645	100	0	20	3.06	24.519	0.0093	-2.5 to 2.5	Pass
					3.60	34.962	0.0132	-2.5 to 2.5	Pass
					4.14	34.719	0.0131	-2.5 to 2.5	Pass
				-30	3.60	21.458	0.0081	-2.5 to 2.5	Pass
				-20	3.60	1.359	0.0005	-2.5 to 2.5	Pass
				-10	3.60	23.475	0.0089	-2.5 to 2.5	Pass
				0	3.60	36.678	0.0139	-2.5 to 2.5	Pass
				10	3.60	38.924	0.0147	-2.5 to 2.5	Pass
				30	3.60	-4.020	-0.0015	-2.5 to 2.5	Pass
				40	3.60	-3.204	-0.0012	-2.5 to 2.5	Pass
				50	3.60	6.466	0.0024	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B41_5MHz

Band: 41 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2605	25	0	Refer To Test Graph		Pass
16QAM	2605	25	0	Refer To Test Graph		Pass

3.1.2 B41_10MHz

Band: 41 / Bandwidth: 10MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2605	50	0	Refer To Test Graph		Pass
16QAM	2605	50	0	Refer To Test Graph		Pass

3.1.3 B41_15MHz


Band: 41 / Bandwidth: 15MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2605	75	0	Refer To Test Graph		Pass
16QAM	2605	75	0	Refer To Test Graph		Pass

3.1.4 B41_20MHz


Band: 41 / Bandwidth: 20MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2605	100	0	Refer To Test Graph		Pass
16QAM	2605	100	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B41_5MHz




3.2.2 B41_10MHz



3.2.3 B41_15MHz



3.2.4 B41_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band41_OBW

Band: 41 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2557.5	25	0	4.551	/	Pass
		2605	25	0	4.546	/	Pass
		2652.5	25	0	4.558	/	Pass
	16QAM	2557.5	25	0	4.545	/	Pass
		2605	25	0	4.574	/	Pass
		2652.5	25	0	4.545	/	Pass
10	QPSK	2560	50	0	9.081	/	Pass
		2605	50	0	9.081	/	Pass
		2650	50	0	9.084	/	Pass
	16QAM	2560	50	0	9.087	/	Pass
		2605	50	0	9.090	/	Pass
		2650	50	0	9.057	/	Pass
15	QPSK	2562.5	75	0	13.536	/	Pass
		2605	75	0	13.603	/	Pass
		2647.5	75	0	13.599	/	Pass
	16QAM	2562.5	75	0	13.652	/	Pass
		2605	75	0	13.599	/	Pass
		2647.5	75	0	13.656	/	Pass
20	QPSK	2565	100	0	18.174	/	Pass
		2605	100	0	18.159	/	Pass
		2645	100	0	18.121	/	Pass
	16QAM	2565	100	0	18.137	/	Pass
		2605	100	0	18.187	/	Pass
		2645	100	0	18.147	/	Pass

4.1.2 Band41_XDB

Band: 41 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2557.5	25	0	5.296	/	Pass
		2605	25	0	5.163	/	Pass
		2652.5	25	0	5.094	/	Pass
	16QAM	2557.5	25	0	5.242	/	Pass
		2605	25	0	5.159	/	Pass
		2652.5	25	0	5.141	/	Pass
10	QPSK	2560	50	0	10.034	/	Pass
		2605	50	0	10.431	/	Pass
		2650	50	0	10.043	/	Pass
	16QAM	2560	50	0	10.074	/	Pass
		2605	50	0	10.689	/	Pass
		2650	50	0	10.012	/	Pass
15	QPSK	2562.5	75	0	14.706	/	Pass
		2605	75	0	15.562	/	Pass
		2647.5	75	0	16.131	/	Pass



250515148FW6


	16QAM	2562.5	75	0	15.907	/	Pass
		2605	75	0	14.735	/	Pass
		2647.5	75	0	15.160	/	Pass
20	QPSK	2565	100	0	20.329	/	Pass
		2605	100	0	20.372	/	Pass
		2645	100	0	21.457	/	Pass
	16QAM	2565	100	0	21.676	/	Pass
		2605	100	0	20.027	/	Pass
		2645	100	0	21.362	/	Pass



250515148FW6

4.2 Test Graph


4.2.1 Band41_OBW






250515148FW6

Band41_5MHz_QPSK_HCH_2652.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_LCH_2557.5MHz_RB_25_0_NTNV






250515148FW6

Band41_5MHz_16QAM_MCH_2605MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_HCH_2652.5MHz_RB_25_0_NTNV






250515148FW6

Band41_10MHz_QPSK_LCH_2560MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_MCH_2605MHz_RB_50_0_NTNV






250515148FW6

Band41_10MHz_QPSK_HCH_2650MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_LCH_2560MHz_RB_50_0_NTNV






250515148FW6

Band41_10MHz_16QAM_MCH_2605MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_HCH_2650MHz_RB_50_0_NTNV






250515148FW6

Band41_15MHz_QPSK_LCH_2562.5MHz_RB_75_0_NTNV




Band41_15MHz_QPSK_MCH_2605MHz_RB_75_0_NTNV






250515148FW6

Band41_15MHz_QPSK_HCH_2647.5MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_LCH_2562.5MHz_RB_75_0_NTNV






250515148FW6

Band41_15MHz_16QAM_MCH_2605MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_HCH_2647.5MHz_RB_75_0_NTNV






250515148FW6

Band41_20MHz_QPSK_LCH_2565MHz_RB_100_0_NTNV




Band41_20MHz_QPSK_MCH_2605MHz_RB_100_0_NTNV






250515148FW6

Band41_20MHz_QPSK_HCH_2645MHz_RB_100_0_NTNV




Band41_20MHz_16QAM_LCH_2565MHz_RB_100_0_NTNV






250515148FW6

Band41_20MHz_16QAM_MCH_2605MHz_RB_100_0_NTNV




Band41_20MHz_16QAM_HCH_2645MHz_RB_100_0_NTNV




4.2.2 Band41_XDB

Band41_5MHz_QPSK_LCH_2557.5MHz_RB_25_0_NTNV




Band41_5MHz_QPSK_MCH_2605MHz_RB_25_0_NTNV






250515148FW6

Band41_5MHz_QPSK_HCH_2652.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_LCH_2557.5MHz_RB_25_0_NTNV






250515148FW6

Band41_5MHz_16QAM_MCH_2605MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_HCH_2652.5MHz_RB_25_0_NTNV






250515148FW6

Band41_10MHz_QPSK_LCH_2560MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_MCH_2605MHz_RB_50_0_NTNV






250515148FW6

Band41_10MHz_QPSK_HCH_2650MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_LCH_2560MHz_RB_50_0_NTNV






250515148FW6

Band41_10MHz_16QAM_MCH_2605MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_HCH_2650MHz_RB_50_0_NTNV






250515148FW6

Band41_15MHz_QPSK_LCH_2562.5MHz_RB_75_0_NTNV




Band41_15MHz_QPSK_MCH_2605MHz_RB_75_0_NTNV






250515148FW6

Band41_15MHz_QPSK_HCH_2647.5MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_LCH_2562.5MHz_RB_75_0_NTNV






250515148FW6

Band41_15MHz_16QAM_MCH_2605MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_HCH_2647.5MHz_RB_75_0_NTNV






250515148FW6

Band41_20MHz_QPSK_LCH_2565MHz_RB_100_0_NTNV




Band41_20MHz_QPSK_MCH_2605MHz_RB_100_0_NTNV






250515148FW6

Band41_20MHz_QPSK_HCH_2645MHz_RB_100_0_NTNV




Band41_20MHz_16QAM_LCH_2565MHz_RB_100_0_NTNV






250515148FW6

Band41_20MHz_16QAM_MCH_2605MHz_RB_100_0_NTNV



Band41_20MHz_16QAM_HCH_2645MHz_RB_100_0_NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B41_5MHz

Band: 41 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2557.5	25	0	7.49	<=13	Pass
	2605	25	0	7.32	<=13	Pass
	2652.5	25	0	7.19	<=13	Pass
16QAM	2557.5	25	0	8.27	<=13	Pass
	2605	25	0	8.40	<=13	Pass
	2652.5	25	0	8.03	<=13	Pass

5.1.2 B41_10MHz

Band: 41 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2560	50	0	7.65	<=13	Pass
	2605	50	0	7.62	<=13	Pass
	2650	50	0	7.36	<=13	Pass
16QAM	2560	50	0	8.32	<=13	Pass
	2605	50	0	8.42	<=13	Pass
	2650	50	0	8.01	<=13	Pass

5.1.3 B41_15MHz

Band: 41 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2562.5	75	0	7.11	<=13	Pass
	2605	75	0	7.38	<=13	Pass
	2647.5	75	0	7.11	<=13	Pass
16QAM	2562.5	75	0	8.28	<=13	Pass
	2605	75	0	8.22	<=13	Pass
	2647.5	75	0	8.16	<=13	Pass

5.1.4 B41_20MHz

Band: 41 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2565	100	0	7.72	<=13	Pass
	2605	100	0	7.76	<=13	Pass
	2645	100	0	7.78	<=13	Pass
16QAM	2565	100	0	8.55	<=13	Pass
	2605	100	0	8.68	<=13	Pass
	2645	100	0	8.52	<=13	Pass






250515148FW6


5.2 Test Graph

5.2.1 B41_5MHz

Band41_5MHz_QPSK_LCH_2557.5MHz_RB_25_0_NTNV




Band41_5MHz_QPSK_MCH_2605MHz_RB_25_0_NTNV






250515148FW6

Band41_5MHz_QPSK_HCH_2652.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_LCH_2557.5MHz_RB_25_0_NTNV






250515148FW6

Band41_5MHz_16QAM_MCH_2605MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_HCH_2652.5MHz_RB_25_0_NTNV




5.2.2 B41_10MHz


Band41_10MHz_QPSK_LCH_2560MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_MCH_2605MHz_RB_50_0_NTNV



Band41_10MHz_QPSK_HCH_2650MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_LCH_2560MHz_RB_50_0_NTNV






250515148FW6

Band41_10MHz_16QAM_MCH_2605MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_HCH_2650MHz_RB_50_0_NTNV




5.2.3 B41_15MHz

Band41_15MHz_QPSK_LCH_2562.5MHz_RB_75_0_NTNV




Band41_15MHz_QPSK_MCH_2605MHz_RB_75_0_NTNV






250515148FW6

Band41_15MHz_QPSK_HCH_2647.5MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_LCH_2562.5MHz_RB_75_0_NTNV






250515148FW6


Band41_15MHz_16QAM_MCH_2605MHz_RB_75_0_NTNV



Band41_15MHz_16QAM_HCH_2647.5MHz_RB_75_0_NTNV




5.2.4 B41_20MHz






250515148FW6

Band41_20MHz_QPSK_HCH_2645MHz_RB_100_0_NTNV




Band41_20MHz_16QAM_LCH_2565MHz_RB_100_0_NTNV





250515148FW6

Band41_20MHz_16QAM_MCH_2605MHz_RB_100_0_NTNV



Band41_20MHz_16QAM_HCH_2645MHz_RB_100_0_NTNV

