

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26b_1.4MHz_ERP

Band: 26b / Bandwidth: 1.4MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	24.97	-2.40	20.42	<=34.77	Pass
			2	25.11	-2.40	20.56	<=34.77	Pass
			5	25.12	-2.40	20.57	<=34.77	Pass
		3	0	25.08	-2.40	20.53	<=34.77	Pass
			2	25.09	-2.40	20.54	<=34.77	Pass
			3	25.00	-2.40	20.45	<=34.77	Pass
		6	0	23.00	-2.40	18.45	<=34.77	Pass
	836.5	1	0	24.99	-2.40	20.44	<=34.77	Pass
			2	25.01	-2.40	20.46	<=34.77	Pass
			5	24.99	-2.40	20.44	<=34.77	Pass
		3	0	24.93	-2.40	20.38	<=34.77	Pass
			2	24.89	-2.40	20.34	<=34.77	Pass
			3	24.95	-2.40	20.40	<=34.77	Pass
		6	0	23.37	-2.40	18.82	<=34.77	Pass
	848.3	1	0	24.93	-2.40	20.38	<=34.77	Pass
			2	24.97	-2.40	20.42	<=34.77	Pass
			5	24.91	-2.40	20.36	<=34.77	Pass
		3	0	24.93	-2.40	20.38	<=34.77	Pass
			2	25.00	-2.40	20.45	<=34.77	Pass
			3	25.05	-2.40	20.50	<=34.77	Pass
		6	0	22.86	-2.40	18.31	<=34.77	Pass
16QAM	824.7	1	0	23.39	-2.40	18.84	<=34.77	Pass
			2	23.32	-2.40	18.77	<=34.77	Pass
			5	23.29	-2.40	18.74	<=34.77	Pass
		3	0	23.68	-2.40	19.13	<=34.77	Pass
			2	23.73	-2.40	19.18	<=34.77	Pass
			3	23.75	-2.40	19.20	<=34.77	Pass
		6	0	23.17	-2.40	18.62	<=34.77	Pass
	836.5	1	0	23.31	-2.40	18.76	<=34.77	Pass
			2	23.32	-2.40	18.77	<=34.77	Pass
			5	23.33	-2.40	18.78	<=34.77	Pass
		3	0	23.91	-2.40	19.36	<=34.77	Pass
			2	23.81	-2.40	19.26	<=34.77	Pass
			3	23.81	-2.40	19.26	<=34.77	Pass
		6	0	23.55	-2.40	19.00	<=34.77	Pass
	848.3	1	0	23.62	-2.40	19.07	<=34.77	Pass
			2	23.53	-2.40	18.98	<=34.77	Pass
			5	23.51	-2.40	18.96	<=34.77	Pass
		3	0	23.35	-2.40	18.80	<=34.77	Pass
			2	23.46	-2.40	18.91	<=34.77	Pass
			3	23.48	-2.40	18.93	<=34.77	Pass
		6	0	22.98	-2.40	18.43	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B26b_3MHz_ERP

Band: 26b / Bandwidth: 3MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	25.04	-2.40	20.49	<=34.77	Pass
			7	25.05	-2.40	20.50	<=34.77	Pass
			14	25.05	-2.40	20.50	<=34.77	Pass
		8	0	23.00	-2.40	18.45	<=34.77	Pass
			4	23.00	-2.40	18.45	<=34.77	Pass
			7	23.58	-2.40	19.03	<=34.77	Pass
		15	0	22.93	-2.40	18.38	<=34.77	Pass
	836.5	1	0	25.07	-2.40	20.52	<=34.77	Pass
			7	24.98	-2.40	20.43	<=34.77	Pass
			14	25.01	-2.40	20.46	<=34.77	Pass
		8	0	23.43	-2.40	18.88	<=34.77	Pass
			4	23.40	-2.40	18.85	<=34.77	Pass
			7	23.33	-2.40	18.78	<=34.77	Pass
		15	0	23.43	-2.40	18.88	<=34.77	Pass
	847.5	1	0	25.14	-2.40	20.59	<=34.77	Pass
			7	25.04	-2.40	20.49	<=34.77	Pass
			14	25.02	-2.40	20.47	<=34.77	Pass
		8	0	22.86	-2.40	18.31	<=34.77	Pass
			4	22.70	-2.40	18.15	<=34.77	Pass
			7	22.86	-2.40	18.31	<=34.77	Pass
		15	0	22.68	-2.40	18.13	<=34.77	Pass
16QAM	825.5	1	0	23.06	-2.40	18.51	<=34.77	Pass
			7	23.23	-2.40	18.68	<=34.77	Pass
			14	23.19	-2.40	18.64	<=34.77	Pass
		8	0	23.26	-2.40	18.71	<=34.77	Pass
			4	23.24	-2.40	18.69	<=34.77	Pass
			7	23.68	-2.40	19.13	<=34.77	Pass
		15	0	22.97	-2.40	18.42	<=34.77	Pass
	836.5	1	0	23.51	-2.40	18.96	<=34.77	Pass
			7	23.40	-2.40	18.85	<=34.77	Pass
			14	23.46	-2.40	18.91	<=34.77	Pass
		8	0	23.60	-2.40	19.05	<=34.77	Pass
			4	23.62	-2.40	19.07	<=34.77	Pass
			7	23.61	-2.40	19.06	<=34.77	Pass
		15	0	23.51	-2.40	18.96	<=34.77	Pass
	847.5	1	0	24.09	-2.40	19.54	<=34.77	Pass
			7	24.08	-2.40	19.53	<=34.77	Pass
			14	24.06	-2.40	19.51	<=34.77	Pass
		8	0	23.00	-2.40	18.45	<=34.77	Pass
			4	22.90	-2.40	18.35	<=34.77	Pass
			7	22.99	-2.40	18.44	<=34.77	Pass
		15	0	22.90	-2.40	18.35	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	24.95	-2.40	20.40	<=34.77	Pass
			13	24.83	-2.40	20.28	<=34.77	Pass
			24	24.87	-2.40	20.32	<=34.77	Pass
		12	0	23.08	-2.40	18.53	<=34.77	Pass
			6	23.44	-2.40	18.89	<=34.77	Pass
			13	23.43	-2.40	18.88	<=34.77	Pass
		25	0	23.53	-2.40	18.98	<=34.77	Pass
	836.5	1	0	24.95	-2.40	20.40	<=34.77	Pass
			13	24.81	-2.40	20.26	<=34.77	Pass
			24	24.77	-2.40	20.22	<=34.77	Pass
		12	0	23.40	-2.40	18.85	<=34.77	Pass
			6	23.45	-2.40	18.90	<=34.77	Pass
			13	23.30	-2.40	18.75	<=34.77	Pass
		25	0	23.40	-2.40	18.85	<=34.77	Pass
	846.5	1	0	24.90	-2.40	20.35	<=34.77	Pass
			13	24.94	-2.40	20.39	<=34.77	Pass
			24	24.68	-2.40	20.13	<=34.77	Pass
		12	0	22.92	-2.40	18.37	<=34.77	Pass
			6	22.94	-2.40	18.39	<=34.77	Pass
			13	23.00	-2.40	18.45	<=34.77	Pass
		25	0	22.94	-2.40	18.39	<=34.77	Pass
16QAM	826.5	1	0	23.18	-2.40	18.63	<=34.77	Pass
			13	22.97	-2.40	18.42	<=34.77	Pass
			24	22.97	-2.40	18.42	<=34.77	Pass
		12	0	22.92	-2.40	18.37	<=34.77	Pass
			6	23.44	-2.40	18.89	<=34.77	Pass
			13	23.43	-2.40	18.88	<=34.77	Pass
		25	0	23.52	-2.40	18.97	<=34.77	Pass
	836.5	1	0	23.29	-2.40	18.74	<=34.77	Pass
			13	23.31	-2.40	18.76	<=34.77	Pass
			24	23.26	-2.40	18.71	<=34.77	Pass
		12	0	23.50	-2.40	18.95	<=34.77	Pass
			6	23.51	-2.40	18.96	<=34.77	Pass
			13	23.52	-2.40	18.97	<=34.77	Pass
		25	0	23.51	-2.40	18.96	<=34.77	Pass
	846.5	1	0	23.50	-2.40	18.95	<=34.77	Pass
			13	23.57	-2.40	19.02	<=34.77	Pass
			24	23.61	-2.40	19.06	<=34.77	Pass
		12	0	22.88	-2.40	18.33	<=34.77	Pass
			6	22.97	-2.40	18.42	<=34.77	Pass
			13	22.92	-2.40	18.37	<=34.77	Pass
		25	0	22.92	-2.40	18.37	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	24.95	-2.40	20.40	<=34.77	Pass
			25	24.95	-2.40	20.40	<=34.77	Pass
			49	24.84	-2.40	20.29	<=34.77	Pass
		25	0	23.46	-2.40	18.91	<=34.77	Pass
			13	23.50	-2.40	18.95	<=34.77	Pass
			25	23.40	-2.40	18.85	<=34.77	Pass
		50	0	23.55	-2.40	19.00	<=34.77	Pass
	836.5	1	0	24.90	-2.40	20.35	<=34.77	Pass
			25	25.04	-2.40	20.49	<=34.77	Pass
			49	25.11	-2.40	20.56	<=34.77	Pass
		25	0	23.41	-2.40	18.86	<=34.77	Pass
			13	23.45	-2.40	18.90	<=34.77	Pass
			25	22.99	-2.40	18.44	<=34.77	Pass
		50	0	23.45	-2.40	18.90	<=34.77	Pass
	844	1	0	24.95	-2.40	20.40	<=34.77	Pass
			25	25.03	-2.40	20.48	<=34.77	Pass
			49	25.07	-2.40	20.52	<=34.77	Pass
		25	0	23.04	-2.40	18.49	<=34.77	Pass
			13	22.89	-2.40	18.34	<=34.77	Pass
			25	22.92	-2.40	18.37	<=34.77	Pass
		50	0	23.00	-2.40	18.45	<=34.77	Pass
16QAM	829	1	0	23.17	-2.40	18.62	<=34.77	Pass
			25	23.20	-2.40	18.65	<=34.77	Pass
			49	23.14	-2.40	18.59	<=34.77	Pass
		25	0	23.50	-2.40	18.95	<=34.77	Pass
			13	23.46	-2.40	18.91	<=34.77	Pass
			25	23.46	-2.40	18.91	<=34.77	Pass
		50	0	23.29	-2.40	18.74	<=34.77	Pass
	836.5	1	0	23.22	-2.40	18.67	<=34.77	Pass
			25	23.55	-2.40	19.00	<=34.77	Pass
			49	23.64	-2.40	19.09	<=34.77	Pass
		25	0	23.47	-2.40	18.92	<=34.77	Pass
			13	23.44	-2.40	18.89	<=34.77	Pass
			25	22.95	-2.40	18.40	<=34.77	Pass
		50	0	23.40	-2.40	18.85	<=34.77	Pass
	844	1	0	23.87	-2.40	19.32	<=34.77	Pass
			25	23.92	-2.40	19.37	<=34.77	Pass
			49	23.88	-2.40	19.33	<=34.77	Pass
		25	0	23.13	-2.40	18.58	<=34.77	Pass
			13	23.12	-2.40	18.57	<=34.77	Pass
			25	23.07	-2.40	18.52	<=34.77	Pass
		50	0	22.98	-2.40	18.43	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	831.5	1	0	25.07	-2.40	20.52	<=34.77	Pass
			38	24.93	-2.40	20.38	<=34.77	Pass
			74	24.90	-2.40	20.35	<=34.77	Pass
		36	0	23.53	-2.40	18.98	<=34.77	Pass
			18	23.36	-2.40	18.81	<=34.77	Pass
			39	23.47	-2.40	18.92	<=34.77	Pass
		75	0	23.49	-2.40	18.94	<=34.77	Pass
	836.5	1	0	24.85	-2.40	20.30	<=34.77	Pass
			38	24.79	-2.40	20.24	<=34.77	Pass
			74	24.78	-2.40	20.23	<=34.77	Pass
		36	0	23.41	-2.40	18.86	<=34.77	Pass
			18	23.34	-2.40	18.79	<=34.77	Pass
			39	23.05	-2.40	18.50	<=34.77	Pass
		75	0	23.36	-2.40	18.81	<=34.77	Pass
	841.5	1	0	25.02	-2.40	20.47	<=34.77	Pass
			38	24.99	-2.40	20.44	<=34.77	Pass
			74	24.98	-2.40	20.43	<=34.77	Pass
		36	0	22.96	-2.40	18.41	<=34.77	Pass
			18	23.01	-2.40	18.46	<=34.77	Pass
			39	22.92	-2.40	18.37	<=34.77	Pass
		75	0	23.03	-2.40	18.48	<=34.77	Pass
16QAM	831.5	1	0	23.28	-2.40	18.73	<=34.77	Pass
			38	23.11	-2.40	18.56	<=34.77	Pass
			74	23.18	-2.40	18.63	<=34.77	Pass
		36	0	23.54	-2.40	18.99	<=34.77	Pass
			18	23.52	-2.40	18.97	<=34.77	Pass
			39	23.48	-2.40	18.93	<=34.77	Pass
		75	0	23.50	-2.40	18.95	<=34.77	Pass
	836.5	1	0	23.18	-2.40	18.63	<=34.77	Pass
			38	23.24	-2.40	18.69	<=34.77	Pass
			74	23.23	-2.40	18.68	<=34.77	Pass
		36	0	23.44	-2.40	18.89	<=34.77	Pass
			18	23.40	-2.40	18.85	<=34.77	Pass
			39	23.02	-2.40	18.47	<=34.77	Pass
		75	0	23.38	-2.40	18.83	<=34.77	Pass
	841.5	1	0	23.31	-2.40	18.76	<=34.77	Pass
			38	23.37	-2.40	18.82	<=34.77	Pass
			74	23.30	-2.40	18.75	<=34.77	Pass
		36	0	23.00	-2.40	18.45	<=34.77	Pass
			18	23.00	-2.40	18.45	<=34.77	Pass
			39	22.94	-2.40	18.39	<=34.77	Pass
		75	0	23.01	-2.40	18.46	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	3.15	-21.729	-0.0263	-2.5 to 2.5	Pass
					3.70	-21.586	-0.0262	-2.5 to 2.5	Pass
					4.26	-7.997	-0.0097	-2.5 to 2.5	Pass
				-30	3.70	-21.472	-0.0260	-2.5 to 2.5	Pass
				-20	3.70	-3.977	-0.0048	-2.5 to 2.5	Pass
				-10	3.70	-26.279	-0.0319	-2.5 to 2.5	Pass
				0	3.70	0.672	0.0008	-2.5 to 2.5	Pass
				10	3.70	-19.398	-0.0235	-2.5 to 2.5	Pass
				30	3.70	-38.152	-0.0463	-2.5 to 2.5	Pass
				40	3.70	-0.429	-0.0005	-2.5 to 2.5	Pass
				50	3.70	-4.005	-0.0049	-2.5 to 2.5	Pass
	836.5	6	0	20	3.15	33.460	0.0400	-2.5 to 2.5	Pass
					3.70	16.379	0.0196	-2.5 to 2.5	Pass
					4.26	28.467	0.0340	-2.5 to 2.5	Pass
				-30	3.70	31.614	0.0378	-2.5 to 2.5	Pass
				-20	3.70	32.544	0.0389	-2.5 to 2.5	Pass
				-10	3.70	33.202	0.0397	-2.5 to 2.5	Pass
				0	3.70	32.845	0.0393	-2.5 to 2.5	Pass
				10	3.70	32.988	0.0394	-2.5 to 2.5	Pass
				30	3.70	34.175	0.0409	-2.5 to 2.5	Pass
				40	3.70	34.447	0.0412	-2.5 to 2.5	Pass
				50	3.70	36.736	0.0439	-2.5 to 2.5	Pass
	848.3	6	0	20	3.15	21.429	0.0253	-2.5 to 2.5	Pass
					3.70	-21.858	-0.0258	-2.5 to 2.5	Pass
					4.26	-46.148	-0.0544	-2.5 to 2.5	Pass
				-30	3.70	-30.656	-0.0361	-2.5 to 2.5	Pass
				-20	3.70	-2.675	-0.0032	-2.5 to 2.5	Pass
				-10	3.70	-24.247	-0.0286	-2.5 to 2.5	Pass
				0	3.70	-32.444	-0.0382	-2.5 to 2.5	Pass
				10	3.70	-43.774	-0.0516	-2.5 to 2.5	Pass
				30	3.70	-4.535	-0.0053	-2.5 to 2.5	Pass
				40	3.70	-9.499	-0.0112	-2.5 to 2.5	Pass
16QAM	824.7	6	0	20	3.15	-13.547	-0.0164	-2.5 to 2.5	Pass
					3.70	-7.625	-0.0092	-2.5 to 2.5	Pass
					4.26	-10.600	-0.0129	-2.5 to 2.5	Pass
				-30	3.70	-13.876	-0.0168	-2.5 to 2.5	Pass
				-20	3.70	-19.341	-0.0235	-2.5 to 2.5	Pass
				-10	3.70	-18.697	-0.0227	-2.5 to 2.5	Pass
				0	3.70	-22.030	-0.0267	-2.5 to 2.5	Pass
				10	3.70	-26.350	-0.0320	-2.5 to 2.5	Pass
				30	3.70	-27.566	-0.0334	-2.5 to 2.5	Pass
				40	3.70	-32.587	-0.0395	-2.5 to 2.5	Pass
				50	3.70	-47.021	-0.0570	-2.5 to 2.5	Pass
	836.5	6	0	20	3.15	35.534	0.0425	-2.5 to 2.5	Pass
					3.70	40.584	0.0485	-2.5 to 2.5	Pass
					4.26	43.273	0.0517	-2.5 to 2.5	Pass
				-30	3.70	47.007	0.0562	-2.5 to 2.5	Pass
				-20	3.70	-1.216	-0.0015	-2.5 to 2.5	Pass
				-10	3.70	-4.191	-0.0050	-2.5 to 2.5	Pass

				0	3.70	2.275	0.0027	-2.5 to 2.5	Pass
				10	3.70	0.558	0.0007	-2.5 to 2.5	Pass
				30	3.70	5.264	0.0063	-2.5 to 2.5	Pass
				40	3.70	13.876	0.0166	-2.5 to 2.5	Pass
				50	3.70	12.960	0.0155	-2.5 to 2.5	Pass
	848.3	6	0	20	3.15	-24.548	-0.0289	-2.5 to 2.5	Pass
					3.70	-26.865	-0.0317	-2.5 to 2.5	Pass
					4.26	-29.097	-0.0343	-2.5 to 2.5	Pass
				-30	3.70	-32.086	-0.0378	-2.5 to 2.5	Pass
				-20	3.70	-35.648	-0.0420	-2.5 to 2.5	Pass
				-10	3.70	-36.521	-0.0431	-2.5 to 2.5	Pass
				0	3.70	-37.537	-0.0442	-2.5 to 2.5	Pass
				10	3.70	-42.229	-0.0498	-2.5 to 2.5	Pass
				30	3.70	-47.150	-0.0556	-2.5 to 2.5	Pass
				40	3.70	-3.276	-0.0039	-2.5 to 2.5	Pass
				50	3.70	-7.739	-0.0091	-2.5 to 2.5	Pass

2.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	825.5	15	0	20	3.15	11.230	0.0136	-2.5 to 2.5	Pass
					3.70	-25.678	-0.0311	-2.5 to 2.5	Pass
					4.26	-43.302	-0.0525	-2.5 to 2.5	Pass
				-30	3.70	-19.140	-0.0232	-2.5 to 2.5	Pass
				-20	3.70	-31.514	-0.0382	-2.5 to 2.5	Pass
				-10	3.70	-41.041	-0.0497	-2.5 to 2.5	Pass
				0	3.70	-7.396	-0.0090	-2.5 to 2.5	Pass
				10	3.70	-9.742	-0.0118	-2.5 to 2.5	Pass
				30	3.70	-16.937	-0.0205	-2.5 to 2.5	Pass
				40	3.70	-20.571	-0.0249	-2.5 to 2.5	Pass
	836.5	15	0	20	3.15	40.426	0.0483	-2.5 to 2.5	Pass
					3.70	11.587	0.0139	-2.5 to 2.5	Pass
					4.26	23.832	0.0285	-2.5 to 2.5	Pass
				-30	3.70	29.826	0.0357	-2.5 to 2.5	Pass
				-20	3.70	33.631	0.0402	-2.5 to 2.5	Pass
				-10	3.70	39.082	0.0467	-2.5 to 2.5	Pass
				0	3.70	47.050	0.0562	-2.5 to 2.5	Pass
				10	3.70	-0.486	-0.0006	-2.5 to 2.5	Pass
				30	3.70	-1.073	-0.0013	-2.5 to 2.5	Pass
				40	3.70	3.748	0.0045	-2.5 to 2.5	Pass
	847.5	15	0	20	3.15	22.445	0.0265	-2.5 to 2.5	Pass
					3.70	-44.832	-0.0529	-2.5 to 2.5	Pass
					4.26	-39.110	-0.0461	-2.5 to 2.5	Pass
				-30	3.70	-24.748	-0.0292	-2.5 to 2.5	Pass
				-20	3.70	-38.495	-0.0454	-2.5 to 2.5	Pass
				-10	3.70	2.031	0.0024	-2.5 to 2.5	Pass
				0	3.70	-4.449	-0.0052	-2.5 to 2.5	Pass
				10	3.70	-12.817	-0.0151	-2.5 to 2.5	Pass
				30	3.70	-17.209	-0.0203	-2.5 to 2.5	Pass
				40	3.70	-21.129	-0.0249	-2.5 to 2.5	Pass
16QAM	825.5	15	0	20	3.15	-33.588	-0.0407	-2.5 to 2.5	Pass
					3.70	-22.745	-0.0276	-2.5 to 2.5	Pass
					4.26	-18.296	-0.0222	-2.5 to 2.5	Pass

				-30	3.70	-16.766	-0.0203	-2.5 to 2.5	Pass
				-20	3.70	-22.187	-0.0269	-2.5 to 2.5	Pass
				-10	3.70	-22.244	-0.0269	-2.5 to 2.5	Pass
				0	3.70	-20.285	-0.0246	-2.5 to 2.5	Pass
				10	3.70	-17.438	-0.0211	-2.5 to 2.5	Pass
				30	3.70	-18.010	-0.0218	-2.5 to 2.5	Pass
				40	3.70	-20.084	-0.0243	-2.5 to 2.5	Pass
				50	3.70	-17.166	-0.0208	-2.5 to 2.5	Pass
	836.5	15	0	20	3.15	5.708	0.0068	-2.5 to 2.5	Pass
					3.70	14.148	0.0169	-2.5 to 2.5	Pass
					4.26	25.649	0.0307	-2.5 to 2.5	Pass
				-30	3.70	36.278	0.0434	-2.5 to 2.5	Pass
				-20	3.70	39.511	0.0472	-2.5 to 2.5	Pass
				-10	3.70	42.772	0.0511	-2.5 to 2.5	Pass
				0	3.70	45.776	0.0547	-2.5 to 2.5	Pass
				10	3.70	4.249	0.0051	-2.5 to 2.5	Pass
				30	3.70	6.380	0.0076	-2.5 to 2.5	Pass
				40	3.70	7.954	0.0095	-2.5 to 2.5	Pass
				50	3.70	10.800	0.0129	-2.5 to 2.5	Pass
	847.5	15	0	20	3.15	-31.543	-0.0372	-2.5 to 2.5	Pass
					3.70	-30.856	-0.0364	-2.5 to 2.5	Pass
					4.26	-33.188	-0.0392	-2.5 to 2.5	Pass
				-30	3.70	-32.415	-0.0382	-2.5 to 2.5	Pass
				-20	3.70	-32.616	-0.0385	-2.5 to 2.5	Pass
				-10	3.70	-34.676	-0.0409	-2.5 to 2.5	Pass
				0	3.70	-30.384	-0.0359	-2.5 to 2.5	Pass
				10	3.70	-32.902	-0.0388	-2.5 to 2.5	Pass
				30	3.70	-35.019	-0.0413	-2.5 to 2.5	Pass
				40	3.70	-36.249	-0.0428	-2.5 to 2.5	Pass
				50	3.70	-38.667	-0.0456	-2.5 to 2.5	Pass

2.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	3.15	11.973	0.0145	-2.5 to 2.5	Pass
					3.70	-42.858	-0.0519	-2.5 to 2.5	Pass
					4.26	-0.315	-0.0004	-2.5 to 2.5	Pass
				-30	3.70	-22.573	-0.0273	-2.5 to 2.5	Pass
				-20	3.70	-33.174	-0.0401	-2.5 to 2.5	Pass
				-10	3.70	-7.267	-0.0088	-2.5 to 2.5	Pass
				0	3.70	-17.824	-0.0216	-2.5 to 2.5	Pass
				10	3.70	-28.796	-0.0348	-2.5 to 2.5	Pass
				30	3.70	-32.315	-0.0391	-2.5 to 2.5	Pass
				40	3.70	-39.082	-0.0473	-2.5 to 2.5	Pass
				50	3.70	-39.496	-0.0478	-2.5 to 2.5	Pass
	836.5	25	0	20	3.15	19.670	0.0235	-2.5 to 2.5	Pass
					3.70	24.605	0.0294	-2.5 to 2.5	Pass
					4.26	37.794	0.0452	-2.5 to 2.5	Pass
				-30	3.70	48.923	0.0585	-2.5 to 2.5	Pass
				-20	3.70	8.497	0.0102	-2.5 to 2.5	Pass
				-10	3.70	16.179	0.0193	-2.5 to 2.5	Pass
				0	3.70	24.505	0.0293	-2.5 to 2.5	Pass
				10	3.70	31.314	0.0374	-2.5 to 2.5	Pass
				30	3.70	29.325	0.0351	-2.5 to 2.5	Pass
				40	3.70	31.486	0.0376	-2.5 to 2.5	Pass
				50	3.70	41.256	0.0493	-2.5 to 2.5	Pass

	846.5	25	0	20	3.15	23.160	0.0274	-2.5 to 2.5	Pass
					3.70	-11.344	-0.0134	-2.5 to 2.5	Pass
					4.26	-14.620	-0.0173	-2.5 to 2.5	Pass
				-30	3.70	-33.345	-0.0394	-2.5 to 2.5	Pass
				-20	3.70	-45.676	-0.0540	-2.5 to 2.5	Pass
				-10	3.70	-2.775	-0.0033	-2.5 to 2.5	Pass
				0	3.70	-13.590	-0.0161	-2.5 to 2.5	Pass
				10	3.70	-15.421	-0.0182	-2.5 to 2.5	Pass
				30	3.70	-17.409	-0.0206	-2.5 to 2.5	Pass
				40	3.70	-18.182	-0.0215	-2.5 to 2.5	Pass
				50	3.70	-21.358	-0.0252	-2.5 to 2.5	Pass
16QAM	826.5	25	0	20	3.15	1.531	0.0019	-2.5 to 2.5	Pass
					3.70	8.025	0.0097	-2.5 to 2.5	Pass
					4.26	9.441	0.0114	-2.5 to 2.5	Pass
				-30	3.70	6.723	0.0081	-2.5 to 2.5	Pass
				-20	3.70	7.567	0.0092	-2.5 to 2.5	Pass
				-10	3.70	2.947	0.0036	-2.5 to 2.5	Pass
				0	3.70	1.774	0.0021	-2.5 to 2.5	Pass
				10	3.70	-0.529	-0.0006	-2.5 to 2.5	Pass
				30	3.70	-1.259	-0.0015	-2.5 to 2.5	Pass
				40	3.70	1.130	0.0014	-2.5 to 2.5	Pass
				50	3.70	1.616	0.0020	-2.5 to 2.5	Pass
	836.5	25	0	20	3.15	6.981	0.0083	-2.5 to 2.5	Pass
					3.70	19.655	0.0235	-2.5 to 2.5	Pass
					4.26	21.887	0.0262	-2.5 to 2.5	Pass
				-30	3.70	22.244	0.0266	-2.5 to 2.5	Pass
				-20	3.70	25.907	0.0310	-2.5 to 2.5	Pass
				-10	3.70	37.737	0.0451	-2.5 to 2.5	Pass
				0	3.70	43.516	0.0520	-2.5 to 2.5	Pass
				10	3.70	41.642	0.0498	-2.5 to 2.5	Pass
				30	3.70	38.638	0.0462	-2.5 to 2.5	Pass
				40	3.70	34.862	0.0417	-2.5 to 2.5	Pass
				50	3.70	39.868	0.0477	-2.5 to 2.5	Pass
	846.5	25	0	20	3.15	-18.625	-0.0220	-2.5 to 2.5	Pass
					3.70	-8.440	-0.0100	-2.5 to 2.5	Pass
					4.26	-4.234	-0.0050	-2.5 to 2.5	Pass
				-30	3.70	1.574	0.0019	-2.5 to 2.5	Pass
				-20	3.70	4.148	0.0049	-2.5 to 2.5	Pass
				-10	3.70	3.176	0.0038	-2.5 to 2.5	Pass
				0	3.70	3.333	0.0039	-2.5 to 2.5	Pass
				10	3.70	-1.531	-0.0018	-2.5 to 2.5	Pass
				30	3.70	-1.202	-0.0014	-2.5 to 2.5	Pass
				40	3.70	3.090	0.0037	-2.5 to 2.5	Pass
				50	3.70	7.010	0.0083	-2.5 to 2.5	Pass

2.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	3.15	-32.158	-0.0388	-2.5 to 2.5	Pass
					3.70	-11.559	-0.0139	-2.5 to 2.5	Pass
					4.26	-26.350	-0.0318	-2.5 to 2.5	Pass
				-30	3.70	-0.415	-0.0005	-2.5 to 2.5	Pass
				-20	3.70	-18.725	-0.0226	-2.5 to 2.5	Pass
				-10	3.70	-25.764	-0.0311	-2.5 to 2.5	Pass
				0	3.70	-31.958	-0.0386	-2.5 to 2.5	Pass
				10	3.70	-32.902	-0.0397	-2.5 to 2.5	Pass

				30	3.70	-43.058	-0.0519	-2.5 to 2.5	Pass
				40	3.70	-3.648	-0.0044	-2.5 to 2.5	Pass
				50	3.70	-2.933	-0.0035	-2.5 to 2.5	Pass
	836.5	50	0	20	3.15	-2.460	-0.0029	-2.5 to 2.5	Pass
					3.70	-41.785	-0.0500	-2.5 to 2.5	Pass
					4.26	0.615	0.0007	-2.5 to 2.5	Pass
				-30	3.70	-1.388	-0.0017	-2.5 to 2.5	Pass
				-20	3.70	1.988	0.0024	-2.5 to 2.5	Pass
				-10	3.70	4.578	0.0055	-2.5 to 2.5	Pass
				0	3.70	10.471	0.0125	-2.5 to 2.5	Pass
				10	3.70	12.231	0.0146	-2.5 to 2.5	Pass
				30	3.70	8.225	0.0098	-2.5 to 2.5	Pass
				40	3.70	9.456	0.0113	-2.5 to 2.5	Pass
				50	3.70	10.242	0.0122	-2.5 to 2.5	Pass
	844	50	0	20	3.15	21.186	0.0251	-2.5 to 2.5	Pass
					3.70	-42.400	-0.0502	-2.5 to 2.5	Pass
					4.26	-33.102	-0.0392	-2.5 to 2.5	Pass
				-30	3.70	0.186	0.0002	-2.5 to 2.5	Pass
				-20	3.70	-10.629	-0.0126	-2.5 to 2.5	Pass
				-10	3.70	-12.116	-0.0144	-2.5 to 2.5	Pass
				0	3.70	-18.926	-0.0224	-2.5 to 2.5	Pass
				10	3.70	-30.527	-0.0362	-2.5 to 2.5	Pass
				30	3.70	-42.171	-0.0500	-2.5 to 2.5	Pass
				40	3.70	-44.689	-0.0529	-2.5 to 2.5	Pass
				50	3.70	-45.447	-0.0538	-2.5 to 2.5	Pass
16QAM	829	50	0	20	3.15	2.203	0.0027	-2.5 to 2.5	Pass
					3.70	12.088	0.0146	-2.5 to 2.5	Pass
					4.26	15.535	0.0187	-2.5 to 2.5	Pass
				-30	3.70	10.457	0.0126	-2.5 to 2.5	Pass
				-20	3.70	12.431	0.0150	-2.5 to 2.5	Pass
				-10	3.70	14.791	0.0178	-2.5 to 2.5	Pass
				0	3.70	20.227	0.0244	-2.5 to 2.5	Pass
				10	3.70	16.165	0.0195	-2.5 to 2.5	Pass
				30	3.70	16.336	0.0197	-2.5 to 2.5	Pass
				40	3.70	18.997	0.0229	-2.5 to 2.5	Pass
				50	3.70	15.779	0.0190	-2.5 to 2.5	Pass
	836.5	50	0	20	3.15	14.620	0.0175	-2.5 to 2.5	Pass
					3.70	19.670	0.0235	-2.5 to 2.5	Pass
					4.26	20.685	0.0247	-2.5 to 2.5	Pass
				-30	3.70	25.964	0.0310	-2.5 to 2.5	Pass
				-20	3.70	28.181	0.0337	-2.5 to 2.5	Pass
				-10	3.70	33.002	0.0395	-2.5 to 2.5	Pass
				0	3.70	34.547	0.0413	-2.5 to 2.5	Pass
				10	3.70	34.976	0.0418	-2.5 to 2.5	Pass
				30	3.70	40.026	0.0478	-2.5 to 2.5	Pass
				40	3.70	-0.873	-0.0010	-2.5 to 2.5	Pass
				50	3.70	6.251	0.0075	-2.5 to 2.5	Pass
	844	50	0	20	3.15	-46.120	-0.0546	-2.5 to 2.5	Pass
					3.70	-35.219	-0.0417	-2.5 to 2.5	Pass
					4.26	-29.783	-0.0353	-2.5 to 2.5	Pass
				-30	3.70	-23.646	-0.0280	-2.5 to 2.5	Pass
				-20	3.70	-25.277	-0.0299	-2.5 to 2.5	Pass
				-10	3.70	-32.344	-0.0383	-2.5 to 2.5	Pass
				0	3.70	-28.439	-0.0337	-2.5 to 2.5	Pass
				10	3.70	-25.749	-0.0305	-2.5 to 2.5	Pass
				30	3.70	-22.817	-0.0270	-2.5 to 2.5	Pass
				40	3.70	-29.712	-0.0352	-2.5 to 2.5	Pass
				50	3.70	-34.390	-0.0407	-2.5 to 2.5	Pass

2.1.5 B26b_15MHz

Band: 26b / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	831.5	75	0	20	3.15	6.437	0.0077	-2.5 to 2.5	Pass
					3.70	-36.249	-0.0436	-2.5 to 2.5	Pass
					4.26	-36.936	-0.0444	-2.5 to 2.5	Pass
				-30	3.70	-4.849	-0.0058	-2.5 to 2.5	Pass
				-20	3.70	-18.611	-0.0224	-2.5 to 2.5	Pass
				-10	3.70	-21.687	-0.0261	-2.5 to 2.5	Pass
				0	3.70	-27.709	-0.0333	-2.5 to 2.5	Pass
				10	3.70	-31.357	-0.0377	-2.5 to 2.5	Pass
				30	3.70	-30.284	-0.0364	-2.5 to 2.5	Pass
				40	3.70	-33.817	-0.0407	-2.5 to 2.5	Pass
				50	3.70	-28.582	-0.0344	-2.5 to 2.5	Pass
	836.5	75	0	20	3.15	27.494	0.0329	-2.5 to 2.5	Pass
					3.70	-27.580	-0.0330	-2.5 to 2.5	Pass
					4.26	-45.419	-0.0543	-2.5 to 2.5	Pass
				-30	3.70	-1.273	-0.0015	-2.5 to 2.5	Pass
				-20	3.70	-4.835	-0.0058	-2.5 to 2.5	Pass
				-10	3.70	-8.941	-0.0107	-2.5 to 2.5	Pass
				0	3.70	-18.268	-0.0218	-2.5 to 2.5	Pass
				10	3.70	-18.153	-0.0217	-2.5 to 2.5	Pass
				30	3.70	-14.820	-0.0177	-2.5 to 2.5	Pass
				40	3.70	-17.352	-0.0207	-2.5 to 2.5	Pass
				50	3.70	-17.538	-0.0210	-2.5 to 2.5	Pass
	841.5	75	0	20	3.15	22.144	0.0263	-2.5 to 2.5	Pass
					3.70	-45.562	-0.0541	-2.5 to 2.5	Pass
					4.26	-10.686	-0.0127	-2.5 to 2.5	Pass
				-30	3.70	-17.538	-0.0208	-2.5 to 2.5	Pass
				-20	3.70	-23.303	-0.0277	-2.5 to 2.5	Pass
				-10	3.70	-26.879	-0.0319	-2.5 to 2.5	Pass
				0	3.70	-22.573	-0.0268	-2.5 to 2.5	Pass
				10	3.70	-25.535	-0.0303	-2.5 to 2.5	Pass
				30	3.70	-30.212	-0.0359	-2.5 to 2.5	Pass
				40	3.70	-26.894	-0.0320	-2.5 to 2.5	Pass
16QAM	831.5	75	0	20	3.15	-28.911	-0.0348	-2.5 to 2.5	Pass
					3.70	-18.897	-0.0227	-2.5 to 2.5	Pass
					4.26	-14.963	-0.0180	-2.5 to 2.5	Pass
				-30	3.70	-10.028	-0.0121	-2.5 to 2.5	Pass
				-20	3.70	-7.725	-0.0093	-2.5 to 2.5	Pass
				-10	3.70	-7.410	-0.0089	-2.5 to 2.5	Pass
				0	3.70	-10.300	-0.0124	-2.5 to 2.5	Pass
				10	3.70	-13.919	-0.0167	-2.5 to 2.5	Pass
				30	3.70	-14.920	-0.0179	-2.5 to 2.5	Pass
				40	3.70	-15.464	-0.0186	-2.5 to 2.5	Pass
				50	3.70	-15.035	-0.0181	-2.5 to 2.5	Pass
	836.5	75	0	20	3.15	-13.890	-0.0166	-2.5 to 2.5	Pass
					3.70	-3.061	-0.0037	-2.5 to 2.5	Pass
					4.26	-0.443	-0.0005	-2.5 to 2.5	Pass
				-30	3.70	2.761	0.0033	-2.5 to 2.5	Pass
				-20	3.70	7.224	0.0086	-2.5 to 2.5	Pass
				-10	3.70	11.001	0.0132	-2.5 to 2.5	Pass
				0	3.70	11.573	0.0138	-2.5 to 2.5	Pass
				10	3.70	7.181	0.0086	-2.5 to 2.5	Pass
				30	3.70	7.181	0.0086	-2.5 to 2.5	Pass
				40	3.70	6.466	0.0077	-2.5 to 2.5	Pass
				50	3.70	3.705	0.0044	-2.5 to 2.5	Pass

	841.5	75	0	20	3.15	-42.729	-0.0508	-2.5 to 2.5	Pass
					3.70	-34.246	-0.0407	-2.5 to 2.5	Pass
					4.26	-32.430	-0.0385	-2.5 to 2.5	Pass
				-30	3.70	-30.141	-0.0358	-2.5 to 2.5	Pass
				-20	3.70	-27.337	-0.0325	-2.5 to 2.5	Pass
				-10	3.70	-25.764	-0.0306	-2.5 to 2.5	Pass
				0	3.70	-29.125	-0.0346	-2.5 to 2.5	Pass
				10	3.70	-27.151	-0.0323	-2.5 to 2.5	Pass
				30	3.70	-28.510	-0.0339	-2.5 to 2.5	Pass
				40	3.70	-34.504	-0.0410	-2.5 to 2.5	Pass
				50	3.70	-33.875	-0.0403	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	6	0	Refer To Test Graph		Pass
16QAM	836.5	6	0	Refer To Test Graph		Pass

3.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTNv						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	15	0	Refer To Test Graph		Pass
16QAM	836.5	15	0	Refer To Test Graph		Pass

3.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	25	0	Refer To Test Graph		Pass
16QAM	836.5	25	0	Refer To Test Graph		Pass

3.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	Refer To Test Graph		Pass
16QAM	836.5	50	0	Refer To Test Graph		Pass

3.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTN/V						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	




QPSK	836.5	75	0	Refer To Test Graph	Pass
16QAM	836.5	75	0	Refer To Test Graph	Pass

3.2 Test Graph


3.2.1 B26b_1.4MHz




3.2.2 B26b_3MHz




3.2.3 B26b_5MHz



3.2.4 B26b_10MHz



3.2.5 B26b_15MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band26b_OBW

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.111	/	Pass
		836.5	6	0	1.108	/	Pass
		848.3	6	0	1.109	/	Pass
	16QAM	824.7	6	0	1.110	/	Pass
		836.5	6	0	1.111	/	Pass
		848.3	6	0	1.120	/	Pass
3	QPSK	825.5	15	0	2.768	/	Pass
		836.5	15	0	2.753	/	Pass
		847.5	15	0	2.744	/	Pass
	16QAM	825.5	15	0	2.773	/	Pass
		836.5	15	0	2.762	/	Pass
		847.5	15	0	2.743	/	Pass
5	QPSK	826.5	25	0	4.587	/	Pass
		836.5	25	0	4.555	/	Pass
		846.5	25	0	4.533	/	Pass
	16QAM	826.5	25	0	4.550	/	Pass
		836.5	25	0	4.585	/	Pass
		846.5	25	0	4.544	/	Pass
10	QPSK	829	50	0	9.077	/	Pass
		836.5	50	0	9.055	/	Pass
		844	50	0	9.036	/	Pass
	16QAM	829	50	0	9.066	/	Pass
		836.5	50	0	9.071	/	Pass
		844	50	0	9.061	/	Pass
15	QPSK	831.5	75	0	13.567	/	Pass
		836.5	75	0	13.563	/	Pass
		841.5	75	0	13.568	/	Pass
	16QAM	831.5	75	0	13.541	/	Pass
		836.5	75	0	13.573	/	Pass
		841.5	75	0	13.578	/	Pass


4.1.2 Band26b_XDB

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.268	/	Pass
		836.5	6	0	1.273	/	Pass
		848.3	6	0	1.271	/	Pass
	16QAM	824.7	6	0	1.278	/	Pass
		836.5	6	0	1.267	/	Pass
		848.3	6	0	1.281	/	Pass
3	QPSK	825.5	15	0	3.102	/	Pass
		836.5	15	0	3.094	/	Pass
		847.5	15	0	3.098	/	Pass


	16QAM	825.5	15	0	3.084	/	Pass
		836.5	15	0	3.134	/	Pass
		847.5	15	0	3.087	/	Pass
5	QPSK	826.5	25	0	5.069	/	Pass
		836.5	25	0	5.033	/	Pass
		846.5	25	0	5.049	/	Pass
	16QAM	826.5	25	0	5.040	/	Pass
		836.5	25	0	5.092	/	Pass
		846.5	25	0	5.023	/	Pass
10	QPSK	829	50	0	10.005	/	Pass
		836.5	50	0	10.059	/	Pass
		844	50	0	9.998	/	Pass
	16QAM	829	50	0	10.066	/	Pass
		836.5	50	0	10.014	/	Pass
		844	50	0	9.947	/	Pass
15	QPSK	831.5	75	0	15.104	/	Pass
		836.5	75	0	15.114	/	Pass
		841.5	75	0	15.154	/	Pass
	16QAM	831.5	75	0	15.107	/	Pass
		836.5	75	0	15.131	/	Pass
		841.5	75	0	15.182	/	Pass

4.2 Test Graph


4.2.1 Band26b_OBW




Band26b 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTN




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTN




Band26b 1.4MHz 16QAM MCH 836.5MHz RB 6 0 NTN




Band26b 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTN




Band26b 3MHz QPSK LCH 825.5MHz RB 15 0 NTV




Band26b 3MHz QPSK MCH 836.5MHz RB 15 0 NTV




Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM LCH 825.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM MCH 836.5MHz RB 15 0 NTNv




Band26b 3MHz 16QAM HCH 847.5MHz RB 15 0 NTNv




Band26b 5MHz QPSK LCH 826.5MHz RB 25 0 NTV




Band26b 5MHz QPSK MCH 836.5MHz RB 25 0 NTV




Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Band26b 5MHz 16QAM LCH 826.5MHz RB 25 0 NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b 10MHz QPSK HCH 844MHz RB 50 0 NTV




Band26b 10MHz 16QAM LCH 829MHz RB 50 0 NTV




Band26b 10MHz 16QAM MCH 836.5MHz RB 50 0 NTN




Band26b 10MHz 16QAM HCH 844MHz RB 50 0 NTN




Band26b 15MHz QPSK LCH 831.5MHz RB 75 0 NTN




Band26b 15MHz QPSK MCH 836.5MHz RB 75 0 NTN




Band26b 15MHz QPSK HCH 841.5MHz RB 75 0 NTN




Band26b 15MHz 16QAM LCH 831.5MHz RB 75 0 NTN




Band26b 15MHz 16QAM MCH 836.5MHz RB 75 0 NTN




Band26b 15MHz 16QAM HCH 841.5MHz RB 75 0 NTN




4.2.2 Band26b_XDB




Band26b 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTN




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTN




Band26b 1.4MHz 16QAM MCH 836.5MHz RB 6 0 NTN




Band26b 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTN




Band26b 3MHz QPSK LCH 825.5MHz RB 15 0 NTV




Band26b 3MHz QPSK MCH 836.5MHz RB 15 0 NTV




Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM LCH 825.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM MCH 836.5MHz RB 15 0 NTNv




Band26b 3MHz 16QAM HCH 847.5MHz RB 15 0 NTNv




Band26b 5MHz QPSK LCH 826.5MHz RB 25 0 NTV




Band26b 5MHz QPSK MCH 836.5MHz RB 25 0 NTV




Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTN



Band26b 5MHz 16QAM LCH 826.5MHz RB 25 0 NTN



Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV



Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV

