



Shenzhen CTL Testing Technology Co., Ltd.

Floor 1-A, Baisha Technology Park, No.3011, Shahexi Road, Nanshan District, Shenzhen, China 518055

Tel: +86-755-89486194 E-mail: ctl@ctl-lab.com

Annex for Bluetooth

Test Report No.: CTL2501218031-WF01

TABLE OF CONTENTS

Annex for Bluetooth	1
1. Bandwidth	2
2. Maximum Conducted Output Power	13
3. Carrier Frequency Separation	19
4. Number of Hopping Frequencies	22
5. Time of Occupancy (Dwell Time)	25
6. Unwanted Emissions In Non-restricted Frequency Bands	35
7. Form731	52

FCC ID: 2BKLO-KOVEKOMMUTER

1. Bandwidth

1.1 Test Result

1.1.1 OBW

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	99% Occupied Bandwidth (MHz)		Verdict
					Result	Limit	
GFSK	SISO	2402	DH5	1	0.869	/	Pass
		2441	DH5	1	0.877	/	Pass
		2480	DH5	1	0.877	/	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	1.170	/	Pass
		2441	2DH5	1	1.171	/	Pass
		2480	2DH5	1	1.174	/	Pass
8DPSK	SISO	2402	3DH5	1	1.174	/	Pass
		2441	3DH5	1	1.179	/	Pass
		2480	3DH5	1	1.178	/	Pass


1.1.2 20dB BW

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	20dB Bandwidth (MHz)		Verdict
					Result	Limit	
GFSK	SISO	2402	DH5	1	0.957	/	Pass
		2441	DH5	1	0.958	/	Pass
		2480	DH5	1	0.955	/	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	1.285	/	Pass
		2441	2DH5	1	1.288	/	Pass
		2480	2DH5	1	1.286	/	Pass
8DPSK	SISO	2402	3DH5	1	1.301	/	Pass
		2441	3DH5	1	1.303	/	Pass
		2480	3DH5	1	1.303	/	Pass


FCC ID: 2BKLO-KOVEKOMMUTER

1.2 Test Graph

1.2.1 OBW




FCC ID: 2BKLO-KOVEKOMMUTER




FCC ID: 2BKLO-KOVEKOMMUTER

Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV




FCC ID: 2BKLO-KOVEKOMMUTER


8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV




FCC ID: 2BKLO-KOVEKOMMUTER




FCC ID: 2BKLO-KOVEKOMMUTER

1.2.2 20dB BW




FCC ID: 2BKLO-KOVEKOMMUTER


GFSK_DH5_HCH_2480MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




FCC ID: 2BKLO-KOVEKOMMUTER



FCC ID: 2BKLO-KOVEKOMMUTER



FCC ID: 2BKLO-KOVEKOMMUTER



FCC ID: 2BKLO-KOVEKOMMUTER

2. Maximum Conducted Output Power

2.1 Test Result


2.1.1 Power

Mode	TX Type	Frequency (MHz)	Packet Type	Maximum Peak Conducted Output Power (dBm)		Verdict
				ANT1	Limit	
GFSK	SISO	2402	DH5	-1.52	<=30	Pass
		2441	DH5	-1.25	<=30	Pass
		2480	DH5	-2.07	<=30	Pass
Pi/4DQPSK	SISO	2402	2DH5	-0.71	<=20.97	Pass
		2441	2DH5	-0.70	<=20.97	Pass
		2480	2DH5	-1.27	<=20.97	Pass
8DPSK	SISO	2402	3DH5	-0.41	<=20.97	Pass
		2441	3DH5	-0.14	<=20.97	Pass
		2480	3DH5	-1.09	<=20.97	Pass
Note1: Antenna Gain: Ant1: 1.08dBi;						


FCC ID: 2BKLO-KOVEKOMMUTER

2.2 Test Graph

2.2.1 Power




FCC ID: 2BKLO-KOVEKOMMUTER




FCC ID: 2BKLO-KOVEKOMMUTER


Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV



FCC ID: 2BKLO-KOVEKOMMUTER



FCC ID: 2BKLO-KOVEKOMMUTER



FCC ID: 2BKLO-KOVEKOMMUTER

3. Carrier Frequency Separation

3.1 Test Result


3.1.1 Ant1

Ant1							
Mode	TX Type	Frequency (MHz)	Packet Type	Channel Separation (MHz)	20dB Bandwidth (MHz)	Limit (MHz)	Verdict
GFSK	SISO	HOPP	DH5	1.000	0.958	≥ 0.958	Pass
Pi/4DQPSK	SISO	HOPP	2DH5	1.001	1.288	≥ 0.859	Pass
8DPSK	SISO	HOPP	3DH5	0.998	1.303	≥ 0.869	Pass


FCC ID: 2BKLO-KOVEKOMMUTER

3.2 Test Graph

3.2.1 Ant1



FCC ID: 2BKLO-KOVEKOMMUTER



FCC ID: 2BKLO-KOVEKOMMUTER

4. Number of Hopping Frequencies

4.1 Test Result


4.1.1 HoppNum

Mode	TX Type	Frequency (MHz)	Packet Type	Num of Hopping Frequencies		Verdict
				ANT1	Limit	
GFSK	SISO	HOPP	DH5	79	≥ 15	Pass
Pi/4DQPSK	SISO	HOPP	2DH5	79	≥ 15	Pass
8DPSK	SISO	HOPP	3DH5	79	≥ 15	Pass


FCC ID: 2BKLO-KOVEKOMMUTER

4.2 Test Graph

4.2.1 HoppNum



FCC ID: 2BKLO-KOVEKOMMUTER



FCC ID: 2BKLO-KOVEKOMMUTER

5. Time of Occupancy (Dwell Time)

5.1 Test Result


5.1.1 Ant1

Ant1									
Mode	Tx Type	Frequency (MHz)	Packet Type	Duration of Single Pulse (ms)	Observation Period (s)	Num of Pulse in Observation Period	Dwell Time (ms)	Limit (ms)	Verdict
GFSK	SISO	HOPP	DH1	0.386	31.600	319	123.134	<=400	Pass
			DH3	1.648	31.600	157	258.736	<=400	Pass
			DH5	2.896	31.600	105	304.080	<=400	Pass
Pi/4DQPSK	SISO	HOPP	2DH1	0.402	31.600	318	127.836	<=400	Pass
			2DH3	1.646	31.600	164	269.944	<=400	Pass
			2DH5	2.902	31.600	112	325.024	<=400	Pass
8DPSK	SISO	HOPP	3DH1	0.396	31.600	320	126.720	<=400	Pass
			3DH3	1.652	31.600	165	272.580	<=400	Pass
			3DH5	2.902	31.600	112	325.024	<=400	Pass

FCC ID: 2BKLO-KOVEKOMMUTER


5.2 Test Graph

5.2.1 Ant1




FCC ID: 2BKLO-KOVEKOMMUTER


GFSK_DH3_HOPP_Ant1_NTNV



GFSK_DH3_HOPP_Ant1_NTNV




FCC ID: 2BKLO-KOVEKOMMUTER




FCC ID: 2BKLO-KOVEKOMMUTER


Pi/4DQPSK_2DH1_HOPP_Ant1_NTNV




Pi/4DQPSK_2DH1_HOPP_Ant1_NTNV




FCC ID: 2BKLO-KOVEKOMMUTER




FCC ID: 2BKLO-KOVEKOMMUTER




FCC ID: 2BKLO-KOVEKOMMUTER



FCC ID: 2BKLO-KOVEKOMMUTER



FCC ID: 2BKLO-KOVEKOMMUTER



FCC ID: 2BKLO-KOVEKOMMUTER

6. Unwanted Emissions In Non-restricted Frequency Bands

6.1 Test Result

6.1.1 Ref

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)
GFSK	SISO	2402	DH5	1	-1.65
		2441	DH5	1	-1.40
		2480	DH5	1	-2.22
Pi/4DQPSK	SISO	2402	2DH5	1	-1.74
		2441	2DH5	1	-1.74
		2480	2DH5	1	-2.33
8DPSK	SISO	2402	3DH5	1	-1.97
		2441	3DH5	1	-1.63
		2480	3DH5	1	-2.57

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

6.1.2 CSE


Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
GFSK	SISO	2402	DH5	1	-1.40	-21.40	Pass
		2441	DH5	1	-1.40	-21.40	Pass
		2480	DH5	1	-1.40	-21.40	Pass
		HOPP	DH5	1	-1.40	-21.40	Pass
					-1.40	-21.40	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	-1.74	-21.74	Pass
		2441	2DH5	1	-1.74	-21.74	Pass
		2480	2DH5	1	-1.74	-21.74	Pass
		HOPP	2DH5	1	-1.74	-21.74	Pass
					-1.74	-21.74	Pass
8DPSK	SISO	2402	3DH5	1	-1.63	-21.63	Pass
		2441	3DH5	1	-1.63	-21.63	Pass
		2480	3DH5	1	-1.63	-21.63	Pass
		HOPP	3DH5	1	-1.63	-21.63	Pass
					-1.63	-21.63	Pass

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

FCC ID: 2BKLO-KOVEKOMMUTER


6.2 Test Graph

6.2.1 Ref




FCC ID: 2BKLO-KOVEKOMMUTER

GFSK_DH5_HCH_2480MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




FCC ID: 2BKLO-KOVEKOMMUTER


Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV



FCC ID: 2BKLO-KOVEKOMMUTER




FCC ID: 2BKLO-KOVEKOMMUTER




FCC ID: 2BKLO-KOVEKOMMUTER


6.2.2 CSE




FCC ID: 2BKLO-KOVEKOMMUTER



FCC ID: 2BKLO-KOVEKOMMUTER




FCC ID: 2BKLO-KOVEKOMMUTER




FCC ID: 2BKLO-KOVEKOMMUTER


Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV



FCC ID: 2BKLO-KOVEKOMMUTER




FCC ID: 2BKLO-KOVEKOMMUTER




FCC ID: 2BKLO-KOVEKOMMUTER


8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV




8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV




FCC ID: 2BKLO-KOVEKOMMUTER



FCC ID: 2BKLO-KOVEKOMMUTER



FCC ID: 2BKLO-KOVEKOMMUTER



FCC ID: 2BKLO-KOVEKOMMUTER

7. Form731

7.1 Test Result

7.1.1 Form731

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
2402	2480	0.0010	-0.14