

Labelling guidance for host product manufacturers according to KDB 996369 D03 OEM Manual v01r01

2.2 List of applicable FCC rules

CFR 47 FCC Part 15 Subpart C has been investigated. It is applicable to the modular transmitter

2.3 Specific Operational Use Conditions - Antenna Placement Within the Host Platform

Agility Robotics has re-evaluated the product (including the transmitter) for a separate FCC authorization based on the use case and condition.

2.4 Limited Module Procedures

Not applicable

2.5 Trace Antenna Designs

Not applicable

2.6 RF Exposure Considerations

This device complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated at a minimum distance 20 cm between the radiator & your body.

2.7 Antenna Type and Gain

The following antennas have been evaluated for use with this module.

Antenna Specification list below:

Model No.	Manufacturer	Type of Antenna and Gain (Max.)	Frequency Range
001-0002	TE Connectivity Laird	External Antenna, Dipole, 2.0dBi (Max.)	902 ~ 928 MHz
RN-SMA4-RP	Microchip	External Antenna, Dipole, 2.2dBi (Max.)	2400 ~ 2500 MHz

2.8 End Product Labelling Compliance Information

When the module is installed in the host device, the FCC ID label must be visible through a window on the final device or it must be visible when an access panel, door or cover is easily removed. If not, a second label must be placed on the outside of the final device that contains the following text: “Contains FCC ID: 2BKMIDIGITV4”. The FCC ID can be used only when all FCC compliance requirements are met.

2.9 Information on Test Modes and Additional Testing Requirements

Radiated emission and spurious emission according to FCC part 15C, 15.209, 15.207 were conducted.

2.10 Additional testing, Part 15 Subpart B Disclaimer

Agility Robotics conducted all end-product tests for compliance and to meet requirements based on product installation.

2.11 Manual Information to The End User

Agility Robotics does not provide information to the end user regarding how to install or remove this RF module in the user's manual of the end product which integrates this module and ensures that the composite system end product complies with the requirements by a technical assessment or evaluation to the rules and to KDB Publication 996369.

OEM/Host Manufacturer Responsibilities

The final product has been reassessed against all the essential requirements of the FCC rule such as FCC Part 15 Subpart B before it can be placed on the US market. This includes reassessing the transmitter module for compliance with the Radio and RF Exposure essential requirements of the FCC rules.

2.12 How to Make Changes - Important Note

Agility Robotics has re-evaluated the end product (including the transmitter) and obtaining the FCC authorization.