









Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	14.08	0	14.08	24	Pass
NVNT	a	5200	Ant1	14.31	0	14.31	24	Pass
NVNT	a	5240	Ant1	14.68	0	14.68	24	Pass
NVNT	a	5260	Ant1	14.89	0	14.89	24	Pass
NVNT	a	5300	Ant1	14.84	0	14.84	24	Pass
NVNT	a	5320	Ant1	14.86	0	14.86	24	Pass
NVNT	a	5500	Ant1	15.19	0	15.19	24	Pass
NVNT	a	5580	Ant1	14.7	0	14.7	24	Pass
NVNT	a	5700	Ant1	14.75	0	14.75	24	Pass
NVNT	a	5745	Ant1	14.66	0	14.66	30	Pass
NVNT	a	5785	Ant1	14.83	0	14.83	30	Pass
NVNT	a	5825	Ant1	14.79	0	14.79	30	Pass
NVNT	n20	5180	Ant1	12.77	0	12.77	24	Pass
NVNT	n20	5200	Ant1	13.31	0	13.31	24	Pass
NVNT	n20	5240	Ant1	13.76	0	13.76	24	Pass
NVNT	n20	5260	Ant1	13.78	0	13.78	24	Pass
NVNT	n20	5300	Ant1	13.91	0	13.91	24	Pass
NVNT	n20	5320	Ant1	13.97	0	13.97	24	Pass
NVNT	n20	5500	Ant1	13.31	0	13.31	24	Pass
NVNT	n20	5580	Ant1	14.66	0	14.66	24	Pass
NVNT	n20	5700	Ant1	13.61	0	13.61	24	Pass
NVNT	n20	5745	Ant1	14.08	0	14.08	30	Pass
NVNT	n20	5785	Ant1	14.12	0	14.12	30	Pass
NVNT	n20	5825	Ant1	14.06	0	14.06	30	Pass
NVNT	n40	5190	Ant1	12.85	0	12.85	24	Pass
NVNT	n40	5230	Ant1	13.54	0	13.54	24	Pass
NVNT	n40	5270	Ant1	13.81	0	13.81	24	Pass
NVNT	n40	5310	Ant1	13.65	0	13.65	24	Pass
NVNT	n40	5510	Ant1	13.26	0	13.26	24	Pass
NVNT	n40	5550	Ant1	13.43	0	13.43	24	Pass
NVNT	n40	5670	Ant1	13.92	0	13.92	24	Pass
NVNT	n40	5755	Ant1	13.71	0	13.71	30	Pass
NVNT	n40	5795	Ant1	13.89	0	13.89	30	Pass
NVNT	ac20	5180	Ant1	11.7	0	11.7	24	Pass
NVNT	ac20	5200	Ant1	12.28	0	12.28	24	Pass
NVNT	ac20	5240	Ant1	12.72	0	12.72	24	Pass
NVNT	ac20	5260	Ant1	12.85	0	12.85	24	Pass
NVNT	ac20	5300	Ant1	12.99	0	12.99	24	Pass
NVNT	ac20	5320	Ant1	13.15	0	13.15	24	Pass
NVNT	ac20	5500	Ant1	12.64	0	12.64	24	Pass
NVNT	ac20	5580	Ant1	12.68	0	12.68	24	Pass
NVNT	ac20	5700	Ant1	12.61	0	12.61	24	Pass
NVNT	ac20	5745	Ant1	13.07	0	13.07	30	Pass
NVNT	ac20	5785	Ant1	13.23	0	13.23	30	Pass
NVNT	ac20	5825	Ant1	13.21	0	13.21	30	Pass
NVNT	ac40	5190	Ant1	12.07	0	12.07	24	Pass
NVNT	ac40	5230	Ant1	12.53	0	12.53	24	Pass
NVNT	ac40	5510	Ant1	12.29	0	12.29	24	Pass
NVNT	ac40	5550	Ant1	12.36	0	12.36	24	Pass
NVNT	ac40	5670	Ant1	12.7	0	12.7	24	Pass
NVNT	ac40	5755	Ant1	12.89	0	12.89	30	Pass



NVNT	ac40	5795	Ant1	13.19	0	13.19	30	Pass
NVNT	ac80	5210	Ant1	12.25	0	12.25	24	Pass
NVNT	ac80	5290	Ant1	13.02	0	13.02	24	Pass
NVNT	ac80	5530	Ant1	12.35	0	12.35	24	Pass
NVNT	ac80	5610	Ant1	12.58	0	12.58	24	Pass
NVNT	ac80	5775	Ant1	12.96	0	12.96	30	Pass



-26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	21.371	Pass
NVNT	a	5200	Ant1	19.89	Pass
NVNT	a	5240	Ant1	20.184	Pass
NVNT	a	5260	Ant1	20.075	Pass
NVNT	a	5300	Ant1	19.868	Pass
NVNT	a	5320	Ant1	20.879	Pass
NVNT	a	5500	Ant1	20.297	Pass
NVNT	a	5580	Ant1	20.371	Pass
NVNT	a	5700	Ant1	20.109	Pass
NVNT	n20	5180	Ant1	20.192	Pass
NVNT	n20	5200	Ant1	20.214	Pass
NVNT	n20	5240	Ant1	20.343	Pass
NVNT	n20	5260	Ant1	20.227	Pass
NVNT	n20	5300	Ant1	20.252	Pass
NVNT	n20	5320	Ant1	20.231	Pass
NVNT	n20	5500	Ant1	20.424	Pass
NVNT	n20	5580	Ant1	20.485	Pass
NVNT	n20	5700	Ant1	20.242	Pass
NVNT	n40	5190	Ant1	39.801	Pass
NVNT	n40	5230	Ant1	40.035	Pass
NVNT	n40	5270	Ant1	40.118	Pass
NVNT	n40	5310	Ant1	39.77	Pass
NVNT	n40	5510	Ant1	39.724	Pass
NVNT	n40	5550	Ant1	39.901	Pass
NVNT	n40	5670	Ant1	39.55	Pass
NVNT	ac20	5180	Ant1	20.389	Pass
NVNT	ac20	5200	Ant1	20.333	Pass
NVNT	ac20	5240	Ant1	20.25	Pass
NVNT	ac20	5260	Ant1	20.2	Pass
NVNT	ac20	5300	Ant1	20.217	Pass
NVNT	ac20	5320	Ant1	20.358	Pass
NVNT	ac20	5500	Ant1	20.364	Pass
NVNT	ac20	5580	Ant1	20.393	Pass
NVNT	ac20	5700	Ant1	20.355	Pass
NVNT	ac40	5190	Ant1	39.52	Pass
NVNT	ac40	5230	Ant1	39.727	Pass
NVNT	ac40	5510	Ant1	39.465	Pass
NVNT	ac40	5550	Ant1	39.975	Pass
NVNT	ac40	5670	Ant1	39.707	Pass
NVNT	ac80	5210	Ant1	79.266	Pass
NVNT	ac80	5290	Ant1	79.246	Pass
NVNT	ac80	5530	Ant1	79.171	Pass
NVNT	ac80	5610	Ant1	79.059	Pass



Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant1



-26dB Bandwidth NVNT a 5200MHz Ant1



-26dB Bandwidth NVNT a 5240MHz Ant1





-26dB Bandwidth NVNT a 5260MHz Ant1



-26dB Bandwidth NVNT a 5300MHz Ant1



-26dB Bandwidth NVNT a 5320MHz Ant1





-26dB Bandwidth NVNT a 5500MHz Ant1



-26dB Bandwidth NVNT a 5580MHz Ant1



-26dB Bandwidth NVNT a 5700MHz Ant1





-26dB Bandwidth NVNT n20 5180MHz Ant1



-26dB Bandwidth NVNT n20 5200MHz Ant1



-26dB Bandwidth NVNT n20 5240MHz Ant1





-26dB Bandwidth NVNT n20 5260MHz Ant1



-26dB Bandwidth NVNT n20 5300MHz Ant1




-26dB Bandwidth NVNT n20 5320MHz Ant1






-26dB Bandwidth NVNT n20 5500MHz Ant1



-26dB Bandwidth NVNT n20 5580MHz Ant1



-26dB Bandwidth NVNT n20 5700MHz Ant1






-26dB Bandwidth NVNT n40 5190MHz Ant1



-26dB Bandwidth NVNT n40 5230MHz Ant1



-26dB Bandwidth NVNT n40 5270MHz Ant1







-26dB Bandwidth NVNT n40 5670MHz Ant1



-26dB Bandwidth NVNT ac20 5180MHz Ant1



-26dB Bandwidth NVNT ac20 5200MHz Ant1





-26dB Bandwidth NVNT ac20 5240MHz Ant1



-26dB Bandwidth NVNT ac20 5260MHz Ant1



-26dB Bandwidth NVNT ac20 5300MHz Ant1





-26dB Bandwidth NVNT ac20 5320MHz Ant1



-26dB Bandwidth NVNT ac20 5500MHz Ant1




-26dB Bandwidth NVNT ac20 5580MHz Ant1





-26dB Bandwidth NVNT ac20 5700MHz Ant1



-26dB Bandwidth NVNT ac40 5190MHz Ant1



-26dB Bandwidth NVNT ac40 5230MHz Ant1





-26dB Bandwidth NVNT ac40 5510MHz Ant1





-26dB Bandwidth NVNT ac40 5550MHz Ant1



-26dB Bandwidth NVNT ac40 5670MHz Ant1









Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.45
NVNT	a	5200	Ant1	16.408
NVNT	a	5240	Ant1	16.406
NVNT	a	5260	Ant1	16.412
NVNT	a	5300	Ant1	16.408
NVNT	a	5320	Ant1	16.401
NVNT	a	5500	Ant1	16.527
NVNT	a	5580	Ant1	16.422
NVNT	a	5700	Ant1	16.438
NVNT	a	5745	Ant1	16.421
NVNT	a	5785	Ant1	16.43
NVNT	a	5825	Ant1	16.427
NVNT	n20	5180	Ant1	17.562
NVNT	n20	5200	Ant1	17.567
NVNT	n20	5240	Ant1	17.541
NVNT	n20	5260	Ant1	17.546
NVNT	n20	5300	Ant1	17.57
NVNT	n20	5320	Ant1	17.564
NVNT	n20	5500	Ant1	17.587
NVNT	n20	5580	Ant1	17.567
NVNT	n20	5700	Ant1	17.573
NVNT	n20	5745	Ant1	17.543
NVNT	n20	5785	Ant1	17.542
NVNT	n20	5825	Ant1	17.567
NVNT	n40	5190	Ant1	35.934
NVNT	n40	5230	Ant1	35.934
NVNT	n40	5270	Ant1	35.941
NVNT	n40	5310	Ant1	35.926
NVNT	n40	5510	Ant1	36.007
NVNT	n40	5550	Ant1	35.99
NVNT	n40	5670	Ant1	35.948
NVNT	n40	5755	Ant1	35.967
NVNT	n40	5795	Ant1	35.918
NVNT	ac20	5180	Ant1	17.586
NVNT	ac20	5200	Ant1	17.559
NVNT	ac20	5240	Ant1	17.537
NVNT	ac20	5260	Ant1	17.547
NVNT	ac20	5300	Ant1	17.565
NVNT	ac20	5320	Ant1	17.563
NVNT	ac20	5500	Ant1	17.57
NVNT	ac20	5580	Ant1	17.551
NVNT	ac20	5700	Ant1	17.556
NVNT	ac20	5745	Ant1	17.54
NVNT	ac20	5785	Ant1	17.558
NVNT	ac20	5825	Ant1	17.557
NVNT	ac40	5190	Ant1	35.878
NVNT	ac40	5230	Ant1	35.931
NVNT	ac40	5510	Ant1	35.959
NVNT	ac40	5550	Ant1	35.973
NVNT	ac40	5670	Ant1	35.946
NVNT	ac40	5755	Ant1	35.914
NVNT	ac40	5795	Ant1	35.938
NVNT	ac80	5210	Ant1	75.092



NVNT	ac80	5290	Ant1	75.158
NVNT	ac80	5530	Ant1	75.187
NVNT	ac80	5610	Ant1	75.169
NVNT	ac80	5775	Ant1	75.182





OBW NVNT a 5260MHz Ant1



OBW NVNT a 5300MHz Ant1



OBW NVNT a 5320MHz Ant1





OBW NVNT a 5500MHz Ant1



OBW NVNT a 5580MHz Ant1



OBW NVNT a 5700MHz Ant1





OBW NVNT a 5745MHz Ant1







OBW NVNT a 5785MHz Ant1





OBW NVNT a 5825MHz Ant1





























OBW NVNT ac20 5500MHz Ant1





OBW NVNT ac20 5580MHz Ant1






OBW NVNT ac20 5700MHz Ant1

















Maximum Power Spectral Density Level

Condit ion	Mod e	Frequen cy (MHz)	Anten na	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	4.03	0	4.03	11	Pass
NVNT	a	5200	Ant1	4.32	0	4.32	11	Pass
NVNT	a	5240	Ant1	4.9	0	4.9	11	Pass
NVNT	a	5260	Ant1	5.17	0	5.17	11	Pass
NVNT	a	5300	Ant1	5.08	0	5.08	11	Pass
NVNT	a	5320	Ant1	5.29	0	5.29	11	Pass
NVNT	a	5500	Ant1	4.39	0	4.39	11	Pass
NVNT	a	5580	Ant1	5.21	0	5.21	11	Pass
NVNT	a	5700	Ant1	4.67	0	4.67	11	Pass
NVNT	n20	5180	Ant1	2.47	0	2.47	11	Pass
NVNT	n20	5200	Ant1	3.47	0	3.47	11	Pass
NVNT	n20	5240	Ant1	3.73	0	3.73	11	Pass
NVNT	n20	5260	Ant1	3.82	0	3.82	11	Pass
NVNT	n20	5300	Ant1	4.48	0	4.48	11	Pass
NVNT	n20	5320	Ant1	4.32	0	4.32	11	Pass
NVNT	n20	5500	Ant1	3.68	0	3.68	11	Pass
NVNT	n20	5580	Ant1	4.61	0	4.61	11	Pass
NVNT	n20	5700	Ant1	3.53	0	3.53	11	Pass
NVNT	n40	5190	Ant1	0.21	0	0.21	11	Pass
NVNT	n40	5230	Ant1	0.72	0	0.72	11	Pass
NVNT	n40	5270	Ant1	1.03	0	1.03	11	Pass
NVNT	n40	5310	Ant1	0.81	0	0.81	11	Pass
NVNT	n40	5510	Ant1	0.23	0	0.23	11	Pass
NVNT	n40	5550	Ant1	0.47	0	0.47	11	Pass
NVNT	n40	5670	Ant1	1.25	0	1.25	11	Pass
NVNT	ac20	5180	Ant1	1.45	0	1.45	11	Pass
NVNT	ac20	5200	Ant1	2.18	0	2.18	11	Pass
NVNT	ac20	5240	Ant1	2.77	0	2.77	11	Pass
NVNT	ac20	5260	Ant1	2.96	0	2.96	11	Pass
NVNT	ac20	5300	Ant1	3.08	0	3.08	11	Pass
NVNT	ac20	5320	Ant1	3.3	0	3.3	11	Pass
NVNT	ac20	5500	Ant1	3.01	0	3.01	11	Pass
NVNT	ac20	5580	Ant1	2.55	0	2.55	11	Pass
NVNT	ac20	5700	Ant1	2.5	0	2.5	11	Pass
NVNT	ac40	5190	Ant1	-0.64	0	-0.64	11	Pass
NVNT	ac40	5230	Ant1	-0.17	0	-0.17	11	Pass
NVNT	ac40	5510	Ant1	-0.52	0	-0.52	11	Pass
NVNT	ac40	5550	Ant1	-0.33	0	-0.33	11	Pass
NVNT	ac40	5670	Ant1	0	0	0	11	Pass
NVNT	ac80	5210	Ant1	-3.75	0	-3.75	11	Pass
NVNT	ac80	5290	Ant1	-2.87	0	-2.87	11	Pass
NVNT	ac80	5530	Ant1	-3.56	0	-3.56	11	Pass
NVNT	ac80	5610	Ant1	-2.94	0	-2.94	11	Pass
Condit ion	Mod e	Frequen cy (MHz)	Anten na	Conducted PSD (dBm/500kHz)	Duty Factor (dB)	Total PSD (dBm/500 kHz)	Limit (dBm/500 kHz)	Verdict
NVNT	a	5745	Ant1	2	0	2	30	Pass
NVNT	a	5785	Ant1	1.93	0	1.93	30	Pass
NVNT	a	5825	Ant1	2	0	2	30	Pass
NVNT	n20	5745	Ant1	1.17	0	1.17	30	Pass
NVNT	n20	5785	Ant1	0.83	0	0.83	30	Pass



NVNT	n20	5825	Ant1	0.82	0	0.82	30	Pass
NVNT	n40	5755	Ant1	-2.13	0	-2.13	30	Pass
NVNT	n40	5795	Ant1	-1.59	0	-1.59	30	Pass
NVNT	ac20	5745	Ant1	0	0	0	30	Pass
NVNT	ac20	5785	Ant1	0.07	0	0.07	30	Pass
NVNT	ac20	5825	Ant1	0.28	0	0.28	30	Pass
NVNT	ac40	5755	Ant1	-3.07	0	-3.07	30	Pass
NVNT	ac40	5795	Ant1	-2.32	0	-2.32	30	Pass
NVNT	ac80	5775	Ant1	-6.25	0	-6.25	30	Pass





PSD NVNT a 5260MHz Ant1




PSD NVNT a 5300MHz Ant1







PSD NVNT a 5320MHz Ant1























































-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	16.301	0.5	Pass
NVNT	a	5785	Ant1	16.357	0.5	Pass
NVNT	a	5825	Ant1	16.335	0.5	Pass
NVNT	n20	5745	Ant1	17.541	0.5	Pass
NVNT	n20	5785	Ant1	17.578	0.5	Pass
NVNT	n20	5825	Ant1	17.575	0.5	Pass
NVNT	n40	5755	Ant1	35.592	0.5	Pass
NVNT	n40	5795	Ant1	36.011	0.5	Pass
NVNT	ac20	5745	Ant1	17.566	0.5	Pass
NVNT	ac20	5785	Ant1	17.579	0.5	Pass
NVNT	ac20	5825	Ant1	17.586	0.5	Pass
NVNT	ac40	5755	Ant1	36.095	0.5	Pass
NVNT	ac40	5795	Ant1	36.039	0.5	Pass
NVNT	ac80	5775	Ant1	76.316	0.5	Pass



Test Graphs

-6dB Bandwidth NVNT a 5745MHz Ant1






-6dB Bandwidth NVNT a 5785MHz Ant1



-6dB Bandwidth NVNT a 5825MHz Ant1










-6dB Bandwidth NVNT ac20 5785MHz Ant1




-6dB Bandwidth NVNT ac20 5825MHz Ant1



-6dB Bandwidth NVNT ac40 5755MHz Ant1







APPENDIX II - MEASUREMENT PHOTOS

Note: Please see the attached RF_Test Setup photos for FCC Part 15C.



APPENDIX III - PHOTOGRAPHS OF EUT CONSTRUCTIONAL DETAILS

Note: Please see the attached S7_EUT Photos.

※※※※※END OF THE REPORT※※※※※