

Strong Anti-Shock Ability

Able to withstand 1.5m drop



Easy Charging & 1100mAh Battery

Charge the scanner whenever you put it on base



-  **12 Hours**
Working hours
-  **4 Weeks**
Standby time
-  **5 Hours**
Charging time

Note: Avoid using USB PD power adapter or cable. The scanner's recommended charging current is 5V1A. Use the original USB cable for charging.

3-in-1 Connection Ways

According your device needs to choose the best use way



Wired Mode
USB Connection



Wireless Mode
BT 5.0 Connection



Long Transmission Range

BT 4.2 Technology



Barrier-free transmission distance reaches more than 50m/164ft

Obstacles transmission distance up to 20m/65ft

2D 1D QR Barcode Decode

With super decoding ability, easily to scan 1D 2D barcode from paper or monitor screen, even special barcode



A black handheld barcode scanner with an orange light bar and a small display screen.

			
Distorted barcode ✓	Reflective barcode ✓	Damaged barcode ✓	
			
	Blurred barcode ✓	QR Code ✓	
			
1D Code ✓	EAN ✓	Data Matrix ✓	PDF417 ✓

Multiple Compatibility Devices

Mini size but have stronger compatibility,
easily connect to PC, POS, Laptop, Tablet, Smartphone



IOS



Mac OS




Android



Linux



Windows7/
8/10/XP



Multiple Compatibility Devices

Mini size but have stronger compatibility, easily connect to PC, POS, Laptop, Tablet, Smartphone



IOS



Mac OS



Android



Linux



Windows7/8/10/XP

Supports Multiple Languages



American English



German



French



Spanish



Italian



British English



Portuguese



Japanese



Brazilian Portuguese




Russian



International keyboard

Easy To Carry & Pocket Size





FCC Warning:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The device has been evaluated to meet general RF exposure requirement.