



## Product Features

- 1.Compatible for Iphone 12/13/14/15 or above Series magnetic wireless charging, QI standard mobile phone wireless charging,
- Iwatch wireless charging, earphone wireless charging.
- 2.Support 15W wireless fast charging for phone, 2.5W wireless charging for Iwatch, 3W wireless charging for Earphone. 3.One USB output: 5V/2A (10W).
- 4. Multistage magnetic combination, strong magnetic power to keep phone steady.
- 5. Atmosphere lamp with adjustable brightness.
- 6.Led indicator: stand-by status: blue light keeps on, wireless charging status: red light keeps on, green light flashing when FOD detection.
- 7. Support QC and PD adapter, advising to select suitable adapter to meet your multiple devices charging require-

## Parameters

Input: 9V == 3.0A or 12V == 3.0A

Magnetic wireless charging output power: 5W/7.5W/10W/15W Watch wireless charging output power: 2.5W (MAX)

Wireless charging output power: 5W/7.5W/10W/15W Headphone wireless charging output power: 3W (MAX) USB-A output power: 5V/2A (10W)

Atmosphere Lamp: 2W Product weight: 295g Product color : White / Black

## **Operation Steps**

- 1. Connect product to adapter, blue indicator light keeps on.
- 2. Place your device in the correct charging area to charge. Please select a suitable adapter to charge your multiple devices, the device may not be able to enter the fast charging mode or charging may be unstable due to insufficient adapter power, it is recommended to use a 20W or higher power adapter when using this product to charge at full load.
- 3. Touch the button to turn on the atmosphere light. The brightness of the light can be adjusted to three levels of low, medium, and high. The led light is turned on, low brightness, medium brightness, high brightness, and off status when it is touched repeatedly. Long Press for 3 seconds to turn off the atmosphere light.
- 4. The USB output power is 10W max, charging for devices without wireless charging function.
- 5.FOD detection: when put metal or magnetic objects on the charger, the green indicator light will flash.

- •Recommended for using product at environment temperature( -10°C to 45°C).
- •Do not disassemble charger without authorization.
- •Please do not put the metal or magnetic goods (such as coin, bank card, key etc) on the charging area while charging.
- •Please keep the charger away from water or other liquid.
- •Try to avoid full-load work of the product, so as not to affect the charging efficiency of the product.









tai\_support@163.com

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**Note:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help.
- -This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.