


ANTENNA SPECIFICATION		
SUMMARY		
ITEM	R-151509	
Model Name	433.92MHz	
	Horizontal	Vertical
Center Frequency	433.92MHz	433.92MHz
	-19.20	-17.66
MAX Gain	-16.58	
Polarization	Horizontal and Vertical	
Azimuth Beam Pattern	Omni-directional	
Impedance	50 Ohm	
Antenna Length	101.23mm	
Manufacture	SHENZHEN MINGSHIDA COMMUNICATION TECHNOLOGY CO.,LTD	
Manufacture Address	Building D, No. 4 Longshan Industrial Zone, Nanwan Street, Longgang District, Shenzhen	
Antenna Photo		



Horizontal: 432.35 MHz 433.92MHz


Power (dBm)

Max: -16.58 Min: -19.20 Scale: 5/div

Vertical: 432.35 MHz 433.92MHz

Power (dBm)

Max: -16.58 Min:-19.20 Scale: 5/div



Frequency

Gain(dBi)

(MHz)

Max

Min

Avg

432.35

-19.20

-21.03


-20.11

433.92

-16.58

-18.55

-15.22



Frequency (MHz)	Gain(dBi)		
	Max	Min	Avg
432.35	-19.20	-21.03	-20.11
433.92	-16.58	-18.55	-15.22