

# Big Horn AI Camera & Bluetooth Speaker AI Camera


## Quick Start Guide

Version Y1XM24.10




Note: The product is not waterproof, please do not use it outdoors!


# Product Display




Camera




Bracket



Type-C data cable



USB-Anschluss (optional)



Screw Pack



User Manual

## We Have Two Models

**Big Horn AI Camera and Bluetooth Speaker AI Camera.**

**The Bluetooth Speaker AI Camera supports Bluetooth connection;**



**Models A: Big Horn AI Camera**

**Models B: Bluetooth Speaker AI Camera**

**Bluetooth Speaker admin : Camera -Y1-XXXXXX**

**Password: 5678**

Note: 1. Bluetooth Speaker can only be connected to 2 devices simultaneously. 2. If the Bluetooth Speaker can't be connected, turn off the power to automatically reset, then reconnect it.

2.TF card can only supports storing records and cannot play music.

# 1.Download & Registration

Scan the below QR code to download the “iCSee” APP or Search “iCSee” APP in the APP store and download.





Scan QR Code




iCSee

Open the app and allow all notifications press **Sign Up** to register a new account.



Please input the correct email address and press **Next Step**. Input the verification code that has been sent to your email address. After setting your account and password click on **Complete**.



## 2. Network Connection

### 2.1 Method ① Wireless connection


1. Ensure that the camera is powered;
2. The phone has more than three bars of signal.

WiFi name can not be Chinese or special symbols (such as: -\*@#! % etc.).

## 3. Camera Adding

### 3.1 Method ① Bluetooth Connection

Open the “Bluetooth” function, log in to the “iCSee” APP, click the “+” in the upper right corner, click add, enter WIFI to confirm, the device prompts “System starting up” and then prompts “Wired network connected” again, the device appears on the device list, click enter to load the screen.




### 3.2 Method ② Camera Scanning QR


Code After successful login, click “+” in the upper right corner, select “WIFI camera”, enter the password of



the router according to the voice prompt on the APP, and click “OK” to start the configuration.




The two-dimensional code is aligned with the lens to configure the network, and the camera will issue a prompt sound of “connecting the router successfully”, and click on it to load the screen.



## 4.Subaccount (Other phones) Add a device

After the sub-account downloads the APP, register and log in to the account with the mobile number, click + in the upper right corner, select "from sharing" to scan, the QR code will be displayed on the main account to add the device, click in to load the screen.





**This device complies with part 15 of the FCC Rules.  
Operation is subject to the following two conditions:**

- (1) this device may not cause harmful interference, and
  - (2) this device must accept any interference received, including interference that may cause undesired operation.
- Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception.

**which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:**

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum 20cm distance between the radiator and your body: Use only the supplied antenna.