

Prüfbericht – Produkte
Test Report - Products

Prüfbericht-Nr.: <i>Test report no.:</i>	IN258337 001	Auftrags-Nr.: <i>Order no.:</i>	146976468 010	Seite 1 von 100 Page 1 of 100
Kunden-Referenz-Nr.: <i>Client reference no.:</i>	2384903	Auftragsdatum: <i>Order date:</i>	2024-10-22	
Auftraggeber: <i>Client:</i>	Devic Earth Private Limited Villa 7, Ground Floor Parkway Tivoli Apartment. Kadugodi Main Road.Seegehalli Whitefield Bangalore,560067.			
Prüfgegenstand: <i>Test item:</i>	Air Pollution Control Equipment			
Bezeichnung: <i>Identification .:</i>	Transmitter PSDEACE			
Auftrags-Inhalt: <i>Order content:</i>	Testing and issue of Test Report With Grant Certificate			
Prüfgrundlage: <i>Test specification:</i>	47 CFR Part2, 47 CFR Part 27, FCC Part15 Subpart C 15.207 RSS Gen Issue 5, RSS 139 Issue 4, RSS 199 Issue 4, RSS 130 Issue 2			
Wareneingangsdatum: <i>Date of sample receipt:</i>	2024-11-04			
Prüfmuster-Nr & Serien-Nr.: <i>Test sample no & serial no.:</i>	A003846786-002 0036			
Prüfzeitraum: <i>Testing period:</i>	2024-11-04 - 2024-11-20			
Ort der Prüfung: <i>Place of testing:</i>	Wireless laboratory, Bangalore			
Prüflaboratorium: <i>Testing laboratory:</i>	TÜV Rheinland (India) Pvt.Ltd., 27/B, 2nd Cross, Electronic City Phase1 Bangalore -560 100, India FCC Test site registration number: 496599 ISED Test site registration number: 27711			
Prüfergebnis*: <i>Test result*:</i>	Pass			
geprüft von: <i>tested by:</i>	genehmigt von: <i>authorized by:</i>			
Datum: <i>Date:</i> 2025-01-17	Ausstellatum: <i>Issue date:</i> 2025-01-17			
Stellung / Position:	M.V.Naveen Kumar Senior Engineer	Stellung / Position:	Madhu K.N Assistant Manager	
Sonstiges / Other:	FCC ID: 2BL5B-PSDEACE IC: 33453-PSDEACE HVIN: Transmitter PSDEACE			
Zustand des Prüfgegenstandes bei Anlieferung: <i>Condition of the test item at delivery:</i>	Prüfmuster vollständig und unbeschädigt <i>Test item complete and undamaged</i>			
* Legende: 1 = sehr gut 2 = gut 3 = befriedigend 4 = ausreichend 5 = mangelhaft P(ass) = entspricht o.g. Prüfgrundlage(n) F(ail) = entspricht nicht o.g. Prüfgrundlage(n) N/A = nicht anwendbar N/T = nicht getestet * Legend: 1 = very good 2 = good 3 = satisfactory 4 = sufficient 5 = poor P(ass) = passed a.m. test specification(s) F(ail) = failed a.m. test specification(s) N/A = not applicable N/T = not tested				
Dieser Prüfbericht bezieht sich nur auf das o.g. Prüfmuster und darf ohne Genehmigung der Prüfstelle nicht auszugsweise vervielfältigt werden. Dieser Bericht berechtigt nicht zur Verwendung eines Prüfzeichens. <i>This test report only relates to the a. m. test sample. Without permission of the test center this test report is not permitted to be vö_spllicated in extracts. This test report does not entitle to carry any test mark.</i>				

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 2 von 100
Page 2 of 100

- | | |
|---|---|
| 1 | <p>Alle eingesetzten Prüfmittel waren zum angegebenen Prüfzeitraum gemäß eines festgelegten Kalibrierungsprogramms unseres Prüfhauses kalibriert. Sie entsprechen den in den Prüfprogrammen hinterlegten Anforderungen. Die Rückverfolgbarkeit der eingesetzten Prüfmittel ist durch die Einhaltung der Regelungen unseres Managementsystems gegeben.</p> <p>Detaillierte Informationen bezüglich Prüfkonditionen, Prüfequipment und Messunsicherheiten sind im Prüflabor vorhanden und können auf Wunsch bereitgestellt werden.</p> <p><i>The equipment used during the specified testing period was calibrated according to our test laboratory calibration program. The equipment fulfils the requirements included in the relevant standards. The traceability of the test equipment used is ensured by compliance with the regulations of our management system. Detailed information regarding test conditions, equipment and measurement uncertainty is available in the test laboratory and could be provided on request.</i></p> |
| 2 | <p>Wie vertraglich vereinbart, wurde dieses Dokument nur digital unterzeichnet. Der TÜV Rheinland hat nicht überprüft, welche rechtlichen oder sonstigen diesbezüglichen Anforderungen für dieses Dokument gelten. Diese Überprüfung liegt in der Verantwortung des Benutzers dieses Dokuments. Auf Verlangen des Kunden kann der TÜV Rheinland die Gültigkeit der digitalen Signatur durch ein gesondertes Dokument bestätigen. Diese Anfrage ist an unseren Vertrieb zu richten. Eine Umweltgebühr für einen solchen zusätzlichen Service wird erhoben.</p> <p><i>As contractually agreed, this document has been signed digitally only. TUV Rheinland has not verified and unable to verify which legal or other pertaining requirements are applicable for this document. Such verification is within the responsibility of the user of this document. Upon request by its client, TUV Rheinland can confirm the validity of the digital signature by a separate document. Such request shall be addressed to our Sales department. An environmental fee for such additional service will be charged.</i></p> |
| 3 | <p>Prüfklausel mit der Note * wurden an qualifizierte Unterauftragnehmer vergeben und sind unter der jeweiligen Prüfklausel des Berichts beschrieben.</p> <p>Abweichungen von Prüfspezifikation(en) oder Kundenanforderungen sind in der jeweiligen Prüfklausel im Bericht aufgeführt.</p> <p><i>Test clauses with remark of * are subcontracted to qualified subcontractors and described under the respective test clause in the report.</i></p> <p><i>Deviations of testing specification(s) or customer requirements are listed in specific test clause in the report.</i></p> |
| 4 | <p>Die Entscheidungsregel für Konformitätserklärungen in diesem Prüfbericht basiert auf der "Null-Grenzwert-Regel" und der "Einfachen Akzeptanz" gemäß ILAC G8:2019 und IEC Guide 115:2021, es sei denn, in der auf Seite 1 dieses Berichts genannten angewandten Norm ist etwas anderes festgelegt oder vom Kunden gewünscht. Dies bedeutet, dass die Messunsicherheit nicht berücksichtigt wird und daher auch nicht im Prüfbericht angegeben wird.</p> <p><i>The decision rule for statements of conformity in this test report is based on the "Zero Guard Band Rule" and "Simple Acceptance" in accordance with ILAC G8:2019 and IEC Guide 115:2021, unless otherwise specified in the applied standard mentioned on Page 1 of this report or requested by the customer. This means that measurement uncertainty is not taken in account and hence also not declared in the test report.</i></p> |

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 3 von 100
Page 3 of 100

TEST SUMMARY

Test Item	FCC Clause	ISED Clause	Results
Conducted Output Average Power and Peak to Average Power ratio	§27.50	RSS-139, §6.4 RSS-199, §4.4 RSS-130, §4.4	Pass
Equivalent Isotropic Radiated Power (EIRP) / Effective Radiated Power (ERP)	§2.1046 §27.50	RSS-Gen, §6.12; RSS-139, §6.4	Pass
Field strength of spurious radiation	§2.1053 §27.53(c)(f)	RSS-Gen, §6.13; RSS-139, §6.5 RSS-199, §4.5; RSS-130, §4.6	Pass
Frequency Stability	§2.1055 §27.54	RSS-Gen, §6.11; RSS-139, §6.3	N/T
Emission Bandwidth and Occupied Bandwidth	§2.1049	RSS-Gen, §6.6	N/T
Band Edge	§2.1051 §27.53(c)	RSS-Gen, §6.13; RSS-139, §6.5	N/T
Spurious emissions at antenna terminals	§2.1051 §27.53(c)	RSS-Gen, §6.13; RSS-139, §6.5	N/T
A.C Power Lines Conducted emission	FCC 15.207	RSS Gen Issue 5, Section 8.8	Pass

Note:

N/T: Not Tested, since Air Pollution Control Equipment product uses certified RF modules Product Name:

LTE/GNSS MODULE with FCC ID: 2AJYU-8PYA007 & IC: 23761-8PYA008 , Hence the above mentioned test cases are excluded and which can be found in the module test report of respective FCC ID & IC.

Product	Applicant	FCC ID	IC	Report No	IC Report No	Issued By	FCC Grant Date	ISED Grant Date
SIMCom	SIMCom Wireless Solutions Limited	2AJYU-8PYA007	23761-8PYA008	STS2006043W01	STS2006043W02	Shenzhen STS Test Services Co., Ltd.	14-08-2020	02-09-2020

Product Category: Electronics Testing
Test Discipline: EMC Test Facility

Prüfbericht - Nr.:

Test Report No.:

IN258337 001

Seite 4 von 100

Page 4 of 100

REVISION HISTORY OF THIS REPORT

Report Number	Version	Description	Issue date
IN258337 001	01	Initial issue of report	2025-01-17

Table of Contents

1	GENERAL REMARKS	6
1.1	Attachments	6
2	TEST SITES	7
2.1	Testing Facilities	7
2.2	List of Test and Measurement Instruments.....	7
3	GENERAL PRODUCT INFORMATION.....	8
3.1	Product Function and Intended Use	8
3.2	Ratings and System Details of Equipment under Test	8
3.3	Measurement Uncertainty	9
4	TEST SET-UP AND OPERATION MODE.....	10
4.1	Principle of Configuration Selection	10
4.2	UUT Operation and Software.....	10
4.3	Special Accessories and Auxiliary Equipment	10
4.4	Countermeasures to achieve EMC Compliance	10
4.5	List of frequencies	10
4.6	Report references	11
5	Operational Description of the product	12
6	TEST METHODOLOGY	13
6.1	AC Power Lines Conducted emission.....	13
6.1.1	Test Setup Configuration.....	13
6.2	Radiated Emission Test	14
6.2.1	Test Setup Configuration.....	14
7	TEST RESULTS	18
7.1	PEAK – AVERAGE RATIO	18
7.2	EFFECTIVE (ISOTROPIC) RADIATED POWER	41
7.3	Field Strength of Spurious Radiation	64
8	AC Power lines Conducted Emission	97
9	LIST OF TABLES.....	100
10	LIST OF FIGURES.....	100

Prüfbericht - Nr.:

Test Report No.:

IN258337 001

Seite 6 von 100

Page 6 of 100

1 GENERAL REMARKS

1.1 Attachments

All attachments are part of this test report and are issued in separate document

1: TEST SETUP PHOTOS

2: EUT EXTERNAL PHOTOS

3: EUT INTERNAL PHOTOS

4: FCC LABEL AND LABEL LOCATION

5: BLOCK DIAGRAM

6: SPECIFICATION OF EUT

7: SCHEMATIC DIAGRAM

8: BILL OF MATERIAL

9: USER MANUAL

10: MAXIMUM PERMISSIBLE EXPOSURE INFORMATION

2 TEST SITES

2.1 Testing Facilities

1. TÜV Rheinland (India) Pvt.Ltd.,
27/B, 2nd Cross,
ElectronicCityPhase1
Bangalore – 560 100,
India
2. TÜV Rheinland (India) Private Limited
108 , Beside ISBR Business School,
Electronic city Phase I
Bangalore - 560 100.
India

2.2 List of Test and Measurement Instruments

Table 1: List of test and measurement instruments

Equipment	Manufacturer	Model Name	Serial Number	Firmware Versions	Calibration Due Date	Periodicity	Test Facility
EMI Receiver	Rohde & Schwarz	ESW 44	101773	1.72 SP5	26.01.2025	Yearly	Radiated Spurious Emission
Horn Antenna	Schwarzbeck	BBHA 9120 D	2117	-	26.01.2025	Yearly	
Baloon and Biconical Antenna	Schwarzbeck mess-elektronik	VHBB-9124 / BBA-9106	01028	-	08.02.2025	Yearly	
Log-Periodic Antenna	Schwarzbeck mess-elektronik	VUSLP-9111B	9111B-111	-	03.02.2025	Yearly	
Active loop antenna	Frankonia	LAX-10	LAX-10-800	-	23-03-2025	Yearly	
Fully Anechoic Chamber	Albatross	-	-	-	-	-	
EMI Receiver	Rohde & Schwarz	ESW 44	103384	4.73 SP5	10.05.2025	Yearly	Antenna – Port Conducted
10dB Attenuator	H+S Electronics Pvt. Ltd	6810.17.A	770041	-	08-03-2025	Yearly	
Radio Communication tester	Rohde & Schwarz	CMW 500	1201.0002K50	-	29.11.2025	Yearly	
EMI Receiver	Rohde & Schwarz	ESR7	101133	3.48 SP3	16.09.2025	Yearly	AC Powerlines Test Case
Two Line V-Network (LISN)	Rohde & Schwarz	ENV 216	100022	-	15-04-2025	Yearly	
Pulse Limiter	Rohde & Schwarz	ESH3-Z2	100811	-	08-07-2025	Yearly	

Table 2: Instrument application Software versions

SL. No.	Test Type	Application software	Version
1	Radiated spurious emission measurement in 10m-SAC	BATEMC	V2022.0.11.0
2	Radiated spurious emission measurement in FAC	EMC 32	10.60.20

3 GENERAL PRODUCT INFORMATION

3.1 Product Function and Intended Use

PURE SKIES IS AN ADVANCED AIR-CLEANING TECHNOLOGY THAT REDUCES PM2.5 AND PM10 PARTICULATE MATTER CONCENTRATIONS OVER A LARGE AREA IN AMBIENT CONDITIONS. IT IS ESPECIALLY SUITED FOR CITIES, HEAVY INDUSTRIES, POWER PLANTS, MINES, AIRPORTS, AND PORTS.

3.2 Ratings and System Details of Equipment under Test

Table 3: Ratings and System Details as declared by Supplier*

Radio Protocol		LTE & WCDMA				
LTE E-UTRA operating bands		Band	Bandwidth (MHz)	UL Frequency (MHz)	DL Frequency (MHz)	Modulation
		4	1.4,3,5,10,15,20	1710 - 1755	2110 - 2155	QPSK, 16QAM
		12	1.4, 3, 5, 10	699 - 716	729 - 746	QPSK, 16QAM
		13	5, 10	777 - 787	746 - 756	QPSK, 16QAM
		41	5,10,15,20	2496 – 2689.9	-	QPSK, 16QAM
		66	1.4,3,5,10,15,20	1710 – 1779.9	2110 - 2199	QPSK, 16QAM
WCDMA		4	-	1710 - 1755	2110 - 2155	QPSK
Transmitted Power for LTE (dBm)		Band	Power Class	Max. Conducted Average. Output Power		
		4	Power Class 3: 23dBm	23.33dBm@20MHz_QPSK_High Channel		
		12	Power Class 3: 23dBm	23.70dBm@1.4MHz_QPSK_Mid Channel		
		13	Power Class 3: 23dBm	23.86dBm@10MHz_QPSK_Low Channel		
		41	Power Class 3: 23dBm	22.14dBm@10MHz_QPSK_High Channel		
		66	Power Class 3: 23dBm	23.67dBm@20MHz_QPSK_Low Channel		
Transmitted Power for WCDMA (dBm)		4	Power Class 3: 24dBm	22.75dBm@Low Channel		
Antenna Type		Main Antenna – dipole Antenna				
Number of Antenna		Main – 1				
Antenna Gain		Refer Table 4				
Supply Voltage to Product		110VAC through mains				
Environmental conditions	Storage	-20°C to 85° C 30% to 65% RH, non-condensing				
	Operating	15°C to 50° C 30% to 65% RH, non-condensing				
EUT Dimension (H x W x D)		10.14 x 8.26 x 4 inch				

Antenna Type	Frequency Bands (MHz)	Antenna Gain (dBi)
Primary Antenna (External)	Band 2	1.87
	Band 4	3.12
	Band 5	0.91
	Band 12	0.95
	Band 13	2.23
	Band 25	1.87
	Band 26	0.91
	Band 41	2.90
	Band 66	3.12

Table 4: Antenna Gain

***Disclaimer:**

The information/data is supplied by the client and the same is considered to arrive at the final value. Any changes made apart from the specified specification, can directly impact on the tests results. Refer the products user manual for more details.

3.3 Measurement Uncertainty

Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of $k = 2$

Table 5: Measurement Uncertainty

Parameter	Uncertainty
Occupied Channel Bandwidth	±5 %
RF output power, conducted	±1.5 dB
Power Spectral Density, conducted	±3 dB
Unwanted Emissions, conducted	±3 dB
All emissions, radiated	±6 dB
Temperature	±3 °C
Supply Voltages	±3 %
Time	±5 %

4 TEST SET-UP AND OPERATION MODE

4.1 Principle of Configuration Selection

Transmission was enabled with highest possible duty cycle on low, mid and high channels

4.2 UUT Operation and Software

Sl. No	Board Name	Hardware Name	Hardware Version	Software Name	Software Version
1	RF Board	MPLAB	PIC KIT TM4 in-CIRCUIT DEBUGGER	MPLAB X	IDE v6.20
2	Security Board	Arduino Programmer	IDE 2.3.2	Arduino	Arduino IDE 2.3.2

Hardware version & Identification Number (HVIN) : Refer the cover Page

4.3 Special Accessories and Auxiliary Equipment

- None

4.4 Countermeasures to achieve EMC Compliance

- None

4.5 List of frequencies

Table 6: List of Center frequencies

Protocol	Band	UL Frequency (MHz)	DL Frequency (MHz)
LTE	4	1710 - 1755	2110 - 2155
	12	699 - 716	729 - 746
	13	777 – 786.9	746 – 755.9
	41	2496 – 2689.9	-
	66	1710 – 1779.90	2110 - 2199
WCDMA	4	1710 - 1755	2100 - 2155

Note:

TUV Sample Identification number: – A003846786-002 Radiated test Sample & Conducted test Sample.

4.6 Report references

Note: Air Pollution Control Equipment has multiple protocols. All the supported wireless protocols and their respective test results are issued in separate test reports, following table lists the report numbers.

Radio Protocol	Report Number
RF test report for FCC Part22 Subpart H & RSS Gen Issue 5, RSS 132 Issue 4	IN25CSFD 001
RF test report for FCC Part24 Subpart E & RSS Gen Issue 5, RSS-133 Issue 7	IN258K1F 001
RF test report for FCC Part27 Subpart C & RSS Gen Issue 5, RSS 139 Issue 4, RSS 199 Issue 4, RSS 130 Issue 2	IN258337 001
RF test report for FCC Part90 Subpart S	IN25DWD0 001
RF Test report for FCC Part15 Subpart C & RSS 247 Issue 3, RSS Gen Issue 5	IN25S64J 001

5 Operational Description of the product

THE PURE SKIES 2.0 SYSTEM INCLUDES BOTH A TRANSMITTER AND A RECEIVER UNIT. THE TRANSMITTER UNIT TRANSMITS PROPRIETARY ALGORITHM-BASED PULSED RADIO WAVES (2.4GHZ). THE RECEIVER UNIT HAS AN OMNIDIRECTIONAL ANTENNA TUNED TO THE ISM BAND (2.4GHZ) AND IT RECEIVES PULSED RADIO WAVES AND CREATES AN ELECTROMAGNETIC FIELD. THAT ACCELERATES THE CLEARANCE OF TARGET POLLUTANTS IN THE SURROUNDING AREA.


6 TEST METHODOLOGY

6.1 AC Power Lines Conducted emission

Measured levels of ac powerline conducted emission across the 50Ω LISN port (to which the EUT is connected). All emission voltage and current measurements shall be made on each current-carrying conductor at the plug end of the EUT power cord by the use of mating plugs and receptacles on the LISN, if used. Equipment shall be tested with power cords that are normally supplied or recommended by the manufacturer and that have electrical and shielding characteristics that are the same as those cords normally supplied or recommended by the manufacturer.

The device is placed on the test table, raised 80cm above the reference ground plane. The vertical conducting plane is located 40cm to the rear of the device. AC Conducted emission measurement is made over frequency range from 150kHz to 30MHz, this measurement was performed with EUT powered with an AC adaptor with 110V AC 60Hz supply.

6.1.1 Test Setup Configuration



6.2 Radiated Emission Test

Frequency Range 9 kHz - 30 MHz

Test performed as per ANSI C63.4-2014 section 8.3

The loop Antenna was placed at 1m above the ground plane & EUT is 3 meters far from the measuring antenna. With 3m measurement distance, correction data were applied to the measured results. The test arrangement, measuring antenna guidelines and operational configurations in 8.2.1 and 8.2.2, shall be followed. The measurement antenna shall be positioned with its plane perpendicular to the ground at the Specified distance, when perpendicular to the ground plane, the lowest height of the magnetic antenna shall be 1 m above the ground and shall be positioned at the specified distance from the EUT. EUT & its associates are placed on non-conducting table of 0.8m height which is placed on the turn table, For each measurement antenna alignment, the EUT shall be rotated through 0° to 360° on a turntable. The report shall list worst case emission results, for each of the parallel & perpendicular orientations.

6.2.1 Test Setup Configuration




Figure 1: Frequency Range 9 kHz- 30 MHz

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 15 von 100
Page 15 of 100

Frequency Range 30MHz to 10th harmonics of the highest fundamental frequency

Test performed as per ANSI C63.26-2015

Radiated spurious emission test are performed as below.

All the radiated emission measurements are performed in accordance with common requirement specified in 5.5.2 and Pre-test site path loss correction factors are used to adjust the EUT emission data in place of two step substitution method (as defined in Annex B of ANSI C63.26-2015).

The equipment under test is placed on non-conductive table at 3m away from the receive antenna in accordance with above mentioned standard. Turn table is rotated through 360 degree, and receiver antenna height is varied in order to determine the level of maximum emission. The maximum emission level and position of the maximized emission is recorded with use of spectrum analyzer.

Using pre-test site path loss to determine EUT emission power:

- 1) EUT emission powers are calculated using the following equation:

$$\text{Emission Power} = \text{EUT}_{\text{Prec}} [\text{dBm EIRP/ ERP}] + P_L [\text{dB}]$$

where

EUT_{Prec} = power of the emission measured at the test receiver during EUT measurements.

P_L = path loss determined on the frequency of the EUT emission or calculated using linear interpolation between site characterization frequencies.

- 2) This is the level to be compared against the regulatory limit as it is the emission power referenced back to the EUT on the test site.

Test site-up for radiated measurements




Figure 2: Frequency Range 30 MHz – 200 MHz




Figure 3: Frequency Range 200 MHz - 1GHz





Figure 4: Frequency Range above 1 GHz

Substitution method set-up for radiated emission



Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 18 von 100
Page 18 of 100

7 TEST RESULTS


7.1 PEAK – AVERAGE RATIO

Result

Pass

Specification	FCC Part §2.1046; § 27.50(d); §27.50(a); §27.50(c); §27.50 RSS-139, §6.4; RSS-199, §4.4; RSS-130,§4.4; RSS-130,§4.4 ANSI C63.26-2015
Test Method / Procedure	As per subclause 5 in 971168 D01 Power Meas License Digital Systems v03r01
Detector Function	Peak/Average
Requirement	PAPR ≤ 13dB

Test Setup:



Environmental Conditions:

Temperature: +22.5°C

Voltage: 110VAC through mains

Relative Humidity: 62%

KDB Guidelines applied:

Measurements were made as per section 5.2.4 in KDB 971168 D01 Power Meas License Digital Systems v03r01

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 19 von 100
Page 19 of 100

Test results:

Note:

1. All the losses are included during measurement and final values are mentioned in the test report.
2. Total Average Output power (dBm) = Measured Average power (dBm) + Attenuator factor (30dB) + Power Splitter (6 dB) + Cable loss (1dB)
3. PAPR (dB) = Measured Peak Power(dBm) – Measured Average Power(dBm)

PAPR Test Results

Cellular Band	Channel Bandwidth (MHz)	Modulation Technique	Channel Number	RB Pos/RB allocation	Measured peak Power (dBm)	Measured Average Power (dBm)	PAPR (dB)	Limit (dB)
4	1.4	QPSK	19957	1RB#0	27.01	22.77	4.24	13.00
			19957	1RB#2	26.98	22.82	4.16	13.00
			19957	1RB#5	26.87	22.66	4.21	13.00
			19957	3RB#0	27.38	22.78	4.60	13.00
			19957	3RB#1	27.17	22.68	4.49	13.00
			19957	3RB#3	27.27	22.74	4.53	13.00
			19957	6RB#0	27.26	22.73	4.53	13.00
			20175	1RB#0	26.99	22.34	4.65	13.00
			20175	1RB#2	27.06	22.46	4.60	13.00
			20175	1RB#5	27.03	22.36	4.67	13.00
			20175	3RB#0	28.24	23.19	5.05	13.00
			20175	3RB#1	28.09	23.04	5.05	13.00
			20175	3RB#3	28.09	23.03	5.06	13.00
			20175	6RB#0	27.40	22.02	5.38	13.00
			20393	1RB#0	26.79	22.69	4.10	13.00
			20393	1RB#2	26.85	22.84	4.01	13.00
			20393	1RB#5	26.79	22.71	4.08	13.00
			20393	3RB#0	27.08	22.90	4.18	13.00
			20393	3RB#1	27.15	22.98	4.17	13.00
			20393	3RB#3	27.16	22.99	4.17	13.00
			20393	6RB#0	26.82	21.94	4.88	13.00
		16QAM	19957	1RB#0	26.57	21.52	5.05	13.00
			19957	1RB#2	26.76	21.72	5.04	13.00
			19957	1RB#5	26.65	21.61	5.04	13.00
			19957	3RB#0	27.12	21.83	5.29	13.00
			19957	3RB#1	27.05	21.87	5.18	13.00
			19957	3RB#3	27.09	21.87	5.22	13.00
			19957	6RB#0	26.92	20.97	5.95	13.00
			20175	1RB#0	27.80	22.11	5.69	13.00
			20175	1RB#2	28.04	22.33	5.71	13.00
			20175	1RB#5	27.77	22.32	5.45	13.00
			20175	3RB#0	27.77	22.04	5.73	13.00
			20175	3RB#1	27.72	22.03	5.69	13.00
			20175	3RB#3	27.62	21.94	5.68	13.00
			20175	6RB#0	27.30	21.03	6.27	13.00
			20393	1RB#0	27.08	22.55	4.53	13.00
			20393	1RB#2	27.12	22.40	4.72	13.00
			20393	1RB#5	26.98	22.46	4.52	13.00
			20393	3RB#0	27.40	21.93	5.47	13.00
			20393	3RB#1	27.12	21.89	5.23	13.00
			20393	3RB#3	27.13	21.77	5.36	13.00
			20393	6RB#0	26.76	21.09	5.67	13.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 20 von 100
Page 20 of 100

Cellular Band	Channel Bandwidth (MHz)	Modulation Technique	Channel Number	RB Pos/RB allocation	Measured peak Power (dBm)	Measured Average Power (dBm)	PAPR (dB)	Limit (dB)
4	3	QPSK	19965	1RB#0	26.92	22.22	4.70	13.00
			19965	1RB#8	26.84	22.23	4.61	13.00
			19965	1RB#14	27.09	22.36	4.73	13.00
			19965	8RB#0	26.58	21.82	4.76	13.00
			19965	8RB#4	26.51	21.78	4.73	13.00
			19965	8RB#7	26.46	21.75	4.71	13.00
			19965	15RB#0	26.62	21.74	4.88	13.00
			20175	1RB#0	27.23	22.54	4.69	13.00
			20175	1RB#8	26.94	22.47	4.47	13.00
			20175	1RB#14	27.12	22.50	4.62	13.00
			20175	8RB#0	27.01	22.02	4.99	13.00
			20175	8RB#4	27.01	22.03	4.98	13.00
			20175	8RB#7	26.97	22.01	4.96	13.00
			20175	15RB#0	27.55	22.05	5.50	13.00
			20385	1RB#0	26.99	22.88	4.11	13.00
			20385	1RB#8	26.92	22.86	4.06	13.00
			20385	1RB#14	27.07	22.97	4.10	13.00
			20385	8RB#0	26.34	21.81	4.53	13.00
			20385	8RB#4	26.41	21.92	4.49	13.00
			20385	8RB#7	26.47	21.94	4.53	13.00
			20385	15RB#0	26.88	21.87	5.01	13.00
		16QAM	19965	1RB#0	26.92	22.11	4.81	13.00
			19965	1RB#8	26.83	22.14	4.69	13.00
			19965	1RB#14	26.80	22.07	4.73	13.00
			19965	8RB#0	26.63	21.13	5.50	13.00
			19965	8RB#4	26.66	21.11	5.55	13.00
			19965	8RB#7	26.79	21.18	5.61	13.00
			19965	15RB#0	27.18	21.21	5.97	13.00
			20175	1RB#0	27.37	21.91	5.46	13.00
			20175	1RB#8	27.14	21.75	5.39	13.00
			20175	1RB#14	27.30	21.72	5.58	13.00
			20175	8RB#0	26.61	20.94	5.67	13.00
			20175	8RB#4	27.06	21.23	5.83	13.00
			20175	8RB#7	26.94	21.19	5.75	13.00
			20175	15RB#0	27.61	21.21	6.40	13.00
			20385	1RB#0	26.79	22.14	4.65	13.00
			20385	1RB#8	26.65	22.13	4.52	13.00
			20385	1RB#14	26.72	22.07	4.65	13.00
			20385	8RB#0	26.15	20.77	5.38	13.00
			20385	8RB#4	26.49	21.00	5.49	13.00
			20385	8RB#7	26.75	21.28	5.47	13.00
			20385	15RB#0	27.22	21.11	6.11	13.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 21 von 100
Page 21 of 100

Cellular Band	Channel Bandwidth (MHz)	Modulation Technique	Channel Number	RB Pos/RB allocation	Measured peak Power (dBm)	Measured Average Power (dBm)	PAPR (dB)	Limit (dB)
4	5	QPSK	19975	1RB#0	26.64	22.33	4.31	13.00
			19975	1RB#12	26.81	22.60	4.21	13.00
			19975	1RB#24	26.94	22.59	4.35	13.00
			19975	12RB#0	26.45	21.81	4.64	13.00
			19975	12RB#6	26.33	21.79	4.54	13.00
			19975	12RB#13	26.35	21.75	4.60	13.00
			19975	25RB#0	26.96	21.79	5.17	13.00
			20175	1RB#0	27.33	22.63	4.70	13.00
			20175	1RB#12	27.10	22.58	4.52	13.00
			20175	1RB#24	27.35	22.71	4.64	13.00
			20175	12RB#0	27.01	22.00	5.01	13.00
			20175	12RB#6	26.99	21.98	5.01	13.00
			20175	12RB#13	27.00	21.97	5.03	13.00
			20175	25RB#0	27.75	21.98	5.77	13.00
			20375	1RB#0	27.06	23.02	4.04	13.00
			20375	1RB#12	27.15	22.96	4.19	13.00
			20375	1RB#24	27.11	23.05	4.06	13.00
			20375	12RB#0	26.54	21.98	4.56	13.00
			20375	12RB#6	26.55	22.06	4.49	13.00
			20375	12RB#13	26.54	22.07	4.47	13.00
			20375	25RB#0	27.10	21.98	5.12	13.00
		16QAM	19975	1RB#0	26.43	21.34	5.09	13.00
			19975	1RB#12	26.13	21.12	5.01	13.00
			19975	1RB#24	26.25	21.20	5.05	13.00
			19975	12RB#0	26.58	20.96	5.62	13.00
			19975	12RB#6	26.52	20.88	5.64	13.00
			19975	12RB#13	26.49	20.86	5.63	13.00
			19975	25RB#0	27.01	20.95	6.06	13.00
			20175	1RB#0	27.71	22.41	5.30	13.00
			20175	1RB#12	28.08	22.70	5.38	13.00
			20175	1RB#24	28.06	22.61	5.45	13.00
			20175	12RB#0	26.92	20.91	6.01	13.00
			20175	12RB#6	26.50	20.85	5.65	13.00
			20175	12RB#13	26.69	20.94	5.75	13.00
			20175	25RB#0	27.61	21.05	6.56	13.00
			20375	1RB#0	26.88	21.78	5.10	13.00
			20375	1RB#12	26.76	21.82	4.94	13.00
			20375	1RB#24	26.73	21.73	5.00	13.00
			20375	12RB#0	26.23	21.03	5.20	13.00
			20375	12RB#6	26.71	21.23	5.48	13.00
			20375	12RB#13	26.73	21.34	5.39	13.00
			20375	25RB#0	27.14	21.11	6.03	13.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 22 von 100
Page 22 of 100

Cellular Band	Channel Bandwidth (MHz)	Modulation Technique	Channel Number	RB Pos/RB allocation	Measured peak Power (dBm)	Measured Average Power (dBm)	PAPR (dB)	Limit (dB)
	10	QPSK	20000	1RB#0	26.84	22.54	4.30	13.00
			20000	1RB#24	26.58	22.30	4.28	13.00
			20000	1RB#49	26.80	22.33	4.47	13.00
			20000	25RB#0	26.60	21.91	4.69	13.00
			20000	25RB#12	26.66	21.94	4.72	13.00
			20000	25RB#25	26.73	21.95	4.78	13.00
			20000	50RB#0	27.48	21.82	5.66	13.00
			20175	1RB#0	27.57	22.83	4.74	13.00
			20175	1RB#24	27.99	23.26	4.73	13.00
			20175	1RB#49	27.51	22.90	4.61	13.00
			20175	25RB#0	27.28	22.12	5.16	13.00
			20175	25RB#12	27.16	22.05	5.11	13.00
			20175	25RB#25	27.06	22.05	5.01	13.00
			20175	50RB#0	28.01	22.08	5.93	13.00
			20350	1RB#0	27.18	22.85	4.33	13.00
			20350	1RB#24	27.36	23.28	4.08	13.00
			20350	1RB#49	27.11	23.03	4.08	13.00
			20350	25RB#0	26.59	21.91	4.68	13.00
			20350	25RB#12	26.54	21.99	4.55	13.00
			20350	25RB#25	26.53	21.93	4.60	13.00
			20350	50RB#0	27.55	20.04	7.51	13.00
		16QAM	20000	1RB#0	27.07	22.33	4.74	13.00
			20000	1RB#24	27.12	22.39	4.73	13.00
			20000	1RB#49	27.24	22.27	4.97	13.00
			20000	25RB#0	26.65	21.05	5.60	13.00
			20000	25RB#12	26.60	20.96	5.64	13.00
			20000	25RB#25	26.59	20.96	5.63	13.00
			20000	50RB#0	26.92	21.04	5.88	13.00
			20175	1RB#0	27.28	21.72	5.56	13.00
			20175	1RB#24	27.74	22.11	5.63	13.00
			20175	1RB#49	27.49	22.02	5.47	13.00
			20175	25RB#0	27.19	21.79	5.40	13.00
			20175	25RB#12	27.17	21.27	5.90	13.00
			20175	25RB#25	27.12	21.31	5.81	13.00
			20175	50RB#0	27.84	21.23	6.61	13.00
			20350	1RB#0	27.04	22.23	4.81	13.00
			20350	1RB#24	27.13	22.48	4.65	13.00
			20350	1RB#49	26.90	22.20	4.70	13.00
			20350	25RB#0	26.76	21.08	5.68	13.00
			20350	25RB#12	26.72	21.04	5.68	13.00
			20350	25RB#25	26.57	21.03	5.54	13.00
			20350	50RB#0	27.62	21.24	6.38	13.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 23 von 100
Page 23 of 100

Cellular Band	Channel Bandwidth (MHz)	Modulation Technique	Channel Number	RB Pos/RB allocation	Measured peak Power (dBm)	Measured Average Power (dBm)	PAPR (dB)	Limit (dB)
4	15	QPSK	20025	1RB#0	27.34	23.06	4.28	13.00
			20025	1RB#38	27.14	22.72	4.42	13.00
			20025	1RB#74	27.37	22.66	4.71	13.00
			20025	36RB#0	26.62	21.93	4.69	13.00
			20025	36RB#18	26.97	22.04	4.93	13.00
			20025	36RB#39	27.38	21.94	5.44	13.00
			20025	75RB#0	27.43	21.92	5.51	13.00
			20175	1RB#0	27.02	22.52	4.50	13.00
			20175	1RB#38	27.60	23.12	4.48	13.00
			20175	1RB#74	27.24	22.94	4.30	13.00
			20175	36RB#0	27.23	22.20	5.03	13.00
			20175	36RB#18	27.16	22.16	5.00	13.00
			20175	36RB#39	27.80	22.15	5.65	13.00
			20175	75RB#0	27.78	22.13	5.65	13.00
			20325	1RB#0	27.50	22.99	4.51	13.00
			20325	1RB#38	27.31	23.11	4.20	13.00
			20325	1RB#74	27.14	23.14	4.00	13.00
			20325	36RB#0	26.87	22.10	4.77	13.00
			20325	36RB#18	26.73	22.10	4.63	13.00
			20325	36RB#39	26.74	22.11	4.63	13.00
			20325	75RB#0	27.40	22.07	5.33	13.00
		16QAM	20025	1RB#0	27.28	22.55	4.73	13.00
			20025	1RB#38	27.35	22.58	4.77	13.00
			20025	1RB#74	27.73	22.49	5.24	13.00
			20025	36RB#0	26.80	21.09	5.71	13.00
			20025	36RB#18	26.83	20.99	5.84	13.00
			20025	36RB#39	27.25	21.34	5.91	13.00
			20025	75RB#0	27.41	21.20	6.21	13.00
			20175	1RB#0	26.30	21.29	5.01	13.00
			20175	1RB#38	26.94	21.96	4.98	13.00
			20175	1RB#74	27.09	22.11	4.98	13.00
			20175	36RB#0	27.08	21.09	5.99	13.00
			20175	36RB#18	27.06	21.16	5.90	13.00
			20175	36RB#39	26.89	21.11	5.78	13.00
			20175	75RB#0	27.78	21.27	6.51	13.00
			20325	1RB#0	27.40	22.54	4.86	13.00
			20325	1RB#38	27.85	23.21	4.64	13.00
			20325	1RB#74	27.10	22.57	4.53	13.00
			20325	36RB#0	26.95	21.21	5.74	13.00
			20325	36RB#18	26.72	21.13	5.59	13.00
			20325	36RB#39	26.73	21.08	5.65	13.00
			20325	75RB#0	27.24	21.17	6.07	13.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 24 von 100
Page 24 of 100

Cellular Band	Channel Bandwidth (MHz)	Modulation Technique	Channel Number	RB Pos/RB allocation	Measured peak Power (dBm)	Measured Average Power (dBm)	PAPR (dB)	Limit (dB)
	20	QPSK	20050	1RB#0	27.03	22.73	4.30	13.00
			20050	1RB#49	27.10	22.60	4.50	13.00
			20050	1RB#99	27.42	22.67	4.75	13.00
			20050	50RB#0	27.11	22.04	5.07	13.00
			20050	50RB#25	27.13	22.02	5.11	13.00
			20050	50RB#50	27.24	22.08	5.16	13.00
			20050	100RB#0	27.74	21.25	6.49	13.00
			20175	1RB#0	27.17	21.81	5.36	13.00
			20175	1RB#49	27.64	22.26	5.38	13.00
			20175	1RB#99	27.33	22.22	5.11	13.00
			20175	50RB#0	27.47	21.34	6.13	13.00
			20175	50RB#25	27.27	21.34	5.93	13.00
			20175	50RB#50	27.16	21.32	5.84	13.00
			20175	100RB#0	27.48	21.27	6.21	13.00
			20300	1RB#0	27.89	23.14	4.75	13.00
			20300	1RB#49	27.55	23.29	4.26	13.00
			20300	1RB#99	27.15	23.17	3.98	13.00
			20300	50RB#0	27.29	22.43	4.86	13.00
			20300	50RB#25	26.75	22.17	4.58	13.00
			20300	50RB#50	26.75	22.19	4.56	13.00
			20300	100RB#0	27.30	22.30	5.00	13.00
		16QAM	20050	1RB#0	27.44	22.60	4.84	13.00
			20050	1RB#49	27.86	22.78	5.08	13.00
			20050	1RB#99	27.56	22.18	5.38	13.00
			20050	50RB#0	27.05	21.18	5.87	13.00
			20050	50RB#25	27.43	21.44	5.99	13.00
			20050	50RB#50	27.40	21.44	5.96	13.00
			20050	100RB#0	27.59	21.18	6.41	13.00
			20175	1RB#0	27.21	21.86	5.35	13.00
			20175	1RB#49	27.68	22.30	5.38	13.00
			20175	1RB#99	27.58	22.43	5.15	13.00
			20175	50RB#0	27.40	21.33	6.07	13.00
			20175	50RB#25	27.22	21.36	5.86	13.00
			20175	50RB#50	27.23	21.36	5.87	13.00
			20175	100RB#0	27.73	21.37	6.36	13.00
			20300	1RB#0	28.11	22.96	5.15	13.00
			20300	1RB#49	27.92	23.22	4.70	13.00
			20300	1RB#99	27.52	23.08	4.44	13.00
			20300	50RB#0	27.45	21.55	5.90	13.00
			20300	50RB#25	26.84	21.33	5.51	13.00
			20300	50RB#50	26.82	21.27	5.55	13.00
			20300	100RB#0	27.84	21.37	6.47	13.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 25 von 100
Page 25 of 100

LTE Band 12:

Band	Bandwidth	Modulation	Channel	RB Pos/RB allocation	Measured peak Power (dBm)	Measured Average Power (dBm)	PAPR (dB)	Limit (dB)
Band12	1.4MHz	QPSK	23017	1RB#0	26.02	22.46	3.56	13.00
			23017	1RB#2	26.12	22.63	3.49	13.00
			23017	1RB#5	26.11	22.56	3.55	13.00
			23017	3RB#0	27.27	23.44	3.83	13.00
			23017	3RB#1	27.35	23.46	3.89	13.00
			23017	3RB#3	27.34	23.48	3.86	13.00
			23017	6RB#0	27.50	22.40	5.10	13.00
			23095	1RB#0	25.83	22.22	3.61	13.00
			23095	1RB#5	25.74	22.26	3.48	13.00
			23095	1RB#2	25.81	22.23	3.58	13.00
			23095	3RB#0	27.55	23.70	3.85	13.00
			23095	3RB#1	27.35	23.47	3.88	13.00
			23095	3RB#3	27.44	23.55	3.89	13.00
			23095	6RB#0	27.68	22.61	5.07	13.00
			23173	1RB#5	26.61	23.11	3.50	13.00
			23173	1RB#0	26.73	23.31	3.42	13.00
			23173	1RB#2	26.70	23.30	3.40	13.00
			23173	3RB#0	27.13	23.39	3.74	13.00
			23173	3RB#1	26.98	23.21	3.77	13.00
			23173	3RB#3	26.90	23.29	3.61	13.00
			23173	6RB#0	27.31	22.29	5.02	13.00
		16QAM	23017	1RB#0	26.97	22.53	4.44	13.00
			23017	1RB#2	27.03	22.81	4.22	13.00
			23017	1RB#5	27.05	22.72	4.33	13.00
			23017	3RB#1	27.23	22.52	4.71	13.00
			23017	3RB#0	27.31	22.59	4.72	13.00
			23017	3RB#3	27.30	22.51	4.79	13.00
			23017	6RB#0	27.08	21.28	5.80	13.00
			23095	1RB#0	26.83	22.34	4.49	13.00
			23095	1RB#2	26.71	22.30	4.41	13.00
			23095	1RB#5	26.76	22.40	4.36	13.00
			23095	3RB#3	26.88	22.14	4.74	13.00
			23095	3RB#0	27.36	22.74	4.62	13.00
			23095	3RB#1	27.33	22.71	4.62	13.00
			23095	6RB#0	27.56	21.46	6.10	13.00
			23173	1RB#2	26.90	22.49	4.41	13.00
			23173	1RB#0	26.75	22.40	4.35	13.00
			23173	1RB#5	26.72	22.37	4.35	13.00
			23173	3RB#0	26.77	22.28	4.49	13.00
			23173	3RB#1	26.63	22.20	4.43	13.00
			23173	3RB#3	26.65	22.21	4.44	13.00
			23173	6RB#0	27.19	21.12	6.07	13.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 26 von 100
Page 26 of 100

Band	Bandwidth	Modulation	Channel	RB Pos/RB allocation	Measured peak Power (dBm)	Measured Average Power (dBm)	PAPR (dB)	Limit (dB)
Band12	3MHz	QPSK	23025	1RB#8	25.91	22.32	3.59	13.00
			23025	1RB#14	25.96	22.51	3.45	13.00
			23025	1RB#0	25.79	22.18	3.61	13.00
			23025	8RB#0	27.40	22.52	4.88	13.00
			23025	8RB#4	27.57	22.68	4.89	13.00
			23025	8RB#7	27.62	22.68	4.94	13.00
			23025	15RB#0	27.91	22.60	5.31	13.00
			23095	1RB#0	25.87	23.19	2.68	13.00
			23095	1RB#14	26.91	23.46	3.45	13.00
			23095	1RB#8	26.91	23.31	3.60	13.00
			23095	8RB#7	27.66	22.79	4.87	13.00
			23095	8RB#0	27.71	22.77	4.94	13.00
			23095	8RB#4	27.67	22.75	4.92	13.00
			23095	15RB#0	28.44	22.81	5.63	13.00
			23165	1RB#8	26.56	22.97	3.59	13.00
			23165	1RB#0	26.55	23.13	3.42	13.00
			23165	1RB#14	26.77	23.29	3.48	13.00
			23165	8RB#0	27.20	22.33	4.87	13.00
			23165	8RB#7	27.17	22.32	4.85	13.00
			23165	8RB#4	27.19	22.26	4.93	13.00
			23165	15RB#0	27.66	22.43	5.23	13.00
		16QAM	23025	1RB#14	26.95	22.60	4.35	13.00
			23025	1RB#0	26.95	22.73	4.22	13.00
			23025	1RB#8	26.77	22.37	4.40	13.00
			23025	8RB#7	27.24	21.49	5.75	13.00
			23025	8RB#4	27.44	21.66	5.78	13.00
			23025	8RB#0	27.47	21.66	5.81	13.00
			23025	15RB#0	27.92	21.58	6.34	13.00
			23095	1RB#14	27.09	22.60	4.49	13.00
			23095	1RB#0	26.92	22.61	4.31	13.00
			23095	1RB#8	26.97	22.47	4.50	13.00
			23095	8RB#7	27.34	21.59	5.75	13.00
			23095	8RB#0	27.32	21.61	5.71	13.00
			23095	8RB#4	27.38	21.61	5.77	13.00
			23095	15RB#0	27.82	21.78	6.04	13.00
			23165	1RB#8	26.31	22.27	4.04	13.00
			23165	1RB#0	26.24	22.34	3.90	13.00
			23165	1RB#14	26.47	22.24	4.23	13.00
			23165	8RB#0	27.17	21.55	5.62	13.00
			23165	8RB#4	27.16	21.24	5.92	13.00
			23165	8RB#7	26.89	21.21	5.68	13.00
			23165	15RB#0	27.46	21.44	6.02	13.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 27 von 100
Page 27 of 100

Band	Bandwidth	Modulation	Channel	RB Pos/RB allocation	Measured peak Power (dBm)	Measured Average Power (dBm)	PAPR (dB)	Limit (dB)
Band12	5MHz	QPSK	23035	1RB#0	26.61	22.12	4.49	13.00
			23035	1RB#13	26.85	22.33	4.52	13.00
			23035	1RB#24	26.70	22.08	4.62	13.00
			23035	12RB#0	27.27	21.52	5.75	13.00
			23035	12RB#13	27.60	21.71	5.89	13.00
			23035	25RB#0	27.80	21.81	5.99	13.00
			23095	1RB#0	26.48	22.89	3.59	13.00
			23095	1RB#24	26.81	23.35	3.46	13.00
			23095	1RB#12	26.81	23.28	3.53	13.00
			23095	12RB#0	27.60	22.70	4.90	13.00
			23095	12RB#6	27.41	22.54	4.87	13.00
			23095	12RB#13	27.41	22.54	4.87	13.00
			23095	25RB#0	28.10	22.60	5.50	13.00
			23155	1RB#24	26.63	23.14	3.49	13.00
			23155	1RB#0	26.42	23.00	3.42	13.00
			23155	1RB#12	26.63	23.20	3.43	13.00
			23155	12RB#0	27.16	22.29	4.87	13.00
			23155	12RB#6	27.03	22.22	4.81	13.00
			23155	12RB#13	27.04	22.21	4.83	13.00
			23155	25RB#0	27.67	22.26	5.41	13.00
		16QAM	23025	1RB#0	26.79	23.25	3.54	13.00
			23025	1RB#13	26.75	23.29	3.46	13.00
			23025	1RB#24	26.53	22.89	3.64	13.00
			23025	12RB#0	27.34	22.48	4.86	13.00
			23025	12RB#13	27.56	22.75	4.81	13.00
			23025	25RB#0	28.11	22.71	5.40	13.00
			23095	1RB#0	26.83	22.36	4.47	13.00
			23095	1RB#12	26.95	22.62	4.33	13.00
			23095	1RB#24	26.74	22.21	4.53	13.00
			23095	12RB#13	27.18	21.45	5.73	13.00
			23095	12RB#0	27.34	21.49	5.85	13.00
			23095	12RB#6	27.44	21.54	5.90	13.00
			23095	25RB#0	27.99	21.53	6.46	13.00
			23155	1RB#12	26.77	22.60	4.17	13.00
			23155	1RB#0	26.57	22.49	4.08	13.00
			23155	1RB#24	26.62	22.49	4.13	13.00
			23155	12RB#0	27.12	21.35	5.77	13.00
			23155	12RB#6	27.04	21.26	5.78	13.00
			23155	12RB#13	27.04	21.26	5.78	13.00
			23155	25RB#0	27.75	21.28	6.47	13.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 28 von 100
Page 28 of 100

Band	Bandwidth	Modulation	Channel	RB Pos/RB allocation	Measured peak Power (dBm)	Measured Average Power (dBm)	PAPR (dB)	Limit (dB)
Band12	10MHz	QPSK	23060	1RB#49	26.53	22.97	3.56	13.00
			23060	1RB#24	26.67	23.20	3.47	13.00
			23060	1RB#0	26.50	22.92	3.58	13.00
			23060	25RB#0	27.54	22.60	4.94	13.00
			23060	25RB#12	27.46	22.60	4.86	13.00
			23060	25RB#25	27.44	22.46	4.98	13.00
			23060	50RB#0	28.33	22.52	5.81	13.00
			23095	1RB#0	26.69	23.15	3.54	13.00
			23095	1RB#49	27.13	23.37	3.76	13.00
			23095	1RB#24	26.95	23.53	3.42	13.00
			23095	25RB#25	27.51	22.61	4.90	13.00
			23095	25RB#0	27.36	22.49	4.87	13.00
			23095	25RB#12	27.34	22.50	4.84	13.00
			23095	50RB#0	27.90	22.48	5.42	13.00
			23130	1RB#24	25.77	22.24	3.53	13.00
			23130	1RB#0	26.93	23.48	3.45	13.00
			23130	1RB#49	25.81	22.31	3.50	13.00
			23130	25RB#0	27.45	22.46	4.99	13.00
			23130	25RB#25	27.24	22.28	4.96	13.00
			23130	25RB#12	27.22	22.28	4.94	13.00
			23130	50RB#0	27.45	22.37	5.08	13.00
	10MHz	16QAM	23060	1RB#49	26.69	22.27	4.42	13.00
			23060	1RB#0	26.77	22.42	4.35	13.00
			23060	1RB#24	26.70	22.33	4.37	13.00
			23060	25RB#25	27.42	21.58	5.84	13.00
			23060	25RB#12	27.30	21.61	5.69	13.00
			23060	25RB#0	27.28	21.48	5.80	13.00
			23060	50RB#0	27.65	21.43	6.22	13.00
			23095	1RB#49	27.63	23.08	4.55	13.00
			23095	1RB#0	28.04	23.67	4.37	13.00
			23095	1RB#24	27.10	22.64	4.46	13.00
			23095	25RB#25	27.55	21.58	5.97	13.00
			23095	25RB#0	27.21	21.41	5.80	13.00
			23095	25RB#12	27.22	21.51	5.71	13.00
			23095	50RB#0	27.45	21.41	6.04	13.00
			23130	1RB#24	27.01	22.22	4.79	13.00
			23130	1RB#0	27.46	23.10	4.36	13.00
			23130	1RB#49	26.37	21.93	4.44	13.00
			23130	25RB#0	27.22	21.41	5.81	13.00
			23130	25RB#12	27.17	21.34	5.83	13.00
			23130	25RB#25	27.20	21.36	5.84	13.00
			23130	50RB#0	27.37	21.31	6.06	13.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 29 von 100
Page 29 of 100

LTE Band 13:

Band	Bandwidth	Modulation	Channel	RB Pos/RB allocation	Measured peak Power (dBm)	Measured Average Power (dBm)	PAPR (dB)	Limit (dBm)
Band13	5MHz	QPSK	23205	1RB#12	28.27	22.61	5.66	13.00
			23205	1RB#24	28.67	23.19	5.48	13.00
			23205	1RB#0	28.69	23.06	5.63	13.00
			23205	12RB#0	27.73	21.76	5.97	13.00
			23205	12RB#6	28.34	22.94	5.40	13.00
			23205	12RB#13	28.33	22.93	5.40	13.00
			23205	25RB#0	28.92	22.93	5.99	13.00
			23230	1RB#0	28.42	22.48	5.94	13.00
			23230	1RB#12	28.64	22.86	5.78	13.00
			23230	1RB#24	28.96	23.20	5.76	13.00
			23230	12RB#0	27.99	21.86	6.13	13.00
			23230	12RB#6	28.13	22.11	6.02	13.00
			23230	12RB#13	28.14	22.09	6.05	13.00
			23230	25RB#0	28.45	22.01	6.44	13.00
			23255	1RB#24	28.41	22.69	5.72	13.00
			23255	1RB#0	28.81	23.35	5.46	13.00
			23255	1RB#12	28.90	23.19	5.71	13.00
			23255	12RB#6	28.15	22.14	6.01	13.00
			23255	12RB#0	28.62	22.31	6.31	13.00
			23255	12RB#13	28.12	21.99	6.13	13.00
			23255	25RB#0	28.11	21.95	6.16	13.00
		16QAM	23205	1RB#12	28.39	21.80	6.59	13.00
			23205	1RB#0	28.62	23.12	5.50	13.00
			23205	1RB#24	28.65	22.99	5.66	13.00
			23205	12RB#13	27.63	21.63	6.00	13.00
			23205	12RB#6	27.89	21.83	6.06	13.00
			23205	12RB#0	27.88	21.84	6.04	13.00
			23205	25RB#0	28.39	21.66	6.73	13.00
			23230	1RB#0	28.44	22.51	5.93	13.00
			23230	1RB#12	28.68	22.89	5.79	13.00
			23230	1RB#24	28.85	23.06	5.79	13.00
			23230	12RB#0	27.84	21.89	5.95	13.00
			23230	12RB#6	28.14	22.22	5.92	13.00
			23230	12RB#13	28.14	22.13	6.01	13.00
			23230	25RB#0	28.31	22.01	6.30	13.00
			23255	1RB#0	27.54	22.71	4.83	13.00
			23255	1RB#12	27.63	22.85	4.78	13.00
			23255	1RB#24	28.28	23.38	4.90	13.00
			23255	12RB#13	28.27	23.12	5.15	13.00
			23255	12RB#0	28.21	23.16	5.05	13.00
			23255	12RB#6	28.60	23.34	5.26	13.00
			23255	25RB#0	28.97	23.19	5.78	13.00
Band13	10MHz	QPSK	23230	1RB#49	27.59	22.48	5.11	13.00
			23230	1RB#24	28.80	23.86	4.94	13.00
			23230	1RB#0	28.65	23.57	5.08	13.00
			23230	25RB#0	28.22	22.85	5.37	13.00
			23230	25RB#12	28.64	23.20	5.44	13.00
			23230	25RB#25	28.40	22.95	5.45	13.00
			23230	50RB#0	28.61	22.93	5.68	13.00
		16QAM	23230	1RB#49	28.74	23.25	5.49	13.00
			23230	1RB#0	28.44	23.09	5.35	13.00
			23230	1RB#24	28.97	23.46	5.51	13.00
			23230	25RB#0	27.78	21.71	6.07	13.00
			23230	25RB#12	28.58	22.25	6.33	13.00
			23230	25RB#25	28.01	22.03	5.98	13.00
			23230	50RB#0	28.65	21.80	6.85	13.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 30 von 100
Page 30 of 100

LTE Band 41:

Band	Bandwidth	Modulation	Channel	RB Configuration	Measured peak Power (dBm)	Measured Average Power (dBm)	PAPR (dB)	Limit (dB)
Band41	5MHz	QPSK	39675	1RB#0	25.99	21.59	4.40	13.00
			39675	1RB#12	25.95	21.52	4.43	13.00
			39675	1RB#24	25.98	21.60	4.38	13.00
			39675	12RB#0	25.64	20.95	4.69	13.00
			39675	12RB#6	25.75	20.95	4.80	13.00
			39675	12RB#13	25.72	20.94	4.78	13.00
			39675	25RB#0	26.20	20.86	5.34	13.00
			40620	1RB#0	26.31	21.89	4.42	13.00
			40620	1RB#24	26.42	22.13	4.29	13.00
			40620	1RB#12	26.30	21.86	4.44	13.00
			40620	12RB#0	25.79	21.01	4.78	13.00
			40620	12RB#6	26.14	21.18	4.96	13.00
			40620	12RB#13	26.04	21.16	4.88	13.00
			40620	25RB#0	26.58	21.17	5.41	13.00
			41565	1RB#24	25.71	21.75	3.96	13.00
			41565	1RB#0	25.57	21.67	3.90	13.00
			41565	1RB#12	25.92	21.77	4.15	13.00
			41565	12RB#0	25.56	21.03	4.53	13.00
			41565	12RB#6	25.47	20.88	4.59	13.00
			41565	12RB#13	25.65	20.98	4.67	13.00
			41565	25RB#0	26.09	20.97	5.12	13.00
	5MHz	16QAM	39675	1RB#0	25.88	20.58	5.30	13.00
			39675	1RB#12	25.68	20.48	5.20	13.00
			39675	1RB#24	25.75	20.61	5.14	13.00
			39675	12RB#6	25.53	19.81	5.72	13.00
			39675	12RB#0	25.72	20.02	5.70	13.00
			39675	12RB#13	25.56	19.82	5.74	13.00
			39675	25RB#0	26.09	19.95	6.14	13.00
			40620	1RB#0	26.18	21.30	4.88	13.00
			40620	1RB#12	26.08	21.32	4.76	13.00
			40620	1RB#24	26.35	21.14	5.21	13.00
			40620	12RB#13	25.63	19.81	5.82	13.00
			40620	12RB#0	25.35	19.56	5.79	13.00
			40620	12RB#6	25.48	19.69	5.79	13.00
			40620	25RB#0	26.30	19.82	6.48	13.00
			41565	1RB#12	25.90	21.22	4.68	13.00
			41565	1RB#0	25.81	21.28	4.53	13.00
			41565	1RB#24	25.81	21.46	4.35	13.00
			41565	12RB#0	25.37	19.96	5.41	13.00
			41565	12RB#6	25.49	19.99	5.50	13.00
			41565	12RB#13	25.44	19.96	5.48	13.00
			41565	25RB#0	26.11	20.16	5.95	13.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 31 von 100
Page 31 of 100

Band	Bandwidth	Modulation	Channel	RB Configuration	Measured peak Power (dBm)	Measured Average Power (dBm)	PAPR (dB)	Limit (dB)
Band41	10MHz	QPSK	39700	1RB#24	26.06	21.76	4.30	13.00
			39700	1RB#49	25.98	21.78	4.20	13.00
			39700	1RB#0	26.12	21.93	4.19	13.00
			39700	25RB#0	25.63	20.83	4.80	13.00
			39700	25RB#12	25.62	20.85	4.77	13.00
			39700	25RB#25	25.46	20.61	4.85	13.00
			39700	50RB#0	26.44	20.74	5.70	13.00
			40620	1RB#0	25.92	21.47	4.45	13.00
			40620	1RB#49	25.89	21.55	4.34	13.00
			40620	1RB#24	25.93	21.53	4.40	13.00
			40620	25RB#25	25.71	20.80	4.91	13.00
			40620	25RB#0	25.57	20.75	4.82	13.00
			40620	25RB#12	25.53	20.69	4.84	13.00
			40620	50RB#0	25.94	20.63	5.31	13.00
			41540	1RB#24	25.73	21.95	3.78	13.00
			41540	1RB#0	25.93	22.11	3.82	13.00
			41540	1RB#49	26.17	22.14	4.03	13.00
			41540	25RB#0	25.57	21.17	4.40	13.00
			41540	25RB#25	25.56	20.99	4.57	13.00
			41540	25RB#12	25.53	20.98	4.55	13.00
			41540	50RB#0	26.43	21.13	5.30	13.00
	10MHz	16QAM	39700	1RB#49	25.75	20.64	5.11	13.00
			39700	1RB#0	25.70	20.65	5.05	13.00
			39700	1RB#24	25.73	20.52	5.21	13.00
			39700	25RB#25	25.72	19.87	5.85	13.00
			39700	25RB#12	25.57	19.63	5.94	13.00
			39700	25RB#0	25.60	19.78	5.82	13.00
			39700	50RB#0	26.14	19.66	6.48	13.00
			40620	1RB#49	26.16	19.82	6.34	13.00
			40620	1RB#0	26.57	21.59	4.98	13.00
			40620	1RB#24	26.28	21.07	5.21	13.00
			40620	25RB#25	25.62	19.79	5.83	13.00
			40620	25RB#0	25.44	19.66	5.78	13.00
			40620	25RB#12	25.60	19.78	5.82	13.00
			40620	50RB#0	26.10	19.65	6.45	13.00
			41540	1RB#24	25.98	21.50	4.48	13.00
			41540	1RB#0	26.12	21.65	4.47	13.00
			41540	1RB#49	26.30	21.57	4.73	13.00
			41540	25RB#0	25.33	20.25	5.08	13.00
			41540	25RB#12	25.49	20.11	5.38	13.00
			41540	25RB#25	25.57	20.08	5.49	13.00
			41540	50RB#0	26.14	20.18	5.96	13.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 32 von 100
Page 32 of 100

Band	Bandwidth	Modulation	Channel	RB Configuration	Measured peak Power (dBm)	Measured Average Power (dBm)	PAPR (dB)	Limit (dB)
Band41	15MHz	QPSK	39725	1RB#0	25.77	21.68	4.09	13.00
			39725	1RB#38	25.76	21.56	4.20	13.00
			39725	1RB#74	25.87	21.61	4.26	13.00
			39725	36RB#0	25.37	20.43	4.94	13.00
			39725	36RB#18	25.47	20.51	4.96	13.00
			39725	36RB#39	25.36	20.44	4.92	13.00
			39725	75RB#0	25.87	20.34	5.53	13.00
			40620	1RB#0	26.04	21.64	4.40	13.00
			40620	36RB#39	26.02	21.62	4.40	13.00
			40620	75RB#0	26.07	21.65	4.42	13.00
			40620	1RB#0	25.65	20.67	4.98	13.00
			40620	1RB#74	25.60	20.62	4.98	13.00
			40620	1RB#38	26.02	21.65	4.37	13.00
			40620	36RB#0	25.65	20.69	4.96	13.00
			40620	36RB#18	25.61	20.59	5.02	13.00
			40620	36RB#39	25.65	20.61	5.04	13.00
			40620	75RB#0	26.20	20.62	5.58	13.00
			41515	1RB#74	25.44	21.88	3.56	13.00
			41515	1RB#0	25.69	21.92	3.77	13.00
			41515	1RB#38	25.82	21.79	4.03	13.00
			41515	36RB#0	25.34	20.94	4.40	13.00
			41515	36RB#18	25.57	21.01	4.56	13.00
			41515	36RB#39	25.45	20.92	4.53	13.00
			41515	75RB#0	26.20	21.13	5.07	13.00
		16QAM	39725	1RB#0	26.41	21.16	5.25	13.00
			39725	1RB#38	26.05	21.13	4.92	13.00
			39725	1RB#74	26.11	21.15	4.96	13.00
			39725	36RB#18	25.35	19.48	5.87	13.00
			39725	36RB#0	25.42	19.56	5.86	13.00
			39725	36RB#39	25.41	19.54	5.87	13.00
			39725	75RB#0	25.89	19.54	6.35	13.00
			40620	1RB#0	26.07	21.68	4.39	13.00
			40620	1RB#38	26.13	21.82	4.31	13.00
			40620	1RB#74	26.14	21.72	4.42	13.00
			40620	36RB#39	25.58	20.64	4.94	13.00
			40620	36RB#0	25.64	20.65	4.99	13.00
			40620	36RB#18	25.71	20.74	4.97	13.00
			40620	75RB#0	26.24	20.68	5.56	13.00
			41515	1RB#38	25.46	20.91	4.55	13.00
			41515	1RB#0	25.52	20.89	4.63	13.00
			41515	1RB#74	25.88	20.82	5.06	13.00
			41515	36RB#0	25.30	20.00	5.30	13.00
			41515	36RB#18	25.61	20.18	5.43	13.00
			41515	36RB#39	25.62	20.17	5.45	13.00
			41515	75RB#0	26.02	20.14	5.88	13.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 33 von 100
Page 33 of 100

Band	Bandwidth	Modulation	Channel	RB Configuration	Measured peak Power (dBm)	Measured Average Power (dBm)	PAPR (dB)	Limit (dB)
Band41	20MHz	QPSK	39750	1RB#99	25.90	21.61	4.29	13.00
			39750	1RB#49	25.71	21.80	3.91	13.00
			39750	1RB#0	25.63	21.66	3.97	13.00
			39750	50RB#0	25.49	20.60	4.89	13.00
			39750	50RB#25	25.55	20.71	4.84	13.00
			39750	50RB#50	25.48	20.59	4.89	13.00
			39750	100RB#0	25.94	20.58	5.36	13.00
			40620	1RB#0	26.39	20.58	5.81	13.00
			40620	1RB#99	25.68	21.31	4.37	13.00
			40620	1RB#49	25.88	21.49	4.39	13.00
			40620	50RB#50	25.52	20.58	4.94	13.00
			40620	50RB#0	25.66	20.63	5.03	13.00
			40620	50RB#25	25.61	20.67	4.94	13.00
			40620	100RB#0	25.88	20.50	5.38	13.00
			41490	1RB#49	25.49	21.87	3.62	13.00
			41490	1RB#0	25.78	22.12	3.66	13.00
			41490	1RB#99	26.04	22.04	4.00	13.00
			41490	50RB#0	25.39	20.97	4.42	13.00
			41490	50RB#50	25.49	20.96	4.53	13.00
			41490	50RB#25	25.50	20.99	4.51	13.00
			41490	100RB#0	26.32	21.04	5.28	13.00
	20MHz	16QAM	39750	1RB#99	25.33	20.26	5.07	13.00
			39750	1RB#0	25.61	19.54	6.07	13.00
			39750	1RB#49	25.38	20.27	5.11	13.00
			39750	50RB#50	25.55	19.53	6.02	13.00
			39750	50RB#25	25.43	19.55	5.88	13.00
			39750	50RB#0	25.47	19.56	5.91	13.00
			39750	100RB#0	25.64	19.53	6.11	13.00
			40620	1RB#99	26.03	21.19	4.84	13.00
			40620	1RB#0	26.51	21.40	5.11	13.00
			40620	1RB#49	26.23	21.13	5.10	13.00
			40620	50RB#50	25.69	19.70	5.99	13.00
			40620	50RB#0	25.76	19.80	5.96	13.00
			40620	50RB#25	25.55	19.64	5.91	13.00
			40620	100RB#0	26.22	19.80	6.42	13.00
			41490	1RB#49	25.66	21.15	4.51	13.00
			41490	1RB#0	26.01	21.67	4.34	13.00
			41490	1RB#99	26.13	21.41	4.72	13.00
			41490	50RB#0	25.32	20.12	5.20	13.00
			41490	50RB#25	25.50	20.11	5.39	13.00
			41490	50RB#50	25.42	20.06	5.36	13.00
			41490	100RB#0	26.65	20.99	5.66	13.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 34 von 100
Page 34 of 100

LTE Band 66:

Band	Bandwidth	Modulation	Channel No	RB Position & RB Allocation	Peak Output Power (dBm)	Conducted Average Output Power (dBm)	PAPR (dB)	Limit (dB)
Band 66	1.4MHz	QPSK	131979	1RB#0	27.12	22.85	4.27	13.00
			131979	1RB#2	27.02	22.88	4.14	13.00
			131979	1RB#5	27.12	22.88	4.24	13.00
			131979	3RB#1	27.35	22.95	4.40	13.00
			131979	3RB#0	27.43	22.93	4.50	13.00
			131979	3RB#3	27.08	22.11	4.97	13.00
			131979	6RB#0	26.84	21.93	4.91	13.00
			132321	1RB#5	26.78	22.44	4.34	13.00
			132321	1RB#0	26.79	22.57	4.22	13.00
			132321	1RB#2	26.87	22.56	4.31	13.00
			132321	3RB#0	27.45	22.88	4.57	13.00
			132321	3RB#1	27.52	22.98	4.54	13.00
			132321	3RB#3	27.61	23.04	4.57	13.00
			132321	6RB#0	27.16	22.08	5.08	13.00
			132664	1RB#2	26.27	22.97	3.30	13.00
			132664	1RB#5	27.37	22.90	4.47	13.00
			132664	1RB#0	27.34	22.75	4.59	13.00
			132664	3RB#0	27.67	22.75	4.92	13.00
			132664	3RB#3	27.56	22.71	4.85	13.00
			132664	3RB#1	27.51	22.74	4.77	13.00
			132664	6RB#0	26.79	21.72	5.07	13.00
		16QAM	131979	1RB#0	27.53	22.38	5.15	13.00
			131979	1RB#2	27.45	22.39	5.06	13.00
			131979	1RB#5	27.20	22.33	4.87	13.00
			131979	3RB#1	27.65	22.12	5.53	13.00
			131979	3RB#0	27.36	21.96	5.40	13.00
			131979	3RB#3	27.25	21.93	5.32	13.00
			131979	6RB#0	26.59	20.84	5.75	13.00
			132321	1RB#5	27.29	22.13	5.16	13.00
			132321	1RB#0	27.32	22.22	5.10	13.00
			132321	1RB#2	27.16	22.05	5.11	13.00
			132321	3RB#0	27.56	22.18	5.38	13.00
			132321	3RB#1	27.62	22.18	5.44	13.00
			132321	3RB#3	27.62	22.10	5.52	13.00
			132321	6RB#0	26.82	21.11	5.71	13.00
			132664	1RB#2	27.30	21.94	5.36	13.00
			132664	1RB#5	27.37	22.15	5.22	13.00
			132664	1RB#0	27.25	21.94	5.31	13.00
			132664	3RB#0	27.30	21.70	5.60	13.00
			132664	3RB#3	27.27	21.65	5.62	13.00
			132664	3RB#1	27.32	21.75	5.57	13.00
			132664	6RB#0	26.85	20.98	5.87	13.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 35 von 100
Page 35 of 100

Band	Bandwidth	Modulation	Channel No	RB Position & RB Allocation	Peak Output Power (dBm)	Conducted Average Output Power (dBm)	PAPR (dB)	Limit (dB)
Band66	3MHz	QPSK	131987	1RB#14	26.01	22.72	3.29	13.00
			131987	1RB#0	26.85	22.75	4.10	13.00
			131987	1RB#8	26.92	22.64	4.28	13.00
			131987	8RB#7	26.74	22.07	4.67	13.00
			131987	8RB#4	26.72	22.01	4.71	13.00
			131987	8RB#0	26.72	22.01	4.71	13.00
			131987	15RB#0	27.08	21.96	5.12	13.00
			132321	1RB#14	26.69	22.34	4.35	13.00
			132321	1RB#8	26.70	22.54	4.16	13.00
			132321	1RB#0	26.91	22.60	4.31	13.00
			132321	8RB#7	26.74	21.96	4.78	13.00
			132321	8RB#0	26.67	21.96	4.71	13.00
			132321	8RB#4	26.79	21.96	4.83	13.00
			132321	15RB#0	27.34	22.05	5.29	13.00
			132656	1RB#14	27.00	22.48	4.52	13.00
			132656	1RB#8	26.84	22.50	4.34	13.00
			132656	1RB#0	26.93	22.37	4.56	13.00
			132656	8RB#4	26.89	21.95	4.94	13.00
			132656	8RB#0	26.76	21.92	4.84	13.00
			132656	8RB#7	26.78	21.91	4.87	13.00
			132656	15RB#0	27.21	21.93	5.28	13.00
	3MHz	16QAM	131987	1RB#8	27.35	22.21	5.14	13.00
			131987	1RB#14	27.24	22.26	4.98	13.00
			131987	1RB#0	27.36	22.26	5.10	13.00
			131987	8RB#0	26.83	21.23	5.60	13.00
			131987	8RB#7	26.89	21.31	5.58	13.00
			131987	8RB#4	26.75	21.17	5.58	13.00
			131987	15RB#0	27.09	21.13	5.96	13.00
			132321	1RB#8	27.33	22.18	5.15	13.00
			132321	1RB#14	27.12	22.18	4.94	13.00
			132321	1RB#0	27.27	22.06	5.21	13.00
			132321	8RB#4	26.67	21.15	5.52	13.00
			132321	8RB#0	26.70	21.10	5.60	13.00
			132321	8RB#7	26.70	21.11	5.59	13.00
			132321	15RB#0	27.13	20.99	6.14	13.00
			132656	1RB#14	27.32	22.05	5.27	13.00
			132656	1RB#0	27.10	21.97	5.13	13.00
			132656	1RB#8	27.21	21.91	5.30	13.00
			132656	8RB#0	26.54	21.11	5.43	13.00
			132656	8RB#7	26.70	21.05	5.65	13.00
			132656	8RB#4	26.63	20.99	5.64	13.00
			132656	15RB#0	27.04	20.90	6.14	13.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 36 von 100
Page 36 of 100

Band	Bandwidth	Modulation	Channel No	RB Position & RB Allocation	Peak Output Power (dBm)	Conducted Average Output Power (dBm)	PAPR (dB)	Limit (dB)
Band66	5MHz	QPSK	131997	1RB#24	26.79	22.54	4.25	13.00
			131997	1RB#12	26.78	22.52	4.26	13.00
			131997	1RB#0	26.73	22.61	4.12	13.00
			131997	12RB#6	26.67	22.05	4.62	13.00
			131997	12RB#0	26.43	21.83	4.60	13.00
			131997	12RB#13	26.44	21.84	4.60	13.00
			131997	25RB#0	27.26	21.97	5.29	13.00
			132321	1RB#24	27.11	22.97	4.14	13.00
			132321	1RB#0	27.20	22.93	4.27	13.00
			132321	1RB#12	27.10	22.82	4.28	13.00
			132321	12RB#6	26.72	22.01	4.71	13.00
			132321	12RB#0	26.76	22.05	4.71	13.00
			132321	12RB#13	26.79	22.03	4.76	13.00
			132321	25RB#0	27.38	21.99	5.39	13.00
			132646	1RB#0	26.93	22.52	4.41	13.00
			132646	1RB#12	26.88	22.53	4.35	13.00
			132646	1RB#24	26.79	22.28	4.51	13.00
			132646	12RB#0	26.85	22.02	4.83	13.00
			132646	12RB#6	26.63	21.91	4.72	13.00
			132646	12RB#13	26.73	21.91	4.82	13.00
			132646	25RB#0	27.42	21.94	5.48	13.00
	5MHz	16QAM	131997	1RB#0	26.90	21.78	5.12	13.00
			131997	1RB#12	26.88	21.80	5.08	13.00
			131997	1RB#24	26.70	21.83	4.87	13.00
			131997	12RB#13	26.45	20.93	5.52	13.00
			131997	12RB#0	26.45	20.88	5.57	13.00
			131997	12RB#6	26.39	20.83	5.56	13.00
			131997	25RB#0	27.06	20.97	6.09	13.00
			132321	1RB#0	27.60	22.51	5.09	13.00
			132321	1RB#12	27.55	22.41	5.14	13.00
			132321	1RB#24	27.57	22.65	4.92	13.00
			132321	12RB#0	26.49	20.97	5.52	13.00
			132321	12RB#13	26.60	20.83	5.77	13.00
			132321	12RB#6	26.48	20.92	5.56	13.00
			132321	25RB#0	27.09	20.98	6.11	13.00
			132646	1RB#0	26.99	21.97	5.02	13.00
			132646	1RB#24	26.86	21.83	5.03	13.00
			132646	1RB#12	26.94	21.76	5.18	13.00
			132646	12RB#0	26.38	20.78	5.60	13.00
			132646	12RB#6	26.58	20.97	5.61	13.00
			132646	12RB#13	26.64	21.02	5.62	13.00
			132646	25RB#0	27.22	21.02	6.20	13.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 37 von 100
Page 37 of 100

Band	Bandwidth	Modulation	Channel No	RB Position & RB Allocation	Peak Output Power (dBm)	Conducted Average Output Power (dBm)	PAPR (dB)	Limit (dB)
Band66	10MHz	QPSK	132022	1RB#0	27.29	23.02	4.27	13.00
			132022	1RB#24	27.54	23.15	4.39	13.00
			132022	1RB#49	27.33	22.80	4.53	13.00
			132022	25RB#12	26.76	22.03	4.73	13.00
			132022	25RB#0	26.70	21.96	4.74	13.00
			132022	25RB#25	26.70	21.94	4.76	13.00
			132022	50RB#0	27.42	21.99	5.43	13.00
			132321	1RB#49	27.36	22.88	4.48	13.00
			132321	1RB#0	27.41	23.14	4.27	13.00
			132321	1RB#24	27.31	23.17	4.14	13.00
			132321	25RB#0	26.91	22.11	4.80	13.00
			132321	25RB#12	26.80	22.09	4.71	13.00
			132321	25RB#25	26.80	22.05	4.75	13.00
			132321	50RB#0	27.54	22.08	5.46	13.00
			132621	1RB#24	27.38	23.15	4.23	13.00
			132621	1RB#49	27.60	23.22	4.38	13.00
			132621	1RB#0	26.87	22.36	4.51	13.00
			132621	25RB#0	26.70	22.03	4.67	13.00
			132621	25RB#25	26.72	21.91	4.81	13.00
			132621	25RB#12	26.71	21.89	4.82	13.00
			132621	50RB#0	27.29	21.94	5.35	13.00
	10MHz	16QAM	132022	1RB#24	27.48	22.40	5.08	13.00
			132022	1RB#49	27.55	22.45	5.10	13.00
			132022	1RB#0	28.02	22.57	5.45	13.00
			132022	25RB#0	26.76	21.13	5.63	13.00
			132022	25RB#12	26.60	20.99	5.61	13.00
			132022	25RB#25	26.65	21.00	5.65	13.00
			132022	50RB#0	27.40	21.08	6.32	13.00
			132321	1RB#49	27.57	22.23	5.34	13.00
			132321	1RB#0	27.30	22.25	5.05	13.00
			132321	1RB#24	26.98	22.11	4.87	13.00
			132321	25RB#25	26.80	21.14	5.66	13.00
			132321	25RB#12	26.78	21.20	5.58	13.00
			132321	25RB#0	26.73	21.12	5.61	13.00
			132321	50RB#0	27.30	20.97	6.33	13.00
			132621	1RB#24	27.25	22.27	4.98	13.00
			132621	1RB#49	27.14	22.11	5.03	13.00
			132621	1RB#0	27.30	21.93	5.37	13.00
			132621	25RB#25	26.69	21.15	5.54	13.00
			132621	25RB#12	26.51	20.92	5.59	13.00
			132621	25RB#0	26.44	20.90	5.54	13.00
			132621	50RB#0	27.14	20.99	6.15	13.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 38 von 100
Page 38 of 100

Band	Bandwidth	Modulation	Channel No	RB Position & RB Allocation	Peak Output Power (dBm)	Conducted Average Output Power (dBm)	PAPR (dB)	Limit (dB)
Band66	15MHz	QPSK	132047	1RB#74	26.65	22.43	4.22	13.00
			132047	1RB#0	26.96	22.57	4.39	13.00
			132047	1RB#38	27.63	22.89	4.74	13.00
			132047	36RB#39	26.87	22.11	4.76	13.00
			132047	36RB#18	27.02	22.01	5.01	13.00
			132047	36RB#0	27.05	22.04	5.01	13.00
			132047	75RB#0	27.59	22.03	5.56	13.00
			132321	1RB#74	26.86	22.75	4.11	13.00
			132321	1RB#38	27.03	22.50	4.53	13.00
			132321	1RB#0	27.35	23.07	4.28	13.00
			132321	36RB#0	27.00	22.18	4.82	13.00
			132321	36RB#39	26.83	22.06	4.77	13.00
			132321	36RB#18	26.82	22.07	4.75	13.00
			132321	75RB#0	27.01	23.02	3.99	13.00
			19125	1RB#74	26.94	22.93	4.01	13.00
			19125	1RB#38	27.05	22.87	4.18	13.00
			19125	1RB#0	27.11	22.55	4.56	13.00
			19125	36RB#18	26.82	22.14	4.68	13.00
			19125	36RB#0	26.74	21.93	4.81	13.00
			19125	36RB#39	26.80	21.96	4.84	13.00
			19125	75RB#0	27.34	21.96	5.38	13.00
	15MHz	16QAM	132047	1RB#0	27.25	23.05	4.20	13.00
			132047	1RB#74	27.46	23.05	4.41	13.00
			132047	1RB#38	27.60	22.88	4.72	13.00
			132047	36RB#0	26.83	22.07	4.76	13.00
			132047	36RB#39	27.01	22.03	4.98	13.00
			132047	36RB#18	26.99	22.07	4.92	13.00
			132047	75RB#0	27.54	22.02	5.52	13.00
			132321	1RB#38	27.57	22.19	5.38	13.00
			132321	1RB#74	27.88	22.83	5.05	13.00
			132321	1RB#0	27.13	22.32	4.81	13.00
			132321	36RB#18	26.83	21.11	5.72	13.00
			132321	36RB#0	26.75	21.13	5.62	13.00
			132321	36RB#39	26.62	20.99	5.63	13.00
			132321	75RB#0	27.32	21.03	6.29	13.00
			19125	1RB#74	26.95	22.27	4.68	13.00
			19125	1RB#0	26.94	22.05	4.89	13.00
			19125	1RB#38	26.40	21.25	5.15	13.00
			19125	36RB#0	26.51	21.05	5.46	13.00
			19125	36RB#39	26.60	20.91	5.69	13.00
			19125	36RB#18	26.59	20.92	5.67	13.00
			19125	75RB#0	27.14	21.99	5.15	13.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 39 von 100
Page 39 of 100

Band	Bandwidth	Modulation	Channel No	RB Position & RB Allocation	Peak Output Power (dBm)	Conducted Average Output Power (dBm)	PAPR (dB)	Limit (dB)
Band66	20MHz	QPSK	132072	1RB#99	27.37	22.88	4.49	13.00
			132072	1RB#49	28.19	23.67	4.52	13.00
			132072	1RB#0	27.51	22.96	4.55	13.00
			132072	50RB#25	28.37	23.38	4.99	13.00
			132072	50RB#0	28.25	23.15	5.10	13.00
			132072	50RB#50	28.23	23.14	5.09	13.00
			132072	100RB#0	29.25	23.42	5.83	13.00
			132321	1RB#99	27.41	22.79	4.62	13.00
			132321	1RB#0	27.71	23.48	4.23	13.00
			132321	1RB#49	27.03	23.04	3.99	13.00
			132321	50RB#25	27.06	22.26	4.80	13.00
			132321	50RB#0	26.80	22.15	4.65	13.00
			132321	50RB#50	26.83	22.16	4.67	13.00
			132321	100RB#0	27.52	22.15	5.37	13.00
			132571	1RB#0	27.09	23.19	3.90	13.00
			132571	1RB#49	27.46	23.37	4.09	13.00
			132571	1RB#99	27.07	22.56	4.51	13.00
			132571	50RB#0	26.65	22.18	4.47	13.00
			132571	50RB#25	26.70	21.97	4.73	13.00
			132571	50RB#50	26.68	21.96	4.72	13.00
			132571	100RB#0	27.34	21.98	5.36	13.00
		16QAM	132072	1RB#0	27.88	22.55	5.33	13.00
			132072	1RB#49	28.05	22.86	5.19	13.00
			132072	1RB#99	27.60	22.15	5.45	13.00
			132072	50RB#50	26.90	21.15	5.75	13.00
			132072	50RB#0	27.01	22.10	4.91	13.00
			132072	50RB#25	27.07	21.12	5.95	13.00
			132072	100RB#0	27.50	21.06	6.44	13.00
			132321	1RB#0	27.16	21.80	5.36	13.00
			132321	1RB#49	27.14	22.02	5.12	13.00
			132321	1RB#99	26.47	21.66	4.81	13.00
			132321	50RB#0	27.22	21.42	5.80	13.00
			132321	50RB#50	26.75	21.18	5.57	13.00
			132321	50RB#25	26.66	21.05	5.61	13.00
			132321	100RB#0	27.41	21.15	6.26	13.00
			132571	1RB#0	26.26	21.47	4.79	13.00
			132571	1RB#99	26.74	21.90	4.84	13.00
			132571	1RB#49	26.62	21.38	5.24	13.00
			132571	50RB#0	26.46	21.05	5.41	13.00
			132571	50RB#25	26.57	20.99	5.58	13.00
			132571	50RB#50	26.60	20.98	5.62	13.00
			132571	100RB#0	27.25	21.01	6.24	13.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 40 von 100
Page 40 of 100

Test Results for WCDMA Band 4:

Mode	Channel Frequency (MHz)	Conducted Average Power (dBm)	Measured Peak Power (dBm)	PAPR (dB)	Limit PAPR (dB)
WCDMA	1712.40	21.59	23.80	2.21	13.00
	1740.00	21.18	24.39	3.21	13.00
	1752.60	21.58	27.03	5.45	13.00
HSDPA Subtest1	1712.40	22.75	28.71	5.96	13.00
	1740.00	22.61	27.92	5.31	13.00
	1752.60	21.96	27.52	5.56	13.00
HSDPA Subtest2	1712.40	21.49	27.02	5.53	13.00
	1740.00	21.00	26.52	5.52	13.00
	1752.60	21.30	27.73	6.43	13.00
HSDPA Subtest3	1712.40	20.28	24.04	3.76	13.00
	1740.00	20.19	23.33	3.14	13.00
	1752.60	19.47	23.00	3.53	13.00
HSDPA Subtest4	1712.40	20.57	23.68	3.11	13.00
	1740.00	20.61	23.36	2.75	13.00
	1752.60	19.65	23.21	3.56	13.00
HSUPA Subtest1	1712.40	21.02	24.14	3.12	13.00
	1740.00	21.79	25.32	3.53	13.00
	1752.60	21.46	24.38	2.92	13.00
HSUPA Subtest2	1712.40	20.81	22.44	1.63	13.00
	1740.00	20.47	25.49	5.02	13.00
	1752.60	19.99	23.10	3.11	13.00
HSUPA Subtest3	1712.40	20.38	23.60	3.22	13.00
	1740.00	20.42	23.75	3.33	13.00
	1752.60	20.52	24.06	3.54	13.00
HSUPA Subtest4	1712.40	20.89	24.34	3.45	13.00
	1740.00	19.94	23.15	3.21	13.00
	1752.60	19.91	22.66	2.75	13.00


7.2 EFFECTIVE (ISOTROPIC) RADIATED POWER

Result

Pass

Specification	FCC Part §2.1046, §27.50(h), §27.50(c), §27.50(b) RSS-Gen, §6.12; RSS-130, §4.4 ANSI C63.26-2015
Test Method / Procedure	As per subclause 5 in 971168 D01 Power Meas License Digital Systems v03r01
Detector Function	Average
Requirement	specifies that "Portable stations (hand-held devices) transmitting in the 746-757 MHz, 776-788 MHz, and 805-806 MHz bands are limited to 3 watts ERP" 600 MHz uplink band and the 698-746 MHz band, and fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP" Fixed, mobile, and portable (hand-held) stations operating in the 1710-1755 MHz band and mobile and portable stations operating in the 1695-1710 MHz and 1755-1780 MHz bands are limited to 1 watt EIRP."

Test Setup:



Environmental Conditions:

Temperature: +22.5°C

Voltage: 110VAC through mains

Relative Humidity: 62%

KDB Guidelines applied:

Measurements were made as per section 5.2.4 in KDB 971168 D01 Power Meas License Digital Systems v03r01

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 42 von 100
Page 42 of 100

Note:

1. All the losses are included during measurement and final values are mentioned in the test report.
2. Total Average Output power (dBm) = Measured Average power (dBm) + Attenuator factor (30dB) + Power Splitter (3.3 dB) + Cable loss (1dB)
3. For getting the EIRP (Equivalent Isotropic Radiated Power), the following formula should be taken to calculate it,
ERP (dBm) = Conducted power (dBm) + Antenna gain (dBd)
EIRP (dBm) = Conducted power (dBm) + Antenna gain (dBi)

Test Results:

Cellular Band	Channel Bandwidth (MHz)	Modulation Technique	Channel Number	RB Pos/RB allocation	Measured Average Power (dBm)	EIRP (dBm)	Limit (dBm)
Band 4	1.4	QPSK	19957	1RB#0	22.77	25.89	30.00
			19957	1RB#2	22.82	25.94	30.00
			19957	1RB#5	22.66	25.78	30.00
			19957	3RB#0	22.78	25.90	30.00
			19957	3RB#1	22.68	25.80	30.00
			19957	3RB#3	22.74	25.86	30.00
			19957	6RB#0	22.73	25.85	30.00
			20175	1RB#0	22.34	25.46	30.00
			20175	1RB#2	22.46	25.58	30.00
			20175	1RB#5	22.36	25.48	30.00
			20175	3RB#0	23.19	26.31	30.00
			20175	3RB#1	23.04	26.16	30.00
			20175	3RB#3	23.03	26.15	30.00
			20175	6RB#0	22.02	25.14	30.00
			20393	1RB#0	22.69	25.81	30.00
			20393	1RB#2	22.84	25.96	30.00
			20393	1RB#5	22.71	25.83	30.00
			20393	3RB#0	22.90	26.02	30.00
			20393	3RB#1	22.98	26.10	30.00
			20393	3RB#3	22.99	26.11	30.00
			20393	6RB#0	21.94	25.06	30.00
		16QAM	19957	1RB#0	21.52	24.64	30.00
			19957	1RB#2	21.72	24.84	30.00
			19957	1RB#5	21.61	24.73	30.00
			19957	3RB#0	21.83	24.95	30.00
			19957	3RB#1	21.87	24.99	30.00
			19957	3RB#3	21.87	24.99	30.00
			19957	6RB#0	20.97	24.09	30.00
			20175	1RB#0	22.11	25.23	30.00
			20175	1RB#2	22.33	25.45	30.00
			20175	1RB#5	22.32	25.44	30.00
			20175	3RB#0	22.04	25.16	30.00
			20175	3RB#1	22.03	25.15	30.00
			20175	3RB#3	21.94	25.06	30.00
			20175	6RB#0	21.03	24.15	30.00
			20393	1RB#0	22.55	25.67	30.00
			20393	1RB#2	22.40	25.52	30.00
			20393	1RB#5	22.46	25.58	30.00
			20393	3RB#0	21.93	25.05	30.00
			20393	3RB#1	21.89	25.01	30.00
			20393	3RB#3	21.77	24.89	30.00
			20393	6RB#0	21.09	24.21	30.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 43 von 100
Page 43 of 100

Cellular Band	Channel Bandwidth (MHz)	Modulation Technique	Channel Number	RB Pos/RB allocation	Measured Average Power (dBm)	EIRP (dBm)	Limit (dBm)
Band 4	3	QPSK	19965	1RB#0	22.22	25.34	30.00
			19965	1RB#8	22.23	25.35	30.00
			19965	1RB#14	22.36	25.48	30.00
			19965	8RB#0	21.82	24.94	30.00
			19965	8RB#4	21.78	24.90	30.00
			19965	8RB#7	21.75	24.87	30.00
			19965	15RB#0	21.74	24.86	30.00
			20175	1RB#0	22.54	25.66	30.00
			20175	1RB#8	22.47	25.59	30.00
			20175	1RB#14	22.50	25.62	30.00
			20175	8RB#0	22.02	25.14	30.00
			20175	8RB#4	22.03	25.15	30.00
			20175	8RB#7	22.01	25.13	30.00
			20175	15RB#0	22.05	25.17	30.00
			20385	1RB#0	22.88	26.00	30.00
			20385	1RB#8	22.86	25.98	30.00
			20385	1RB#14	22.97	26.09	30.00
			20385	8RB#0	21.81	24.93	30.00
			20385	8RB#4	21.92	25.04	30.00
			20385	8RB#7	21.94	25.06	30.00
			20385	15RB#0	21.87	24.99	30.00
		16QAM	19965	1RB#0	22.11	25.23	30.00
			19965	1RB#8	22.14	25.26	30.00
			19965	1RB#14	22.07	25.19	30.00
			19965	8RB#0	21.13	24.25	30.00
			19965	8RB#4	21.11	24.23	30.00
			19965	8RB#7	21.18	24.30	30.00
			19965	15RB#0	21.21	24.33	30.00
			20175	1RB#0	21.91	25.03	30.00
			20175	1RB#8	21.75	24.87	30.00
			20175	1RB#14	21.72	24.84	30.00
			20175	8RB#0	20.94	24.06	30.00
			20175	8RB#4	21.23	24.35	30.00
			20175	8RB#7	21.19	24.31	30.00
			20175	15RB#0	21.21	24.33	30.00
			20385	1RB#0	22.14	25.26	30.00
			20385	1RB#8	22.13	25.25	30.00
			20385	1RB#14	22.07	25.19	30.00
			20385	8RB#0	20.77	23.89	30.00
			20385	8RB#4	21.00	24.12	30.00
			20385	8RB#7	21.28	24.40	30.00
			20385	15RB#0	21.11	24.23	30.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 44 von 100
Page 44 of 100

Cellular Band	Channel Bandwidth (MHz)	Modulation Technique	Channel Number	RB Pos/RB allocation	Measured Average Power (dBm)	EIRP (dBm)	Limit (dBm)
Band 4	5	QPSK	19975	1RB#0	22.33	25.45	30.00
			19975	1RB#12	22.60	25.72	30.00
			19975	1RB#24	22.59	25.71	30.00
			19975	12RB#0	21.81	24.93	30.00
			19975	12RB#6	21.79	24.91	30.00
			19975	12RB#13	21.75	24.87	30.00
			19975	25RB#0	21.79	24.91	30.00
			20175	1RB#0	22.63	25.75	30.00
			20175	1RB#12	22.58	25.70	30.00
			20175	1RB#24	22.71	25.83	30.00
			20175	12RB#0	22.00	25.12	30.00
			20175	12RB#6	21.98	25.10	30.00
			20175	12RB#13	21.97	25.09	30.00
			20175	25RB#0	21.98	25.10	30.00
			20375	1RB#0	23.02	26.14	30.00
			20375	1RB#12	22.96	26.08	30.00
			20375	1RB#24	23.05	26.17	30.00
			20375	12RB#0	21.98	25.10	30.00
			20375	12RB#6	22.06	25.18	30.00
			20375	12RB#13	22.07	25.19	30.00
			20375	25RB#0	21.98	25.10	30.00
		16QAM	19975	1RB#0	21.34	24.46	30.00
			19975	1RB#12	21.12	24.24	30.00
			19975	1RB#24	21.20	24.32	30.00
			19975	12RB#0	20.96	24.08	30.00
			19975	12RB#6	20.88	24.00	30.00
			19975	12RB#13	20.86	23.98	30.00
			19975	25RB#0	20.95	24.07	30.00
			20175	1RB#0	22.41	25.53	30.00
			20175	1RB#12	22.70	25.82	30.00
			20175	1RB#24	22.61	25.73	30.00
			20175	12RB#0	20.91	24.03	30.00
			20175	12RB#6	20.85	23.97	30.00
			20175	12RB#13	20.94	24.06	30.00
			20175	25RB#0	21.05	24.17	30.00
			20375	1RB#0	21.78	24.90	30.00
			20375	1RB#12	21.82	24.94	30.00
			20375	1RB#24	21.73	24.85	30.00
			20375	12RB#0	21.03	24.15	30.00
			20375	12RB#6	21.23	24.35	30.00
			20375	12RB#13	21.34	24.46	30.00
			20375	25RB#0	21.11	24.23	30.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 45 von 100
Page 45 of 100

Cellular Band	Channel Bandwidth (MHz)	Modulation Technique	Channel Number	RB Pos/RB allocation	Measured Average Power (dBm)	EIRP (dBm)	Limit (dBm)
Band 4	10	QPSK	20000	1RB#0	22.54	25.66	30.00
			20000	1RB#24	22.30	25.42	30.00
			20000	1RB#49	22.33	25.45	30.00
			20000	25RB#0	21.91	25.03	30.00
			20000	25RB#12	21.94	25.06	30.00
			20000	25RB#25	21.95	25.07	30.00
			20000	50RB#0	21.82	24.94	30.00
			20175	1RB#0	22.83	25.95	30.00
			20175	1RB#24	23.26	26.38	30.00
			20175	1RB#49	22.90	26.02	30.00
			20175	25RB#0	22.12	25.24	30.00
			20175	25RB#12	22.05	25.17	30.00
			20175	25RB#25	22.05	25.17	30.00
			20175	50RB#0	22.08	25.20	30.00
			20350	1RB#0	22.85	25.97	30.00
			20350	1RB#24	23.28	26.40	30.00
			20350	1RB#49	23.03	26.15	30.00
			20350	25RB#0	21.91	25.03	30.00
			20350	25RB#12	21.99	25.11	30.00
			20350	25RB#25	21.93	25.05	30.00
			20350	50RB#0	20.04	23.16	30.00
		16QAM	20000	1RB#0	22.33	25.45	30.00
			20000	1RB#24	22.39	25.51	30.00
			20000	1RB#49	22.27	25.39	30.00
			20000	25RB#0	21.05	24.17	30.00
			20000	25RB#12	20.96	24.08	30.00
			20000	25RB#25	20.96	24.08	30.00
			20000	50RB#0	21.04	24.16	30.00
			20175	1RB#0	21.72	24.84	30.00
			20175	1RB#24	22.11	25.23	30.00
			20175	1RB#49	22.02	25.14	30.00
			20175	25RB#0	21.79	24.91	30.00
			20175	25RB#12	21.27	24.39	30.00
			20175	25RB#25	21.31	24.43	30.00
			20175	50RB#0	21.23	24.35	30.00
			20350	1RB#0	22.23	25.35	30.00
			20350	1RB#24	22.48	25.60	30.00
			20350	1RB#49	22.20	25.32	30.00
			20350	25RB#0	21.08	24.20	30.00
			20350	25RB#12	21.04	24.16	30.00
			20350	25RB#25	21.03	24.15	30.00
			20350	50RB#0	21.24	24.36	30.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 46 von 100
Page 46 of 100

Cellular Band	Channel Bandwidth (MHz)	Modulation Technique	Channel Number	RB Pos/RB allocation	Measured Average Power (dBm)	EIRP (dBm)	Limit (dBm)
Band 4	15	QPSK	20025	1RB#0	23.06	26.18	30.00
			20025	1RB#38	22.72	25.84	30.00
			20025	1RB#74	22.66	25.78	30.00
			20025	36RB#0	21.93	25.05	30.00
			20025	36RB#18	22.04	25.16	30.00
			20025	36RB#39	21.94	25.06	30.00
			20025	75RB#0	21.92	25.04	30.00
			20175	1RB#0	22.52	25.64	30.00
			20175	1RB#38	23.12	26.24	30.00
			20175	1RB#74	22.94	26.06	30.00
			20175	36RB#0	22.20	25.32	30.00
			20175	36RB#18	22.16	25.28	30.00
			20175	36RB#39	22.15	25.27	30.00
			20175	75RB#0	22.13	25.25	30.00
			20325	1RB#0	22.99	26.11	30.00
			20325	1RB#38	23.11	26.23	30.00
			20325	1RB#74	23.14	26.26	30.00
			20325	36RB#0	22.10	25.22	30.00
			20325	36RB#18	22.10	25.22	30.00
			20325	36RB#39	22.11	25.23	30.00
			20325	75RB#0	22.07	25.19	30.00
		16QAM	20025	1RB#0	22.55	25.67	30.00
			20025	1RB#38	22.58	25.70	30.00
			20025	1RB#74	22.49	25.61	30.00
			20025	36RB#0	21.09	24.21	30.00
			20025	36RB#18	20.99	24.11	30.00
			20025	36RB#39	21.34	24.46	30.00
			20025	75RB#0	21.20	24.32	30.00
			20175	1RB#0	21.29	24.41	30.00
			20175	1RB#38	21.96	25.08	30.00
			20175	1RB#74	22.11	25.23	30.00
			20175	36RB#0	21.09	24.21	30.00
			20175	36RB#18	21.16	24.28	30.00
			20175	36RB#39	21.11	24.23	30.00
			20175	75RB#0	21.27	24.39	30.00
			20325	1RB#0	22.54	25.66	30.00
			20325	1RB#38	23.21	26.33	30.00
			20325	1RB#74	22.57	25.69	30.00
			20325	36RB#0	21.21	24.33	30.00
			20325	36RB#18	21.13	24.25	30.00
			20325	36RB#39	21.08	24.20	30.00
			20325	75RB#0	21.17	24.29	30.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 47 von 100
Page 47 of 100

Cellular Band	Channel Bandwidth (MHz)	Modulation Technique	Channel Number	RB Pos/RB allocation	Measured Average Power (dBm)	EIRP (dBm)	Limit (dBm)
Band 4	20	QPSK	20050	1RB#0	22.73	25.85	30.00
			20050	1RB#49	22.60	25.72	30.00
			20050	1RB#99	22.67	25.79	30.00
			20050	50RB#0	22.04	25.16	30.00
			20050	50RB#25	22.02	25.14	30.00
			20050	50RB#50	22.08	25.20	30.00
			20050	100RB#0	21.25	24.37	30.00
			20175	1RB#0	21.81	24.93	30.00
			20175	1RB#49	22.26	25.38	30.00
			20175	1RB#99	22.22	25.34	30.00
			20175	50RB#0	21.34	24.46	30.00
			20175	50RB#25	21.34	24.46	30.00
			20175	50RB#50	21.32	24.44	30.00
			20175	100RB#0	21.27	24.39	30.00
			20300	1RB#0	23.14	26.26	30.00
			20300	1RB#49	23.29	26.41	30.00
			20300	1RB#99	23.17	26.29	30.00
			20300	50RB#0	22.43	25.55	30.00
			20300	50RB#25	22.17	25.29	30.00
			20300	50RB#50	22.19	25.31	30.00
			20300	100RB#0	22.30	25.42	30.00
		16QAM	20050	1RB#0	22.60	25.72	30.00
			20050	1RB#49	22.78	25.90	30.00
			20050	1RB#99	22.18	25.30	30.00
			20050	50RB#0	21.18	24.30	30.00
			20050	50RB#25	21.44	24.56	30.00
			20050	50RB#50	21.44	24.56	30.00
			20050	100RB#0	21.18	24.30	30.00
			20175	1RB#0	21.86	24.98	30.00
			20175	1RB#49	22.30	25.42	30.00
			20175	1RB#99	22.43	25.55	30.00
			20175	50RB#0	21.33	24.45	30.00
			20175	50RB#25	21.36	24.48	30.00
			20175	50RB#50	21.36	24.48	30.00
			20175	100RB#0	21.37	24.49	30.00
			20300	1RB#0	22.96	26.08	30.00
			20300	1RB#49	23.22	26.34	30.00
			20300	1RB#99	23.08	26.20	30.00
			20300	50RB#0	21.55	24.67	30.00
			20300	50RB#25	21.33	24.45	30.00
			20300	50RB#50	21.27	24.39	30.00
			20300	100RB#0	21.37	24.49	30.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 48 von 100
Page 48 of 100

LTE Band 12:

Band	Bandwidth	Modulation	Channel	RB Pos/RB allocation	Measured Average Power (dBm)	ERP (dBm)	limit (dBm)
Band12	1.4MHz	QPSK	23017	1RB#0	22.46	21.26	34.77
			23017	1RB#2	22.63	21.43	34.77
			23017	1RB#5	22.56	21.36	34.77
			23017	3RB#0	23.44	22.24	34.77
			23017	3RB#1	23.46	22.26	34.77
			23017	3RB#3	23.48	22.28	34.77
			23017	6RB#0	22.40	21.20	34.77
			23095	1RB#0	22.22	21.02	34.77
			23095	1RB#5	22.26	21.06	34.77
			23095	1RB#2	22.23	21.03	34.77
			23095	3RB#0	23.70	22.50	34.77
			23095	3RB#1	23.47	22.27	34.77
			23095	3RB#3	23.55	22.35	34.77
			23095	6RB#0	22.61	21.41	34.77
			23173	1RB#5	23.11	21.91	34.77
			23173	1RB#0	23.31	22.11	34.77
			23173	1RB#2	23.30	22.10	34.77
			23173	3RB#0	23.39	22.19	34.77
			23173	3RB#1	23.21	22.01	34.77
			23173	3RB#3	23.29	22.09	34.77
			23173	6RB#0	22.29	21.09	34.77
		16QAM	23017	1RB#0	22.53	21.33	34.77
			23017	1RB#2	22.81	21.61	34.77
			23017	1RB#5	22.72	21.52	34.77
			23017	3RB#1	22.52	21.32	34.77
			23017	3RB#0	22.59	21.39	34.77
			23017	3RB#3	22.51	21.31	34.77
			23017	6RB#0	21.28	20.08	34.77
			23095	1RB#0	22.34	21.14	34.77
			23095	1RB#2	22.30	21.10	34.77
			23095	1RB#5	22.40	21.20	34.77
			23095	3RB#3	22.14	20.94	34.77
			23095	3RB#0	22.74	21.54	34.77
			23095	3RB#1	22.71	21.51	34.77
			23095	6RB#0	21.46	20.26	34.77
			23173	1RB#2	22.49	21.29	34.77
			23173	1RB#0	22.40	21.20	34.77
			23173	1RB#5	22.37	21.17	34.77
			23173	3RB#0	22.28	21.08	34.77
			23173	3RB#1	22.20	21.00	34.77
			23173	3RB#3	22.21	21.01	34.77
			23173	6RB#0	21.12	19.92	34.77

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 49 von 100
Page 49 of 100

Band	Bandwidth	Modulation	Channel	RB Pos/RB allocation	Measured Average Power (dBm)	ERP (dBm)	limit (dBm)
Band12	3MHz	QPSK	23025	1RB#8	22.32	21.12	34.77
			23025	1RB#14	22.51	21.31	34.77
			23025	1RB#0	22.18	20.98	34.77
			23025	8RB#0	22.52	21.32	34.77
			23025	8RB#4	22.68	21.48	34.77
			23025	8RB#7	22.68	21.48	34.77
			23025	15RB#0	22.60	21.40	34.77
			23095	1RB#0	23.19	21.99	34.77
			23095	1RB#14	23.46	22.26	34.77
			23095	1RB#8	23.31	22.11	34.77
			23095	8RB#7	22.79	21.59	34.77
			23095	8RB#0	22.77	21.57	34.77
			23095	8RB#4	22.75	21.55	34.77
			23095	15RB#0	22.81	21.61	34.77
			23165	1RB#8	22.97	21.77	34.77
			23165	1RB#0	23.13	21.93	34.77
			23165	1RB#14	23.29	22.09	34.77
			23165	8RB#0	22.33	21.13	34.77
			23165	8RB#7	22.32	21.12	34.77
			23165	8RB#4	22.26	21.06	34.77
			23165	15RB#0	22.43	21.23	34.77
		16QAM	23025	1RB#14	22.60	21.40	34.77
			23025	1RB#0	22.73	21.53	34.77
			23025	1RB#8	22.37	21.17	34.77
			23025	8RB#7	21.49	20.29	34.77
			23025	8RB#4	21.66	20.46	34.77
			23025	8RB#0	21.66	20.46	34.77
			23025	15RB#0	21.58	20.38	34.77
			23095	1RB#14	22.60	21.40	34.77
			23095	1RB#0	22.61	21.41	34.77
			23095	1RB#8	22.47	21.27	34.77
			23095	8RB#7	21.59	20.39	34.77
			23095	8RB#0	21.61	20.41	34.77
			23095	8RB#4	21.61	20.41	34.77
			23095	15RB#0	21.78	20.58	34.77
			23165	1RB#8	22.27	21.07	34.77
			23165	1RB#0	22.34	21.14	34.77
			23165	1RB#14	22.24	21.04	34.77
			23165	8RB#0	21.55	20.35	34.77
			23165	8RB#4	21.24	20.04	34.77
			23165	8RB#7	21.21	20.01	34.77
			23165	15RB#0	21.44	20.24	34.77

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 50 von 100
Page 50 of 100

Band	Bandwidth	Modulation	Channel	RB Pos/RB allocation	Measured Average Power (dBm)	ERP (dBm)	limit (dBm)
Band12	5MHz	QPSK	23035	1RB#0	22.12	20.92	34.77
			23035	1RB#13	22.33	21.13	34.77
			23035	1RB#24	22.08	20.88	34.77
			23035	12RB#0	21.52	20.32	34.77
			23035	12RB#13	21.71	20.51	34.77
			23035	25RB#0	21.81	20.61	34.77
			23095	1RB#0	22.89	21.69	34.77
			23095	1RB#24	23.35	22.15	34.77
			23095	1RB#12	23.28	22.08	34.77
			23095	12RB#0	22.70	21.50	34.77
			23095	12RB#6	22.54	21.34	34.77
			23095	12RB#13	22.54	21.34	34.77
			23095	25RB#0	22.60	21.40	34.77
			23155	1RB#24	23.14	21.94	34.77
			23155	1RB#0	23.00	21.80	34.77
			23155	1RB#12	23.20	22.00	34.77
			23155	12RB#0	22.29	21.09	34.77
			23155	12RB#6	22.22	21.02	34.77
			23155	12RB#13	22.21	21.01	34.77
			23155	25RB#0	22.26	21.06	34.77
		16QAM	23025	1RB#0	23.25	22.05	34.77
			23025	1RB#13	23.29	22.09	34.77
			23025	1RB#24	22.89	21.69	34.77
			23025	12RB#0	22.48	21.28	34.77
			23025	12RB#13	22.75	21.55	34.77
			23025	25RB#0	22.71	21.51	34.77
			23095	1RB#0	22.36	21.16	34.77
			23095	1RB#12	22.62	21.42	34.77
			23095	1RB#24	22.21	21.01	34.77
			23095	12RB#13	21.45	20.25	34.77
			23095	12RB#0	21.49	20.29	34.77
			23095	12RB#6	21.54	20.34	34.77
			23095	25RB#0	21.53	20.33	34.77
			23155	1RB#12	22.60	21.40	34.77
			23155	1RB#0	22.49	21.29	34.77
			23155	1RB#24	22.49	21.29	34.77
			23155	12RB#0	21.35	20.15	34.77
			23155	12RB#6	21.26	20.06	34.77
			23155	12RB#13	21.26	20.06	34.77
			23155	25RB#0	21.28	20.08	34.77

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 51 von 100
Page 51 of 100

Band	Bandwidth	Modulation	Channel	RB Pos/RB allocation	Measured Average Power (dBm)	ERP (dBm)	limit (dBm)
Band12	10MHz	QPSK	23060	1RB#49	22.97	21.77	34.77
			23060	1RB#24	23.20	22.00	34.77
			23060	1RB#0	22.92	21.72	34.77
			23060	25RB#0	22.60	21.40	34.77
			23060	25RB#12	22.60	21.40	34.77
			23060	25RB#25	22.46	21.26	34.77
			23060	50RB#0	22.52	21.32	34.77
			23095	1RB#0	23.15	21.95	34.77
			23095	1RB#49	23.37	22.17	34.77
			23095	1RB#24	23.53	22.33	34.77
			23095	25RB#25	22.61	21.41	34.77
			23095	25RB#0	22.49	21.29	34.77
			23095	25RB#12	22.50	21.30	34.77
			23095	50RB#0	22.48	21.28	34.77
			23130	1RB#24	22.24	21.04	34.77
			23130	1RB#0	23.48	22.28	34.77
			23130	1RB#49	22.31	21.11	34.77
			23130	25RB#0	22.46	21.26	34.77
			23130	25RB#25	22.28	21.08	34.77
			23130	25RB#12	22.28	21.08	34.77
			23130	50RB#0	22.37	21.17	34.77
	10MHz	16QAM	23060	1RB#49	22.27	21.07	34.77
			23060	1RB#0	22.42	21.22	34.77
			23060	1RB#24	22.33	21.13	34.77
			23060	25RB#25	21.58	20.38	34.77
			23060	25RB#12	21.61	20.41	34.77
			23060	25RB#0	21.48	20.28	34.77
			23060	50RB#0	21.43	20.23	34.77
			23095	1RB#49	23.08	21.88	34.77
			23095	1RB#0	23.67	22.47	34.77
			23095	1RB#24	22.64	21.44	34.77
			23095	25RB#25	21.58	20.38	34.77
			23095	25RB#0	21.41	20.21	34.77
			23095	25RB#12	21.51	20.31	34.77
			23095	50RB#0	21.41	20.21	34.77
			23130	1RB#24	22.22	21.02	34.77
			23130	1RB#0	23.10	21.90	34.77
			23130	1RB#49	21.93	20.73	34.77
			23130	25RB#0	21.41	20.21	34.77
			23130	25RB#12	21.34	20.14	34.77
			23130	25RB#25	21.36	20.16	34.77
			23130	50RB#0	21.31	20.11	34.77

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 52 von 100
Page 52 of 100

LTE Band 13:

Band	Bandwidth	Modulation	Channel	RB Pos/RB allocation	Measured Average Power (dBm)	ERP (dBm)	Limit (dBm)
Band13	5MHz	QPSK	23205	1RB#12	22.61	21.86	34.77
			23205	1RB#24	23.19	22.44	34.77
			23205	1RB#0	23.06	22.31	34.77
			23205	12RB#0	21.76	21.01	34.77
			23205	12RB#6	22.94	22.19	34.77
			23205	12RB#13	22.93	22.18	34.77
			23205	25RB#0	22.93	22.18	34.77
			23230	1RB#0	22.48	21.73	34.77
			23230	1RB#12	22.86	22.11	34.77
			23230	1RB#24	23.20	22.45	34.77
			23230	12RB#0	21.86	21.11	34.77
			23230	12RB#6	22.11	21.36	34.77
			23230	12RB#13	22.09	21.34	34.77
			23230	25RB#0	22.01	21.26	34.77
			23255	1RB#24	22.69	21.94	34.77
			23255	1RB#0	23.35	22.60	34.77
			23255	1RB#12	23.19	22.44	34.77
			23255	12RB#6	22.14	21.39	34.77
			23255	12RB#0	22.31	21.56	34.77
			23255	12RB#13	21.99	21.24	34.77
			23255	25RB#0	21.95	21.20	34.77
		16QAM	23205	1RB#12	21.80	21.05	34.77
			23205	1RB#0	23.12	22.37	34.77
			23205	1RB#24	22.99	22.24	34.77
			23205	12RB#13	21.63	20.88	34.77
			23205	12RB#6	21.83	21.08	34.77
			23205	12RB#0	21.84	21.09	34.77
			23205	25RB#0	21.66	20.91	34.77
			23230	1RB#0	22.51	21.76	34.77
			23230	1RB#12	22.89	22.14	34.77
			23230	1RB#24	23.06	22.31	34.77
			23230	12RB#0	21.89	21.14	34.77
			23230	12RB#6	22.22	21.47	34.77
			23230	12RB#13	22.13	21.38	34.77
			23230	25RB#0	22.01	21.26	34.77
			23255	1RB#0	22.71	21.96	34.77
			23255	1RB#12	22.85	22.10	34.77
			23255	1RB#24	23.38	22.63	34.77
			23255	12RB#13	23.12	22.37	34.77
			23255	12RB#0	23.16	22.41	34.77
			23255	12RB#6	23.34	22.59	34.77
			23255	25RB#0	23.19	22.44	34.77
Band13	10MHz	QPSK	23230	1RB#49	22.48	21.73	34.77
			23230	1RB#24	23.86	23.11	34.77
			23230	1RB#0	23.57	22.82	34.77
			23230	25RB#0	22.85	22.10	34.77
			23230	25RB#12	23.20	22.45	34.77
			23230	25RB#25	22.95	22.20	34.77
		16QAM	23230	50RB#0	22.93	22.18	34.77
			23230	1RB#49	23.25	22.50	34.77
			23230	1RB#0	23.09	22.34	34.77
			23230	1RB#24	23.46	22.71	34.77
			23230	25RB#0	21.71	20.96	34.77
			23230	25RB#12	22.25	21.50	34.77
			23230	25RB#25	22.03	21.28	34.77
			23230	50RB#0	21.80	21.05	34.77

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 53 von 100
Page 53 of 100

LTE Band 41:

Band	Bandwidth	Modulation	Channel	RB Configuration	Measured Average Power (dBm)	EIRP (dBm)	limit e.i.r.p (dBm)
Band41	5MHz	QPSK	39675	1RB#0	21.59	24.49	33.00
			39675	1RB#12	21.52	24.42	33.00
			39675	1RB#24	21.60	24.50	33.00
			39675	12RB#0	20.95	23.85	33.00
			39675	12RB#6	20.95	23.85	33.00
			39675	12RB#13	20.94	23.84	33.00
			39675	25RB#0	20.86	23.76	33.00
			40620	1RB#0	21.89	24.79	33.00
			40620	1RB#24	22.13	25.03	33.00
			40620	1RB#12	21.86	24.76	33.00
			40620	12RB#0	21.01	23.91	33.00
			40620	12RB#6	21.18	24.08	33.00
			40620	12RB#13	21.16	24.06	33.00
			40620	25RB#0	21.17	24.07	33.00
			41565	1RB#24	21.75	24.65	33.00
			41565	1RB#0	21.67	24.57	33.00
			41565	1RB#12	21.77	24.67	33.00
			41565	12RB#0	21.03	23.93	33.00
			41565	12RB#6	20.88	23.78	33.00
			41565	12RB#13	20.98	23.88	33.00
			41565	25RB#0	20.97	23.87	33.00
	5MHz	16QAM	39675	1RB#0	20.58	23.48	33.00
			39675	1RB#12	20.48	23.38	33.00
			39675	1RB#24	20.61	23.51	33.00
			39675	12RB#6	19.81	22.71	33.00
			39675	12RB#0	20.02	22.92	33.00
			39675	12RB#13	19.82	22.72	33.00
			39675	25RB#0	19.95	22.85	33.00
			40620	1RB#0	21.30	24.20	33.00
			40620	1RB#12	21.32	24.22	33.00
			40620	1RB#24	21.14	24.04	33.00
			40620	12RB#13	19.81	22.71	33.00
			40620	12RB#0	19.56	22.46	33.00
			40620	12RB#6	19.69	22.59	33.00
			40620	25RB#0	19.82	22.72	33.00
			41565	1RB#12	21.22	24.12	33.00
			41565	1RB#0	21.28	24.18	33.00
			41565	1RB#24	21.46	24.36	33.00
			41565	12RB#0	19.96	22.86	33.00
			41565	12RB#6	19.99	22.89	33.00
			41565	12RB#13	19.96	22.86	33.00
			41565	25RB#0	20.16	23.06	33.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 54 von 100
Page 54 of 100

Band	Bandwidth	Modulation	Channel	RB Configuration	Measured Average Power (dBm)	EIRP (dBm)	limit e.i.r.p (dBm)
Band41	10MHz	QPSK	39700	1RB#24	21.76	24.66	33.00
			39700	1RB#49	21.78	24.68	33.00
			39700	1RB#0	21.93	24.83	33.00
			39700	25RB#0	20.83	23.73	33.00
			39700	25RB#12	20.85	23.75	33.00
			39700	25RB#25	20.61	23.51	33.00
			39700	50RB#0	20.74	23.64	33.00
			40620	1RB#0	21.47	24.37	33.00
			40620	1RB#49	21.55	24.45	33.00
			40620	1RB#24	21.53	24.43	33.00
			40620	25RB#25	20.80	23.70	33.00
			40620	25RB#0	20.75	23.65	33.00
			40620	25RB#12	20.69	23.59	33.00
			40620	50RB#0	20.63	23.53	33.00
			41540	1RB#24	21.95	24.85	33.00
			41540	1RB#0	22.11	25.01	33.00
			41540	1RB#49	22.14	25.04	33.00
			41540	25RB#0	21.17	24.07	33.00
			41540	25RB#25	20.99	23.89	33.00
			41540	25RB#12	20.98	23.88	33.00
			41540	50RB#0	21.13	24.03	33.00
	10MHz	16QAM	39700	1RB#49	20.64	23.54	33.00
			39700	1RB#0	20.65	23.55	33.00
			39700	1RB#24	20.52	23.42	33.00
			39700	25RB#25	19.87	22.77	33.00
			39700	25RB#12	19.63	22.53	33.00
			39700	25RB#0	19.78	22.68	33.00
			39700	50RB#0	19.66	22.56	33.00
			40620	1RB#49	19.82	22.72	33.00
			40620	1RB#0	21.59	24.49	33.00
			40620	1RB#24	21.07	23.97	33.00
			40620	25RB#25	19.79	22.69	33.00
			40620	25RB#0	19.66	22.56	33.00
			40620	25RB#12	19.78	22.68	33.00
			40620	50RB#0	19.65	22.55	33.00
			41540	1RB#24	21.50	24.40	33.00
			41540	1RB#0	21.65	24.55	33.00
			41540	1RB#49	21.57	24.47	33.00
			41540	25RB#0	20.25	23.15	33.00
			41540	25RB#12	20.11	23.01	33.00
			41540	25RB#25	20.08	22.98	33.00
			41540	50RB#0	20.18	23.08	33.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 55 von 100
Page 55 of 100

Band	Bandwidth	Modulation	Channel	RB Configuration	Measured Average Power (dBm)	EIRP (dBm)	limit e.i.r.p (dBm)
Band41	15MHz	QPSK	39725	1RB#0	21.68	24.58	33.00
			39725	1RB#38	21.56	24.46	33.00
			39725	1RB#74	21.61	24.51	33.00
			39725	36RB#0	20.43	23.33	33.00
			39725	36RB#18	20.51	23.41	33.00
			39725	36RB#39	20.44	23.34	33.00
			39725	75RB#0	20.34	23.24	33.00
			40620	1RB#0	21.64	24.54	33.00
			40620	36RB#39	21.62	24.52	33.00
			40620	75RB#0	21.65	24.55	33.00
			40620	1RB#0	20.67	23.57	33.00
			40620	1RB#74	20.62	23.52	33.00
			40620	1RB#38	21.65	24.55	33.00
			40620	36RB#0	20.69	23.59	33.00
			40620	36RB#18	20.59	23.49	33.00
			40620	36RB#39	20.61	23.51	33.00
			40620	75RB#0	20.62	23.52	33.00
			41515	1RB#74	21.88	24.78	33.00
			41515	1RB#0	21.92	24.82	33.00
			41515	1RB#38	21.79	24.69	33.00
			41515	36RB#0	20.94	23.84	33.00
			41515	36RB#18	21.01	23.91	33.00
			41515	36RB#39	20.92	23.82	33.00
			41515	75RB#0	21.13	24.03	33.00
		16QAM	39725	1RB#0	21.16	24.06	33.00
			39725	1RB#38	21.13	24.03	33.00
			39725	1RB#74	21.15	24.05	33.00
			39725	36RB#18	19.48	22.38	33.00
			39725	36RB#0	19.56	22.46	33.00
			39725	36RB#39	19.54	22.44	33.00
			39725	75RB#0	19.54	22.44	33.00
			40620	1RB#0	21.68	24.58	33.00
			40620	1RB#38	21.82	24.72	33.00
			40620	1RB#74	21.72	24.62	33.00
			40620	36RB#39	20.64	23.54	33.00
			40620	36RB#0	20.65	23.55	33.00
			40620	36RB#18	20.74	23.64	33.00
			40620	75RB#0	20.68	23.58	33.00
			41515	1RB#38	20.91	23.81	33.00
			41515	1RB#0	20.89	23.79	33.00
			41515	1RB#74	20.82	23.72	33.00
			41515	36RB#0	20.00	22.90	33.00
			41515	36RB#18	20.18	23.08	33.00
			41515	36RB#39	20.17	23.07	33.00
			41515	75RB#0	20.14	23.04	33.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 56 von 100
Page 56 of 100

Band	Bandwidth	Modulation	Channel	RB Configuration	Measured Average Power (dBm)	EIRP (dBm)	limit e.i.r.p (dBm)
Band41	20MHz	QPSK	39750	1RB#99	21.61	24.51	33.00
			39750	1RB#49	21.80	24.70	33.00
			39750	1RB#0	21.66	24.56	33.00
			39750	50RB#0	20.60	23.50	33.00
			39750	50RB#25	20.71	23.61	33.00
			39750	50RB#50	20.59	23.49	33.00
			39750	100RB#0	20.58	23.48	33.00
			40620	1RB#0	20.58	23.48	33.00
			40620	1RB#99	21.31	24.21	33.00
			40620	1RB#49	21.49	24.39	33.00
			40620	50RB#50	20.58	23.48	33.00
			40620	50RB#0	20.63	23.53	33.00
			40620	50RB#25	20.67	23.57	33.00
			40620	100RB#0	20.50	23.40	33.00
			41490	1RB#49	21.87	24.77	33.00
			41490	1RB#0	22.12	25.02	33.00
			41490	1RB#99	22.04	24.94	33.00
			41490	50RB#0	20.97	23.87	33.00
			41490	50RB#50	20.96	23.86	33.00
			41490	50RB#25	20.99	23.89	33.00
			41490	100RB#0	21.04	23.94	33.00
	20MHz	16QAM	39750	1RB#99	20.26	23.16	33.00
			39750	1RB#0	19.54	22.44	33.00
			39750	1RB#49	20.27	23.17	33.00
			39750	50RB#50	19.53	22.43	33.00
			39750	50RB#25	19.55	22.45	33.00
			39750	50RB#0	19.56	22.46	33.00
			39750	100RB#0	19.53	22.43	33.00
			40620	1RB#99	21.19	24.09	33.00
			40620	1RB#0	21.40	24.30	33.00
			40620	1RB#49	21.13	24.03	33.00
			40620	50RB#50	19.70	22.60	33.00
			40620	50RB#0	19.80	22.70	33.00
			40620	50RB#25	19.64	22.54	33.00
			40620	100RB#0	19.80	22.70	33.00
			41490	1RB#49	21.15	24.05	33.00
			41490	1RB#0	21.67	24.57	33.00
			41490	1RB#99	21.41	24.31	33.00
			41490	50RB#0	20.12	23.02	33.00
			41490	50RB#25	20.11	23.01	33.00
			41490	50RB#50	20.06	22.96	33.00
			41490	100RB#0	20.99	23.89	33.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 57 von 100
Page 57 of 100

LTE Band 66:

Band	Bandwidth	Modulation	Channel No	RB Position & RB Allocation	Conducted Average Output Power (dBm)	EIRP (dBm)	limit (dBm)
Band 66	1.4MHz	QPSK	131979	1RB#0	22.85	25.97	33.00
			131979	1RB#2	22.88	26.00	33.00
			131979	1RB#5	22.88	26.00	33.00
			131979	3RB#1	22.95	26.07	33.00
			131979	3RB#0	22.93	26.05	33.00
			131979	3RB#3	22.11	25.23	33.00
			131979	6RB#0	21.93	25.05	33.00
			132321	1RB#5	22.44	25.56	33.00
			132321	1RB#0	22.57	25.69	33.00
			132321	1RB#2	22.56	25.68	33.00
			132321	3RB#0	22.88	26.00	33.00
			132321	3RB#1	22.98	26.10	33.00
			132321	3RB#3	23.04	26.16	33.00
			132321	6RB#0	22.08	25.20	33.00
			132664	1RB#2	22.97	26.09	33.00
			132664	1RB#5	22.90	26.02	33.00
			132664	1RB#0	22.75	25.87	33.00
			132664	3RB#0	22.75	25.87	33.00
			132664	3RB#3	22.71	25.83	33.00
			132664	3RB#1	22.74	25.86	33.00
			132664	6RB#0	21.72	24.84	33.00
		16QAM	131979	1RB#0	22.38	25.50	33.00
			131979	1RB#2	22.39	25.51	33.00
			131979	1RB#5	22.33	25.45	33.00
			131979	3RB#1	22.12	25.24	33.00
			131979	3RB#0	21.96	25.08	33.00
			131979	3RB#3	21.93	25.05	33.00
			131979	6RB#0	20.84	23.96	33.00
			132321	1RB#5	22.13	25.25	33.00
			132321	1RB#0	22.22	25.34	33.00
			132321	1RB#2	22.05	25.17	33.00
			132321	3RB#0	22.18	25.30	33.00
			132321	3RB#1	22.18	25.30	33.00
			132321	3RB#3	22.10	25.22	33.00
			132321	6RB#0	21.11	24.23	33.00
			132664	1RB#2	21.94	25.06	33.00
			132664	1RB#5	22.15	25.27	33.00
			132664	1RB#0	21.94	25.06	33.00
			132664	3RB#0	21.70	24.82	33.00
			132664	3RB#3	21.65	24.77	33.00
			132664	3RB#1	21.75	24.87	33.00
			132664	6RB#0	20.98	24.10	33.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 58 von 100
Page 58 of 100

Band	Bandwidth	Modulation	Channel No	RB Position & RB Allocation	Conducted Average Output Power (dBm)	EIRP (dBm)	limit (dBm)
Band66	3MHz	QPSK	131987	1RB#14	22.72	25.84	33.00
			131987	1RB#0	22.75	25.87	33.00
			131987	1RB#8	22.64	25.76	33.00
			131987	8RB#7	22.07	25.19	33.00
			131987	8RB#4	22.01	25.13	33.00
			131987	8RB#0	22.01	25.13	33.00
			131987	15RB#0	21.96	25.08	33.00
			132321	1RB#14	22.34	25.46	33.00
			132321	1RB#8	22.54	25.66	33.00
			132321	1RB#0	22.60	25.72	33.00
			132321	8RB#7	21.96	25.08	33.00
			132321	8RB#0	21.96	25.08	33.00
			132321	8RB#4	21.96	25.08	33.00
			132321	15RB#0	22.05	25.17	33.00
			132656	1RB#14	22.48	25.60	33.00
			132656	1RB#8	22.50	25.62	33.00
			132656	1RB#0	22.37	25.49	33.00
			132656	8RB#4	21.95	25.07	33.00
			132656	8RB#0	21.92	25.04	33.00
			132656	8RB#7	21.91	25.03	33.00
			132656	15RB#0	21.93	25.05	33.00
	3MHz	16QAM	131987	1RB#8	22.21	25.33	33.00
			131987	1RB#14	22.26	25.38	33.00
			131987	1RB#0	22.26	25.38	33.00
			131987	8RB#0	21.23	24.35	33.00
			131987	8RB#7	21.31	24.43	33.00
			131987	8RB#4	21.17	24.29	33.00
			131987	15RB#0	21.13	24.25	33.00
			132321	1RB#8	22.18	25.30	33.00
			132321	1RB#14	22.18	25.30	33.00
			132321	1RB#0	22.06	25.18	33.00
			132321	8RB#4	21.15	24.27	33.00
			132321	8RB#0	21.10	24.22	33.00
			132321	8RB#7	21.11	24.23	33.00
			132321	15RB#0	20.99	24.11	33.00
			132656	1RB#14	22.05	25.17	33.00
			132656	1RB#0	21.97	25.09	33.00
			132656	1RB#8	21.91	25.03	33.00
			132656	8RB#0	21.11	24.23	33.00
			132656	8RB#7	21.05	24.17	33.00
			132656	8RB#4	20.99	24.11	33.00
			132656	15RB#0	20.90	24.02	33.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 59 von 100
Page 59 of 100

Band	Bandwidth	Modulation	Channel No	RB Position & RB Allocation	Conducted Average Output Power (dBm)	EIRP (dBm)	limit (dBm)
Band66	5MHz	QPSK	131997	1RB#24	22.54	25.66	33.00
			131997	1RB#12	22.52	25.64	33.00
			131997	1RB#0	22.61	25.73	33.00
			131997	12RB#6	22.05	25.17	33.00
			131997	12RB#0	21.83	24.95	33.00
			131997	12RB#13	21.84	24.96	33.00
			131997	25RB#0	21.97	25.09	33.00
			132321	1RB#24	22.97	26.09	33.00
			132321	1RB#0	22.93	26.05	33.00
			132321	1RB#12	22.82	25.94	33.00
			132321	12RB#6	22.01	25.13	33.00
			132321	12RB#0	22.05	25.17	33.00
			132321	12RB#13	22.03	25.15	33.00
			132321	25RB#0	21.99	25.11	33.00
			132646	1RB#0	22.52	25.64	33.00
			132646	1RB#12	22.53	25.65	33.00
			132646	1RB#24	22.28	25.40	33.00
			132646	12RB#0	22.02	25.14	33.00
			132646	12RB#6	21.91	25.03	33.00
			132646	12RB#13	21.91	25.03	33.00
			132646	25RB#0	21.94	25.06	33.00
	5MHz	16QAM	131997	1RB#0	21.78	24.90	33.00
			131997	1RB#12	21.80	24.92	33.00
			131997	1RB#24	21.83	24.95	33.00
			131997	12RB#13	20.93	24.05	33.00
			131997	12RB#0	20.88	24.00	33.00
			131997	12RB#6	20.83	23.95	33.00
			131997	25RB#0	20.97	24.09	33.00
			132321	1RB#0	22.51	25.63	33.00
			132321	1RB#12	22.41	25.53	33.00
			132321	1RB#24	22.65	25.77	33.00
			132321	12RB#0	20.97	24.09	33.00
			132321	12RB#13	20.83	23.95	33.00
			132321	12RB#6	20.92	24.04	33.00
			132321	25RB#0	20.98	24.10	33.00
			132646	1RB#0	21.97	25.09	33.00
			132646	1RB#24	21.83	24.95	33.00
			132646	1RB#12	21.76	24.88	33.00
			132646	12RB#0	20.78	23.90	33.00
			132646	12RB#6	20.97	24.09	33.00
			132646	12RB#13	21.02	24.14	33.00
			132646	25RB#0	21.02	24.14	33.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 60 von 100
Page 60 of 100

Band	Bandwidth	Modulation	Channel No	RB Position & RB Allocation	Conducted Average Output Power (dBm)	EIRP (dBm)	limit (dBm)
Band66	10MHz	QPSK	132022	1RB#0	23.02	26.14	33.00
			132022	1RB#24	23.15	26.27	33.00
			132022	1RB#49	22.80	25.92	33.00
			132022	25RB#12	22.03	25.15	33.00
			132022	25RB#0	21.96	25.08	33.00
			132022	25RB#25	21.94	25.06	33.00
			132022	50RB#0	21.99	25.11	33.00
			132321	1RB#49	22.88	26.00	33.00
			132321	1RB#0	23.14	26.26	33.00
			132321	1RB#24	23.17	26.29	33.00
			132321	25RB#0	22.11	25.23	33.00
			132321	25RB#12	22.09	25.21	33.00
			132321	25RB#25	22.05	25.17	33.00
			132321	50RB#0	22.08	25.20	33.00
			132621	1RB#24	23.15	26.27	33.00
			132621	1RB#49	23.22	26.34	33.00
			132621	1RB#0	22.36	25.48	33.00
			132621	25RB#0	22.03	25.15	33.00
			132621	25RB#25	21.91	25.03	33.00
			132621	25RB#12	21.89	25.01	33.00
			132621	50RB#0	21.94	25.06	33.00
	10MHz	16QAM	132022	1RB#24	22.40	25.52	33.00
			132022	1RB#49	22.45	25.57	33.00
			132022	1RB#0	22.57	25.69	33.00
			132022	25RB#0	21.13	24.25	33.00
			132022	25RB#12	20.99	24.11	33.00
			132022	25RB#25	21.00	24.12	33.00
			132022	50RB#0	21.08	24.20	33.00
			132321	1RB#49	22.23	25.35	33.00
			132321	1RB#0	22.25	25.37	33.00
			132321	1RB#24	22.11	25.23	33.00
			132321	25RB#25	21.14	24.26	33.00
			132321	25RB#12	21.20	24.32	33.00
			132321	25RB#0	21.12	24.24	33.00
			132321	50RB#0	20.97	24.09	33.00
			132621	1RB#24	22.27	25.39	33.00
			132621	1RB#49	22.11	25.23	33.00
			132621	1RB#0	21.93	25.05	33.00
			132621	25RB#25	21.15	24.27	33.00
			132621	25RB#12	20.92	24.04	33.00
			132621	25RB#0	20.90	24.02	33.00
			132621	50RB#0	20.99	24.11	33.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 61 von 100
Page 61 of 100

Band	Bandwidth	Modulation	Channel No	RB Position & RB Allocation	Conducted Average Output Power (dBm)	EIRP (dBm)	limit (dBm)
Band66	15MHz	QPSK	132047	1RB#74	22.43	25.55	33.00
			132047	1RB#0	22.57	25.69	33.00
			132047	1RB#38	22.89	26.01	33.00
			132047	36RB#39	22.11	25.23	33.00
			132047	36RB#18	22.01	25.13	33.00
			132047	36RB#0	22.04	25.16	33.00
			132047	75RB#0	22.03	25.15	33.00
			132321	1RB#74	22.75	25.87	33.00
			132321	1RB#38	22.50	25.62	33.00
			132321	1RB#0	23.07	26.19	33.00
			132321	36RB#0	22.18	25.30	33.00
			132321	36RB#39	22.06	25.18	33.00
			132321	36RB#18	22.07	25.19	33.00
			132321	75RB#0	23.02	26.14	33.00
			19125	1RB#74	22.93	26.05	33.00
			19125	1RB#38	22.87	25.99	33.00
			19125	1RB#0	22.55	25.67	33.00
			19125	36RB#18	22.14	25.26	33.00
			19125	36RB#0	21.93	25.05	33.00
			19125	36RB#39	21.96	25.08	33.00
			19125	75RB#0	21.96	25.08	33.00
	15MHz	16QAM	132047	1RB#0	23.05	26.17	33.00
			132047	1RB#74	23.05	26.17	33.00
			132047	1RB#38	22.88	26.00	33.00
			132047	36RB#0	22.07	25.19	33.00
			132047	36RB#39	22.03	25.15	33.00
			132047	36RB#18	22.07	25.19	33.00
			132047	75RB#0	22.02	25.14	33.00
			132321	1RB#38	22.19	25.31	33.00
			132321	1RB#74	22.83	25.95	33.00
			132321	1RB#0	22.32	25.44	33.00
			132321	36RB#18	21.11	24.23	33.00
			132321	36RB#0	21.13	24.25	33.00
			132321	36RB#39	20.99	24.11	33.00
			132321	75RB#0	21.03	24.15	33.00
			19125	1RB#74	22.27	25.39	33.00
			19125	1RB#0	22.05	25.17	33.00
			19125	1RB#38	21.25	24.37	33.00
			19125	36RB#0	21.05	24.17	33.00
			19125	36RB#39	20.91	24.03	33.00
			19125	36RB#18	20.92	24.04	33.00
			19125	75RB#0	21.99	25.11	33.00

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 62 von 100
Page 62 of 100

Band	Bandwidth	Modulation	Channel No	RB Position & RB Allocation	Conducted Average Output Power (dBm)	EIRP (dBm)	limit (dBm)
Band66	20MHz	QPSK	132072	1RB#99	22.88	26.00	33.00
			132072	1RB#49	23.67	26.79	33.00
			132072	1RB#0	22.96	26.08	33.00
			132072	50RB#25	23.38	26.50	33.00
			132072	50RB#0	23.15	26.27	33.00
			132072	50RB#50	23.14	26.26	33.00
			132072	100RB#0	23.42	26.54	33.00
			132321	1RB#99	22.79	25.91	33.00
			132321	1RB#0	23.48	26.60	33.00
			132321	1RB#49	23.04	26.16	33.00
			132321	50RB#25	22.26	25.38	33.00
			132321	50RB#0	22.15	25.27	33.00
			132321	50RB#50	22.16	25.28	33.00
			132321	100RB#0	22.15	25.27	33.00
			132571	1RB#0	23.19	26.31	33.00
			132571	1RB#49	23.37	26.49	33.00
			132571	1RB#99	22.56	25.68	33.00
			132571	50RB#0	22.18	25.30	33.00
			132571	50RB#25	21.97	25.09	33.00
			132571	50RB#50	21.96	25.08	33.00
			132571	100RB#0	21.98	25.10	33.00
		16QAM	132072	1RB#0	22.55	25.67	33.00
			132072	1RB#49	22.86	25.98	33.00
			132072	1RB#99	22.15	25.27	33.00
			132072	50RB#50	21.15	24.27	33.00
			132072	50RB#0	22.10	25.22	33.00
			132072	50RB#25	21.12	24.24	33.00
			132072	100RB#0	21.06	24.18	33.00
			132321	1RB#0	21.80	24.92	33.00
			132321	1RB#49	22.02	25.14	33.00
			132321	1RB#99	21.66	24.78	33.00
			132321	50RB#0	21.42	24.54	33.00
			132321	50RB#50	21.18	24.30	33.00
			132321	50RB#25	21.05	24.17	33.00
			132321	100RB#0	21.15	24.27	33.00
			132571	1RB#0	21.47	24.59	33.00
			132571	1RB#99	21.90	25.02	33.00
			132571	1RB#49	21.38	24.50	33.00
			132571	50RB#0	21.05	24.17	33.00
			132571	50RB#25	20.99	24.11	33.00
			132571	50RB#50	20.98	24.10	33.00
			132571	100RB#0	21.01	24.13	33.00

Prüfbericht - Nr.:

Test Report No.:

IN258337 001

Seite 63 von 100

Page 63 of 100

Test Results for WCDMA Band 4:

Mode	Channel Frequency (MHz)	Conducted Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP Limit (dBm)
WCDMA	1712.40	21.59	3.12	24.71	33.01
	1740.00	21.18	3.12	24.30	33.01
	1752.60	21.58	3.12	24.70	33.01
HSDPA Subtest1	1712.40	22.75	3.12	25.87	33.01
	1740.00	22.61	3.12	25.73	33.01
	1752.60	21.96	3.12	25.08	33.01
HSDPA Subtest2	1712.40	21.49	3.12	24.61	33.01
	1740.00	21.00	3.12	24.12	33.01
	1752.60	21.30	3.12	24.42	33.01
HSDPA Subtest3	1712.40	20.28	3.12	23.40	33.01
	1740.00	20.19	3.12	23.31	33.01
	1752.60	19.47	3.12	22.59	33.01
HSDPA Subtest4	1712.40	20.57	3.12	23.69	33.01
	1740.00	20.61	3.12	23.73	33.01
	1752.60	19.65	3.12	22.77	33.01
HSUPA Subtest1	1712.40	21.02	3.12	24.14	33.01
	1740.00	21.79	3.12	24.91	33.01
	1752.60	21.46	3.12	24.58	33.01
HSUPA Subtest2	1712.40	20.81	3.12	23.93	33.01
	1740.00	20.47	3.12	23.59	33.01
	1752.60	19.99	3.12	23.11	33.01
HSUPA Subtest3	1712.40	20.38	3.12	23.50	33.01
	1740.00	20.42	3.12	23.54	33.01
	1752.60	20.52	3.12	23.64	33.01
HSUPA Subtest4	1712.40	20.89	3.12	24.01	33.01
	1740.00	19.94	3.12	23.06	33.01
	1752.60	19.91	3.12	23.03	33.01

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 64 von 100
Page 64 of 100

7.3 Field Strength of Spurious Radiation

Result

Pass

Specification	FCC Part §2.1053 & §27.53 (c) (f) RSS-Gen, §6.13; RSS-139, §6.5; RSS-199, §4.5; RSS-130, §4.6 As per subclause 5.5 of ANSI C63.26-2015
Test Method / Procedure	As per subclause 7 in 971168 D01 Power Meas License Digital Systems v03r01
Measurement Bandwidth (RBW)	100 kHz for frequency range < 1GHz 1 MHz for Frequency range >1GHz
Detector Function	Peak
Measuring Distance	3 m
Requirement	The power of any emission outside the authorized frequency range must be attenuated below the transmitting power (P) by a factor of at least $43+10\log(P)$ dB
Test setup	Refer TEST METHODOLOGY

Environmental conditions:

Temperature (Norm) = + 24 °C Voltage =12VDC Through AC/DC Adapter Relative humidity = 62 %

Note: All the losses are included during measurement and final values are mentioned in the test report. Refer TEST METHODOLOGY for more details

1. All the losses are included during measurement and final values are mentioned in the test report.
2. Spurious emission limit is derived using the following equation: $43 + 10 \cdot \log(P) = 43 + 10 \cdot \log(P) = -13$
P is average power in W

Test results:


Test results for frequency range 9kHz – 30MHz

No emissions found in frequency range 9 kHz to 30 MHz, and measured levels are below 20dB from the limit line, hence not reported

Test results for frequency range 30MHz – 200MHz


Antenna Polarization	Measured Frequency (MHz)	Measured emission (dBm)	Limit (dBm)	Margin (dB)
Vertical	46.29	-66.71	-13.00	-53.71
	64.08	-63.84	-13.00	-50.84
	95.13	-61.09	-13.00	-48.09
	142.68	-69.44	-13.00	-56.44
Horizontal	47.55	-85.13	-13.00	-72.13
	64.44	-71.42	-13.00	-58.42
	77.46	-77.92	-13.00	-64.92
	95.10	-61.84	-13.00	-48.84

Plots for frequency range 30MHz to 200MHz



Frequency Range: 30MHz-200MHz

Polarization: Vertical




Frequency Range: 30MHz-200MHz

Polarization: Horizontal

Test results for frequency range 200MHz – 1GHz


Antenna Polarization	Measured Frequency (MHz)	Measured emission (dBm)	Limit (dBm)	Margin (dB)
Vertical	736.04	-41.48	-13.00	-28.48
	814.46	-45.33	-13.00	-32.33
	832.07*	8.28	-	-
	840.89	-36.70	-13.00	-23.70
Horizontal	735.68	-41.96	-13.00	-28.96
	832.07*	9.46	-	-
	840.89	-36.79	-13.00	-23.79
	927.98	-52.90	-13.00	-39.90

Test Plots:



Frequency Range: 200MHz-1GHz

Polarization: Vertical



Frequency Range: 200MHz-1GHz

Polarization: Horizontal

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 67 von 100
Page 67 of 100

Above 1GHz Test results:

LTE Band 4:

Band	Modulation	CB	No.fo RB	RB Pos	Channel Frequency (MHz)	Measured Frequency (MHz)	Antenna Polarization	Emission Level (dBm)	Limit (dBm)	Margin (dB)		
4	QPSK	1.4	3	0	1710.7	3421.40	Vertical	-37.42	-13.00	-24.42		
						5132.10		-40.12	-13.00	-27.12		
						6842.80		-49.87	-13.00	-36.87		
						3421.40	Horizontal	-43.45	-13.00	-30.45		
						5132.10		-43.92	-13.00	-30.92		
						6842.80		-47.46	-13.00	-34.46		
			3	0	1732.5	3465.00	Vertical	-33.60	-13.00	-20.60		
						5197.50		-43.00	-13.00	-30.00		
						6930.00		-49.85	-13.00	-36.85		
						3465.00	Horizontal	-41.21	-13.00	-28.21		
						5197.50		-43.64	-13.00	-30.64		
						6930.00		-50.30	-13.00	-37.30		
		3	3	1754.3	3508.60	Vertical	-38.03	-13.00	-25.03			
					5262.90		-45.29	-13.00	-32.29			
					7017.20		-49.69	-13.00	-36.69			
					3508.60	Horizontal	-41.98	-13.00	-28.98			
					5262.90		-46.20	-13.00	-33.20			
					7017.20		-49.87	-13.00	-36.87			
		16QAM	3	15	0	1711.5	3423.00	Vertical	-40.70	-13.00	-27.70	
							5134.50		-42.77	-13.00	-29.77	
							6846.00		-47.31	-13.00	-34.31	
							3423.00	Horizontal	-45.75	-13.00	-32.75	
							5134.50		-43.54	-13.00	-30.54	
							6846.00		-47.75	-13.00	-34.75	
	15			0	1732.5	3465.00	Vertical	-36.07	-13.00	-23.07		
						5197.50		-44.21	-13.00	-31.21		
						6930.00		-49.41	-13.00	-36.41		
						3465.00	Horizontal	-43.23	-13.00	-30.23		
						5197.50		-45.24	-13.00	-32.24		
						6930.00		-49.84	-13.00	-36.84		
	15			0	1753.5	3507.00	Vertical	-42.90	-13.00	-29.90		
						5260.50		-43.79	-13.00	-30.79		
						7014.00		-49.28	-13.00	-36.28		
						3507.00	Horizontal	-44.09	-13.00	-31.09		
						5260.50		-46.99	-13.00	-33.99		
						7014.00		-49.79	-13.00	-36.79		
	16QAM			5	25	0	1712.5	3425.00	Vertical	-40.73	-13.00	-27.73
								5137.50		-44.57	-13.00	-31.57
								6850.00		-47.76	-13.00	-34.76
								3425.00	Horizontal	-47.16	-13.00	-34.16
								5137.50		-44.18	-13.00	-31.18
								6850.00		-49.64	-13.00	-36.64
		1	12		1732.5	3465.00	Vertical	-40.70	-13.00	-27.70		
						5197.50		-42.37	-13.00	-29.37		
						6930.00		-49.73	-13.00	-36.73		
						3465.00	Horizontal	-42.47	-13.00	-29.47		
						5197.50		-41.16	-13.00	-28.16		
						6930.00		-47.76	-13.00	-34.76		
		25	0		1752.5	3505.00	Vertical	-44.46	-13.00	-31.46		
						5257.50		-44.96	-13.00	-31.96		
						7010.00		-50.47	-13.00	-37.47		
						3505.00	Horizontal	-45.22	-13.00	-32.22		
						5257.50		-48.05	-13.00	-35.05		
						7010.00		-49.92	-13.00	-36.92		

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 68 von 100
Page 68 of 100

Band	Modulation	CB	No.fo RB	RB Pos	Channel Frequency (MHz)	Measured Frequency (MHz)	Antenna Polarization	Emission Level (dBm)	Limit (dBm)	Margin (dB)
4	QPSK	10	50	0	1715	3430.00	Vertical	-42.62	-13.00	-29.62
						5145.00		-43.03	-13.00	-30.03
						6860.00		-49.55	-13.00	-36.55
						3430.00	Horizontal	-47.44	-13.00	-34.44
						5145.00		-44.80	-13.00	-31.80
						6860.00		-50.16	-13.00	-37.16
			50	0	1732.5	3465.00	Vertical	-43.76	-13.00	-30.76
						5197.50		-46.78	-13.00	-33.78
						6930.00		-50.64	-13.00	-37.64
						3465.00	Horizontal	-47.67	-13.00	-34.67
						5197.50		-46.99	-13.00	-33.99
						6930.00		-50.55	-13.00	-37.55
			50	0	1750	3500.00	Vertical	-46.13	-13.00	-33.13
						5250.00		-46.36	-13.00	-33.36
						7000.00		-49.95	-13.00	-36.95
						3500.00	Horizontal	-46.39	-13.00	-33.39
						5250.00		-48.96	-13.00	-35.96
						7000.00		-49.62	-13.00	-36.62
	QPSK	15	1	74	1717.5	3435.00	Vertical	-35.76	-13.00	-22.76
						5152.50		-42.33	-13.00	-29.33
						6870.00		-51.19	-13.00	-38.19
						3435.00	Horizontal	-43.32	-13.00	-30.32
						5152.50		-42.88	-13.00	-29.88
						6870.00		-50.98	-13.00	-37.98
			75	0	1732.5	3465.00	Vertical	-46.50	-13.00	-33.50
						5197.50		-47.77	-13.00	-34.77
						6930.00		-50.20	-13.00	-37.20
						3465.00	Horizontal	-48.92	-13.00	-35.92
						5197.50		-46.21	-13.00	-33.21
						6930.00		-50.00	-13.00	-37.00
			1	38	1747.5	3495.00	Vertical	-40.19	-13.00	-27.19
						5242.50		-42.99	-13.00	-29.99
						6990.00		-48.84	-13.00	-35.84
						3495.00	Horizontal	-43.35	-13.00	-30.35
						5242.50		-48.54	-13.00	-35.54
						6990.00		-50.53	-13.00	-37.53
	16QAM	20	1	49	1720	3440.00	Vertical	-39.11	-13.00	-26.11
						5160.00		-39.76	-13.00	-26.76
						6880.00		-48.61	-13.00	-35.61
						3440.00	Horizontal	-42.51	-13.00	-29.51
						5160.00		-43.09	-13.00	-30.09
						6880.00		-48.72	-13.00	-35.72
			100	0	1732.5	3465.00	Vertical	-43.58	-13.00	-30.58
						5197.50		-48.45	-13.00	-35.45
						6930.00		-50.13	-13.00	-37.13
						3465.00	Horizontal	-47.66	-13.00	-34.66
						5197.50		-47.80	-13.00	-34.80
						6930.00		-49.92	-13.00	-36.92
			1	0	1745	3490.00	Vertical	-41.21	-13.00	-28.21
						5235.00		-39.66	-13.00	-26.66
						6980.00		-49.80	-13.00	-36.80
						3490.00	Horizontal	-43.14	-13.00	-30.14
						5235.00		-42.13	-13.00	-29.13
						6980.00		-50.43	-13.00	-37.43

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 69 von 100
Page 69 of 100

LTE Band 12:

Band	Modulation	CB	No.fo RB	RB Pos	Channel Frequency (MHz)	Measured Frequency (MHz)	Antenna Polarization	Emission Level (dBm)	Limit (dBm)	Margin (dB)
12	QPSK	1.4	6	0	699.7	1399.40	Vertical	-35.08	-13.00	-22.08
						2099.10		-36.42	-13.00	-23.42
						2798.80		-49.34	-13.00	-36.34
						1399.40	Horizontal	-35.23	-13.00	-22.23
						2099.10		-37.57	-13.00	-24.57
						2798.80		-46.01	-13.00	-33.01
			3	0	707.5	1415.00	Vertical	-30.75	-13.00	-17.75
						2122.50		-26.43	-13.00	-13.43
						2830.00		-45.05	-13.00	-32.05
						1415.00	Horizontal	-29.80	-13.00	-16.80
						2122.50		-27.25	-13.00	-14.25
						2830.00		-42.99	-13.00	-29.99
			6	0	715.3	1430.60	Vertical	-28.43	-13.00	-15.43
						2145.90		-20.63	-13.00	-7.63
						2861.20		-42.08	-13.00	-29.08
						1430.60	Horizontal	-27.08	-13.00	-14.08
						2145.90		-22.39	-13.00	-9.39
						2861.20		-37.44	-13.00	-24.44
	QPSK	3	15	0	700.5	1401.00	Vertical	-41.06	-13.00	-28.06
						2101.50		-43.06	-13.00	-30.06
						2802.00		-50.66	-13.00	-37.66
						1401.00	Horizontal	-40.75	-13.00	-27.75
						2101.50		-44.10	-13.00	-31.10
						2802.00		-48.88	-13.00	-35.88
			15	0	707.5	1415.00	Vertical	-35.55	-13.00	-22.55
						2122.50		-32.37	-13.00	-19.37
						2830.00		-48.21	-13.00	-35.21
						1415.00	Horizontal	-33.22	-13.00	-20.22
						2122.50		-33.97	-13.00	-20.97
						2830.00		-46.12	-13.00	-33.12
			15	0	714.5	1429.00	Vertical	-32.26	-13.00	-19.26
						2143.50		-27.19	-13.00	-14.19
						2858.00		-47.07	-13.00	-34.07
						1429.00	Horizontal	-30.17	-13.00	-17.17
						2143.50		-28.62	-13.00	-15.62
						2858.00		-41.89	-13.00	-28.89

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 70 von 100
Page 70 of 100

Band	Modulation	CB	No.fo RB	RB Pos	Channel Frequency (MHz)	Measured Frequency (MHz)	Antenna Polarization	Emission Level (dBm)	Limit (dBm)	Margin (dB)
12	16QAM	5	25	0	701.5	1403.00	Vertical	-37.32	-13.00	-24.32
						2104.50		-38.11	-13.00	-25.11
						2806.00		-50.61	-13.00	-37.61
						1403.00	Horizontal	-37.34	-13.00	-24.34
						2104.50		-39.08	-13.00	-26.08
						2806.00		-48.96	-13.00	-35.96
		5	25	0	707.5	1415.00	Vertical	-35.23	-13.00	-22.23
						2122.50		-31.84	-13.00	-18.84
						2830.00		-47.61	-13.00	-34.61
						1415.00	Horizontal	-33.86	-13.00	-20.86
						2122.50		-33.65	-13.00	-20.65
						2830.00		-46.13	-13.00	-33.13
		5	25	0	713.5	1427.00	Vertical	-31.92	-13.00	-18.92
						2140.50		-26.59	-13.00	-13.59
						2854.00		-43.23	-13.00	-30.23
						1427.00	Horizontal	-29.81	-13.00	-16.81
						2140.50		-28.59	-13.00	-15.59
						2854.00		-42.27	-13.00	-29.27
	QPSK	10	50	0	704	1408.00	Vertical	-40.71	-13.00	-27.71
						2112.00		-38.85	-13.00	-25.85
						2816.00		-49.80	-13.00	-36.80
						1408.00	Horizontal	-41.06	-13.00	-28.06
						2112.00		-41.14	-13.00	-28.14
						2816.00		-47.58	-13.00	-34.58
		10	50	0	707.5	1415.00	Vertical	-38.47	-13.00	-25.47
						2122.50		-39.92	-13.00	-26.92
						2830.00		-49.85	-13.00	-36.85
						1415.00	Horizontal	-38.17	-13.00	-25.17
						2122.50		-40.85	-13.00	-27.85
						2830.00		-47.36	-13.00	-34.36
		10	50	0	711	1422.00	Vertical	-38.26	-13.00	-25.26
						2133.00		-35.67	-13.00	-22.67
						2844.00		-47.96	-13.00	-34.96
						1422.00	Horizontal	-36.97	-13.00	-23.97
						2133.00		-37.03	-13.00	-24.03
						2844.00		-45.27	-13.00	-32.27

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 71 von 100
Page 71 of 100

LTE Band 13:

Band	Modulation	CB	No.fo RB	RB Pos	Channel Frequency (MHz)	Measured Frequency (MHz)	Antenna Polarization	Emission Level (dBm)	Limit (dBm)	Margin (dB)
13	16QAM	5	1	24	779.5	1559.00	Vertical	-39.84	-13.00	-26.84
						2338.50		-40.93	-13.00	-27.93
						3118.00		-52.76	-13.00	-39.76
			1	24	779.5	1559.00	Horizontal	-42.64	-13.00	-29.64
						2338.50		-44.18	-13.00	-31.18
						3118.00		-53.34	-13.00	-40.34
		5	1	24	782	1564.00	Vertical	-41.13	-13.00	-28.13
						2346.00		-39.04	-13.00	-26.04
						3128.00		-52.84	-13.00	-39.84
			1	24	782	1564.00	Horizontal	-42.51	-13.00	-29.51
						2346.00		-41.98	-13.00	-28.98
						3128.00		-52.25	-13.00	-39.25
		5	25	0	784.5	1569.00	Vertical	-45.21	-13.00	-32.21
						2353.50		-43.96	-13.00	-30.96
						3138.00		-53.36	-13.00	-40.36
			25	0	784.5	1569.00	Horizontal	-46.90	-13.00	-33.90
						2353.50		-47.62	-13.00	-34.62
						3138.00		-53.32	-13.00	-40.32
	16QAM	10	1	24	782	1564.00	Vertical	-41.97	-13.00	-28.97
						2346.00		-43.30	-13.00	-30.30
						3128.00		-53.34	-13.00	-40.34
			1	24	782	1564.00	Horizontal	-44.47	-13.00	-31.47
						2346.00		-46.63	-13.00	-33.63
						3128.00		-52.78	-13.00	-39.78

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 72 von 100
Page 72 of 100

LTE Band 41:

Band	Modulation	CB	No.fo RB	RB Pos	Channel Frequency (MHz)	Measured Frequency (MHz)	Antenna Polarization	Emission Level (dBm)	Limit (dBm)	Margin (dB)
41	QPSK	5	25	0	2498.50	4997.00	Vertical	-47.21	-13.00	-34.21
						7495.50		-50.27	-13.00	-37.27
						9994.00		-45.82	-13.00	-32.82
						4997.00	Horizontal	-49.09	-13.00	-36.09
						7495.50		-50.05	-13.00	-37.05
						9994.00		-45.52	-13.00	-32.52
			25	0	2593.00	5186.00	Vertical	-38.80	-13.00	-25.80
						7779.00		-49.03	-13.00	-36.03
						10372.00		-44.47	-13.00	-31.47
						5186.00	Horizontal	-31.47	-13.00	-18.47
						7779.00		-47.04	-13.00	-34.04
						10372.00		-45.07	-13.00	-32.07
	16QAM	10	25	0	2687.40	5374.80	Vertical	-28.33	-13.00	-15.33
						8062.20		-44.27	-13.00	-31.27
						10749.60		-42.35	-13.00	-29.35
						5374.80	Horizontal	-32.46	-13.00	-19.46
						8062.20		-43.52	-13.00	-30.52
						10749.60		-43.45	-13.00	-30.45
			50	0	2501.00	5002.00	Vertical	-49.79	-13.00	-36.79
						7503.00		-49.96	-13.00	-36.96
						10004.00		-45.09	-13.00	-32.09
						5002.00	Horizontal	-49.55	-13.00	-36.55
						7503.00		-49.86	-13.00	-36.86
						10004.00		-44.54	-13.00	-31.54
			1	49	2593.00	5186.00	Vertical	-28.93	-13.00	-15.93
						7779.00		-51.09	-13.00	-38.09
						10372.00		-44.28	-13.00	-31.28
						5186.00	Horizontal	-25.40	-13.00	-12.40
						7779.00		-41.69	-13.00	-28.69
						10372.00		-45.20	-13.00	-32.20
			25	25	2684.90	5369.80	Vertical	-34.41	-13.00	-21.41
						8054.70		-47.11	-13.00	-34.11
						10739.60		-44.08	-13.00	-31.08
						5369.80	Horizontal	-24.00	-13.00	-11.00
						8054.70		-37.85	-13.00	-24.85
						10739.60		-41.34	-13.00	-28.34

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 73 von 100
Page 73 of 100

Band	Modulation	CB	No.fo RB	RB Pos	Channel Frequency (MHz)	Measured Frequency (MHz)	Antenna Polarization	Emission Level (dBm)	Limit (dBm)	Margin (dB)
41	16QAM	15	1	0	2503.50	5007.00	Vertical	-49.77	-13.00	-36.77
						7510.50		-46.86	-13.00	-33.86
						10014.00		-45.87	-13.00	-32.87
						5007.00	Horizontal	-44.23	-13.00	-31.23
						7510.50		-50.64	-13.00	-37.64
						10014.00		-45.56	-13.00	-32.56
			75	0	2593.00	5186.00	Vertical	-31.31	-13.00	-18.31
						7779.00		-46.84	-13.00	-33.84
						10372.00		-45.34	-13.00	-32.34
						5186.00	Horizontal	-32.22	-13.00	-19.22
						7779.00		-44.97	-13.00	-31.97
						10372.00		-45.30	-13.00	-32.30
			75	0	2682.40	5364.80	Vertical	-16.85	-13.00	-3.85
						8047.20		-31.01	-13.00	-18.01
						10729.60		-40.81	-13.00	-27.81
						5364.80	Horizontal	-43.13	-13.00	-30.13
						8047.20		-46.88	-13.00	-33.88
						10729.60		-43.77	-13.00	-30.77
	16QAM	20	100	0	2506.00	5012.00	Vertical	-50.23	-13.00	-37.23
						7518.00		-50.01	-13.00	-37.01
						10024.00		-45.42	-13.00	-32.42
						5012.00	Horizontal	-49.77	-13.00	-36.77
						7518.00		-49.10	-13.00	-36.10
						10024.00		-45.74	-13.00	-32.74
			1	0	2593.00	5186.00	Vertical	-32.09	-13.00	-19.09
						7779.00		-46.81	-13.00	-33.81
						10372.00		-44.67	-13.00	-31.67
						5186.00	Horizontal	-31.96	-13.00	-18.96
						7779.00		-46.31	-13.00	-33.31
						10372.00		-42.45	-13.00	-29.45
			100	0	2679.90	5359.80	Vertical	-36.90	-13.00	-23.90
						8039.70		-47.51	-13.00	-34.51
						10719.60		-44.64	-13.00	-31.64
						5359.80	Horizontal	-20.86	-13.00	-7.86
						8039.70		-34.31	-13.00	-21.31
						10719.60		-41.34	-13.00	-28.34

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 74 von 100
Page 74 of 100

LTE Band 66:

Band	Modulation	CB	No.fo RB	RB Pos	Channel Frequency (MHz)	Measured Frequency (MHz)	Antenna Polarization	Emission Level (dBm)	Limit (dBm)	Margin (dB)
66	QPSK	1.4	3	0	1710.70	3421.40	Vertical	-38.27	-13.00	-25.27
						5132.10		-43.28	-13.00	-30.28
						6842.80		-47.66	-13.00	-34.66
			3	0	1710.70	3421.40	Horizontal	-40.89	-13.00	-27.89
						5132.10		-41.84	-13.00	-28.84
						6842.80		-46.75	-13.00	-33.75
		1.4	3	3	1745.00	3490.00	Vertical	-42.68	-13.00	-29.68
						5235.00		-39.30	-13.00	-26.30
						6980.00		-50.53	-13.00	-37.53
			3	3	1745.00	3490.00	Horizontal	-43.40	-13.00	-30.40
						5235.00		-44.50	-13.00	-31.50
						6980.00		-51.01	-13.00	-38.01
		1.4	3	0	1779.20	3558.40	Vertical	-45.65	-13.00	-32.65
						5337.60		-39.03	-13.00	-26.03
						7116.80		-50.60	-13.00	-37.60
			3	0	1779.20	3558.40	Horizontal	-43.11	-13.00	-30.11
						5337.60		-42.37	-13.00	-29.37
						7116.80		-49.62	-13.00	-36.62
	16QAM	3	1	0	1711.50	3423.00	Vertical	-38.32	-13.00	-25.32
						5134.50		-41.42	-13.00	-28.42
						6846.00		-45.15	-13.00	-32.15
			1	0	1711.50	3423.00	Horizontal	-40.87	-13.00	-27.87
						5134.50		-42.85	-13.00	-29.85
						6846.00		-46.63	-13.00	-33.63
		3	1	8	1745.00	3490.00	Vertical	-42.72	-13.00	-29.72
						5235.00		-40.84	-13.00	-27.84
						6980.00		-50.61	-13.00	-37.61
			1	8	1745.00	3490.00	Horizontal	-43.02	-13.00	-30.02
						5235.00		-43.35	-13.00	-30.35
						6980.00		-51.63	-13.00	-38.63
		3	1	14	1778.40	3556.80	Vertical	-44.51	-13.00	-31.51
						5335.20		-39.01	-13.00	-26.01
						7113.60		-51.05	-13.00	-38.05
			1	14	1778.40	3556.80	Horizontal	-42.80	-13.00	-29.80
						5335.20		-41.28	-13.00	-28.28
						7113.60		-51.30	-13.00	-38.30

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 75 von 100
Page 75 of 100

Band	Modulation	CB	No.fo RB	RB Pos	Channel Frequency (MHz)	Measured Frequency (MHz)	Antenna Polarization	Emission Level (dBm)	Limit (dBm)	Margin (dB)
66	16QAM	5	25	0	1712.50	3425.00	Vertical	-40.28	-13.00	-27.28
						5137.50		-44.79	-13.00	-31.79
						6850.00		-49.74	-13.00	-36.74
						3425.00	Horizontal	-45.07	-13.00	-32.07
						5137.50		-44.18	-13.00	-31.18
						6850.00		-50.70	-13.00	-37.70
			1	0	1745.00	3490.00	Vertical	-40.00	-13.00	-27.00
						5235.00		-40.69	-13.00	-27.69
						6980.00		-48.55	-13.00	-35.55
						3490.00	Horizontal	-42.94	-13.00	-29.94
						5235.00		-43.31	-13.00	-30.31
						6980.00		-51.52	-13.00	-38.52
		5	25	0	1777.40	3554.80	Vertical	-47.93	-13.00	-34.93
						5332.20		-43.82	-13.00	-30.82
						7109.60		-51.39	-13.00	-38.39
						3554.80	Horizontal	-44.59	-13.00	-31.59
						5332.20		-47.94	-13.00	-34.94
						7109.60		-50.79	-13.00	-37.79
	16QAM	10	1	0	1715.00	3430.00	Vertical	-33.76	-13.00	-20.76
						5145.00		-38.72	-13.00	-25.72
						6860.00		-45.16	-13.00	-32.16
						3430.00	Horizontal	-40.22	-13.00	-27.22
						5145.00		-42.55	-13.00	-29.55
						6860.00		-46.45	-13.00	-33.45
			1	49	1745.00	3490.00	Vertical	-41.60	-13.00	-28.60
						5235.00		-40.72	-13.00	-27.72
						6980.00		-51.02	-13.00	-38.02
						3490.00	Horizontal	-43.00	-13.00	-30.00
						5235.00		-46.56	-13.00	-33.56
						6980.00		-52.55	-13.00	-39.55
			1	0	1774.90	3549.80	Vertical	-44.06	-13.00	-31.06
						5324.70		-41.95	-13.00	-28.95
						7099.60		-49.90	-13.00	-36.90
						3549.80	Horizontal	-43.76	-13.00	-30.76
						5324.70		-43.24	-13.00	-30.24
						7099.60		-51.20	-13.00	-38.20

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 76 von 100
Page 76 of 100

Band	Modulation	CB	No.fo RB	RB Pos	Channel Frequency (MHz)	Measured Frequency (MHz)	Antenna Polarization	Emission Level (dBm)	Limit (dBm)	Margin (dB)
66	16QAM	15	1	38	1717.50	3435.00	Vertical	-36.42	-13.00	-23.42
						5152.50		-41.05	-13.00	-28.05
						6870.00		-44.58	-13.00	-31.58
						3435.00	Horizontal	-39.18	-13.00	-26.18
						5152.50		-41.50	-13.00	-28.50
						6870.00		-47.92	-13.00	-34.92
			1	74	1745.00	3490.00	Vertical	-41.79	-13.00	-28.79
						5235.00		-40.27	-13.00	-27.27
						6980.00		-51.28	-13.00	-38.28
						3490.00	Horizontal	-39.92	-13.00	-26.92
						5235.00		-43.67	-13.00	-30.67
						6980.00		-51.54	-13.00	-38.54
		75	75	0	1772.40	3544.80	Vertical	-51.06	-13.00	-38.06
						5317.20		-48.38	-13.00	-35.38
						7089.60		-49.98	-13.00	-36.98
						3544.80	Horizontal	-49.05	-13.00	-36.05
						5317.20		-50.28	-13.00	-37.28
						7089.60		-50.67	-13.00	-37.67
	QPSK	20	100	0	1720.00	3440.00	Vertical	-41.25	-13.00	-28.25
						5160.00		-45.28	-13.00	-32.28
						6880.00		-51.44	-13.00	-38.44
						3440.00	Horizontal	-47.48	-13.00	-34.48
						5160.00		-46.57	-13.00	-33.57
						6880.00		-51.77	-13.00	-38.77
			1	0	1745.00	3490.00	Vertical	-38.37	-13.00	-25.37
						5235.00		-41.47	-13.00	-28.47
						6980.00		-51.33	-13.00	-38.33
						3490.00	Horizontal	-43.54	-13.00	-30.54
						5235.00		-42.28	-13.00	-29.28
						6980.00		-49.62	-13.00	-36.62
			1	49	1769.90	3539.80	Vertical	-44.66	-13.00	-31.66
						5309.70		-41.13	-13.00	-28.13
						7079.60		-49.94	-13.00	-36.94
						3539.80	Horizontal	-42.71	-13.00	-29.71
						5309.70		-45.15	-13.00	-32.15
						7079.60		-48.57	-13.00	-35.57

Prüfbericht - Nr.:
Test Report No.:

IN258337 001


Seite 77 von 100
Page 77 of 100

Test Plots:

LTE Band 4:


Cell Bandwidth: 1.4MHz

Channel Frequency: 1710.7MHz; Modulation: QPSK; 3RB#0



Frequency Range: 1GHz – 18GHz

Antenna Polarization: Vertical



Frequency Range: 1GHz – 18GHz


Antenna Polarization: Horizontal

Prüfbericht - Nr.:
Test Report No.:

IN258337 001


Seite 78 von 100
Page 78 of 100

Channel Frequency: 1732.5MHz; Modulation: QPSK; 3RB#0



Frequency Range: 1GHz – 18GHz

Antenna Polarization: Vertical



Frequency Range: 1GHz – 18GHz


Antenna Polarization: Horizontal

Prüfbericht - Nr.:
Test Report No.:

IN258337 001


Seite 79 von 100
Page 79 of 100

Channel Frequency: 1754.3MHz; Modulation: QPSK; 3RB#3



Frequency Range: 1GHz – 18GHz

Antenna Polarization: Vertical



Frequency Range: 1GHz – 18GHz

Antenna Polarization: Horizontal

Prüfbericht - Nr.:
Test Report No.:


IN258337 001

Seite 80 von 100
Page 80 of 100

LTE Band 12:


Cell Bandwidth: 1.4MHz

Channel Frequency: 699.7MHz; Modulation: QPSK; 6RB#0



Frequency Range: 1GHz – 18GHz

Antenna Polarization: Vertical



Frequency Range: 1GHz – 18GHz


Antenna Polarization: Horizontal

Prüfbericht - Nr.:
Test Report No.:

IN258337 001


Seite 81 von 100
Page 81 of 100

Channel Frequency: 707.5MHz; Modulation: QPSK; 3RB#0



Frequency Range: 1GHz – 18GHz

Antenna Polarization: Vertical



Frequency Range: 1GHz – 18GHz


Antenna Polarization: Horizontal

Prüfbericht - Nr.:
Test Report No.:

IN258337 001


Seite 82 von 100
Page 82 of 100

Channel Frequency: 715.3MHz; Modulation: QPSK; 6RB#0



Frequency Range: 1GHz – 18GHz

Antenna Polarization: Vertical



Frequency Range: 1GHz – 18GHz

Antenna Polarization: Horizontal

Prüfbericht - Nr.:
Test Report No.:


IN258337 001

Seite 83 von 100
Page 83 of 100

LTE Band 13:


Cell Bandwidth: 5MHz

Channel Frequency: 779.5MHz; Modulation: 16QAM; 1RB#24



Frequency Range: 1GHz – 18GHz

Antenna Polarization: Vertical



Frequency Range: 1GHz – 18GHz


Antenna Polarization: Horizontal

Prüfbericht - Nr.:
Test Report No.:

IN258337 001


Seite 84 von 100
Page 84 of 100

Channel Frequency: 782MHz; Modulation: 16QAM; 1RB#24



Frequency Range: 1GHz – 18GHz

Antenna Polarization: Vertical



Frequency Range: 1GHz – 18GHz


Antenna Polarization: Horizontal

Prüfbericht - Nr.:
Test Report No.:

IN258337 001


Seite 85 von 100
Page 85 of 100

Channel Frequency: 784.5MHz; Modulation: 16QAM; 25RB#0



Frequency Range: 1GHz – 18GHz

Antenna Polarization: Vertical



Frequency Range: 1GHz – 18GHz

Antenna Polarization: Horizontal

Prüfbericht - Nr.:
Test Report No.:


IN258337 001

Seite 86 von 100
Page 86 of 100

LTE Band 41:


Cell Bandwidth: 5MHz

Channel Frequency: 2498.5MHz; Modulation: QPSK; 25RB#0



Frequency Range: 1GHz – 18GHz


Antenna Polarization: Vertical



Frequency Range: 1GHz – 18GHz


Antenna Polarization: Horizontal

Channel Frequency: 2593MHz; Modulation: QPSK; 25RB#0



Frequency Range: 1GHz – 18GHz

Antenna Polarization: Vertical



Frequency Range: 1GHz – 18GHz


Antenna Polarization: Horizontal

Prüfbericht - Nr.:
Test Report No.:

IN258337 001


Seite 88 von 100
Page 88 of 100

Channel Frequency: 2687.4MHz; Modulation: QPSK; 25RB#0



Frequency Range: 1GHz – 18GHz

Antenna Polarization: Vertical



Frequency Range: 1GHz – 18GHz

Antenna Polarization: Horizontal

Prüfbericht - Nr.:
Test Report No.:


IN258337 001

Seite 89 von 100
Page 89 of 100

LTE Band 66:


Cell Bandwidth: 1.4MHz

Channel Frequency: 1710.7MHz; Modulation: QPSK; 3RB#0



Frequency Range: 1GHz – 18GHz

Antenna Polarization: Vertical



Frequency Range: 1GHz – 18GHz


Antenna Polarization: Horizontal

Prüfbericht - Nr.:
Test Report No.:

IN258337 001


Seite 90 von 100
Page 90 of 100

Channel Frequency: 1745MHz; Modulation: QPSK; 3RB#3



Frequency Range: 1GHz – 18GHz

Antenna Polarization: Vertical



Frequency Range: 1GHz – 18GHz


Antenna Polarization: Horizontal

Prüfbericht - Nr.:
Test Report No.:

IN258337 001


Seite 91 von 100
Page 91 of 100

Channel Frequency: 1779.2MHz; Modulation: QPSK; 3RB#0



Frequency Range: 1GHz – 18GHz

Antenna Polarization: Vertical



Frequency Range: 1GHz – 18GHz

Antenna Polarization: Horizontal

Prüfbericht - Nr.:

Test Report No.:

IN258337 001

Seite 92 von 100


Page 92 of 100

Simultaneous Operation: Proprietary Protocol (2425) with LTE Band

Simultaneous Operation: Proprietary protocol + LTE


Channel Frequency (MHz)	Antenna Polarization	Measured Frequency (MHz)	Measured Spurious Emission (dBm)	Limit (dBm)	Margin (dB)
2593.00	Vertical	5186.00	-50.71	-13.00	-37.71
		7779.00	-50.84	-13.00	-37.84
2425.00		4850.00	-38.89	-13.00	-25.89
		7275.00	-50.35	-13.00	-37.35
2593.00	Horizontal	5186.00	-50.70	-13.00	-37.70
		7779.00	-50.77	-13.00	-37.77
2425.00		4850.00	-40.27	-13.00	-27.27
		7275.00	-50.77	-13.00	-37.77

Test Plots:



Channel Frequency: 2593MHz & 2425MHz

Polarization: Vertical



Channel Frequency: 2593MHz & 2425MHz

Polarization: Horizontal

Prüfbericht - Nr.:

Test Report No.:

IN258337 001

Seite 93 von 100

Page 93 of 100

Test Results for WCDMA:

Band	Channel Frequency (MHz)	Measured Frequency (MHz)	Antenna Polarization	Emission Level (dBm)	Limit (dBm)	Margin (dB)
4	1712.40	3424.80	Vertical	-49.02	-13.00	-36.02
		5137.20		-48.96	-13.00	-35.96
		6849.60		-52.07	-13.00	-39.07
		3424.80	Horizontal	-49.37	-13.00	-36.37
		5137.20		-47.95	-13.00	-34.95
		6849.60		-52.19	-13.00	-39.19
	1740.00	3480.00	Vertical	-49.15	-13.00	-36.15
		5220.00		-50.60	-13.00	-37.60
		6960.00		-52.03	-13.00	-39.03
		3480.00	Horizontal	-53.34	-13.00	-40.34
		5220.00		-50.06	-13.00	-37.06
		6960.00		-51.38	-13.00	-38.38
	1752.60	3505.20	Vertical	-53.04	-13.00	-40.04
		5257.80		-49.83	-13.00	-36.83
		7010.40		-51.37	-13.00	-38.37
		3505.20	Horizontal	-53.29	-13.00	-40.29
		5257.80		-49.54	-13.00	-36.54
		7010.40		-50.71	-13.00	-37.71

Prüfbericht - Nr.:

Test Report No.:


IN258337 001

Seite 94 von 100

Page 94 of 100


Test plots:

Channel Frequency: 1712.4MHz



Frequency Range: 1GHz – 18GHz

Antenna Polarization: Vertical



Frequency Range: 1GHz – 18GHz


Antenna Polarization: Horizontal

Prüfbericht - Nr.:
Test Report No.:

IN258337 001


Seite 95 von 100
Page 95 of 100

Channel Frequency: 1740MHz



Frequency Range: 1GHz – 18GHz

Antenna Polarization: Vertical



Frequency Range: 1GHz – 18GHz

Antenna Polarization: Horizontal


Prüfbericht - Nr.:

Test Report No.:

IN258337 001


Seite 96 von 100
Page 96 of 100

Channel Frequency: 1752.60MHz



Frequency Range: 1GHz – 18GHz

Antenna Polarization: Vertical



Frequency Range: 1GHz – 18GHz

Antenna Polarization: Horizontal

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 97 von 100
Page 97 of 100

8 AC Power lines Conducted Emission

Result

Pass

Test Specification: FCC Part 15 Section 15.207
RSS Gen Issue 5, Section 8.8

Test Method: ANSI C 63.10-2013

Testing Location: Screened room

Measurement Bandwidth: 9kHz

Frequency Range: 150kHz – 30MHz

Supply Voltage: 110VAC,60Hz

Test Method: Refer TEST METHODOLOGY

Limits of section 15.207

Frequency of emission (MHz)	Conducted limit (dBµV)	
	Quasi-peak (dBµV)	Average (dBµV)
0.15-0.5	66-56*	56-46*
0.5-5	56	46
5-30	60	50

* Decreases with the logarithm of the frequency

Test Conditions:

Normal Temperature = +24°C Voltage (V norm) = 110VAC through mains

Relative Humidity = 64%


Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 98 von 100
Page 98 of 100

Test results:

110VAC-60Hz-Line



Quasi Peak:

Frequency (MHz)	Level (dBμV)	Limit (dBμV)	Margin (dB)	Comments
0.50425	44.93	56	-11.07	Pass
0.29665	45.4	60.3	-14.9	Pass
0.94415	36.19	56	-19.81	Pass
0.2345	40.73	62.31	-21.58	Pass
1.52025	33.54	56	-22.46	Pass
7.91375	35.9	60	-24.1	Pass
1.2966	31.83	56	-24.17	Pass
13.5616	33.98	60	-26.02	Pass
2.5349	29.44	56	-26.56	Pass

Average:


Frequency (MHz)	Level (dBμV)	Limit (dBμV)	Margin (dB)	Comments
0.50425	41.63	46	-4.37	Pass
1.52025	32.17	46	-13.83	Pass
0.29665	34.77	50.3	-15.53	Pass
2.5349	25.6	46	-20.4	Pass
13.5616	27.57	50	-22.43	Pass
7.91375	27.36	50	-22.64	Pass
0.94415	21.87	46	-24.13	Pass
0.2345	27.61	52.31	-24.7	Pass
1.2966	17.39	46	-28.61	Pass

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 99 von 100
Page 99 of 100

110VAC-60Hz-Neutral:



Quasi peak:

Frequency (MHz)	Level (dBµV)	Limit (dBµV)	Margin (dB)	Comments
0.50285	44.4	56	-11.6	Pass
0.29845	43.56	60.3	-16.74	Pass
0.2371	42.89	62.17	-19.28	Pass
1.06335	36.61	56	-19.39	Pass
1.53685	35.4	56	-20.6	Pass
7.95285	37.33	60	-22.67	Pass
13.55885	34.15	60	-25.85	Pass
2.53355	28.57	56	-27.43	Pass

Average:

Frequency (MHz)	Level (dBµV)	Limit (dBµV)	Margin (dB)	Comments
0.50285	39.16	46	-6.84	Pass
0.29845	33.45	50.3	-16.84	Pass
2.53355	25.86	46	-20.14	Pass
7.95285	28.93	50	-21.07	Pass
0.2371	30.51	52.17	-21.66	Pass
13.55885	28.29	50	-21.71	Pass
1.06335	22.37	46	-23.63	Pass
1.53685	21.66	46	-24.34	Pass

Prüfbericht - Nr.:
Test Report No.:

IN258337 001

Seite 100 von 100
Page 100 of 100

9 LIST OF TABLES

Table 1: List of test and measurement instruments	7
Table 2: Instrument application Software versions	7
Table 3: Ratings and System Details as declared by Supplier*	8
Table 4: Antenna Gain	9
Table 5: Measurement Uncertainty	9
Table 6: List of Center frequencies	10

10 LIST OF FIGURES

Figure 1: Frequency Range 9 kHz- 30 MHz	14
Figure 2: Frequency Range 30 MHz – 200 MHz	16
Figure 3: Frequency Range 200 MHz - 1GHz	16
Figure 4: Frequency Range above 1 GHz	16

*****END OF TEST REPORT*****