

Intelligent fully automatic cat toilet

Instruction Manual

■ Note to customer


- 1、Please read the product instruction manual carefully before Once the product is installed or used, it means that you use.have carefully read and accept the following safety instructions.
- 2、The company is not responsible for any accident or loss caused by illegal operation, and does not assume any legal responsibility.
- 3、The cat litter box is a cat hygiene product. Once the product is used (adding cat litter is regarded as use), it cannot be returned or exchanged for 7 days without reason.
- 4、The product will be upgraded from time to time. If the actual installation and use are different from this description, please consult the customer service of the purchase channel.

■ The use of safety guidance

- * Failure to comply with the following terms and conditions may result in the product not being used normally, or other accidental loss.
- Please install and use the equipment strictly in accordance with the instructions.
- Do not use this device for pets within the last six months.
- The device should be placed on a horizontal hard surface, avoid touching walls.
- Do not place other heavy objects on the device to avoid potential safety risks.
- This equipment contains precision electronic
- components, be sure to handle with care, do not drag and move the equipment at will.
- To avoid potential safety risks, do not add sand during device operation.

- This device is suitable for cats weighing 1.5-8kg.
- If children are using this device, make sure to use it under adult supervision and guidance.
- Unplug the power cord if moving this device.
- Do not place the device in a high temperature and humidity environment.
- This device is in low voltage mode, but pets chewing the wire will still cause leakage, please guide the correct use.
- Please use the original power adapter, otherwise it will cause the device to not work properly.
- Do not immerse or soak the base of this product in water
- In case of problems with the use of the product, please contact the customer service of the purchase channel in time.


■ List of products and accessories



Base (with four sets of auxiliary wheels)



roller



Toilet box



Power module



The power adapter



Card sales

■ Quick start(whole machine installation)

1. Install the core module behind the base and fix it with 4screws, as shown in Figure(1).
2. The roller bin is placed on the base, the entrance and exit of the cat and the opening of the stool are in the same direction, the big gear and the small gear mesh, as shown in Figure(2), and the fixed roller clamp pin needs to be inserted as shown in Figure(3)




Figure (1)




Figure (2)




Figure (3)

3. Wrap the garbage bag around the bin and place it in the base.
4. Pour the cat litter on the anti-stick cloth from the drum bininlet and outlet, as shown in Figure(4).

Note: The weight of the cat litter should be less than 6kilograms, and the drum should be handled gently.

5. Take out the power adapter and insert it into the power adapter jack on the back of the core module, as shown in Figure(5).




Figure (4)




Figure (5)

■ Quick start (product distribution network)

1. Mobile phone download and install Tuya app, and enter the app login, the device only supports 2.4G wifi, does not support 5GHz band and hotels, airports and other special certification of WiFi.

2. After the machine is powered on, press the button in figure (6) for 5 times continuously. In Figure (7), the network light is on, and the machine is in the state of distribution network.
3. Click the scanning device in the app. When the automatic cat litter box is scanned, click and enter the WiFi password.
4. Wait for the configuration to be successful.
5. One device can only be bound to one account. If multiple users need to use the device, they can share the device with other users through the app
6. The operation of app video distribution network can be obtained by contacting the customer service of the purchase channel.

■ **Quickly get started (product use)**

Automatic cleaning mode

After connecting the power supply, the machine will perform a reset operation by default, and the drum will turn to the designated position. It will enter the automatic cleaning mode, and the machine will automatically clean up after the cat goes to the toilet for three minutes by default.



Figure (6)



Figure (7)

Clean up immediately

In standby state, press the button in figure (6) for a long time and let go after the first sound of "beep". Figure(7)Cleaning green lights up, and the machine cleans up immediately.

Remove old sand with one button (Clean sand mode)

- 1.In the standby state, press the key in figure (6) for a1、 long time, release the hand after the second sound of "beep". In figure (7), the green light for sand cleaning will be on, and the drum will reverse to remove the old sand.
- 2.During the sanding process, please ask the pet parents to take care of the operation, so as to avoid the cat going to the toilet during this period.
- 3.The machine should be reset within 1 minute after cleaning without any other operation, and the cat should be added after the end of cleaning.

Manual mode (Baby cat mode)

In the standby state, press the button in figure (6) for a longtime, and release the hand after the fourth "beep". In Figure(7),the manual green light will be on, and the machine will enter the manual mode. In this mode,

the machine will not automatically clean, but only clean after pressing the key with a drop sound.

Business trip/Holiday mode (timing mode)

In the standby state, press the key in figure (6) for a longtime, and release the hand after the fifth beep. In Figure (7)the timing green light will be on, and the machine will be cleaned every 6 hours by default.

Deodorizing mode (optional)

- 1, the default fan is long open mode, always working. When the machine is running, the fan is suspended.
2. In the standby state, press the button in Figure (6)for along time, and let go after the sixth "beep". In Figure (7), the deodorant green light is extinguished, and the fan is turned off.

Germicidal mode

1. UV germicidal lamp default machine cleaning time start
2. In the standby state, press the button in figure (6) for along time, and release it after the 6th "beep". In Figure(7)the sterilization green light is off, and the ultraviolet sterilization is not started during the operation of the machine.

■ Operation description

The machine monitors whether the cat enters in real time through the infrared probe of the core module.

If the cat is using for the first time, it is recommended to use the six-hour cleaning mode (timing mode)

The machine will be paused if the cat re-enters during the machine cleaning.

Note: The basic cat toilet with fresh air system or need detailed installation, you can contact the customer service of the purchase channel.

■ Cleaning guidance

1. drum cleaning

Drum can be washed, support the removal of anti-stick mat, after cleaning, need to air dry or wipe dry.

2. Clean the base of the main engine

The host base can be wiped with paper towels or rags, not washed and must be kept dry

3. Clean the bin

The toilet can be washed, after cleaning, need to air dry or wipe dry.

■ Basic product parameters

Product model: DDYCAT20

Product color: White

Net weight: 8.5kg

Product size: 460*510*590mm (width, length and height)

Rated voltage: 7VDC

Applicable scope: 6 months old and above cats

Stool box capacity: 11L

Warranty Regulations

The after-sales service of this product is strictly in accordance with the Law of the People's Republic of China on the Protection of Consumer Rights and Interests and the Product Quality Law of the People's Republic of China. The service content is as follows :

1. Within 7 days from the date of purchase, the product quality problems, through the company's testing and identification, consumers can enjoy the return or exchange service;
2. Within 15 days from the date of purchase, the product quality problems, after the company's testing and identification, consumers can enjoy replacement or maintenance services.
3. Within 12 months from the date of purchase, the product quality problems, by the company's testing and identification, consumers can enjoy free maintenance services;
4. Within 7-15 days from the date of purchase, the product itself and its accessories should be kept intact and without appearance damage, and the package should be kept intact.

FCC Warning Statement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is

encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference,
- (2) this device must accept any interference received, including interference that may cause undesired operation.

RF Exposure Statement

To maintain compliance with FCC's RF Exposure guidelines, this equipment should be installed and operated with minimum distance of 20cm the radiator your body. This device and its antenna(s) must not be co-located or operation in conjunction with any other antenna or transmitter.

Non-warranty regulations

The following circumstances (but not limited to the following circumstances) are not included in the scope of the three guarantees:

1. The validity period of the three guarantees has exceeded;
2. Damage caused by unauthorized disassembly and maintenance;
3. Damage caused by failure to use and maintain in accordance with the requirements of this manual;
4. damage caused by force majeure such as fire, lightning strike flood, pet biting;
5. Normal fading and aging of the product during use,
6. Random gifts.