

Shenzhen Guangyuanfa Electronic Co., Ltd.

Antenna Test Report

Customer Name	Lingdu	Project Name	G2
time	20 24 / 10/31	Report Version	A1
Debugging Engineer	Luo Yehui	Contact Details	15077703194

History

Version	Report Date	Revision Description	Prepared by
A1	2024. 10. 18	Antenna Test Report	Luo Yehui

Table of contents

1: Project Debugging Introduction

2: Test equipment description

3 : Matching circuit description

4 : Antenna standing wave

5 : Antenna passive data


**6 : Antenna assembly and
environmental treatment**

7 : Notes

Project Debugging Introduction

model	K28			
Antenna Type	FPC			
Frequency band and antenna material	Main Antenna	Frequency band		Material
		2G	/	/
		3G	/	
		LTE	/	
	Other Antennas	Episodes	/	/
		WIFI\BT	2. 4G	FPC
Performance requirements	Execute according to customer requirements			


Test Equipment Description



24 probe microwave darkroom




CMW500



7*4*3M ETS microwave darkroom



Agilent 8960



Agilent E5071B



High and low temperature test chamber



MT8820C




HP8753ES


Test system	Test environment	Active test	Passive test
ETS Darkroom 24 probes OTA darkroom	Temperature: $22^{\circ}\text{C} \pm 3^{\circ}\text{C}$ Humidity: $50\% \pm 15\%$	Support 2G/3G/4G Support NB-IoT/CAT-M/BT/WIFI	700 MHz — 6G

Matching Circuit Description


No change to
antenna matching



Main Antenna	Element	Value
	E1 (0402)	N/A
	E2 (0402)	0 Ohm
	E3 (0402)	N/A
	E4 (0402)	0 Ohm



GWB Antenna	Element	Value
	E1 (0402)	N/A
	E2 (0402)	0 Ohm
	E3 (0402)	N/A
	E4 (0402)	0 Ohm




DIV Antenna	Element	Value
	E1 (0402)	N/A
	E2 (0402)	0 Ohm
	E3 (0402)	N/A
	E4 (0402)	0 Ohm

WiFi Standing Wave Diagram




BT standing wave diagram



The module comes with a WIFI antenna

Frequency (MHz)	Efficiency (dBi)	Gain (dBi)	Efficiency (%)
2400	-7.07	-3.43	19.63
2410	-7.03	-2.42	19.79
2420	-7.13	-1.87	19.36
2430	-7.12	-1.52	19.41
2440	-7.18	-1.74	19.13
2450	-7.30	-2.29	18.64
2460	-7.26	-2.53	18.81
2470	-7.32	-2.89	18.54
2480	-7.27	-3.01	18.77
2490	-7.43	-3.77	18.08
2500	-7.35	-4.02	18.39

The module comes with WIFI antenna 3D/2D Pattern



WIFI active data


Module onboard antenna			
		TRP	TIS
WIFI B	1	8.31	-79.91
	6	8.77	-79.35
	11	5.84	-77.7
WIFI G	1	7.41	-62.75
	6	7.97	-65.05
	11	4.41	-62.09
WIFI N	1	8.13	-59.42
	6	6.21	-50.33
	11	3.68	-58.1

Notes

1. Please confirm whether the matching and environmental treatment methods in the report are acceptable to you; this will directly affect the performance of the antenna. If you have any different opinions, please contact us in time;
2. If your company replaces materials, components, updates software, changes environmental processing, etc., please provide the latest status machine to our company to verify the performance in time;
3. If your device needs to be sent to a third party for performance verification, please provide the test machine to our company for testing and verification before sending it for testing ; (because the consistency of the mainboard, environmental treatment, antenna assembly, etc. will affect the antenna performance deviation).

Antenna Dimensions

Unit: mm





Address: 10th Floor, Building D2, Songhu Zhigu

Innovation Center, Liaobu Town, Dongguan City

Tel: 0755-26702159 Fax: 0755-26702585

Website: <http://www.gyfgpsbd.com>

Thanks.



Shenzhen Guangyuanfa Electronics Co., Ltd.