


Duty Cycle Test Data


Band	On Time (ms)	On+Off Time (ms)	Duty Cycle (%)
GFSK (BLE 1Mbps)	0.39	0.62	62.84%
GFSK (BLE 2Mbps)	0.21	0.62	33.33%

Test Plots

GFSK (BLE 1Mbps)



GFSK (BLE 2Mbps)



A.2 Occupied Bandwidth

Test Data


Test Mode	GFSK (BLE 1Mbps)		
Channel	6 dB Bandwidth (kHz)	99% Bandwidth (kHz)	6 dB Bandwidth Limits (kHz)
Low	712.60	1045.70	≥500
Middle	712.60	1054.70	≥500
High	705.10	1051.50	≥500

Test Mode	GFSK (BLE 2Mbps)		
Channel	6 dB Bandwidth (kHz)	99% Bandwidth (kHz)	6 dB Bandwidth Limits (kHz)
Low	1170.00	2052.90	≥500
Middle	1170.00	2050.70	≥500
High	1170.00	2045.30	≥500


Test Plots

6 dB Bandwidth

GFSK (BLE 1Mbps) LOW CHANNEL



GFSK (BLE 1Mbps) MIDDLE CHANNEL



GFSK (BLE 1Mbps) HIGH CHANNEL



GFSK (BLE 2Mbps) LOW CHANNEL




GFSK (BLE 2Mbps) MIDDLE CHANNEL



GFSK (BLE 2Mbps) HIGH CHANNEL



99% Bandwidth**GFSK (BLE 1Mbps) LOW CHANNEL****GFSK (BLE 1Mbps) MIDDLE CHANNEL****GFSK (BLE 1Mbps) HIGH CHANNEL**

GFSK (BLE 2Mbps) LOW CHANNEL



GFSK (BLE 2Mbps) MIDDLE CHANNEL



GFSK (BLE 2Mbps) HIGH CHANNEL



A.3 Conducted Spurious Emission


Test Data

GFSK (BLE 1Mbps)				
Channel	Measured Max. Out of Band Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-34.21	2.46	-17.54	Pass
Middle	-36.71	2.33	-17.67	Pass
High	-36.61	2.55	-17.45	Pass


GFSK (BLE 2Mbps)				
Channel	Measured Max. Out of Band Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-36.58	2.16	-17.84	Pass
Middle	-36.20	2.37	-17.63	Pass
High	-36.16	2.53	-17.47	Pass

Test Plots


GFSK (BLE 1Mbps) LOW CHANNEL, CARRIER LEVEL




GFSK (BLE 1Mbps) LOW CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




GFSK (BLE 1Mbps) LOW CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




GFSK (BLE 1Mbps) MIDDLE CHANNEL, CARRIER LEVEL




GFSK (BLE 1Mbps) MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




GFSK (BLE 1Mbps) MIDDLE CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




GFSK (BLE 1Mbps) HIGH CHANNEL, CARRIER LEVEL




GFSK (BLE 1Mbps) HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




GFSK (BLE 1Mbps) HIGH CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




GFSK (BLE 2Mbps) LOW CHANNEL, CARRIER LEVEL




GFSK (BLE 2Mbps) LOW CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




GFSK (BLE 2Mbps) LOW CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




GFSK (BLE 2Mbps) MIDDLE CHANNEL, CARRIER LEVEL




GFSK (BLE 2Mbps) MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




GFSK (BLE 2Mbps) MIDDLE CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




GFSK (BLE 2Mbps) HIGH CHANNEL, CARRIER LEVEL



GFSK (BLE 2Mbps) HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz



GFSK (BLE 2Mbps) HIGH CHANNEL, SPURIOUS 2 GHz ~ 25 GHz



A.4 Band Edge (Authorized-band band-edge)

Note: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.


Test Data

GFSK (BLE 1Mbps)				
Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-47.61	2.46	-17.54	Pass
High	-50.76	2.55	-17.45	Pass


GFSK (BLE 2Mbps)				
Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-51.17	2.16	-17.84	Pass
High	-50.03	2.53	-17.47	Pass

Test Plots


GFSK (BLE 1Mbps) LOW CHANNEL, CARRIER LEVEL




GFSK (BLE 1Mbps) LOW CHANNEL, BAND EDGE




GFSK (BLE 1Mbps) HIGH CHANNEL, CARRIER LEVEL




GFSK (BLE 1Mbps) HIGH CHANNEL, BAND EDGE




GFSK (BLE 2Mbps) LOW CHANNEL, CARRIER LEVEL




GFSK (BLE 2Mbps) LOW CHANNEL, BAND EDGE



GFSK (BLE 2Mbps) HIGH CHANNEL, CARRIER LEVEL



GFSK (BLE 2Mbps) HIGH CHANNEL, BAND EDGE



A.5 Conducted Emission


Note 1: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note 2: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Note 3: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)

Test Data and Plots


PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.180	56.11	9.75	64.49	8.38	Peak	L	Pass
1**	0.180	30.23	9.75	54.49	24.26	AV	L	Pass
2	0.240	47.99	9.74	62.10	14.11	Peak	L	Pass
2**	0.240	25.64	9.74	52.10	26.46	AV	L	Pass
3	0.612	41.13	9.73	56.00	14.87	Peak	L	Pass
3**	0.612	28.54	9.73	46.00	17.46	AV	L	Pass
4	1.712	37.74	9.69	56.00	18.26	Peak	L	Pass
4**	1.712	23.71	9.69	46.00	22.29	AV	L	Pass
5	3.462	38.30	9.66	56.00	17.70	Peak	L	Pass
5**	3.462	25.83	9.66	46.00	20.17	AV	L	Pass
6	20.432	40.15	8.92	60.00	19.85	Peak	L	Pass
6**	20.432	30.39	8.92	50.00	19.61	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.178	58.77	9.75	64.58	5.81	Peak	N	Pass
1*	0.178	55.32	9.75	64.58	9.26	QP	N	Pass
1**	0.178	38.92	9.75	54.58	15.66	AV	N	Pass
2	0.208	55.90	9.75	63.28	7.38	Peak	N	Pass
2*	0.208	52.02	9.75	63.28	11.26	QP	N	Pass
2**	0.208	30.59	9.75	53.28	22.69	AV	N	Pass
3	0.242	51.15	9.74	62.03	10.88	Peak	N	Pass
3**	0.242	29.51	9.74	52.03	22.52	AV	N	Pass
4	0.604	41.25	9.73	56.00	14.75	Peak	N	Pass
4**	0.604	24.65	9.73	46.00	21.35	AV	N	Pass
5	1.790	37.54	9.69	56.00	18.46	Peak	N	Pass
5**	1.790	24.76	9.69	46.00	21.24	AV	N	Pass
6	11.408	39.42	9.42	60.00	20.58	Peak	N	Pass
6**	11.408	26.54	9.42	50.00	23.46	AV	N	Pass

A.6 Radiated Spurious Emission

Note 1: The symbol of "--" in the table which means not application.

Note 2: For the test data above 1 GHz, according the ANSI C63.4-2014, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note 3: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note 4: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and BLE 1M-Middle channel mode is the worst.

Note 5: Results (dBuV/m) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)

Test Data and Plots


30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	95.426	22.77	-27.53	43.5	20.73	Peak	190.00	200	Horizontal	Pass
2	223.176	34.29	-26.36	46.0	11.71	Peak	148.00	100	Horizontal	Pass
3	356.550	38.09	-22.43	46.0	7.91	Peak	153.00	100	Horizontal	Pass
4	417.612	36.80	-20.37	46.0	9.20	Peak	148.00	100	Horizontal	Pass
5	619.081	31.13	-15.58	46.0	14.87	Peak	143.00	100	Horizontal	Pass
6	828.989	36.01	-11.66	46.0	9.99	Peak	138.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	71.564	13.50	-30.15	40.0	26.50	Peak	288.00	200	Vertical	Pass
2	148.437	18.36	-30.22	43.5	25.14	Peak	35.00	200	Vertical	Pass
3	222.351	28.24	-26.43	46.0	17.76	Peak	21.00	200	Vertical	Pass
4	375.805	31.14	-21.80	46.0	14.86	Peak	144.00	100	Vertical	Pass
5	555.740	30.62	-17.48	46.0	15.38	Peak	110.00	100	Vertical	Pass
6	917.114	32.65	-9.25	46.0	13.35	Peak	56.00	100	Vertical	Pass

Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious from 18GHz-25GHz is noise only, do not show on the report.

GFSK (BLE 1Mbps) MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1167.750	39.36	-15.47	74.0	34.64	Peak	323.00	150	Horizontal	Pass
1**	1167.750	28.09	-15.47	54.0	25.91	AV	323.00	150	Horizontal	Pass
2	2245.500	42.83	-12.83	74.0	31.17	Peak	144.00	150	Horizontal	Pass
2**	2245.500	31.98	-12.83	54.0	22.02	AV	144.00	150	Horizontal	Pass
3	2440.000	97.81	-12.37	74.0	-23.81	Peak	23.00	150	Horizontal	N/A
3**	2440.000	96.81	-12.37	54.0	-42.81	AV	23.00	150	Horizontal	N/A
4	2998.000	47.00	-8.80	74.0	27.00	Peak	0.00	150	Horizontal	Pass
4**	2998.000	35.61	-8.80	54.0	18.39	AV	0.00	150	Horizontal	Pass
5	6105.000	53.25	-0.44	74.0	20.75	Peak	211.00	150	Horizontal	Pass
5**	6105.000	41.21	-0.44	54.0	12.79	AV	211.00	150	Horizontal	Pass
6	12421.500	49.80	-1.98	74.0	24.20	Peak	125.00	150	Horizontal	Pass
6**	12421.500	38.29	-1.98	54.0	15.71	AV	125.00	150	Horizontal	Pass

GFSK (BLE 1Mbps) MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1267.750	39.57	-15.95	74.0	34.43	Peak	4.00	150	Vertical	Pass
1**	1267.750	28.20	-15.95	54.0	25.80	AV	4.00	150	Vertical	Pass
2	2135.750	42.44	-13.51	74.0	31.56	Peak	192.00	150	Vertical	Pass
2**	2135.750	31.71	-13.51	54.0	22.29	AV	192.00	150	Vertical	Pass
3	2440.250	92.96	-12.37	74.0	-18.96	Peak	118.00	150	Vertical	N/A
3**	2440.250	92.24	-12.37	54.0	-38.24	AV	118.00	150	Vertical	N/A
4	2908.750	46.66	-9.42	74.0	27.34	Peak	294.00	150	Vertical	Pass
4**	2908.750	34.76	-9.42	54.0	19.24	AV	294.00	150	Vertical	Pass
5	6357.500	52.98	-0.43	74.0	21.02	Peak	248.00	150	Vertical	Pass
5**	6357.500	41.87	-0.43	54.0	12.13	AV	248.00	150	Vertical	Pass
6	15463.999	49.94	-2.19	74.0	24.06	Peak	119.00	150	Vertical	Pass
6**	15463.999	38.96	-2.19	54.0	15.04	AV	119.00	150	Vertical	Pass

GFSK (BLE 2Mbps) MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1237.250	39.53	-16.01	74.0	34.47	Peak	92.00	150	Horizontal	Pass
1**	1237.250	28.16	-16.01	54.0	25.84	AV	92.00	150	Horizontal	Pass
2	1913.500	41.78	-15.46	74.0	32.22	Peak	248.00	150	Horizontal	Pass
2**	1913.500	29.85	-15.46	54.0	24.15	AV	248.00	150	Horizontal	Pass
3	2440.500	98.39	-12.38	74.0	-24.39	Peak	248.00	150	Horizontal	N/A
3**	2440.500	96.53	-12.38	54.0	-42.53	AV	248.00	150	Horizontal	N/A
4	2988.500	46.76	-9.31	74.0	27.24	Peak	137.00	150	Horizontal	Pass
4**	2988.500	34.70	-9.31	54.0	19.30	AV	137.00	150	Horizontal	Pass
5	6645.000	53.96	0.33	74.0	20.04	Peak	351.00	150	Horizontal	Pass
5**	6645.000	42.21	0.33	54.0	11.79	AV	351.00	150	Horizontal	Pass
6	13523.000	49.07	-2.45	74.0	24.93	Peak	33.00	150	Horizontal	Pass
6**	13523.000	38.14	-2.45	54.0	15.86	AV	33.00	150	Horizontal	Pass

GFSK (BLE 2Mbps) MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1222.250	39.66	-15.99	74.0	34.34	Peak	300.00	150	Vertical	Pass
1**	1222.250	28.21	-15.99	54.0	25.79	AV	300.00	150	Vertical	Pass
2	2187.250	42.70	-13.25	74.0	31.30	Peak	106.00	150	Vertical	Pass
2**	2187.250	31.93	-13.25	54.0	22.07	AV	106.00	150	Vertical	Pass
3	2440.500	91.24	-12.38	74.0	-17.24	Peak	143.00	150	Vertical	N/A
3**	2440.500	89.41	-12.38	54.0	-35.41	AV	143.00	150	Vertical	N/A
4	2990.750	46.32	-9.14	74.0	27.68	Peak	353.00	150	Vertical	Pass
4**	2990.750	35.47	-9.14	54.0	18.53	AV	353.00	150	Vertical	Pass
5	5888.500	52.32	-0.82	74.0	21.68	Peak	245.00	150	Vertical	Pass
5**	5888.500	40.51	-0.82	54.0	13.49	AV	245.00	150	Vertical	Pass
6	14152.500	49.80	-1.27	74.0	24.20	Peak	270.00	150	Vertical	Pass
6**	14152.500	38.58	-1.27	54.0	15.42	AV	270.00	150	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)

Note 1: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note 2: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note 3: According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note 4: The Level (dBuV/m) has been corrected by factor.


Test Data and Plots

GFSK (BLE 1Mbps) LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.62	-4.87	74.0	23.38	Peak	359.96	150	Vertical	Pass
1**	2390.000	40.38	-4.87	54.0	13.62	AV	359.96	150	Vertical	Pass
2	2372.800	52.42	-4.09	74.0	21.58	Peak	96.00	150	Vertical	Pass
2**	2372.800	40.74	-4.09	54.0	13.26	AV	96.00	150	Vertical	Pass

GFSK (BLE 1Mbps) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.47	-3.78	74.0	22.53	Peak	2.00	150	Vertical	Pass
1**	2483.500	40.92	-3.78	54.0	13.08	AV	2.00	150	Vertical	Pass
2	2498.080	52.88	-3.97	74.0	21.12	Peak	334.00	150	Vertical	Pass
2**	2498.080	41.23	-3.97	54.0	12.77	AV	334.00	150	Vertical	Pass

GFSK (BLE 2Mbps) LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.51	-4.87	74.0	23.49	Peak	359.56	150	Horizontal	Pass
1**	2390.000	40.44	-4.87	54.0	13.56	AV	359.56	150	Horizontal	Pass
2	2371.700	52.78	-4.06	74.0	21.22	Peak	191.00	150	Horizontal	Pass
2**	2371.700	40.90	-4.06	54.0	13.10	AV	191.00	150	Horizontal	Pass

GFSK (BLE 2Mbps) HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.77	-3.78	74.0	22.23	Peak	110.00	150	Horizontal	Pass
1**	2483.500	41.25	-3.78	54.0	12.75	AV	110.00	150	Horizontal	Pass
2	2499.370	53.24	-3.98	74.0	20.76	Peak	274.00	150	Horizontal	Pass
2**	2499.370	41.17	-3.98	54.0	12.83	AV	274.00	150	Horizontal	Pass

A.8 Power Spectral Density (PSD)


Test Data

GFSK (BLE 1Mbps)			
Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-12.72	8	Pass
Middle	-12.74	8	Pass
High	-12.80	8	Pass


GFSK (BLE 2Mbps)			
Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-15.38	8	Pass
Middle	-15.24	8	Pass
High	-15.17	8	Pass

Test Plots


GFSK (BLE 1Mbps) LOW CHANNEL




GFSK (BLE 1Mbps) MIDDLE CHANNEL




GFSK (BLE 1Mbps) HIGH CHANNEL




GFSK (BLE 2Mbps) LOW CHANNEL



GFSK (BLE 2Mbps) MIDDLE CHANNEL



GFSK (BLE 2Mbps) HIGH CHANNEL



ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SH2520088-AR-1.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SH2520088-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SH2520088-AI.PDF”.

Statement

1. The Testing Center guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. For the report with Accreditation Symbol, the items marked with "☆" are not within the accredited scope.
3. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the test report stamp.
4. The test data and results are only valid for the tested samples provided by the customer.
5. This report shall not be partially reproduced without the written permission of the Testing Center.
6. Any objection shall be raised to the Testing Center within 30 days after receiving the report.

--END OF REPORT--