


Inverted F Antenna Specification

Summary


ITEM	ANT SPEC					
Model Name	2.4G ANT					
Center Frequency	Horizontal			Vertical		
	2400MHz	2400MHz	2500MHz	2400MHz	2400MHz	2500MHz
	-1.26	-0.76	-0.58	-5.25	-2.46	-1.86
MAX. Gain	-0.58dB					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	50 Ohm					
Antenna Length	40.8mm					
Manufacture	Beijing Shenzhou Anfu Technology Co.,Ltd					

Antenna Photo & Length (mm)



Horizontal: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)




<u>2402 MHz</u>	<u>2452 MHz</u>	<u>2502 MHz</u>
<u>2407 MHz</u>	<u>2457 MHz</u>	
<u>2412 MHz</u>	<u>2462 MHz</u>	
<u>2417 MHz</u>	<u>2467 MHz</u>	
<u>2422 MHz</u>	<u>2472 MHz</u>	
<u>2427 MHz</u>	<u>2477 MHz</u>	
<u>2432 MHz</u>	<u>2482 MHz</u>	
<u>2437 MHz</u>	<u>2487 MHz</u>	
<u>2442 MHz</u>	<u>2492 MHz</u>	
<u>2447 MHz</u>	<u>2497 MHz</u>	

Vertical: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -30 Scale: 5/div



<u>2402 MHz</u>	<u>2452 MHz</u>	<u>2502 MHz</u>
<u>2407 MHz</u>	<u>2457 MHz</u>	
<u>2412 MHz</u>	<u>2462 MHz</u>	
<u>2417 MHz</u>	<u>2467 MHz</u>	
<u>2422 MHz</u>	<u>2472 MHz</u>	
<u>2427 MHz</u>	<u>2477 MHz</u>	
<u>2432 MHz</u>	<u>2482 MHz</u>	
<u>2437 MHz</u>	<u>2487 MHz</u>	
<u>2442 MHz</u>	<u>2492 MHz</u>	
<u>2447 MHz</u>	<u>2497 MHz</u>	