







11N40MIMO_Ant2_5755




11N40MIMO_Ant1_5795




11N40MIMO_Ant2_5795




11AC20MIMO_Ant1_5745




11AC20MIMO_Ant2_5745




11AC20MIMO_Ant1_5785




11AC20MIMO_Ant2_5785




11AC20MIMO_Ant1_5825




11AC20MIMO_Ant2_5825




11AC40MIMO_Ant1_5755




11AC40MIMO_Ant2_5755




11AC40MIMO_Ant1_5795




11AC40MIMO_Ant2_5795




11AC80MIMO_Ant1_5775




11AC80MIMO_Ant2_5775




11AX20MIMO_Ant1_5745




11AX20MIMO_Ant2_5745




11AX20MIMO_Ant1_5785




11AX20MIMO_Ant2_5785




11AX20MIMO_Ant1_5825




11AX20MIMO_Ant2_5825




11AX40MIMO_Ant1_5755




11AX40MIMO_Ant2_5755




11AX40MIMO_Ant1_5795




11AX40MIMO_Ant2_5795



11AX80MIMO_Ant1_5775



11AX80MIMO_Ant2_5775



Date: 24.OCT.2024 12:39:09

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	Antenna	Freq(MHz)	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	12.42	97.20	0.12	12.54	≤23.98	PASS
	Ant2	5180	10.49	81.82	0.87	11.36	≤23.98	PASS
	Ant1	5200	12.97	97.90	0.09	13.06	≤23.98	PASS
	Ant2	5200	12.51	97.89	0.09	12.60	≤23.98	PASS
	Ant1	5240	12.68	97.90	0.09	12.77	≤23.98	PASS
	Ant2	5240	11.84	97.20	0.12	11.96	≤23.98	PASS
	Ant1	5260	12.70	97.20	0.12	12.82	≤23.98	PASS
	Ant2	5260	11.65	97.90	0.09	11.74	≤23.96	PASS
	Ant1	5280	13.17	97.90	0.09	13.26	≤23.96	PASS
	Ant2	5280	12.07	97.20	0.12	12.19	≤23.95	PASS
	Ant1	5320	13.75	97.20	0.12	13.87	≤23.98	PASS
	Ant2	5320	12.39	97.89	0.09	12.48	≤23.92	PASS
	Ant1	5500	10.72	97.20	0.12	10.84	≤23.98	PASS
	Ant2	5500	11.37	97.20	0.12	11.49	≤23.98	PASS
	Ant1	5580	10.17	97.20	0.12	10.29	≤23.94	PASS
	Ant2	5580	11.31	97.20	0.12	11.43	≤23.97	PASS
	Ant1	5700	9.76	97.90	0.09	9.85	≤23.95	PASS
	Ant2	5700	11.16	97.20	0.12	11.28	≤23.98	PASS
	Ant1	5745	8.79	97.20	0.12	8.91	≤30.00	PASS
	Ant2	5745	10.18	96.50	0.15	10.33	≤30.00	PASS
	Ant1	5785	9.05	97.20	0.12	9.17	≤30.00	PASS
	Ant2	5785	11.24	97.20	0.12	11.36	≤30.00	PASS
	Ant1	5825	9.56	97.90	0.09	9.65	≤30.00	PASS
	Ant2	5825	11.82	97.90	0.09	11.91	≤30.00	PASS
11N20MIM O	Ant1	5180	10.14	80.00	0.97	11.11	≤23.98	PASS
	Ant2	5180	12.99	85.00	0.71	13.70	≤23.98	PASS
	total	5180	---	---	---	15.61	≤23.98	PASS
	Ant1	5200	10.24	80.00	0.97	11.21	≤23.98	PASS
	Ant2	5200	12.40	85.00	0.71	13.11	≤23.98	PASS
	total	5200	---	---	---	15.27	≤23.98	PASS
	Ant1	5240	9.72	80.00	0.97	10.69	≤23.98	PASS
	Ant2	5240	11.76	85.00	0.71	12.47	≤23.98	PASS
	total	5240	---	---	---	14.68	≤23.98	PASS
	Ant1	5260	9.80	85.00	0.71	10.51	≤23.98	PASS
	Ant2	5260	11.61	85.00	0.71	12.32	≤23.98	PASS
	total	5260	---	---	---	14.52	≤23.98	PASS
	Ant1	5300	10.34	85.00	0.71	11.05	≤23.98	PASS
	Ant2	5300	12.16	85.00	0.71	12.87	≤23.98	PASS
	total	5300	---	---	---	15.06	≤23.98	PASS
	Ant1	5320	10.19	85.00	0.71	10.90	≤23.98	PASS
	Ant2	5320	12.78	85.00	0.71	13.49	≤23.97	PASS
	total	5320	---	---	---	15.40	≤23.98	PASS
	Ant1	5500	8.24	80.00	0.97	9.21	≤23.98	PASS
	Ant2	5500	11.37	80.00	0.97	12.34	≤23.98	PASS
	total	5500	---	---	---	14.06	≤23.98	PASS
	Ant1	5600	7.15	85.00	0.71	7.86	≤23.98	PASS
	Ant2	5600	10.85	80.00	0.97	11.82	≤23.98	PASS
	total	5600	---	---	---	13.29	≤23.98	PASS
	Ant1	5700	7.38	85.00	0.71	8.09	≤23.98	PASS
	Ant2	5700	11.19	85.00	0.71	11.90	≤23.98	PASS
	total	5700	---	---	---	13.41	≤23.98	PASS
	Ant1	5745	6.55	85.00	0.71	7.26	≤30.00	PASS
	Ant2	5745	10.66	85.00	0.71	11.37	≤30.00	PASS
	total	5745	---	---	---	12.79	≤30.00	PASS
	Ant1	5785	6.98	80.00	0.97	7.95	≤30.00	PASS
	Ant2	5785	11.47	80.00	0.97	12.44	≤30.00	PASS
	total	5785	---	---	---	13.76	≤30.00	PASS
	Ant1	5825	7.61	85.00	0.71	8.32	≤30.00	PASS
	Ant2	5825	11.25	85.00	0.71	11.96	≤30.00	PASS
	total	5825	---	---	---	13.52	≤30.00	PASS


11N40MIM O	Ant1	5190	10.23	71.43	1.46	11.69	≤23.98	PASS
	Ant2	5190	12.92	76.92	1.14	14.06	≤23.98	PASS
	total	5190	---	---	---	16.05	≤23.98	PASS
	Ant1	5230	9.97	76.92	1.14	11.11	≤23.98	PASS
	Ant2	5230	12.64	71.43	1.46	14.10	≤23.98	PASS
	total	5230	---	---	---	15.87	≤23.98	PASS
	Ant1	5270	10.05	71.43	1.46	11.51	≤23.98	PASS
	Ant2	5270	11.16	58.82	2.30	13.46	≤23.98	PASS
	total	5270	---	---	---	15.60	≤23.98	PASS
	Ant1	5310	10.38	76.92	1.14	11.52	≤23.98	PASS
	Ant2	5310	9.08	71.43	1.46	10.54	≤23.98	PASS
	total	5310	---	---	---	14.07	≤23.98	PASS
	Ant1	5510	8.59	71.43	1.46	10.05	≤23.98	PASS
	Ant2	5510	7.59	71.43	1.46	9.05	≤23.98	PASS
	total	5510	---	---	---	12.59	≤23.98	PASS
	Ant1	5590	7.91	76.92	1.14	9.05	≤23.98	PASS
	Ant2	5590	7.30	62.50	2.04	9.34	≤23.98	PASS
	total	5590	---	---	---	12.21	≤23.98	PASS
	Ant1	5670	7.35	71.43	1.46	8.81	≤23.98	PASS
	Ant2	5670	6.75	71.43	1.46	8.21	≤23.98	PASS
	total	5670	---	---	---	11.53	≤23.98	PASS
	Ant1	5755	6.37	76.92	1.14	7.51	≤30.00	PASS
	Ant2	5755	6.63	62.50	2.04	8.67	≤30.00	PASS
	total	5755	---	---	---	11.14	≤30.00	PASS
	Ant1	5795	6.97	71.43	1.46	8.43	≤30.00	PASS
	Ant2	5795	7.12	66.67	1.76	8.88	≤30.00	PASS
	total	5795	---	---	---	11.67	≤30.00	PASS
11AC20MIM O	Ant1	5180	10.24	80.95	0.92	11.16	≤23.98	PASS
	Ant2	5180	10.11	80.95	0.92	11.03	≤23.98	PASS
	total	5180	---	---	---	14.11	≤23.98	PASS
	Ant1	5200	10.28	80.95	0.92	11.20	≤23.98	PASS
	Ant2	5200	10.25	85.00	0.71	10.96	≤23.98	PASS
	total	5200	---	---	---	14.09	≤23.98	PASS
	Ant1	5240	10.19	80.95	0.92	11.11	≤23.98	PASS
	Ant2	5240	9.28	80.95	0.92	10.20	≤23.98	PASS
	total	5240	---	---	---	13.69	≤23.98	PASS
	Ant1	5260	10.25	85.00	0.71	10.96	≤23.98	PASS
	Ant2	5260	9.33	80.95	0.92	10.25	≤23.98	PASS
	total	5260	---	---	---	13.63	≤23.98	PASS
	Ant1	5300	10.23	80.95	0.92	11.15	≤23.98	PASS
	Ant2	5300	10.44	80.00	0.97	11.41	≤23.98	PASS
	total	5300	---	---	---	14.29	≤23.98	PASS
	Ant1	5320	10.46	80.95	0.92	11.38	≤23.98	PASS
	Ant2	5320	10.31	85.00	0.71	11.02	≤23.98	PASS
	total	5320	---	---	---	14.21	≤23.98	PASS
	Ant1	5500	9.09	80.00	0.97	10.06	≤23.98	PASS
	Ant2	5500	9.34	80.95	0.92	10.26	≤23.98	PASS
	total	5500	---	---	---	13.17	≤23.98	PASS
	Ant1	5600	8.12	80.95	0.92	9.04	≤23.98	PASS
	Ant2	5600	7.50	85.00	0.71	8.21	≤23.98	PASS
	total	5600	---	---	---	11.66	≤23.98	PASS
	Ant1	5700	8.29	85.00	0.71	9.00	≤23.98	PASS
	Ant2	5700	6.30	80.00	0.97	7.27	≤23.97	PASS
	total	5700	---	---	---	11.23	≤23.98	PASS
	Ant1	5745	7.39	85.00	0.71	8.10	≤30.00	PASS
	Ant2	5745	5.28	80.00	0.97	6.25	≤30.00	PASS
	total	5745	---	---	---	10.28	≤30.00	PASS
	Ant1	5785	7.63	85.00	0.71	8.34	≤30.00	PASS
	Ant2	5785	5.91	80.95	0.92	6.83	≤30.00	PASS
	total	5785	---	---	---	10.66	≤30.00	PASS
	Ant1	5825	8.10	80.95	0.92	9.02	≤30.00	PASS
	Ant2	5825	6.08	85.00	0.71	6.79	≤30.00	PASS
	total	5825	---	---	---	11.06	≤30.00	PASS
11AC40MIM O	Ant1	5190	10.14	78.57	1.05	11.19	≤23.98	PASS
	Ant2	5190	8.88	71.43	1.46	10.34	≤23.98	PASS
	total	5190	---	---	---	13.80	≤23.98	PASS
	Ant1	5230	10.35	71.43	1.46	11.81	≤23.98	PASS

	Ant2	5230	8.90	71.43	1.46	10.36	≤23.98	PASS
	total	5230	---	---	---	14.16	≤23.98	PASS
	Ant1	5270	10.19	71.43	1.46	11.65	≤23.98	PASS
	Ant2	5270	8.62	71.43	1.46	10.08	≤23.98	PASS
	total	5270	---	---	---	13.95	≤23.98	PASS
	Ant1	5310	10.59	71.43	1.46	12.05	≤23.98	PASS
	Ant2	5310	9.81	71.43	1.46	11.27	≤23.98	PASS
	total	5310	---	---	---	14.69	≤23.98	PASS
	Ant1	5510	8.49	71.43	1.46	9.95	≤23.98	PASS
	Ant2	5510	8.96	78.57	1.05	10.01	≤23.98	PASS
	total	5510	---	---	---	12.99	≤23.98	PASS
	Ant1	5590	8.36	71.43	1.46	9.82	≤23.98	PASS
	Ant2	5590	7.63	71.43	1.46	9.09	≤23.98	PASS
	total	5590	---	---	---	12.48	≤23.98	PASS
	Ant1	5670	7.62	71.43	1.46	9.08	≤23.98	PASS
	Ant2	5670	6.42	71.43	1.46	7.88	≤23.98	PASS
	total	5670	---	---	---	11.53	≤23.98	PASS
	Ant1	5755	7.41	71.43	1.46	8.87	≤30.00	PASS
	Ant2	5755	5.61	71.43	1.46	7.07	≤30.00	PASS
	total	5755	---	---	---	11.07	≤30.00	PASS
	Ant1	5795	7.89	78.57	1.05	8.94	≤30.00	PASS
	Ant2	5795	6.69	40.74	3.90	10.59	≤30.00	PASS
	total	5795	---	---	---	12.85	≤30.00	PASS
11AC80MIM O	Ant1	5210	9.81	38.10	4.19	14.00	≤23.98	PASS
	Ant2	5210	9.03	53.85	2.69	11.72	≤23.98	PASS
	total	5210	---	---	---	16.02	≤23.98	PASS
	Ant1	5290	9.81	72.73	1.38	11.19	≤23.98	PASS
	Ant2	5290	9.28	58.33	2.34	11.62	≤23.98	PASS
	total	5290	---	---	---	14.42	≤23.98	PASS
	Ant1	5530	8.05	63.64	1.96	10.01	≤23.98	PASS
	Ant2	5530	8.03	63.64	1.96	9.99	≤23.98	PASS
	total	5530	---	---	---	13.01	≤23.98	PASS
	Ant1	5610	6.89	50.00	3.01	9.90	≤23.98	PASS
	Ant2	5610	6.66	63.64	1.96	8.62	≤23.98	PASS
	total	5610	---	---	---	12.32	≤23.98	PASS
11AX20MIM O	Ant1	5775	6.64	50.00	3.01	9.65	≤30.00	PASS
	Ant2	5775	5.79	41.18	3.85	9.64	≤30.00	PASS
	total	5775	---	---	---	12.66	≤30.00	PASS
	Ant1	5180	10.81	85.00	0.71	11.52	≤23.98	PASS
	Ant2	5180	9.91	80.95	0.92	10.83	≤23.98	PASS
	total	5180	---	---	---	14.20	≤23.98	PASS
	Ant1	5200	11.33	80.95	0.92	12.25	≤23.98	PASS
	Ant2	5200	9.44	80.95	0.92	10.36	≤23.98	PASS
	total	5200	---	---	---	14.42	≤23.98	PASS
	Ant1	5240	10.82	85.00	0.71	11.53	≤23.98	PASS
	Ant2	5240	9.11	85.00	0.71	9.82	≤23.98	PASS
	total	5240	---	---	---	13.77	≤23.98	PASS
	Ant1	5260	10.64	80.95	0.92	11.56	≤23.98	PASS
	Ant2	5260	9.78	85.00	0.71	10.49	≤23.98	PASS
	total	5260	---	---	---	14.07	≤23.98	PASS
	Ant1	5300	11.34	80.95	0.92	12.26	≤23.98	PASS
	Ant2	5300	10.78	85.00	0.71	11.49	≤23.98	PASS
	total	5300	---	---	---	14.90	≤23.98	PASS
	Ant1	5320	11.27	85.00	0.71	11.98	≤23.98	PASS
	Ant2	5320	10.33	80.95	0.92	11.25	≤23.98	PASS
	total	5320	---	---	---	14.64	≤23.98	PASS
	Ant1	5500	9.41	80.00	0.97	10.38	≤23.98	PASS
	Ant2	5500	10.04	80.00	0.97	11.01	≤23.98	PASS
	total	5500	---	---	---	13.72	≤23.98	PASS
	Ant1	5600	8.18	80.95	0.92	9.10	≤23.98	PASS
	Ant2	5600	7.93	85.00	0.71	8.64	≤23.98	PASS
	total	5600	---	---	---	11.89	≤23.98	PASS
	Ant1	5700	8.35	80.95	0.92	9.27	≤23.98	PASS
	Ant2	5700	7.58	80.95	0.92	8.50	≤23.98	PASS
	total	5700	---	---	---	11.91	≤23.98	PASS
	Ant1	5745	7.25	80.95	0.92	8.17	≤30.00	PASS
	Ant2	5745	6.62	80.95	0.92	7.54	≤30.00	PASS

	total	5745	---	---	---	10.88	≤30.00	PASS
	Ant1	5785	7.85	85.00	0.71	8.56	≤30.00	PASS
	Ant2	5785	6.79	80.95	0.92	7.71	≤30.00	PASS
	total	5785	---	---	---	11.17	≤30.00	PASS
	Ant1	5825	8.37	80.95	0.92	9.29	≤30.00	PASS
	Ant2	5825	7.07	80.95	0.92	7.99	≤30.00	PASS
11AX40MIM O	total	5825	---	---	---	11.70	≤30.00	PASS
	Ant1	5190	10.88	78.57	1.05	11.93	≤23.98	PASS
	Ant2	5190	10.07	78.57	1.05	11.12	≤23.98	PASS
	total	5190	---	---	---	14.55	≤23.98	PASS
	Ant1	5230	10.47	71.43	1.46	11.93	≤23.98	PASS
	Ant2	5230	10.06	71.43	1.46	11.52	≤23.98	PASS
	total	5230	---	---	---	14.74	≤23.98	PASS
	Ant1	5270	10.36	71.43	1.46	11.82	≤23.98	PASS
	Ant2	5270	9.89	71.43	1.46	11.35	≤23.98	PASS
	total	5270	---	---	---	14.60	≤23.98	PASS
	Ant1	5310	10.44	71.43	1.46	11.90	≤23.98	PASS
	Ant2	5310	10.57	71.43	1.46	12.03	≤23.98	PASS
	total	5310	---	---	---	14.98	≤23.98	PASS
	Ant1	5510	8.65	71.43	1.46	10.11	≤23.98	PASS
	Ant2	5510	9.40	71.43	1.46	10.86	≤23.98	PASS
	total	5510	---	---	---	13.51	≤23.98	PASS
	Ant1	5590	8.20	78.57	1.05	9.25	≤23.98	PASS
	Ant2	5590	8.04	71.43	1.46	9.50	≤23.98	PASS
	total	5590	---	---	---	12.39	≤23.98	PASS
	Ant1	5670	7.60	71.43	1.46	9.06	≤23.98	PASS
	Ant2	5670	6.73	71.43	1.46	8.19	≤23.98	PASS
	total	5670	---	---	---	11.66	≤23.98	PASS
	Ant1	5755	7.06	71.43	1.46	8.52	≤30.00	PASS
	Ant2	5755	6.35	78.57	1.05	7.40	≤30.00	PASS
	total	5755	---	---	---	11.01	≤30.00	PASS
	Ant1	5795	7.67	71.43	1.46	9.13	≤30.00	PASS
	Ant2	5795	7.29	71.43	1.46	8.75	≤30.00	PASS
	total	5795	---	---	---	11.95	≤30.00	PASS
11AX80MIM O	Ant1	5210	9.86	43.75	3.59	13.45	≤23.98	PASS
	Ant2	5210	9.82	43.75	3.59	13.41	≤23.98	PASS
	total	5210	---	---	---	16.44	≤23.98	PASS
	Ant1	5290	9.82	72.73	1.38	11.20	≤23.98	PASS
	Ant2	5290	10.21	43.75	3.59	13.80	≤23.98	PASS
	total	5290	---	---	---	15.70	≤23.98	PASS
	Ant1	5530	8.31	46.67	3.31	11.62	≤23.98	PASS
	Ant2	5530	8.88	72.73	1.38	10.26	≤23.98	PASS
	total	5530	---	---	---	14.00	≤23.98	PASS
	Ant1	5610	7.15	41.18	3.85	11.00	≤23.98	PASS
	Ant2	5610	7.49	70.00	1.55	9.04	≤23.98	PASS
	total	5610	---	---	---	13.14	≤23.98	PASS
	Ant1	5775	6.96	43.75	3.59	10.55	≤30.00	PASS
	Ant2	5775	6.36	36.84	4.34	10.70	≤30.00	PASS
	total	5775	---	---	---	13.64	≤30.00	PASS


Note: The Duty Cycle Factor is compensated in the graph.

11A_Ant1_5180




Date: 20.OCT.2024 17:30:16

11A_Ant2_5180




Date: 22.OCT.2024 17:34:44

11A_Ant1_5200




Date: 20.OCT.2024 17:36:19


11A_Ant2_5200




11A_Ant1_5240




11A_Ant2_5240




11A_Ant1_5260




11A_Ant2_5260




11A_Ant1_5280




11A_Ant2_5280




11A_Ant1_5320




11A_Ant2_5320




11A_Ant1_5500




11A_Ant2_5500




11A_Ant1_5580




11A_Ant2_5580




11A_Ant1_5700




11A_Ant2_5700




11A_Ant1_5745




11A_Ant2_5745




11A_Ant1_5785




11A_Ant2_5785




11A_Ant1_5825




11A_Ant2_5825




11N20MIMO_Ant1_5180




11N20MIMO_Ant2_5180




11N20MIMO_Ant1_5200




11N20MIMO_Ant2_5200




11N20MIMO_Ant1_5240




11N20MIMO_Ant2_5240




11N20MIMO_Ant1_5260




11N20MIMO_Ant2_5260




11N20MIMO_Ant1_5300




11N20MIMO_Ant2_5300




11N20MIMO_Ant1_5320




11N20MIMO_Ant2_5320




11N20MIMO_Ant1_5500




11N20MIMO_Ant2_5500




11N20MIMO_Ant1_5600




11N20MIMO_Ant2_5600




11N20MIMO_Ant1_5700




11N20MIMO_Ant2_5700




11N20MIMO_Ant1_5745




11N20MIMO_Ant2_5745




11N20MIMO_Ant1_5785




11N20MIMO_Ant2_5785



11N20MIMO_Ant1_5825



11N20MIMO_Ant2_5825



11N40MIMO_Ant1_5190