




**Shenzhen GUOREN Certification Technology Service Co., Ltd.**


101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11AC80SISO-Ant2-5210-PASS



11AC80SISO-Ant2-5290-PASS




**Shenzhen GUOREN Certification Technology Service Co., Ltd.**

101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11AC80SISO-Ant2-5530-PASS



11AC80SISO-Ant2-5610-PASS




**Shenzhen GUOREN Certification Technology Service Co., Ltd.**


101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11AC80SISO-Ant2-5775-PASS



11AX20SISO-Ant2-5180-PASS




**Shenzhen GUOREN Certification Technology Service Co., Ltd.**


101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11AX20SISO-Ant2-5200-PASS



11AX20SISO-Ant2-5240-PASS




**Shenzhen GUOREN Certification Technology Service Co., Ltd.**


101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11AX20SISO-Ant2-5260-PASS



11AX20SISO-Ant2-5280-PASS






# Shenzhen GUOREN Certification Technology Service Co., Ltd.


101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11AX20SISO-Ant2-5320-PASS



11AX20SISO-Ant2-5500-PASS




# Shenzhen GUOREN Certification Technology Service Co., Ltd.


101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11AX20SISO-Ant2-5580-PASS



11AX20SISO-Ant2-5700-PASS




**Shenzhen GUOREN Certification Technology Service Co., Ltd.**


101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11AX20SISO-Ant2-5745-PASS



11AX20SISO-Ant2-5785-PASS






**Shenzhen GUOREN Certification Technology Service Co., Ltd.**

101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11AX20SISO-Ant2-5825-PASS



11AX40SISO-Ant2-5190-PASS




**Shenzhen GUOREN Certification Technology Service Co., Ltd.**


101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11AX40SISO-Ant2-5230-PASS



11AX40SISO-Ant2-5270-PASS



# Shenzhen GUOREN Certification Technology Service Co., Ltd.


101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11AX40SISO-Ant2-5310-PASS



11AX40SISO-Ant2-5510-PASS




**Shenzhen GUOREN Certification Technology Service Co., Ltd.**


101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11AX40SISO-Ant2-5550-PASS



11AX40SISO-Ant2-5670-PASS




**Shenzhen GUOREN Certification Technology Service Co., Ltd.**


101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11AX40SISO-Ant2-5755-PASS



11AX40SISO-Ant2-5795-PASS






**Shenzhen GUOREN Certification Technology Service Co., Ltd.**

101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11AX80SISO-Ant2-5210-PASS



11AX80SISO-Ant2-5290-PASS




**Shenzhen GUOREN Certification Technology Service Co., Ltd.**


101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11AX80SISO-Ant2-5530-PASS



11AX80SISO-Ant2-5610-PASS



Shenzhen GUOREN Certification Technology Service Co., Ltd.  
101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



**Shenzhen GUOREN Certification Technology Service Co., Ltd.**

101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02

**MIMO**

| Test Mode  | Frequency<br>[MHz] | Ant 1 Result<br>[dBm/MHz] | Ant 2 Result<br>[dBm/MHz] | MIMO Result<br>[dBm/MHz] | Limit[dBm/MHz] | Verdict |
|------------|--------------------|---------------------------|---------------------------|--------------------------|----------------|---------|
| 11N20SISO  | 5180               | -0.32                     | 0.56                      | 3.15                     | ≤14.88         | PASS    |
| 11N20SISO  | 5220               | -0.10                     | 1.63                      | 3.86                     | ≤14.88         | PASS    |
| 11N20SISO  | 5240               | 1.07                      | 1.20                      | 4.15                     | ≤14.88         | PASS    |
| 11N20SISO  | 5260               | 1.23                      | 1.84                      | 4.56                     | ≤8.88          | PASS    |
| 11N20SISO  | 5300               | 2.32                      | 2.62                      | 5.48                     | ≤8.88          | PASS    |
| 11N20SISO  | 5320               | 0.95                      | 1.32                      | 4.15                     | ≤8.88          | PASS    |
| 11N20SISO  | 5500               | -0.28                     | 0.61                      | 3.20                     | ≤8.88          | PASS    |
| 11N20SISO  | 5580               | -0.69                     | 0.38                      | 2.89                     | ≤8.88          | PASS    |
| 11N20SISO  | 5700               | 1.12                      | 2.50                      | 4.87                     | ≤8.88          | PASS    |
| 11N20SISO  | 5745               | -1.79                     | -0.97                     | 1.65                     | ≤27.88         | PASS    |
| 11N20SISO  | 5785               | -2.33                     | -1.60                     | 1.06                     | ≤27.88         | PASS    |
| 11N20SISO  | 5825               | -1.87                     | -1.50                     | 1.33                     | ≤27.88         | PASS    |
| 11N40SISO  | 5190               | -2.45                     | -3.37                     | 0.12                     | ≤14.88         | PASS    |
| 11N40SISO  | 5230               | -1.57                     | -0.78                     | 1.85                     | ≤14.88         | PASS    |
| 11N40SISO  | 5270               | -1.08                     | -1.09                     | 1.93                     | ≤8.88          | PASS    |
| 11N40SISO  | 5310               | -1.95                     | -2.48                     | 0.80                     | ≤8.88          | PASS    |
| 11N40SISO  | 5510               | -3.55                     | -1.96                     | 0.33                     | ≤8.88          | PASS    |
| 11N40SISO  | 5550               | -4.21                     | -2.59                     | -0.31                    | ≤8.88          | PASS    |
| 11N40SISO  | 5670               | -0.14                     | -1.05                     | 2.44                     | ≤8.88          | PASS    |
| 11N40SISO  | 5755               | -4.31                     | -3.86                     | -1.07                    | ≤27.88         | PASS    |
| 11N40SISO  | 5795               | -4.76                     | -4.52                     | -1.63                    | ≤27.88         | PASS    |
| 11AC20SISO | 5180               | 1.61                      | 0.78                      | 4.23                     | ≤14.88         | PASS    |
| 11AC20SISO | 5220               | 2.10                      | 0.98                      | 4.59                     | ≤14.88         | PASS    |
| 11AC20SISO | 5240               | 1.94                      | 1.38                      | 4.68                     | ≤14.88         | PASS    |
| 11AC20SISO | 5260               | 2.11                      | 0.83                      | 4.53                     | ≤8.88          | PASS    |
| 11AC20SISO | 5300               | 1.48                      | 1.69                      | 4.60                     | ≤8.88          | PASS    |
| 11AC20SISO | 5320               | 0.28                      | 0.69                      | 3.50                     | ≤8.88          | PASS    |
| 11AC20SISO | 5500               | 0.45                      | 0.87                      | 3.68                     | ≤8.88          | PASS    |
| 11AC20SISO | 5580               | 0.21                      | 0.36                      | 3.30                     | ≤8.88          | PASS    |
| 11AC20SISO | 5700               | 2.05                      | 2.10                      | 5.09                     | ≤8.88          | PASS    |
| 11AC20SISO | 5745               | -1.82                     | -1.81                     | 1.20                     | ≤27.88         | PASS    |
| 11AC20SISO | 5785               | -1.94                     | -2.32                     | 0.88                     | ≤27.88         | PASS    |
| 11AC20SISO | 5825               | -2.21                     | -2.07                     | 0.87                     | ≤27.88         | PASS    |
| 11AC40SISO | 5190               | -2.32                     | -2.54                     | 0.58                     | ≤14.88         | PASS    |
| 11AC40SISO | 5230               | -1.59                     | -1.28                     | 1.58                     | ≤14.88         | PASS    |
| 11AC40SISO | 5270               | -0.80                     | -1.00                     | 2.11                     | ≤8.88          | PASS    |
| 11AC40SISO | 5310               | -1.67                     | -2.08                     | 1.14                     | ≤8.88          | PASS    |

**Shenzhen GUOREN Certification Technology Service Co., Ltd.**

101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02

|            |      |       |       |       |        |      |
|------------|------|-------|-------|-------|--------|------|
| 11AC40SISO | 5510 | -1.93 | -2.96 | 0.60  | ≤8.88  | PASS |
| 11AC40SISO | 5550 | -1.83 | -1.72 | 1.24  | ≤8.88  | PASS |
| 11AC40SISO | 5670 | -2.62 | -1.27 | 1.12  | ≤8.88  | PASS |
| 11AC40SISO | 5755 | -4.16 | -2.45 | -0.21 | ≤27.88 | PASS |
| 11AC40SISO | 5795 | -4.67 | -4.47 | -1.56 | ≤27.88 | PASS |
| 11AC80SISO | 5210 | -3.35 | -4.66 | -0.95 | ≤14.88 | PASS |
| 11AC80SISO | 5290 | -3.98 | -4.06 | -1.01 | ≤8.88  | PASS |
| 11AC80SISO | 5530 | -4.06 | -4.97 | -1.48 | ≤8.88  | PASS |
| 11AC80SISO | 5610 | -4.87 | -4.77 | -1.81 | ≤8.88  | PASS |
| 11AC80SISO | 5775 | -6.28 | -4.85 | -2.50 | ≤27.88 | PASS |
| 11AX20SISO | 5180 | 0.05  | -0.37 | 2.86  | ≤14.88 | PASS |
| 11AX20SISO | 5220 | -0.02 | 0.11  | 3.06  | ≤14.88 | PASS |
| 11AX20SISO | 5240 | 0.91  | 0.75  | 3.84  | ≤14.88 | PASS |
| 11AX20SISO | 5260 | 0.68  | 0.73  | 3.72  | ≤8.88  | PASS |
| 11AX20SISO | 5300 | 2.66  | 1.67  | 5.20  | ≤8.88  | PASS |
| 11AX20SISO | 5320 | 1.02  | 0.34  | 3.70  | ≤8.88  | PASS |
| 11AX20SISO | 5500 | 0.44  | 1.29  | 3.90  | ≤8.88  | PASS |
| 11AX20SISO | 5580 | 0.35  | 0.45  | 3.41  | ≤8.88  | PASS |
| 11AX20SISO | 5700 | 1.98  | 2.07  | 5.04  | ≤8.88  | PASS |
| 11AX20SISO | 5745 | -2.35 | -1.69 | 1.00  | ≤27.88 | PASS |
| 11AX20SISO | 5785 | -2.29 | -1.67 | 1.04  | ≤27.88 | PASS |
| 11AX20SISO | 5825 | -1.74 | -1.65 | 1.32  | ≤27.88 | PASS |
| 11AX40SISO | 5190 | -1.56 | -2.08 | 1.20  | ≤14.88 | PASS |
| 11AX40SISO | 5230 | -1.40 | -0.72 | 1.96  | ≤14.88 | PASS |
| 11AX40SISO | 5270 | -0.41 | -0.47 | 2.57  | ≤8.88  | PASS |
| 11AX40SISO | 5310 | -2.11 | -1.50 | 1.22  | ≤8.88  | PASS |
| 11AX40SISO | 5510 | -1.96 | -2.63 | 0.73  | ≤8.88  | PASS |
| 11AX40SISO | 5550 | -2.53 | -2.86 | 0.32  | ≤8.88  | PASS |
| 11AX40SISO | 5670 | -1.59 | -0.17 | 2.19  | ≤8.88  | PASS |
| 11AX40SISO | 5755 | -3.37 | -3.80 | -0.57 | ≤27.88 | PASS |
| 11AX40SISO | 5795 | -4.70 | -4.46 | -1.57 | ≤27.88 | PASS |
| 11AX80SISO | 5210 | -4.17 | -4.28 | -1.21 | ≤14.88 | PASS |
| 11AX80SISO | 5290 | -4.25 | -4.74 | -1.48 | ≤8.88  | PASS |
| 11AX80SISO | 5530 | -5.18 | -6.68 | -2.86 | ≤8.88  | PASS |
| 11AX80SISO | 5610 | -4.72 | -5.66 | -2.15 | ≤8.88  | PASS |
| 11AX80SISO | 5775 | -6.41 | -6.98 | -3.68 | ≤27.88 | PASS |





Shenzhen GUOREN Certification Technology Service Co., Ltd.

101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02

## Appendix E: Band edge measurements

### Test Result B1/2/3

| Test Mode  | Antenna | ChName | Frequency[MHz] | Result[dBm] | Limit[dBm] | Verdict |
|------------|---------|--------|----------------|-------------|------------|---------|
| 11A        | Ant1    | Low    | 5180           | -38.36      | $\leq -27$ | PASS    |
| 11A        | Ant1    | High   | 5320           | -39.99      | $\leq -27$ | PASS    |
| 11A        | Ant1    | Low    | 5500           | -39.03      | $\leq -27$ | PASS    |
| 11A        | Ant1    | High   | 5700           | -37.91      | $\leq -27$ | PASS    |
| 11N20SISO  | Ant1    | Low    | 5180           | -39.01      | $\leq -27$ | PASS    |
| 11N20SISO  | Ant1    | High   | 5320           | -40.16      | $\leq -27$ | PASS    |
| 11N20SISO  | Ant1    | Low    | 5500           | -39.44      | $\leq -27$ | PASS    |
| 11N20SISO  | Ant1    | High   | 5700           | -39.2       | $\leq -27$ | PASS    |
| 11N40SISO  | Ant1    | Low    | 5190           | -38.18      | $\leq -27$ | PASS    |
| 11N40SISO  | Ant1    | High   | 5310           | -38.9       | $\leq -27$ | PASS    |
| 11N40SISO  | Ant1    | Low    | 5510           | -39.16      | $\leq -27$ | PASS    |
| 11N40SISO  | Ant1    | High   | 5670           | -38.62      | $\leq -27$ | PASS    |
| 11AC20SISO | Ant1    | Low    | 5180           | -38.29      | $\leq -27$ | PASS    |
| 11AC20SISO | Ant1    | High   | 5320           | -40.49      | $\leq -27$ | PASS    |
| 11AC20SISO | Ant1    | Low    | 5500           | -38.82      | $\leq -27$ | PASS    |
| 11AC20SISO | Ant1    | High   | 5700           | -39.1       | $\leq -27$ | PASS    |
| 11AC40SISO | Ant1    | Low    | 5190           | -38.64      | $\leq -27$ | PASS    |
| 11AC40SISO | Ant1    | High   | 5310           | -40.17      | $\leq -27$ | PASS    |
| 11AC40SISO | Ant1    | Low    | 5510           | -37.77      | $\leq -27$ | PASS    |
| 11AC40SISO | Ant1    | High   | 5670           | -38.53      | $\leq -27$ | PASS    |
| 11AC80SISO | Ant1    | Low    | 5210           | -37.67      | $\leq -27$ | PASS    |
| 11AC80SISO | Ant1    | High   | 5290           | -38.54      | $\leq -27$ | PASS    |
| 11AC80SISO | Ant1    | Low    | 5530           | -39.7       | $\leq -27$ | PASS    |
| 11AC80SISO | Ant1    | High   | 5610           | -39.18      | $\leq -27$ | PASS    |
| 11AX20SISO | Ant1    | Low    | 5180           | -38.68      | $\leq -27$ | PASS    |
| 11AX20SISO | Ant1    | High   | 5320           | -39.85      | $\leq -27$ | PASS    |
| 11AX20SISO | Ant1    | Low    | 5500           | -39.34      | $\leq -27$ | PASS    |
| 11AX20SISO | Ant1    | High   | 5700           | -37.33      | $\leq -27$ | PASS    |
| 11AX40SISO | Ant1    | Low    | 5190           | -38.23      | $\leq -27$ | PASS    |
| 11AX40SISO | Ant1    | High   | 5310           | -36.9       | $\leq -27$ | PASS    |
| 11AX40SISO | Ant1    | Low    | 5510           | -39.46      | $\leq -27$ | PASS    |
| 11AX40SISO | Ant1    | High   | 5670           | -39.43      | $\leq -27$ | PASS    |
| 11AX80SISO | Ant1    | Low    | 5210           | -38.67      | $\leq -27$ | PASS    |
| 11AX80SISO | Ant1    | High   | 5290           | -39.52      | $\leq -27$ | PASS    |
| 11AX80SISO | Ant1    | Low    | 5530           | -39.45      | $\leq -27$ | PASS    |
| 11AX80SISO | Ant1    | High   | 5610           | -38.76      | $\leq -27$ | PASS    |

**Shenzhen GUOREN Certification Technology Service Co., Ltd.**

101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02

**Test Result B4**

| Test Mode  | Antenna | ChName | Frequency[MHz] | FreqRange [MHz] | Result [dBm] | Limit [dBm] | Verdict |
|------------|---------|--------|----------------|-----------------|--------------|-------------|---------|
| 11A        | Ant1    | Low    | 5745           | 5720~5725       | -40.45       | ≤16.87      | PASS    |
| 11A        | Ant1    | Low    | 5745           | 5700~5720       | -40.27       | ≤10.12      | PASS    |
| 11A        | Ant1    | Low    | 5745           | 5650~5700       | -40.04       | ≤-26.87     | PASS    |
| 11A        | Ant1    | Low    | 5745           | 5760~5650       | -40.45       | ≤-27        | PASS    |
| 11A        | Ant1    | High   | 5825           | 5850~5855       | -41.4        | ≤15.73      | PASS    |
| 11A        | Ant1    | High   | 5825           | 5855~5875       | -38.74       | ≤11.19      | PASS    |
| 11A        | Ant1    | High   | 5825           | 5875~5925       | -38.57       | ≤-25.51     | PASS    |
| 11A        | Ant1    | High   | 5825           | 5925~5935       | -39.47       | ≤-27        | PASS    |
| 11N20SISO  | Ant1    | Low    | 5745           | 5720~5725       | -41.85       | ≤15.82      | PASS    |
| 11N20SISO  | Ant1    | Low    | 5745           | 5700~5720       | -40.26       | ≤10.12      | PASS    |
| 11N20SISO  | Ant1    | Low    | 5745           | 5650~5700       | -40.46       | ≤-26.19     | PASS    |
| 11N20SISO  | Ant1    | Low    | 5745           | 5760~5650       | -40.39       | ≤-27        | PASS    |
| 11N20SISO  | Ant1    | High   | 5825           | 5850~5855       | -41.47       | ≤15.73      | PASS    |
| 11N20SISO  | Ant1    | High   | 5825           | 5855~5875       | -40.44       | ≤10.32      | PASS    |
| 11N20SISO  | Ant1    | High   | 5825           | 5875~5925       | -40.22       | ≤-26.91     | PASS    |
| 11N20SISO  | Ant1    | High   | 5825           | 5925~5935       | -38.85       | ≤-27        | PASS    |
| 11N40SISO  | Ant1    | Low    | 5755           | 5720~5725       | -40.09       | ≤16.35      | PASS    |
| 11N40SISO  | Ant1    | Low    | 5755           | 5700~5720       | -39.14       | ≤10.40      | PASS    |
| 11N40SISO  | Ant1    | Low    | 5755           | 5650~5700       | -41.99       | ≤-26.90     | PASS    |
| 11N40SISO  | Ant1    | Low    | 5755           | 5780~5650       | -40.63       | ≤-27        | PASS    |
| 11N40SISO  | Ant1    | High   | 5795           | 5850~5855       | -41.54       | ≤15.66      | PASS    |
| 11N40SISO  | Ant1    | High   | 5795           | 5855~5875       | -38.78       | ≤11.03      | PASS    |
| 11N40SISO  | Ant1    | High   | 5795           | 5875~5925       | -39.68       | ≤-26.95     | PASS    |
| 11N40SISO  | Ant1    | High   | 5795           | 5925~5935       | -39.17       | ≤-27        | PASS    |
| 11AC20SISO | Ant1    | Low    | 5745           | 5720~5725       | -39.14       | ≤16.34      | PASS    |
| 11AC20SISO | Ant1    | Low    | 5745           | 5700~5720       | -39.19       | ≤10.57      | PASS    |
| 11AC20SISO | Ant1    | Low    | 5745           | 5650~5700       | -40.7        | ≤-26.70     | PASS    |
| 11AC20SISO | Ant1    | Low    | 5745           | 5760~5650       | -40.39       | ≤-27        | PASS    |
| 11AC20SISO | Ant1    | High   | 5825           | 5850~5855       | -41.26       | ≤15.73      | PASS    |
| 11AC20SISO | Ant1    | High   | 5825           | 5855~5875       | -40.13       | ≤10.29      | PASS    |
| 11AC20SISO | Ant1    | High   | 5825           | 5875~5925       | -39.59       | ≤-26.61     | PASS    |

**Shenzhen GUOREN Certification Technology Service Co., Ltd.**

101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02

|                |      |      |      |           |        |         |      |
|----------------|------|------|------|-----------|--------|---------|------|
| 11AC20SIS<br>O | Ant1 | High | 5825 | 5925~5935 | -39.32 | ≤-27    | PASS |
| 11AC40SIS<br>O | Ant1 | Low  | 5755 | 5720~5725 | -40.92 | ≤15.74  | PASS |
| 11AC40SIS<br>O | Ant1 | Low  | 5755 | 5700~5720 | -38.06 | ≤12.82  | PASS |
| 11AC40SIS<br>O | Ant1 | Low  | 5755 | 5650~5700 | -40.91 | ≤-26.70 | PASS |
| 11AC40SIS<br>O | Ant1 | Low  | 5755 | 5780~5650 | -39.93 | ≤-27    | PASS |
| 11AC40SIS<br>O | Ant1 | High | 5795 | 5850~5855 | -40.62 | ≤16.41  | PASS |
| 11AC40SIS<br>O | Ant1 | High | 5795 | 5855~5875 | -39.85 | ≤10.80  | PASS |
| 11AC40SIS<br>O | Ant1 | High | 5795 | 5875~5925 | -40.17 | ≤-26.95 | PASS |
| 11AC40SIS<br>O | Ant1 | High | 5795 | 5925~5935 | -38.57 | ≤-27    | PASS |
| 11AC80SIS<br>O | Ant1 | Low  | 5775 | 5720~5725 | -40.01 | ≤15.65  | PASS |
| 11AC80SIS<br>O | Ant1 | Low  | 5775 | 5700~5720 | -39.32 | ≤10.31  | PASS |
| 11AC80SIS<br>O | Ant1 | Low  | 5775 | 5650~5700 | -40.99 | ≤-26.46 | PASS |
| 11AC80SIS<br>O | Ant1 | Low  | 5775 | 5800~5650 | -40.41 | ≤-27    | PASS |
| 11AC80SIS<br>O | Ant1 | High | 5775 | 5850~5855 | -39.98 | ≤15.84  | PASS |
| 11AC80SIS<br>O | Ant1 | High | 5775 | 5855~5875 | -38.99 | ≤10.76  | PASS |
| 11AC80SIS<br>O | Ant1 | High | 5775 | 5875~5925 | -40.09 | ≤-26.87 | PASS |
| 11AC80SIS<br>O | Ant1 | High | 5775 | 5925~5935 | -38.73 | ≤-27    | PASS |
| 11AX20SIS<br>O | Ant1 | Low  | 5745 | 5720~5725 | -38.64 | ≤15.82  | PASS |
| 11AX20SIS<br>O | Ant1 | Low  | 5745 | 5700~5720 | -39.7  | ≤10.38  | PASS |
| 11AX20SIS<br>O | Ant1 | Low  | 5745 | 5650~5700 | -40.63 | ≤-26.45 | PASS |
| 11AX20SIS<br>O | Ant1 | Low  | 5745 | 5760~5650 | -39.89 | ≤-27    | PASS |

**Shenzhen GUOREN Certification Technology Service Co., Ltd.**

101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02

|                |      |      |      |           |        |         |      |
|----------------|------|------|------|-----------|--------|---------|------|
| 11AX20SIS<br>O | Ant1 | High | 5825 | 5850~5855 | -37.5  | ≤17.88  | PASS |
| 11AX20SIS<br>O | Ant1 | High | 5825 | 5875~5925 | -38.33 | ≤-26.51 | PASS |
| 11AX20SIS<br>O | Ant1 | High | 5825 | 5925~5935 | -39.71 | ≤-27    | PASS |
| 11AX20SIS<br>O | Ant1 | High | 5825 | 5855~5875 | -39.55 | ≤10.17  | PASS |
| 11AX40SIS<br>O | Ant1 | Low  | 5755 | 5720~5725 | -38.95 | ≤18.51  | PASS |
| 11AX40SIS<br>O | Ant1 | Low  | 5755 | 5700~5720 | -39.8  | ≤10.17  | PASS |
| 11AX40SIS<br>O | Ant1 | Low  | 5755 | 5650~5700 | -40.61 | ≤-26.70 | PASS |
| 11AX40SIS<br>O | Ant1 | Low  | 5755 | 5780~5650 | -39.58 | ≤-27    | PASS |
| 11AX40SIS<br>O | Ant1 | High | 5795 | 5850~5855 | -41.16 | ≤16.79  | PASS |
| 11AX40SIS<br>O | Ant1 | High | 5795 | 5855~5875 | -40.3  | ≤10.20  | PASS |
| 11AX40SIS<br>O | Ant1 | High | 5795 | 5875~5925 | -40.27 | ≤-26.95 | PASS |
| 11AX40SIS<br>O | Ant1 | High | 5795 | 5925~5935 | -39.36 | ≤-27    | PASS |
| 11AX80SIS<br>O | Ant1 | Low  | 5775 | 5720~5725 | -39.72 | ≤15.65  | PASS |
| 11AX80SIS<br>O | Ant1 | Low  | 5775 | 5700~5720 | -39.53 | ≤10.66  | PASS |
| 11AX80SIS<br>O | Ant1 | Low  | 5775 | 5650~5700 | -39.8  | ≤-26.46 | PASS |
| 11AX80SIS<br>O | Ant1 | Low  | 5775 | 5800~5650 | -40.32 | ≤-27    | PASS |
| 11AX80SIS<br>O | Ant1 | High | 5775 | 5850~5855 | -41.06 | ≤15.84  | PASS |
| 11AX80SIS<br>O | Ant1 | High | 5775 | 5855~5875 | -39.74 | ≤10.24  | PASS |
| 11AX80SIS<br>O | Ant1 | High | 5775 | 5875~5925 | -40.71 | ≤-26.46 | PASS |
| 11AX80SIS<br>O | Ant1 | High | 5775 | 5925~5935 | -39.01 | ≤-27    | PASS |




# Shenzhen GUOREN Certification Technology Service Co., Ltd.

101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China


FCC ID:2BLJV-R-W62506

GRCTR250502036-02

## Test Graphs B1/2/3



11A-Ant1-5180-PASS



11A-Ant1-5320-PASS






# Shenzhen GUOREN Certification Technology Service Co., Ltd.


101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11A-Ant1-5500-PASS



11A-Ant1-5700-PASS




# Shenzhen GUOREN Certification Technology Service Co., Ltd.


101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11N20SISO-Ant1-5180-PASS



11N20SISO-Ant1-5320-PASS




# Shenzhen GUOREN Certification Technology Service Co., Ltd.


101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11N20SISO-Ant1-5500-PASS



11N20SISO-Ant1-5700-PASS




# Shenzhen GUOREN Certification Technology Service Co., Ltd.


101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11N40SISO-Ant1-5190-PASS



11N40SISO-Ant1-5310-PASS






# Shenzhen GUOREN Certification Technology Service Co., Ltd.


101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11N40SISO-Ant1-5510-PASS



11N40SISO-Ant1-5670-PASS






# Shenzhen GUOREN Certification Technology Service Co., Ltd.


101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11AC20SISO-Ant1-5180-PASS



11AC20SISO-Ant1-5320-PASS




# Shenzhen GUOREN Certification Technology Service Co., Ltd.

101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11AC20SISO-Ant1-5500-PASS



11AC20SISO-Ant1-5700-PASS




# Shenzhen GUOREN Certification Technology Service Co., Ltd.


101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11AC40SISO-Ant1-5190-PASS



11AC40SISO-Ant1-5310-PASS




# Shenzhen GUOREN Certification Technology Service Co., Ltd.


101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11AC40SISO-Ant1-5510-PASS



11AC40SISO-Ant1-5670-PASS






# Shenzhen GUOREN Certification Technology Service Co., Ltd.


101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11AC80SISO-Ant1-5210-PASS



11AC80SISO-Ant1-5290-PASS






# Shenzhen GUOREN Certification Technology Service Co., Ltd.


101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11AC80SISO-Ant1-5530-PASS



11AC80SISO-Ant1-5610-PASS




# Shenzhen GUOREN Certification Technology Service Co., Ltd.


101#, Building K & Building T, The Second Industrial Zone, Jiazitang Community,  
Fenghuang Street, Guangming District, Shenzhen, China

FCC ID:2BLJV-R-W62506

GRCTR250502036-02



11AX20SISO-Ant1-5180-PASS



11AX20SISO-Ant1-5320-PASS