

Appendix-5.8GWIFI

HT240920009--IR3 V2--5.8G--FCC FCC_5.8G_WIFI (Part15.407) Test Data


1. -6dB Emission Bandwidth

Condition	Antenna	Mode	Frequency(MHz)	-6dB_Emission_Bandwidth(MHz)	Limit(MHz)	Result
NVNT	ANT1	802.11a	5745.00	16.348	0.500	Pass
NVNT	ANT1	802.11a	5785.00	16.319	0.500	Pass
NVNT	ANT1	802.11a	5825.00	16.348	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	17.336	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	17.350	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	17.576	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	17.553	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	17.311	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	17.567	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	36.129	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	35.995	0.500	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	36.312	0.500	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	36.070	0.500	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	75.324	0.500	Pass


-6dB_Emission_Bandwidth_NVNT_ANT1_802_11a_5745_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11a_5785_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11a_5825_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT20)_5745_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT20)_5785_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT20)_5825_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT20)_5745_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT20)_5785_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT20)_5825_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT40)_5755_40M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT40)_5795_40M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT40)_5755_40M



-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT40)_5795_40M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT80)_5775_80M




2. -26dB and 99% Emission Bandwidth

Condition	Antenna	Modulation	Frequency(MHz)	-26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5745.00	28.71	16.92
NVNT	ANT1	802.11a	5785.00	27.83	16.93
NVNT	ANT1	802.11a	5825.00	26.37	16.90
NVNT	ANT1	802.11n(HT20)	5745.00	32.03	17.88
NVNT	ANT1	802.11n(HT20)	5785.00	33.31	17.87
NVNT	ANT1	802.11n(HT20)	5825.00	32.04	17.90
NVNT	ANT1	802.11ac(VHT20)	5745.00	33.81	17.86
NVNT	ANT1	802.11ac(VHT20)	5785.00	32.10	17.90
NVNT	ANT1	802.11ac(VHT20)	5825.00	36.18	17.87
NVNT	ANT1	802.11n(HT40)	5755.00	58.54	36.52
NVNT	ANT1	802.11n(HT40)	5795.00	49.30	36.46
NVNT	ANT1	802.11ac(VHT40)	5755.00	51.06	36.50
NVNT	ANT1	802.11ac(VHT40)	5795.00	54.66	36.55
NVNT	ANT1	802.11ac(VHT80)	5775.00	164.99	89.70


99%_OCB_NVNT_ANT1_802_11a_5745




-26BW_NVNT_ANT1_802_11a_5745




99%_OCB_NVNT_ANT1_802_11a_5785




-26BW_NVNT_ANT1_802_11a_5785




99%_OCB_NVNT_ANT1_802_11a_5825




-26BW_NVNT_ANT1_802_11a_5825




99%_OCB_NVNT_ANT1_802_11n(HT20)_5745




-26BW_NVNT_ANT1_802_11n(HT20)_5745




99%_OCB_NVNT_ANT1_802_11n(HT20)_5785




-26BW_NVNT_ANT1_802_11n(HT20)_5785




99%_OCB_NVNT_ANT1_802_11n(HT20)_5825




-26BW_NVNT_ANT1_802_11n(HT20)_5825




99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5745




-26BW_NVNT_ANT1_802_11ac(VHT20)_5745




99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5785




-26BW_NVNT_ANT1_802_11ac(VHT20)_5785




99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5825




-26BW_NVNT_ANT1_802_11ac(VHT20)_5825




99%_OCB_NVNT_ANT1_802_11n(HT40)_5755




-26BW_NVNT_ANT1_802_11n(HT40)_5755




99%_OCB_NVNT_ANT1_802_11n(HT40)_5795




-26BW_NVNT_ANT1_802_11n(HT40)_5795




99%_OCB_NVNT_ANT1_802_11ac(VHT40)_5755




-26BW_NVNT_ANT1_802_11ac(VHT40)_5755



99%_OCB_NVNT_ANT1_802_11ac(VHT40)_5795




-26BW_NVNT_ANT1_802_11ac(VHT40)_5795



99%_OCB_NVNT_ANT1_802_11ac(VHT80)_5775




-26BW_NVNT_ANT1_802_11ac(VHT80)_5775




3. Duty Cycle

Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5745.00	89.47	0.48
NVNT	ANT1	802.11a	5785.00	90.67	0.43
NVNT	ANT1	802.11a	5825.00	90.79	0.42
NVNT	ANT1	802.11n(HT20)	5745.00	90.14	0.45
NVNT	ANT1	802.11n(HT20)	5785.00	90.14	0.45
NVNT	ANT1	802.11n(HT20)	5825.00	90.14	0.45
NVNT	ANT1	802.11ac(VHT20)	5745.00	90.14	0.45
NVNT	ANT1	802.11ac(VHT20)	5785.00	90.14	0.45
NVNT	ANT1	802.11ac(VHT20)	5825.00	90.28	0.44
NVNT	ANT1	802.11n(HT40)	5755.00	79.49	1.00
NVNT	ANT1	802.11n(HT40)	5795.00	82.05	0.86
NVNT	ANT1	802.11ac(VHT40)	5755.00	82.05	0.86
NVNT	ANT1	802.11ac(VHT40)	5795.00	82.05	0.86
NVNT	ANT1	802.11ac(VHT80)	5775.00	30.00	5.23


Duty_Cycle_NVNT_ANT1_802_11a_5745




Duty_Cycle_NVNT_ANT1_802_11a_5785




Duty_Cycle_NVNT_ANT1_802_11a_5825




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5745




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5785




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5825




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5745




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5785




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5825




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5755




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5795




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5755



Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5795



Duty_Cycle_NVNT_ANT1_802_11ac(VHT80)_5775




4. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	13.13	0.48	13.61	30	Pass
NVNT	ANT1	802.11a	5785.00	11.62	0.43	12.05	30	Pass
NVNT	ANT1	802.11a	5825.00	9.97	0.42	10.39	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	13.00	0.45	13.45	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	11.47	0.45	11.92	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	9.79	0.45	10.24	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	12.98	0.45	13.43	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	11.51	0.45	11.96	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	9.67	0.44	10.11	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	11.81	1.00	12.81	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	10.28	0.86	11.14	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	11.82	0.86	12.68	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	10.33	0.86	11.19	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	3.40	5.23	8.63	30	Pass


Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5745



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5785




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5825




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5745




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5785




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5825




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5745



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5785




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5825




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5755




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5795




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5755



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5795



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT80)_5775



5. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD_SA(dBm/RBW)	Duty factor(dB)	RB factor(dB)	PSD(dBm/500kHz)	limit(dBm/500kHz)	Result
NVNT	ANT1	802.11a	5745.00	-6.32	0.48	-0	-5.92	30	Pass
NVNT	ANT1	802.11a	5785.00	-7.51	0.43	-0	-7.16	30	Pass
NVNT	ANT1	802.11a	5825.00	-9.88	0.42	-0	-9.54	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	-6.44	0.45	-0	-6.08	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	-8.33	0.45	-0	-7.97	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	-10.78	0.45	-0	-10.42	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	-7.54	0.45	-0	-7.18	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	-8.90	0.45	-0	-8.54	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	-10.95	0.44	-0	-10.59	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	-12.03	1.00	-0	-11.11	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	-16.67	0.86	-0	-15.89	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	-15.05	0.86	-0	-14.28	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	-15.98	0.86	-0	-15.21	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	-50.38	5.23	-0	-45.24	30	Pass


Power_Spectral_Density_NVNT_ANT1_802_11a_5745



Power_Spectral_Density_NVNT_ANT1_802_11a_5785



Power_Spectral_Density_NVNT_ANT1_802_11a_5825



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5745




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5785



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5825



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5745



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5785



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5825



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5755



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5795



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5755



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5795



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT80)_5775




6. Bandedge


Condition	Antenna	Modulation	TX_Frequency (MHz)	Frequency Area(MHz)	Frequency(MHz)	Amplitude(dBm)	Limit(dBm)	Result
NVNT	ANT1	802.11a	LCH	5565-5655	5603.610	-49.04	-27.00	Pass
NVNT	ANT1	802.11a	LCH	5655-5700	5683.080	-49.22	-3.91	Pass
NVNT	ANT1	802.11a	LCH	5700-5720	5719.840	-42.06	15.56	Pass
NVNT	ANT1	802.11a	LCH	5720-5725	5724.325	-26.46	25.46	Pass
NVNT	ANT1	802.11a	HCH	5850-5855	5851.985	-45.14	22.47	Pass
NVNT	ANT1	802.11a	HCH	5855-5875	5862.460	-47.34	13.51	Pass
NVNT	ANT1	802.11a	HCH	5875-5920	5918.470	-48.53	-25.74	Pass
NVNT	ANT1	802.11a	HCH	5920-6005	5939.125	-44.77	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5565-5655	5638.080	-48.59	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5655-5700	5682.045	-48.77	-4.76	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5700-5720	5719.580	-34.88	15.48	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5720-5725	5722.445	-29.40	21.17	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5850-5855	5852.750	-38.38	20.73	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5855-5875	5855.200	-43.03	15.54	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5875-5920	5917.525	-48.11	-24.96	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5920-6005	5938.615	-42.36	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5565-5655	5611.440	-48.31	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5655-5700	5681.280	-48.73	-5.39	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5700-5720	5719.860	-37.31	15.56	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5720-5725	5722.915	-29.39	22.25	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5850-5855	5852.985	-38.20	20.19	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5855-5875	5857.820	-42.07	14.81	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5875-5920	5905.195	-48.79	-14.83	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5920-6005	5924.250	-45.25	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5595-5655	5635.740	-48.23	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5655-5700	5684.610	-48.05	-2.65	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5700-5720	5718.160	-31.58	15.08	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5720-5725	5721.280	-29.89	18.52	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5850-5855	5854.385	-48.16	17.00	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5855-5875	5873.600	-48.37	10.39	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5875-5920	5900.740	-48.39	-11.16	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5920-5955	5924.375	-43.76	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5595-5655	5619.060	-48.58	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5655-5700	5679.210	-48.38	-7.09	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5700-5720	5718.780	-31.11	15.26	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5720-5725	5722.795	-27.10	21.97	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5850-5855	5854.730	-47.00	16.22	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5855-5875	5874.580	-48.39	10.12	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5875-5920	5915.725	-48.47	-23.49	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5920-5955	5937.640	-44.00	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5650-5655	5650.725	-39.18	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5655-5700	5685.825	-32.92	-1.66	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5700-5720	5713.700	-29.75	13.84	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5720-5725	5723.940	-29.33	24.58	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5850-5855	5854.225	-39.93	17.37	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5855-5875	5867.580	-41.80	12.08	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5875-5920	5898.895	-42.52	-9.65	Pass

NVNT	ANT1	802.11ac(VHT80)	MCH	5920-5925	5920.400	-37.43	-27.00	Pass
------	------	-----------------	-----	-----------	----------	--------	--------	------


Bandedge_NVNT_ANT1_802_11a_5745




Bandedge_NVNT_ANT1_802_11a_5825




Bandedge_NVNT_ANT1_802_11n(HT20)_5745




Bandedge_NVNT_ANT1_802_11n(HT20)_5825




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5745



Bandedge_NVNT_ANT1_802_11ac(VHT20)_5825




Bandedge_NVNT_ANT1_802_11n(HT40)_5755



Bandedge_NVNT_ANT1_802_11n(HT40)_5795




Bandedge_NVNT_ANT1_802_11ac(VHT40)_5755




Bandedge_NVNT_ANT1_802_11ac(VHT40)_5795



Bandedge_NVNT_ANT1_802_11ac(VHT80)_5775_low




Bandedge_NVNT_ANT1_802_11ac(VHT80)_5775_up




7. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	24152.11	-38.08	-27	Pass
NVNT	ANT1	802.11a	5785.00	24287.11	-38.09	-27	Pass
NVNT	ANT1	802.11a	5825.00	24255.34	-37.97	-27	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	24165.35	-38.84	-27	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	23908.59	-38.85	-27	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	24167.99	-38.18	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	24424.75	-38.91	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	24199.76	-39.21	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	4659.60	-38.32	-27	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	24130.94	-37.73	-27	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	23985.35	-38.74	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	24665.63	-39.03	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	24056.82	-38.87	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	24125.64	-39.36	-27	Pass


Spurious_Emission_NVNT_ANT1_802_11a_5745




Spurious_Emission_NVNT_ANT1_802_11a_5785




Spurious_Emission_NVNT_ANT1_802_11a_5825




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5745




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5785




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5825




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5745




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5785




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5825




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5755




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5795




Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5755



Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5795



Spurious_Emission_NVNT_ANT1_802_11ac(VHT80)_5775



8. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fl(MHz)	Fh(MHz)	Limit(MHz)	Result
55degrees C&&3.80V	ANT1	802.11a	5745.00	5745.020	5736.192	5753.848	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11a	5745.00	5745.002	5736.584	5753.420	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11a	5745.00	5745.002	5736.740	5753.264	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5745.00	5744.998	5736.828	5753.168	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11a	5745.00	5744.998	5736.896	5753.100	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11a	5745.00	5744.992	5736.948	5753.036	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11a	5745.00	5744.998	5737.008	5752.988	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11a	5745.00	5744.996	5737.064	5752.928	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5745.00	5744.986	5737.108	5752.864	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5745.00	5744.982	5737.156	5752.808	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5745.00	5744.984	5737.200	5752.768	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11a	5785.00	5784.956	5776.156	5793.756	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11a	5785.00	5784.968	5776.536	5793.400	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11a	5785.00	5784.972	5776.704	5793.240	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5785.00	5784.982	5776.808	5793.156	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11a	5785.00	5784.976	5776.876	5793.076	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11a	5785.00	5784.974	5776.936	5793.012	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11a	5785.00	5784.974	5776.984	5792.964	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11a	5785.00	5784.964	5777.032	5792.896	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5785.00	5784.974	5777.080	5792.868	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5785.00	5784.962	5777.116	5792.808	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5785.00	5784.956	5777.152	5792.760	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11a	5825.00	5824.958	5816.260	5833.656	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11a	5825.00	5824.988	5816.588	5833.388	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11a	5825.00	5825.000	5816.740	5833.260	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5825.00	5824.984	5816.828	5833.140	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11a	5825.00	5824.990	5816.896	5833.084	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11a	5825.00	5824.986	5816.952	5833.020	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11a	5825.00	5824.994	5817.004	5832.984	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11a	5825.00	5824.972	5817.052	5832.892	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5825.00	5824.988	5817.092	5832.884	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5825.00	5824.978	5817.136	5832.820	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5825.00	5824.972	5817.184	5832.760	5725~5850	Pass

***** End of Report *****