






No.:
FCCSZ2024-0072-H

TEST REPORT

FCC ID : 2BLON-MAX3220
EUT : Ultra-Wideband Transceiver Modules
MODEL : MAX3220
BRAND NAME : YCHIOT
APPLICANT : Wenzhou Yanchuang Internet of Things
Technology Co., Ltd.
Classification of Test : N/A

CVC Testing Technology (Shenzhen) Co., Ltd.



Applicant		Name: Wenzhou Yanchuang Internet of Things Technology Co., Ltd.	
		Address: 2nd Floor, Smart Cube Student Workstation, No. 165, Gaoke Road, Chashan Street, Ouhai District, Wenzhou City, Zhejiang Province	
Manufacturer		Name: Wenzhou Yanchuang Internet of Things Technology Co., Ltd.	
		Address: 2nd Floor, Smart Cube Student Workstation, No. 165, Gaoke Road, Chashan Street, Ouhai District, Wenzhou City, Zhejiang Province	
Equipment Under Test		Name: Ultra-Wideband Transceiver Modules	
		Model/Type: MAX3220	
		Brand: YCHIOT	
		Serial No.: N/A	
		Sample No.: 3-1	
Date of Receipt.	2024.09.14	Date of Testing	2024.09.14~2024.10.14
Test Specification		Test Result	
FCC Part 2.1093 KDB 447498 D04v01		PASS	
Evaluation of Test Result		The equipment under test was found to comply with the requirements of the standards applied.	
		Seal of CVC Issue Date:2024.10.14	
Compiled by:  <u>Liang Jiatong</u> Name Signature		Reviewed by:  <u>Mo Xianbiao</u> Name Signature	Approved by:  <u>Dong Sanbi</u> Name Signature
Other Aspects: NONE.			
Abbreviations:OK, Pass= passed Fail = failed N/A= not applicable EUT= equipment, sample(s) under tested			

This test report relates only to the EUT, and shall not be reproduced except in full, without written approval of CVC.



TABLE OF CONTENTS

RELEASE CONTROL RECORD 4

1. GENERAL PRODUCT INFORMATION5

2. RF EXPOSURE LIMIT6

3. CLASSIFICATION7

4. ANTENNA GAIN 7

5. CALCULATION RESULT OF MAXIMUM POWER7



RELEASE CONTROL RECORD

ISSUE NO.	REASON FOR CHANGE	DATE ISSUED
FCCSZ2024-0072-H	Original release	2024.10.14



1. GENERAL PRODUCT INFORMATION

PRODUCT	Ultra-Wideband Transceiver Modules
BRAND	YCHIOT
TEST MODEL	MAX3220
POWER SUPPLY	DC 3.0 V – 3.6 V
ADDITIONAL MODEL	N/A
OPERATING FREQUENCY	CH5:6489.6 CH9:7987.2
PEAK OUTPUT POWER	-21.92dBm/50MHz
ANTENNA TYPE AND GAIN	Double copper tube Antenna with 2.72dBm gain
I/O PORTS	Refer to user' s manual
<p>Remark:</p> <ol style="list-style-type: none">For more detailed features description, please refer to the manufacturer's specifications or the User's Manual.For the test results, the EUT had been tested with all conditions. But only the worst case was shown in test report.EUT photo refer to the report (Report NO.: FCCSZ2024-0072-EUT).Please refer to the antenna report.Since the above data and/or information is provided by the client relevant results or conclusions of this report are only made for these data and/or information, CVC is not responsible for the authenticity, integrity and results of the data and information and/or the validity of the conclusion.	



2. RF EXPOSURE LIMIT

§1.1307(b)(3)(ii) For multiple RF sources: Multiple RF sources are exempt if:

The available maximum time-averaged power of each source is no more than 1 mW and there is a separation distance of two centimeters between any portion of a radiating structure operating and the nearest portion of any other radiating structure in the same device, except if the sum of multiple sources is less than 1 mW during the time-averaging period, in which case they may be treated as a single source (separation is not required). This exemption may not be used in conjunction with other exemption criteria other than those in paragraph (b)(3)(i)(A) of this section. Medical implant devices may only use this exemption and that in paragraph (b)(3)(i)(A).

§ 2.1093(c)(1) portable devices having single RF sources

Evaluation of compliance with the exposure limits in §1.1310 of this chapter, and preparation of an EA if the limits are exceeded, is necessary for portable devices having single RF sources with more than an available maximum time-averaged power of 1 mW, more than the ERP listed in Table 1 to §1.1307(b)(3)(i)(C), or more than the Pth in the following formula, whichever is greater. The following formula shall only be used in conjunction with portable devices not exempt by §1.1307(b)(3)(i)(C) at distances from 0.5 centimeters to 20 centimeters and frequencies from 0.3 GHz to 6 GHz.

§ 2.1093(c)(2) portable devices having multiple RF sources

For multiple mobile or portable RF sources within a device operating in the same time averaging period, routine environmental evaluation is required if the formula in § 1.1307(b)(3)(ii)(B) of this chapter is applied to determine the exemption ratio and the result is greater than 1.



3. CLASSIFICATION

The antenna of this product, under normal use condition, is at less than 20cm away from the body of the user. So, this device is classified as **Portable Device**.

4. ANTENNA GAIN

The antennas provided to the EUT, please refer to the following table:

Transmitter Circuit	Peak Gain (dBi)	Antenna Type
UWB	2.72	Double copper tube Antenna

This is provided by the manufacturer. The laboratory is not responsible for technical data provided by the customer.

5. CALCULATION RESULT OF MAXIMUM POWER

Option	Mode	Frequency (MHz)	Target Power (dBm)	Tolerance (dBm)	Lower Tolerance (dBm)	Upper Tolerance (dBm)
A	UWB CH5	6489.6	-21.92	+1	-22.92	-20.92
	UWB CH9	7987.2	-23.24	+1	-24.24	-22.24

Option	Technology	Maximum EIRP (dBm)	Maximum EIRP (mW)	Part1.1307b Threshold (mW)	Ratio	Verify
A	UWB CH5	-19.2	0.012	1	N/A	PASS
	UWB CH5	-20.52	0.008	1	N/A	PASS

CONCLUSION:

According to rule part 1.1307(b)(3)(ii)(A), the device could be treated as a device with single radio. Hence the device is exempt from the routine evaluation.

Therefore, this confirmed that the device compliance with FCC RF exposure requirements.



Important

- (1) The test report is invalid without the official stamp of CVC;
- (2) Any part photocopies of the test report are forbidden without the written permission from CVC;
- (3) The test report is invalid without the signatures of Approval and Reviewer;
- (4) The test report is invalid if altered;
- (5) Objections to the test report must be submitted to CVC within 15 days.
- (6) Generally, commission test is responsible for the tested samples only.
- (7) As for the test result “-” or “N” means “not applicable”, “/” means “not test”, “P” means “pass” and “F” means “fail”

Address: No.1301-14,16, Guanguang Road, Xinlan Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, 518110, P. R. China

Post Code: 518110 Tel: 0755-23763060-8805

Fax: 0755-23763060 E-mail: sz-kf@cvc.org.cn

<http://www.cvc.org.cn>