

RF Exposure Evaluation

According to KDB 447498 D01 General RF Exposure Guidance v06 and part 2.1093, Unless specifically required by the published RF exposure KDB procedures, standalone 1-g head or body and 10-g extremity SAR evaluation for general population exposure conditions, by measurement or numerical simulation, is not required when the corresponding SAR Test Exclusion Threshold condition(s), listed below, is (are) satisfied.

For 100 MHz to 6 GHz and test separation distances \leq 50 mm, the 1-g and 10-g SAR test exclusion thresholds are determined by the following:

[(max. power of channel, including tune-up tolerance, mW) / (min. test separation distance, mm)] $\cdot [\sqrt{f(GHz)}] \le 3.0$ for 1-g SAR, and ≤ 7.5 for 10-g extremity SAR, where

f(GHz) is the RF channel transmit frequency in GHz

Power and distance are rounded to the nearest mW and mm before calculation

The result is rounded to one decimal place for comparison

Here.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

For BR+EDR

Max	Tune-up	Max	Max		Min.	Calc.	limit
Conducted	Power(dBm)	Tune-up	Power(mW)	Frequency(MHz)	distance(mm)	thresholds	
Power(dBm)		Power(dBm)			distance(iiiii)	tillesilolus	
2.69	2(±1)	3	1.995	2402	5	0.6183	3.0

For 2.4GWiFi

Max	Tune-up	Max	Max		Min.	Calc.	limit
Conducted	Power(dBm)	Tune-up	Power(mW)	Frequency(MHz)		thresholds	
Power(dBm)		Power(dBm)			uistance(mm)	tili esilolus	
5.94	5(±1)	6	3.981	2422	5	1.239	3.0

For 5.2GWiFi

Max	Tune-up	Max	Max		Min.	Calc.	
Conducted	Power(dBm)	Tune-up	Power(mW)	Frequency(MHz)		thresholds	limit
Power(dBm)		Power(dBm)			uistance(mm)	tili esilolus	
6.92	$6(\pm 1)$	7	5.012	5180	5	2.2814	3.0

The device cannot transmit with 2.4G WI-FI and 5.2 WI-FI simultaneously.

The device supports simultaneous transmission of WiFi and Bluetooth



Calculations for simultaneously transmit

Mode	Ratios	Result	Limit	Result
BR+EDR	0.2061	0.674	1	PASS
2.4G Wi-Fi	0.413	0.674		

Mode	Ratios	Result	Limit	Result
BR+EDR	0.2061	0.0665	1	PASS
5.2G Wi-Fi	0.7604	0.9665		

Note: Ratios = Calc. thresholds/3 So a SAR test is not required