





EGPRS1900-661-2-1000~3000MHz-PASS



EGPRS1900-661-2-3000~18000MHz-PASS




GPRS1900-810-0-0.009~0.15MHz-PASS



GPRS1900-810-0-0.15~30MHz-PASS



GPRS1900-810-0-30~1000MHz-PASS




GPRS1900-810-0-1000~3000MHz-PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd


Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/




GPRS1900-810-0-3000~18000MHz-PASS




EGPRS1900-810-2-0.009~0.15MHz-PASS




EGPRS1900-810-2-0.15~30MHz-PASS



EGPRS1900-810-2-30~1000MHz-PASS



EGPRS1900-810-2-1000~3000MHz-PASS



EGPRS1900-810-2-3000~18000MHz-PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Appendix F: Frequency Stability

Test Result

Band	Channel	Voltage [Vdc]	Temperature				Verdict
			Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	
GPRS850	128	NV	-30	-1.32	-0.001602	±2.5	PASS
GPRS850	128	NV	-10	-2.65	-0.003215	±2.5	PASS
GPRS850	128	NV	0	-2.94	-0.003567	±2.5	PASS
GPRS850	128	NV	10	-1.39	-0.001686	±2.5	PASS
GPRS850	128	NV	20	1.13	0.001371	±2.5	PASS
GPRS850	128	NV	30	0.52	0.000631	±2.5	PASS
GPRS850	128	NV	40	4.71	0.005715	±2.5	PASS
GPRS850	128	NV	50	-1.71	-0.002075	±2.5	PASS
GPRS850	128	NV	-20	1.10	0.001335	±2.5	PASS
EGPRS850	128	NV	-30	22.89	0.027772	±2.5	PASS
EGPRS850	128	NV	-20	23.41	0.028403	±2.5	PASS
EGPRS850	128	NV	-10	23.08	0.028003	±2.5	PASS
EGPRS850	128	NV	0	23.12	0.028051	±2.5	PASS
EGPRS850	128	NV	10	23.12	0.028051	±2.5	PASS
EGPRS850	128	NV	20	22.79	0.027651	±2.5	PASS
EGPRS850	128	NV	30	23.83	0.028913	±2.5	PASS
EGPRS850	128	NV	40	23.28	0.028246	±2.5	PASS
EGPRS850	128	NV	50	23.37	0.028355	±2.5	PASS
GPRS850	190	NV	-30	8.46	0.010112	±2.5	PASS
GPRS850	190	NV	-20	2.71	0.003239	±2.5	PASS
GPRS850	190	NV	-10	4.55	0.005439	±2.5	PASS
GPRS850	190	NV	0	6.23	0.007447	±2.5	PASS
GPRS850	190	NV	10	5.75	0.006873	±2.5	PASS
GPRS850	190	NV	20	10.23	0.012228	±2.5	PASS
GPRS850	190	NV	30	6.49	0.007758	±2.5	PASS
GPRS850	190	NV	40	7.39	0.008833	±2.5	PASS
GPRS850	190	NV	50	7.52	0.008989	±2.5	PASS
EGPRS850	190	NV	-30	22.37	0.026739	±2.5	PASS
EGPRS850	190	NV	-20	22.99	0.027480	±2.5	PASS
EGPRS850	190	NV	-10	22.50	0.026895	±2.5	PASS
EGPRS850	190	NV	0	22.28	0.026632	±2.5	PASS
EGPRS850	190	NV	10	22.47	0.026859	±2.5	PASS
EGPRS850	190	NV	20	22.34	0.026703	±2.5	PASS
EGPRS850	190	NV	30	22.79	0.027241	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

EGPRS850	190	NV	40	22.96	0.027444	±2.5	PASS
EGPRS850	190	NV	50	22.86	0.027325	±2.5	PASS
GPRS850	251	NV	-30	0.61	0.000719	±2.5	PASS
GPRS850	251	NV	-20	7.10	0.008365	±2.5	PASS
GPRS850	251	NV	-10	1.90	0.002238	±2.5	PASS
GPRS850	251	NV	0	4.55	0.005361	±2.5	PASS
GPRS850	251	NV	10	2.42	0.002851	±2.5	PASS
GPRS850	251	NV	20	6.62	0.007799	±2.5	PASS
GPRS850	251	NV	30	3.71	0.004371	±2.5	PASS
GPRS850	251	NV	40	4.04	0.004760	±2.5	PASS
GPRS850	251	NV	50	9.56	0.011263	±2.5	PASS
EGPRS850	251	NV	-30	22.79	0.026850	±2.5	PASS
EGPRS850	251	NV	-20	21.44	0.025259	±2.5	PASS
EGPRS850	251	NV	-10	22.99	0.027085	±2.5	PASS
EGPRS850	251	NV	0	23.02	0.027121	±2.5	PASS
EGPRS850	251	NV	10	22.92	0.027003	±2.5	PASS
EGPRS850	251	NV	20	21.86	0.025754	±2.5	PASS
EGPRS850	251	NV	30	23.18	0.027309	±2.5	PASS
EGPRS850	251	NV	40	23.18	0.027309	±2.5	PASS
EGPRS850	251	NV	50	21.73	0.025601	±2.5	PASS
GPRS1900	512	NV	-30	460.00	0.248622	±2.5	PASS
GPRS1900	512	NV	-20	440.00	0.237812	±2.5	PASS
GPRS1900	512	NV	-10	1090.00	0.589125	±2.5	PASS
GPRS1900	512	NV	0	310.00	0.167549	±2.5	PASS
GPRS1900	512	NV	10	130.00	0.070263	±2.5	PASS
GPRS1900	512	NV	20	-260.00	-0.140525	±2.5	PASS
GPRS1900	512	NV	30	1200.00	0.648579	±2.5	PASS
GPRS1900	512	NV	40	90.00	0.048643	±2.5	PASS
GPRS1900	512	NV	50	-430.00	-0.232407	±2.5	PASS
EGPRS1900	512	NV	-30	-320.00	-0.172954	±2.5	PASS
EGPRS1900	512	NV	-20	400.00	0.216193	±2.5	PASS
EGPRS1900	512	NV	-10	200.00	0.108096	±2.5	PASS
EGPRS1900	512	NV	0	190.00	0.102692	±2.5	PASS
EGPRS1900	512	NV	10	220.00	0.118906	±2.5	PASS
EGPRS1900	512	NV	20	170.00	0.091882	±2.5	PASS
EGPRS1900	512	NV	30	-320.00	-0.172954	±2.5	PASS
EGPRS1900	512	NV	40	570.00	0.308075	±2.5	PASS
EGPRS1900	512	NV	50	40.00	0.021619	±2.5	PASS
GPRS1900	661	NV	-30	810.00	0.430851	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

GPRS1900	661	NV	-20	790.00	0.420213	±2.5	PASS
GPRS1900	661	NV	-10	-760.00	-0.404255	±2.5	PASS
GPRS1900	661	NV	0	-280.00	-0.148936	±2.5	PASS
GPRS1900	661	NV	10	-290.00	-0.154255	±2.5	PASS
GPRS1900	661	NV	20	170.00	0.090426	±2.5	PASS
GPRS1900	661	NV	30	-280.00	-0.148936	±2.5	PASS
GPRS1900	661	NV	40	610.00	0.324468	±2.5	PASS
GPRS1900	661	NV	50	1170.00	0.622340	±2.5	PASS
EGPRS1900	661	NV	-30	630.00	0.335106	±2.5	PASS
EGPRS1900	661	NV	-20	-830.00	-0.441489	±2.5	PASS
EGPRS1900	661	NV	-10	-2160.00	-1.148936	±2.5	PASS
EGPRS1900	661	NV	0	-60.00	-0.031915	±2.5	PASS
EGPRS1900	661	NV	10	1390.00	0.739362	±2.5	PASS
EGPRS1900	661	NV	20	570.00	0.303191	±2.5	PASS
EGPRS1900	661	NV	30	-260.00	-0.138298	±2.5	PASS
EGPRS1900	661	NV	40	230.00	0.122340	±2.5	PASS
EGPRS1900	661	NV	50	40.00	0.021277	±2.5	PASS
GPRS1900	810	NV	-30	680.00	0.356058	±2.5	PASS
GPRS1900	810	NV	-20	100.00	0.052362	±2.5	PASS
GPRS1900	810	NV	-10	820.00	0.429364	±2.5	PASS
GPRS1900	810	NV	0	800.00	0.418892	±2.5	PASS
GPRS1900	810	NV	10	-620.00	-0.324641	±2.5	PASS
GPRS1900	810	NV	20	-410.00	-0.214682	±2.5	PASS
GPRS1900	810	NV	30	-720.00	-0.377003	±2.5	PASS
GPRS1900	810	NV	40	-280.00	-0.146612	±2.5	PASS
GPRS1900	810	NV	50	-730.00	-0.382239	±2.5	PASS
EGPRS1900	810	NV	-30	590.00	0.308933	±2.5	PASS
EGPRS1900	810	NV	-20	-1090.00	-0.570740	±2.5	PASS
EGPRS1900	810	NV	-10	-270.00	-0.141376	±2.5	PASS
EGPRS1900	810	NV	0	-1180.00	-0.617866	±2.5	PASS
EGPRS1900	810	NV	10	-1000.00	-0.523615	±2.5	PASS
EGPRS1900	810	NV	20	-450.00	-0.235627	±2.5	PASS
EGPRS1900	810	NV	30	930.00	0.486962	±2.5	PASS
EGPRS1900	810	NV	40	520.00	0.272280	±2.5	PASS
EGPRS1900	810	NV	50	-1490.00	-0.780186	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/