


Report No.:NCT24042550XE1-1
FCC ID:2BLYF-M8
FCC_BLE (Part15.247) Test Data

Table of Contents


1. -26dB and 99% Emission Bandwidth	2
2. Duty Cycle	13
3. Maximum Conducted Output Power	24
4. Power Spectral Density	35
5. Bandedge	46
6. Spurious Emission	55
7. Frequency Stability	66

1. -26dB and 99% Emission Bandwidth


Condition	Antenna	Modulation	Frequency(MHz)	-26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5180.00	27.39	16.706
NVNT	ANT1	802.11a	5200.00	26.45	16.782
NVNT	ANT1	802.11a	5240.00	26.51	16.818
NVNT	ANT1	802.11n(HT20)	5180.00	27.97	17.864
NVNT	ANT1	802.11n(HT20)	5200.00	30.56	17.861
NVNT	ANT1	802.11n(HT20)	5240.00	30.63	17.829
NVNT	ANT1	802.11ac(VHT20)	5180.00	24.89	17.818
NVNT	ANT1	802.11ac(VHT20)	5200.00	28.64	17.860
NVNT	ANT1	802.11ac(VHT20)	5240.00	29.66	17.783
NVNT	ANT1	802.11ax(HE20)	5180.00	31.51	17.849
NVNT	ANT1	802.11ax(HE20)	5200.00	31.17	17.879
NVNT	ANT1	802.11ax(HE20)	5240.00	27.79	17.858
NVNT	ANT1	802.11n(HT40)	5190.00	51.56	36.463
NVNT	ANT1	802.11n(HT40)	5230.00	49.70	36.454
NVNT	ANT1	802.11ac(VHT40)	5190.00	53.49	36.559
NVNT	ANT1	802.11ac(VHT40)	5230.00	50.58	36.527
NVNT	ANT1	802.11ax(HE40)	5190.00	45.21	36.411
NVNT	ANT1	802.11ax(HE40)	5230.00	51.17	36.494
NVNT	ANT1	802.11ac(VHT80)	5210.00	92.37	75.924
NVNT	ANT1	802.11ax(HE80)	5210.00	88.29	75.918




-26BW&99%_OCB_NVNT_ANT1_802_11a_5200




-26BW&99%_OCB_NVNT_ANT1_802_11a_5240




-26BW&99%_OCB_NVNT_ANT1_802_11n(HT20)_5180




-26BW&99%_OCB_NVNT_ANT1_802_11n(HT20)_5200




-26BW&99%_OCB_NVNT_ANT1_802_11n(HT20)_5240




-26BW&99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5180




-26BW&99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5200




-26BW&99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5240




-26BW&99%_OCB_NVNT_ANT1_802_11ax(HE20)_5180




-26BW&99%_OCB_NVNT_ANT1_802_11ax(HE20)_5200




-26BW&99%_OCB_NVNT_ANT1_802_11ax(HE20)_5240




-26BW&99%_OCB_NVNT_ANT1_802_11n(HT40)_5190




-26BW&99%_OCB_NVNT_ANT1_802_11n(HT40)_5230




-26BW&99%_OCB_NVNT_ANT1_802_11ac(VHT40)_5190




-26BW&99%_OCB_NVNT_ANT1_802_11ac(VHT40)_5230




-26BW&99%_OCB_NVNT_ANT1_802_11ax(HE40)_5190




-26BW&99%_OCB_NVNT_ANT1_802_11ax(HE40)_5230



-26BW&99%_OCB_NVNT_ANT1_802_11ac(VHT80)_5210




-26BW&99%_OCB_NVNT_ANT1_802_11ax(HE80)_5210




2. Duty Cycle


Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5180.00	89.61	0.48
NVNT	ANT1	802.11a	5200.00	89.74	0.47
NVNT	ANT1	802.11a	5240.00	89.74	0.47
NVNT	ANT1	802.11n(HT20)	5180.00	88.06	0.55
NVNT	ANT1	802.11n(HT20)	5200.00	88.06	0.55
NVNT	ANT1	802.11n(HT20)	5240.00	89.39	0.49
NVNT	ANT1	802.11ac(VHT20)	5180.00	89.55	0.48
NVNT	ANT1	802.11ac(VHT20)	5200.00	88.24	0.54
NVNT	ANT1	802.11ac(VHT20)	5240.00	88.06	0.55
NVNT	ANT1	802.11ax(HE20)	5180.00	89.39	0.49
NVNT	ANT1	802.11ax(HE20)	5200.00	89.55	0.48
NVNT	ANT1	802.11ax(HE20)	5240.00	88.06	0.55
NVNT	ANT1	802.11n(HT40)	5190.00	78.38	1.06
NVNT	ANT1	802.11n(HT40)	5230.00	78.38	1.06
NVNT	ANT1	802.11ac(VHT40)	5190.00	78.95	1.03
NVNT	ANT1	802.11ac(VHT40)	5230.00	81.08	0.91
NVNT	ANT1	802.11ax(HE40)	5190.00	78.38	1.06
NVNT	ANT1	802.11ax(HE40)	5230.00	78.38	1.06
NVNT	ANT1	802.11ac(VHT80)	5210.00	65.22	1.86
NVNT	ANT1	802.11ax(HE80)	5210.00	65.22	1.86




Duty Cycle NVNT_ANT1_802_11a_5200




Duty Cycle NVNT_ANT1_802_11a_5240




Duty Cycle NVNT_ANT1_802_11n(HT20)_5180




Duty Cycle NVNT_ANT1_802_11n(HT20)_5200




Duty Cycle NVNT_ANT1_802_11n(HT20)_5240




Duty Cycle NVNT_ANT1_802_11ac(VHT20)_5180




Duty Cycle NVNT_ANT1_802_11ac(VHT20)_5200




Duty Cycle NVNT_ANT1_802_11ac(VHT20)_5240




Duty Cycle NVNT_ANT1_802_11ax(HE20)_5180




Duty Cycle NVNT_ANT1_802_11ax(HE20)_5200




Duty Cycle NVNT_ANT1_802_11ax(HE20)_5240




Duty Cycle NVNT_ANT1_802_11n(HT40)_5190




Duty Cycle NVNT_ANT1_802_11n(HT40)_5230




Duty Cycle NVNT_ANT1_802_11ac(VHT40)_5190




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5230




Duty_Cycle_NVNT_ANT1_802_11ax(HE40)_5190




Duty Cycle NVNT_ANT1_802_11ax(HE40)_5230



Duty Cycle NVNT_ANT1_802_11ac(VHT80)_5210




Duty Cycle NVNT_ANT1_802_11ax(HE80)_5210




3. Maximum Conducted Output Power


Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	4.36	0.48	4.84	24	Pass
NVNT	ANT1	802.11a	5200.00	3.98	0.47	4.45	24	Pass
NVNT	ANT1	802.11a	5240.00	4.40	0.47	4.87	24	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	4.89	0.55	5.44	24	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	4.41	0.55	4.96	24	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	4.55	0.49	5.04	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	4.64	0.48	5.12	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	4.07	0.54	4.61	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	4.57	0.55	5.12	24	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	4.40	0.49	4.89	24	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	4.23	0.48	4.71	24	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	4.60	0.55	5.15	24	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	3.80	1.06	4.86	24	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	3.85	1.06	4.91	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	3.78	1.03	4.81	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	3.82	0.91	4.73	24	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	3.92	1.06	4.98	24	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	3.55	1.06	4.61	24	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	3.32	1.86	5.18	24	Pass
NVNT	ANT1	802.11ax(HE80)	5210.00	3.31	1.86	5.17	24	Pass




Maximum Conducted Output Power_NVNT_ANT1_802_11a_5200_20M




Maximum Conducted Output Power_NVNT_ANT1_802_11a_5240_20M




Maximum Conducted Output Power_NVNT_ANT1_802_11n(HT20)_5180_20M




Maximum Conducted Output Power_NVNT_ANT1_802_11n(HT20)_5200_20M




Maximum Conducted Output Power_NVNT_ANT1_802_11n(HT20)_5240_20M




Maximum Conducted Output Power_NVNT_ANT1_802_11ac(VHT20)_5180_20M




Maximum Conducted Output Power_NVNT_ANT1_802_11ac(VHT20)_5200_20M




Maximum Conducted Output Power_NVNT_ANT1_802_11ac(VHT20)_5240_20M




Maximum Conducted Output Power_NVNT_ANT1_802_11ax(HE20)_5180_20M




Maximum Conducted Output Power_NVNT_ANT1_802_11ax(HE20)_5200_20M




Maximum Conducted Output Power_NVNT_ANT1_802_11ax(HE20)_5240_20M




Maximum Conducted Output Power_NVNT_ANT1_802_11n(HT40)_5190_40M




Maximum Conducted Output Power_NVNT_ANT1_802_11n(HT40)_5230_40M




Maximum Conducted Output Power_NVNT_ANT1_802_11ac(VHT40)_5190_40M




Maximum Conducted Output Power_NVNT_ANT1_802_11ac(VHT40)_5230_40M




Maximum Conducted Output Power_NVNT_ANT1_802_11ax(HE40)_5190_40M




Maximum Conducted Output Power_NVNT_ANT1_802_11ax(HE40)_5230_40M



Maximum Conducted Output Power_NVNT_ANT1_802_11ac(VHT80)_5210_80M




Maximum Conducted Output Power_NVNT_ANT1_802_11ax(HE80)_5210_80M




4. Power Spectral Density


Condition	Antenna	Modulation	Frequency (MHz)	PSD(dBm/MHz)	Duty factor(dB)	Total PSD(dBm/MHz)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	-13.93	0.48	-13.45	11	Pass
NVNT	ANT1	802.11a	5200.00	-13.74	0.47	-13.27	11	Pass
NVNT	ANT1	802.11a	5240.00	-12.36	0.47	-11.88	11	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	-13.51	0.55	-12.96	11	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	-12.88	0.55	-12.33	11	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	-13.26	0.49	-12.77	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	-12.81	0.48	-12.33	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	-13.36	0.54	-12.82	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	-12.78	0.55	-12.23	11	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	-14.10	0.49	-13.61	11	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	-13.89	0.48	-13.41	11	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	-12.43	0.55	-11.88	11	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	-20.90	1.06	-19.84	11	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	-21.91	1.06	-20.85	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	-21.17	1.03	-20.14	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	-19.84	0.91	-18.93	11	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	-18.83	1.06	-17.77	11	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	-21.67	1.06	-20.61	11	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	-29.04	1.86	-27.18	11	Pass
NVNT	ANT1	802.11ax(HE80)	5210.00	-30.07	1.86	-28.21	11	Pass




Power Spectral Density_NVNT_ANT1_802_11a_5200




Power Spectral Density_NVNT_ANT1_802_11a_5240



Power Spectral Density_NVNT_ANT1_802_11n(HT20)_5180




Power Spectral Density_NVNT_ANT1_802_11n(HT20)_5200





Power Spectral Density_NVNT_ANT1_802_11n(HT20)_5240




Power Spectral Density_NVNT_ANT1_802_11ac(VHT20)_5180







Power Spectral Density NVNT_ANT1_802_11ax(HE20)_5180




Power Spectral Density NVNT_ANT1_802_11ax(HE20)_5200




Power Spectral Density NVNT_ANT1_802_11ax(HE20)_5240




Power Spectral Density NVNT_ANT1_802_11n(HT40)_5190





Power Spectral Density_NVNT_ANT1_802_11n(HT40)_5230




Power Spectral Density_NVNT_ANT1_802_11ac(VHT40)_5190





Power Spectral Density NVNT_ANT1_802_11ax(HE40)_5230



Power Spectral Density NVNT_ANT1_802_11ac(VHT80)_5210




Power Spectral Density NVNT_ANT1_802_11ax(HE80)_5210




5. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	5149.60	-35.76	-27	Pass
NVNT	ANT1	802.11a	5240.00	5402.60	-39.79	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	5149.00	-36.50	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	5394.00	-39.88	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	5148.00	-34.78	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	5363.60	-39.98	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	5148.40	-34.83	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	5357.60	-39.71	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	5148.68	-34.20	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	5418.74	-39.39	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	5149.31	-35.93	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	5361.62	-40.36	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	5149.10	-32.17	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	5413.91	-39.92	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	5146.58	-37.04	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	5417.06	-40.27	-27	Pass
NVNT	ANT1	802.11ax(HE80)	5210.00	5147.00	-37.19	-27	Pass
NVNT	ANT1	802.11ax(HE80)	5210.00	5395.22	-39.80	-27	Pass


Note: The test diagram has integrated antenna gain to Offset Settings.




Bandedge_NVNT_ANT1_802_11a_5240




Bandedge_NVNT_ANT1_802_11n(HT20)_5180




Bandedge_NVNT_ANT1_802_11n(HT20)_5240




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5180




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5240




Bandedge_NVNT_ANT1_802_11ax(HE20)_5180




Bandedge_NVNT_ANT1_802_11ax(HE20)_5240




Bandedge_NVNT_ANT1_802_11n(HT40)_5190




Bandedge_NVNT_ANT1_802_11n(HT40)_5230




Bandedge_NVNT_ANT1_802_11ac(VHT40)_5190




Bandedge_NVNT_ANT1_802_11ac(VHT40)_5230




Bandedge_NVNT_ANT1_802_11ax(HE40)_5190




Bandedge_NVNT_ANT1_802_11ax(HE40)_5230



Bandedge_NVNT_ANT1_802_11ac(VHT80)_5210




Bandedge_NVNT_ANT1_802_11ax(HE80)_5210




6. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	25017.68	-29.09	-27	Pass
NVNT	ANT1	802.11a	5200.00	25044.15	-29.09	-27	Pass
NVNT	ANT1	802.11a	5240.00	25017.68	-29.04	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	25017.68	-29.76	-27	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	25070.62	-28.60	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	25679.43	-28.43	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	25441.20	-29.15	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	25044.15	-29.13	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	24964.74	-28.76	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	24858.86	-28.97	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	25070.62	-29.20	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	24991.21	-28.17	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	25070.62	-29.44	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	25388.26	-28.61	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	25017.68	-27.90	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	24911.80	-29.10	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	25044.15	-28.69	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	25679.43	-28.62	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	25017.68	-29.08	-27	Pass
NVNT	ANT1	802.11ax(HE80)	5210.00	24964.74	-29.50	-27	Pass


Note:1. The antenna gain is compensated in the test data.
2.26.5GHz-40GHz the Spurious leve margin is the largest, so the test data only reflects 30MHz-26.5GHz




Spurious Emission NVNT ANT1_802_11a_5200_20M




Spurious Emission NVNT ANT1_802_11a_5240_20M




Spurious Emission_NVNT_ANT1_802_11n(HT20)_5180_20M




Spurious Emission_NVNT_ANT1_802_11n(HT20)_5200_20M




Spurious Emission_NVNT_ANT1_802_11n(HT20)_5240_20M




Spurious Emission_NVNT_ANT1_802_11ac(VHT20)_5180_20M




Spurious Emission NVNT_ANT1_802_11ac(VHT20)_5200_20M




Spurious Emission NVNT_ANT1_802_11ac(VHT20)_5240_20M




Spurious Emission NVNT_ANT1_802_11ax(HE20)_5180_20M




Spurious Emission NVNT_ANT1_802_11ax(HE20)_5200_20M




Spurious Emission NVNT_ANT1_802_11ax(HE20)_5240_20M




Spurious Emission NVNT_ANT1_802_11n(HT40)_5190_40M




Spurious Emission NVNT_ANT1_802_11n(HT40)_5230_40M




Spurious Emission NVNT_ANT1_802_11ac(VHT40)_5190_40M




Spurious Emission NVNT_ANT1_802_11ac(VHT40) 5230 40M




Spurious Emission NVNT_ANT1_802_11ax(HE40) 5190 40M




Spurious Emission NVNT_ANT1_802_11ax(HE40)_5230_40M



Spurious Emission NVNT_ANT1_802_11ac(VHT80)_5210_80M



Spurious Emission NVNT_ANT1_802_11ax(HE80)_5210_80M



7. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fl(MHz)	Fh(MHz)	Limit(MHz)	Result
55degrees C&&3.80V	ANT1	802.11a	5180.00	5180.008	5171.356	5188.660	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5180.00	5180.006	5171.616	5188.396	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5180.00	5180.020	5171.776	5188.264	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5180.00	5180.022	5171.860	5188.184	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5180.00	5180.020	5171.920	5188.120	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5180.00	5180.006	5171.964	5188.048	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5180.00	5180.014	5172.020	5188.008	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5180.00	5180.010	5172.064	5187.956	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5180.00	5180.014	5172.116	5187.912	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5180.00	5180.016	5172.160	5187.872	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5180.00	5179.998	5172.200	5187.796	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11a	5200.00	5199.974	5191.284	5208.664	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5200.00	5200.008	5191.596	5208.420	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5200.00	5200.016	5191.748	5208.284	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5200.00	5200.008	5191.840	5208.176	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5200.00	5200.002	5191.904	5208.100	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5200.00	5200.016	5191.956	5208.076	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5200.00	5200.020	5192.012	5208.028	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5200.00	5200.014	5192.056	5207.972	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5200.00	5200.016	5192.108	5207.924	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5200.00	5200.000	5192.152	5207.848	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5200.00	5200.016	5192.204	5207.828	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11a	5240.00	5240.050	5231.396	5248.704	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5240.00	5240.046	5231.664	5248.428	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5240.00	5240.018	5231.780	5248.256	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5240.00	5240.024	5231.860	5248.188	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5240.00	5240.016	5231.924	5248.108	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5240.00	5240.006	5231.976	5248.036	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5240.00	5240.014	5232.032	5247.996	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5240.00	5240.016	5232.076	5247.956	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5240.00	5240.012	5232.116	5247.908	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5240.00	5240.018	5232.156	5247.880	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5240.00	5239.996	5232.192	5247.800	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.012	5170.876	5189.148	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.016	5171.116	5188.916	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.022	5171.248	5188.796	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.030	5171.344	5188.716	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.026	5171.416	5188.636	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.016	5171.476	5188.556	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.016	5171.532	5188.500	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.014	5171.592	5188.436	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5180.00	5180.018	5171.648	5188.388	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.014	5171.692	5188.336	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5180.00	5180.020	5171.744	5188.296	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.016	5190.876	5209.156	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.012	5191.124	5208.900	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.022	5191.252	5208.792	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.024	5191.336	5208.712	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.022	5191.412	5208.632	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.024	5191.476	5208.572	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.024	5191.548	5208.500	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.028	5191.616	5208.440	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5200.00	5200.020	5191.664	5208.376	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.026	5191.720	5208.332	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5200.00	5200.024	5191.772	5208.276	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.018	5230.904	5249.132	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.026	5231.156	5248.896	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.030	5231.280	5248.780	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.020	5231.360	5248.680	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.024	5231.428	5248.620	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.020	5231.496	5248.544	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.024	5231.556	5248.492	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.020	5231.604	5248.436	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5240.00	5240.026	5231.664	5248.388	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.024	5231.708	5248.340	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5240.00	5240.000	5231.760	5248.240	5150~5250	Pass

55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.028	5170.924	5189.132	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.022	5171.156	5188.888	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.020	5171.260	5188.780	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.020	5171.348	5188.692	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.010	5171.412	5188.608	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.006	5171.476	5188.536	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.024	5171.536	5188.512	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.016	5171.588	5188.444	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5180.00	5180.004	5171.656	5188.352	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.022	5171.720	5188.324	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5180.00	5180.026	5171.772	5188.280	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.032	5190.880	5209.184	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.012	5191.116	5208.908	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.022	5191.260	5208.784	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.026	5191.352	5208.700	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.028	5191.420	5208.636	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.030	5191.492	5208.568	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.030	5191.552	5208.508	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.016	5191.604	5208.428	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5200.00	5200.024	5191.668	5208.380	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.030	5191.720	5208.340	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5200.00	5200.034	5191.780	5208.288	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.014	5230.884	5249.144	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.014	5231.124	5248.904	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.022	5231.256	5248.788	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.026	5231.340	5248.712	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.010	5231.400	5248.620	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.006	5231.460	5248.552	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.000	5231.524	5248.476	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.016	5231.588	5248.444	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5240.00	5240.002	5231.628	5248.376	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.002	5231.688	5248.316	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5240.00	5239.996	5231.724	5248.268	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.038	5170.896	5189.180	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.010	5171.128	5188.892	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.024	5171.256	5188.792	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.034	5171.344	5188.724	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.026	5171.416	5188.636	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.022	5171.480	5188.564	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.028	5171.544	5188.512	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.020	5171.600	5188.440	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5180.00	5180.018	5171.648	5188.388	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.030	5171.708	5188.352	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5180.00	5180.030	5171.768	5188.292	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.018	5190.880	5209.156	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.012	5191.112	5208.912	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.026	5191.244	5208.808	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.018	5191.324	5208.712	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.022	5191.396	5208.648	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.010	5191.456	5208.564	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.024	5191.524	5208.524	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.010	5191.580	5208.440	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5200.00	5200.016	5191.632	5208.400	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5199.996	5191.680	5208.312	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5200.00	5200.010	5191.732	5208.288	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.036	5230.904	5249.168	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.020	5231.144	5248.896	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.018	5231.260	5248.776	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.018	5231.340	5248.696	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.018	5231.420	5248.616	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.026	5231.492	5248.560	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.020	5231.552	5248.488	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.016	5231.608	5248.424	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5240.00	5240.002	5231.656	5248.348	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.008	5231.708	5248.308	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5240.00	5240.026	5231.768	5248.284	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.052	5171.736	5208.368	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.052	5171.936	5208.168	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.024	5172.056	5207.992	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.988	5172.144	5207.832	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.004	5172.272	5207.736	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.016	5172.352	5207.680	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.036	5172.464	5207.608	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.032	5172.544	5207.520	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5190.00	5190.000	5172.624	5207.376	5150~5250	Pass

25degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.004	5172.696	5207.312	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5190.00	5190.024	5172.776	5207.272	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.044	5211.752	5248.336	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.048	5211.952	5248.144	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.048	5212.112	5247.984	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.052	5212.240	5247.864	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.052	5212.336	5247.768	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.024	5212.440	5247.608	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.068	5212.528	5247.608	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.040	5212.600	5247.480	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5230.00	5230.040	5212.680	5247.400	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.028	5212.760	5247.296	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5230.00	5229.992	5212.848	5247.136	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.076	5171.760	5208.392	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.044	5171.944	5208.144	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.052	5172.080	5208.024	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.032	5172.184	5207.880	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.040	5172.296	5207.784	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.044	5172.392	5207.696	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.044	5172.496	5207.592	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.044	5172.568	5207.520	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5190.00	5190.056	5172.648	5207.464	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.016	5172.736	5207.296	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5190.00	5190.032	5172.840	5207.224	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.048	5211.744	5248.352	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.052	5211.960	5248.144	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.068	5212.112	5248.024	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.068	5212.224	5247.912	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.056	5212.312	5247.800	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.024	5212.408	5247.640	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.048	5212.496	5247.600	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5229.996	5212.568	5247.424	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5230.00	5230.028	5212.648	5247.408	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.028	5212.728	5247.328	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5230.00	5230.036	5212.792	5247.280	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.056	5171.744	5208.368	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.036	5171.944	5208.128	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.048	5172.064	5208.032	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5189.992	5172.168	5207.816	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.012	5172.288	5207.736	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5189.988	5172.368	5207.608	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.016	5172.472	5207.560	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5189.968	5172.560	5207.376	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE40)	5190.00	5190.032	5172.640	5207.424	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5189.992	5172.712	5207.272	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE40)	5190.00	5189.976	5172.792	5207.160	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.068	5211.784	5248.352	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.048	5211.984	5248.112	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.032	5212.104	5247.960	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.060	5212.208	5247.912	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.092	5212.344	5247.840	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.052	5212.440	5247.664	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.040	5212.536	5247.544	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.036	5212.616	5247.456	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE40)	5230.00	5230.044	5212.704	5247.384	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.032	5212.776	5247.288	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE40)	5230.00	5230.036	5212.872	5247.200	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.072	5172.020	5248.124	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.030	5172.236	5247.824	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.072	5172.500	5247.644	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.012	5172.620	5247.404	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5209.964	5172.764	5247.164	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5209.940	5172.896	5246.984	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5209.934	5173.076	5246.792	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5209.904	5173.268	5246.540	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT80)	5210.00	5209.868	5173.460	5246.276	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5209.910	5173.592	5246.228	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT80)	5210.00	5209.814	5173.772	5245.856	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE80)	5210.00	5210.102	5172.068	5248.136	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE80)	5210.00	5210.054	5172.260	5247.848	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE80)	5210.00	5210.012	5172.452	5247.572	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE80)	5210.00	5210.012	5172.596	5247.428	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE80)	5210.00	5209.982	5172.728	5247.236	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE80)	5210.00	5209.946	5172.896	5246.996	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE80)	5210.00	5209.940	5173.076	5246.804	5150~5250	Pass

-15degrees C&&3.80V	ANT1	802.11ax(HE80)	5210.00	5209.904	5173.208	5246.600	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE80)	5210.00	5209.838	5173.412	5246.264	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE80)	5210.00	5209.766	5173.592	5245.940	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE80)	5210.00	5209.754	5173.760	5245.748	5150~5250	Pass