













11A_Ant1_5500




Date: 7.JAN.2025 10:14:54

11A_Ant1_5600




Date: 7.JAN.2025 10:18:47

11A_Ant1_5700




Date: 7.JAN.2025 10:22:15

11A_Ant1_5745




Date: 7.JAN.2025 10:26:21

11A_Ant1_5785




Date: 7.JAN.2025 10:31:47

11A_Ant1_5825




Date: 7.JAN.2025 10:37:47

11N20_Ant1_5180




Date: 7.JAN.2025 10:43:32

11N20_Ant1_5200




Date: 7.JAN.2025 10:48:26

11N20_Ant1_5240




Date: 7.JAN.2025 10:52:15

11N20_Ant1_5260




Date: 7.JAN.2025 10:56:12

11N20_Ant1_5300




Date: 7.JAN.2025 10:59:58

11N20_Ant1_5320




Date: 7.JAN.2025 11:03:24

11N20_Ant1_5500




Date: 7.JAN.2025 11:07:11

11N20_Ant1_5600




Date: 7.JAN.2025 11:11:00

11N20_Ant1_5700




Date: 7.JAN.2025 11:15:38

11N20_Ant1_5745



Date: 7.JAN.2025 11:20:09

11N20_Ant1_5785




Date: 7.JAN.2025 11:24:15

11N20_Ant1_5825




Date: 7.JAN.2025 11:28:12

11N40_Ant1_5190




Date: 7.JAN.2025 11:32:38

11N40_Ant1_5230




Date: 7.JAN.2025 11:40:08

11N40_Ant1_5270




Date: 7.JAN.2025 11:48:35

11N40_Ant1_5310




Date: 7.JAN.2025 11:52:22

11N40_Ant1_5510




Date: 7.JAN.2025 11:56:04

11N40_Ant1_5590




Date: 7.JAN.2025 11:59:47

11N40_Ant1_5670



Date: 7.JAN.2025 12:03:14

11N40_Ant1_5755




Date: 7.JAN.2025 12:08:46

11N40_Ant1_5795




Date: 7.JAN.2025 12:12:47


11AC20_Ant1_5180




11AC20_Ant1_5200



11AC20_Ant1_5240




11AC20_Ant1_5260




Date: 7.JAN.2025 12:28:14

11AC20_Ant1_5300




Date: 7.JAN.2025 12:31:56

11AC20_Ant1_5320




Date: 7.JAN.2025 12:35:22

11AC20_Ant1_5500




Date: 7.JAN.2025 12:39:44

11AC20_Ant1_5600




Date: 7.JAN.2025 12:45:09

11AC20_Ant1_5700




Date: 7.JAN.2025 12:51:41

11AC20_Ant1_5745




Date: 7.JAN.2025 12:56:20

11AC20_Ant1_5785




Date: 7.JAN.2025 13:01:09

11AC20_Ant1_5825



Date: 7.JAN.2025 13:08:15

11AC40_Ant1_5190




Date: 7.JAN.2025 13:13:42

11AC40_Ant1_5230




Date: 7.JAN.2025 13:25:48

11AC40_Ant1_5270




Date: 7.JAN.2025 13:38:08

11AC40_Ant1_5310




Date: 7.JAN.2025 13:43:38

11AC40_Ant1_5510




Date: 7.JAN.2025 14:54:17

11AC40_Ant1_5590




Date: 7.JAN.2025 15:00:06

11AC40_Ant1_5670




Date: 7.JAN.2025 15:04:37

11AC40_Ant1_5755




Date: 7.JAN.2025 15:12:36

11AC40_Ant1_5795




Date: 7.JAN.2025 15:20:20

11AC80_Ant1_5210




Date: 7.JAN.2025 15:24:40

11AC80_Ant1_5290




Date: 7.JAN.2025 15:30:08

11AC80_Ant1_5530




Date: 7.JAN.2025 15:35:09

11AC80_Ant1_5610



11AC80_Ant1_5775



APPENDIX H - Frequency Stability

Voltage								
TestMod e	Antenna	Freq(MHz)	Voltage [Vdc]	Temperat ure (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	NT	-20000.00	-3.861004	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.861004	20	PASS
		5200	NV	NT	-20000.00	-3.846154	20	PASS
			LV	NT	-20000.00	-3.846154	20	PASS
			HV	NT	-20000.00	-3.846154	20	PASS
		5240	NV	NT	-20000.00	-3.816794	20	PASS
			LV	NT	-20000.00	-3.816794	20	PASS
			HV	NT	-40000.00	-7.633588	20	PASS
		5260	NV	NT	-20000.00	-3.802281	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5300	NV	NT	-40000.00	-7.547170	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.773585	20	PASS
		5320	NV	NT	-20000.00	-3.759398	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5500	NV	NT	-20000.00	-3.636364	20	PASS
			LV	NT	-20000.00	-3.636364	20	PASS
			HV	NT	-20000.00	-3.636364	20	PASS
		5600	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.571429	20	PASS
			HV	NT	-40000.00	-7.142857	20	PASS
		5700	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.017544	20	PASS
			HV	NT	-20000.00	-3.508772	20	PASS
		5745	NV	NT	-20000.00	-3.481288	20	PASS
			LV	NT	-20000.00	-3.481288	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5785	NV	NT	-20000.00	-3.457217	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
			HV	NT	-20000.00	-3.457217	20	PASS
		5825	NV	NT	-20000.00	-3.433476	20	PASS
			LV	NT	-20000.00	-3.433476	20	PASS
			HV	NT	0.00	0.000000	20	PASS
11N20	Ant1	5180	NV	NT	-20000.00	-3.861004	20	PASS
			LV	NT	-20000.00	-3.861004	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5200	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.846154	20	PASS
			HV	NT	-20000.00	-3.846154	20	PASS
		5240	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.633588	20	PASS
			HV	NT	-40000.00	-7.633588	20	PASS
		5260	NV	NT	0.00	0.000000	20	PASS
			LV	NT	20000.00	3.802281	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5300	NV	NT	-20000.00	-3.773585	20	PASS
			LV	NT	-20000.00	-3.773585	20	PASS
			HV	NT	-20000.00	-3.773585	20	PASS
		5320	NV	NT	-60000.00	-11.278195	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5500	NV	NT	-20000.00	-3.636364	20	PASS
			LV	NT	-40000.00	-7.272727	20	PASS
			HV	NT	-20000.00	-3.636364	20	PASS
		5600	NV	NT	-40000.00	-7.142857	20	PASS
			LV	NT	-40000.00	-7.142857	20	PASS
			HV	NT	-20000.00	-3.571429	20	PASS
		5700	NV	NT	-20000.00	-3.508772	20	PASS

		5745	LV	NT	-40000.00	-7.017544	20	PASS
			HV	NT	-20000.00	-3.508772	20	PASS
			NV	NT	-40000.00	-6.962576	20	PASS
		5785	LV	NT	-60000.00	-10.443864	20	PASS
			HV	NT	-20000.00	-3.481288	20	PASS
			NV	NT	-20000.00	-3.457217	20	PASS
		5825	LV	NT	-20000.00	-3.457217	20	PASS
			HV	NT	-20000.00	-3.457217	20	PASS
			NV	NT	-20000.00	-3.433476	20	PASS
			LV	NT	-40000.00	-6.866953	20	PASS
			HV	NT	-40000.00	-6.866953	20	PASS
			NV	NT	-40000.00	-7.707129	20	PASS
11N40	Ant1	5190	LV	NT	-40000.00	-7.707129	20	PASS
			HV	NT	0.00	0.000000	20	PASS
			NV	NT	-40000.00	-7.648184	20	PASS
		5230	LV	NT	-40000.00	-7.648184	20	PASS
			HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
		5270	LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.590133	20	PASS
			NV	NT	0.00	0.000000	20	PASS
		5310	LV	NT	-40000.00	-7.532957	20	PASS
			HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
		5510	LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.259528	20	PASS
			NV	NT	-40000.00	-7.155635	20	PASS
		5590	LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
		5670	LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
		5755	LV	NT	-40000.00	-6.950478	20	PASS
			HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
		5795	LV	NT	40000.00	6.902502	20	PASS
			HV	NT	-40000.00	-6.902502	20	PASS
			NV	NT	-20000.00	-3.861004	20	PASS
11AC20	Ant1	5180	LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
		5200	LV	NT	-20000.00	-3.846154	20	PASS
			HV	NT	-20000.00	-3.846154	20	PASS
			NV	NT	20000.00	3.816794	20	PASS
		5240	LV	NT	-20000.00	-3.816794	20	PASS
			HV	NT	-20000.00	-3.816794	20	PASS
			NV	NT	0.00	0.000000	20	PASS
		5260	LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.604563	20	PASS
			NV	NT	-20000.00	-3.773585	20	PASS
		5300	LV	NT	-20000.00	-3.773585	20	PASS
			HV	NT	-20000.00	-3.773585	20	PASS
			NV	NT	-20000.00	-3.759398	20	PASS
		5320	LV	NT	-40000.00	-7.518797	20	PASS
			HV	NT	-20000.00	-3.759398	20	PASS
			NV	NT	-20000.00	-3.636364	20	PASS
		5500	LV	NT	-20000.00	-3.636364	20	PASS
			HV	NT	-20000.00	-3.636364	20	PASS
			NV	NT	0.00	0.000000	20	PASS
		5600	LV	NT	-20000.00	-3.571429	20	PASS
			HV	NT	-40000.00	-7.142857	20	PASS
			NV	NT	-20000.00	-3.508772	20	PASS
		5700	LV	NT	-20000.00	-3.508772	20	PASS
			HV	NT	-20000.00	-3.508772	20	PASS
			NV	NT	-20000.00	-3.481288	20	PASS
		5745	LV	NT	0.00	0.000000	20	PASS

		5785	HV	NT	-20000.00	-3.481288	20	PASS
			NV	NT	-60000.00	-10.371651	20	PASS
			LV	NT	-40000.00	-6.914434	20	PASS
		5825	HV	NT	-20000.00	-3.457217	20	PASS
			NV	NT	-20000.00	-3.433476	20	PASS
			LV	NT	-20000.00	-3.433476	20	PASS
			HV	NT	-20000.00	-3.433476	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	40000.00	7.707129	20	PASS
11AC40	Ant1	5190	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.648184	20	PASS
		5230	HV	NT	40000.00	7.648184	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5270	HV	NT	0.00	0.000000	20	PASS
			NV	NT	40000.00	7.590133	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5310	HV	NT	0.00	0.000000	20	PASS
			NV	NT	40000.00	7.532957	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5510	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5590	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5670	HV	NT	0.00	0.000000	20	PASS
			NV	NT	-40000.00	-7.054674	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5755	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5795	HV	NT	0.00	0.000000	20	PASS
			NV	NT	-40000.00	-6.902502	20	PASS
			LV	NT	-40000.00	-6.902502	20	PASS
11AC80	Ant1	5210	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5290	HV	NT	0.00	0.000000	20	PASS
			NV	NT	80000.00	15.122873	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5530	HV	NT	0.00	0.000000	20	PASS
			NV	NT	80000.00	14.466546	20	PASS
			LV	NT	80000.00	14.466546	20	PASS
		5610	HV	NT	0.00	0.000000	20	PASS
			NV	NT	80000.00	14.260250	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5775	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS

Temperature								
TestMode	Antenna	Freq(MHz)	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	-30	-40000.00	-7.722008	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-20000.00	-3.861004	20	PASS
			NV	0	-20000.00	-3.861004	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.861004	20	PASS
			NV	30	-20000.00	-3.861004	20	PASS
			NV	40	-20000.00	-3.861004	20	PASS
		5200	NV	50	-20000.00	-3.861004	20	PASS
			NV	-30	-20000.00	-3.846154	20	PASS
			NV	-20	-20000.00	-3.846154	20	PASS
			NV	-10	-20000.00	-3.846154	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.846154	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.846154	20	PASS
		5240	NV	40	-40000.00	-7.692308	20	PASS
			NV	50	-20000.00	-3.846154	20	PASS
			NV	-30	-20000.00	-3.816794	20	PASS
			NV	-20	-40000.00	-7.633588	20	PASS
			NV	-10	-20000.00	-3.816794	20	PASS
			NV	0	-20000.00	-3.816794	20	PASS
			NV	10	-20000.00	-3.816794	20	PASS
			NV	20	0.00	0.000000	20	PASS
		5260	NV	30	-20000.00	-3.816794	20	PASS
			NV	40	-20000.00	-3.816794	20	PASS
			NV	50	-40000.00	-7.633588	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	-20000.00	-3.802281	20	PASS
			NV	-10	-20000.00	-3.802281	20	PASS
			NV	0	-20000.00	-3.802281	20	PASS
			NV	10	-40000.00	-7.604563	20	PASS
		5300	NV	20	-20000.00	-3.802281	20	PASS
			NV	30	-20000.00	-3.802281	20	PASS
			NV	40	-20000.00	-3.802281	20	PASS
			NV	50	-20000.00	-3.802281	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-20000.00	-3.773585	20	PASS
			NV	0	-20000.00	-3.773585	20	PASS
		5320	NV	10	-40000.00	-7.547170	20	PASS
			NV	20	-20000.00	-3.773585	20	PASS
			NV	30	-20000.00	-3.773585	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-20000.00	-3.773585	20	PASS
			NV	-30	-20000.00	-3.759398	20	PASS
			NV	-20	-40000.00	-7.518797	20	PASS
			NV	-10	-20000.00	-3.759398	20	PASS
		5500	NV	0	-60000.00	-11.278195	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.759398	20	PASS
			NV	30	-40000.00	-7.518797	20	PASS
			NV	40	-40000.00	-7.518797	20	PASS
			NV	50	-20000.00	-3.759398	20	PASS
			NV	-30	-20000.00	-3.636364	20	PASS
			NV	-20	-40000.00	-7.272727	20	PASS
		5500	NV	-10	-40000.00	-7.272727	20	PASS
			NV	0	-20000.00	-3.636364	20	PASS
			NV	10	-20000.00	-3.636364	20	PASS
			NV	20	-20000.00	-3.636364	20	PASS
			NV	30	-20000.00	-3.636364	20	PASS
			NV	40	0.00	0.000000	20	PASS

		5600	NV	50	-40000.00	-7.272727	20	PASS
			NV	-30	-40000.00	-7.142857	20	PASS
			NV	-20	-20000.00	-3.571429	20	PASS
			NV	-10	-20000.00	-3.571429	20	PASS
			NV	0	-20000.00	-3.571429	20	PASS
			NV	10	-40000.00	-7.142857	20	PASS
			NV	20	-20000.00	-3.571429	20	PASS
			NV	30	-20000.00	-3.571429	20	PASS
			NV	40	-20000.00	-3.571429	20	PASS
		5700	NV	50	-20000.00	-3.571429	20	PASS
			NV	-30	-20000.00	-3.508772	20	PASS
			NV	-20	-20000.00	-3.508772	20	PASS
			NV	-10	-40000.00	-7.017544	20	PASS
			NV	0	-20000.00	-3.508772	20	PASS
			NV	10	-20000.00	-3.508772	20	PASS
			NV	20	-40000.00	-7.017544	20	PASS
			NV	30	-20000.00	-3.508772	20	PASS
			NV	40	-20000.00	-3.508772	20	PASS
		5745	NV	50	-40000.00	-7.017544	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	-20000.00	-3.481288	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-6.962576	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-40000.00	-6.962576	20	PASS
			NV	40	-20000.00	-3.481288	20	PASS
		5785	NV	50	-20000.00	-3.481288	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.457217	20	PASS
			NV	20	-20000.00	-3.457217	20	PASS
			NV	30	-20000.00	-3.457217	20	PASS
			NV	40	-20000.00	-3.457217	20	PASS
		5825	NV	50	0.00	0.000000	20	PASS
			NV	-30	-40000.00	-6.866953	20	PASS
			NV	-20	-20000.00	-3.433476	20	PASS
			NV	-10	-20000.00	-3.433476	20	PASS
			NV	0	-20000.00	-3.433476	20	PASS
			NV	10	-20000.00	-3.433476	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
11N20	Ant1	5180	NV	50	-20000.00	-3.433476	20	PASS
			NV	-30	-40000.00	-7.722008	20	PASS
			NV	-20	-20000.00	-3.861004	20	PASS
			NV	-10	-20000.00	-3.861004	20	PASS
			NV	0	-20000.00	-3.861004	20	PASS
			NV	10	-20000.00	-3.861004	20	PASS
			NV	20	-20000.00	-3.861004	20	PASS
			NV	30	-20000.00	-3.861004	20	PASS
			NV	40	-20000.00	-3.861004	20	PASS
		5200	NV	50	-20000.00	-3.861004	20	PASS
			NV	-30	-20000.00	-3.846154	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-20000.00	-3.846154	20	PASS
			NV	10	-40000.00	-7.692308	20	PASS
			NV	20	-20000.00	-3.846154	20	PASS
			NV	30	-60000.00	-11.538462	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-7.692308	20	PASS
		5240	NV	-30	20000.00	3.816794	20	PASS
			NV	-20	-40000.00	-7.633588	20	PASS
			NV	-10	-20000.00	-3.816794	20	PASS

			NV	0	-40000.00	-7.633588	20	PASS
			NV	10	-20000.00	-3.816794	20	PASS
			NV	20	-20000.00	-3.816794	20	PASS
			NV	30	-40000.00	-7.633588	20	PASS
			NV	40	-60000.00	-11.450382	20	PASS
		5260	NV	50	-20000.00	-3.816794	20	PASS
			NV	-30	-40000.00	-7.604563	20	PASS
			NV	-20	-20000.00	-3.802281	20	PASS
			NV	-10	20000.00	3.802281	20	PASS
			NV	0	-20000.00	-3.802281	20	PASS
			NV	10	-40000.00	-7.604563	20	PASS
			NV	20	-20000.00	-3.802281	20	PASS
			NV	30	0.00	0.000000	20	PASS
		5300	NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	-30	-40000.00	-7.547170	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-20000.00	-3.773585	20	PASS
			NV	10	-20000.00	-3.773585	20	PASS
			NV	20	-20000.00	-3.773585	20	PASS
		5320	NV	30	20000.00	3.773585	20	PASS
			NV	40	-20000.00	-3.773585	20	PASS
			NV	50	20000.00	3.773585	20	PASS
			NV	-30	-20000.00	-3.759398	20	PASS
			NV	-20	-40000.00	-7.518797	20	PASS
			NV	-10	-20000.00	-3.759398	20	PASS
			NV	0	-20000.00	-3.759398	20	PASS
			NV	10	-20000.00	-3.759398	20	PASS
		5320	NV	20	-20000.00	-3.759398	20	PASS
			NV	30	-20000.00	-3.759398	20	PASS
			NV	40	-20000.00	-3.759398	20	PASS
			NV	50	-20000.00	-3.759398	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	-60000.00	-10.909091	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-20000.00	-3.636364	20	PASS
		5500	NV	10	-20000.00	-3.636364	20	PASS
			NV	20	-20000.00	-3.636364	20	PASS
			NV	30	-20000.00	-3.636364	20	PASS
			NV	40	-40000.00	-7.272727	20	PASS
			NV	50	-20000.00	-3.636364	20	PASS
			NV	-30	-20000.00	-3.571429	20	PASS
			NV	-20	-20000.00	-3.571429	20	PASS
			NV	-10	-20000.00	-3.571429	20	PASS
		5600	NV	0	-60000.00	-10.714286	20	PASS
			NV	10	-40000.00	-7.142857	20	PASS
			NV	20	-20000.00	-3.571429	20	PASS
			NV	30	-40000.00	-7.142857	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-7.142857	20	PASS
			NV	-30	-40000.00	-7.017544	20	PASS
			NV	-20	0.00	0.000000	20	PASS
		5700	NV	-10	-20000.00	-3.508772	20	PASS
			NV	0	-40000.00	-7.017544	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-7.017544	20	PASS
			NV	30	-40000.00	-7.017544	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	-30	0.00	0.000000	20	PASS
		5745	NV	-20	-20000.00	-3.481288	20	PASS
			NV	-10	-20000.00	-3.481288	20	PASS
			NV	0	-20000.00	-3.481288	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.481288	20	PASS
			NV	30	-20000.00	-3.481288	20	PASS

			NV	40	-40000.00	-6.962576	20	PASS
			NV	50	-20000.00	-3.481288	20	PASS
		5785	NV	-30	-20000.00	-3.457217	20	PASS
			NV	-20	-20000.00	-3.457217	20	PASS
			NV	-10	-40000.00	-6.914434	20	PASS
			NV	0	-40000.00	-6.914434	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.457217	20	PASS
			NV	30	-20000.00	-3.457217	20	PASS
			NV	40	-40000.00	-6.914434	20	PASS
			NV	50	-20000.00	-3.457217	20	PASS
		5825	NV	-30	-20000.00	-3.433476	20	PASS
			NV	-20	-20000.00	-3.433476	20	PASS
			NV	-10	-20000.00	-3.433476	20	PASS
			NV	0	-40000.00	-6.866953	20	PASS
			NV	10	-20000.00	-3.433476	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-40000.00	-6.866953	20	PASS
			NV	40	-20000.00	-3.433476	20	PASS
			NV	50	-20000.00	-3.433476	20	PASS
11N40	Ant1	5190	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-40000.00	-7.707129	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-7.707129	20	PASS
			NV	30	-40000.00	-7.707129	20	PASS
			NV	40	-40000.00	-7.707129	20	PASS
			NV	50	-40000.00	-7.707129	20	PASS
		5230	NV	-30	-40000.00	-7.648184	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-40000.00	-7.648184	20	PASS
			NV	0	-40000.00	-7.648184	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	40000.00	7.648184	20	PASS
			NV	40	-40000.00	-7.648184	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5270	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	40000.00	7.590133	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-7.590133	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5310	NV	-30	-40000.00	-7.532957	20	PASS
			NV	-20	-40000.00	-7.532957	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-7.532957	20	PASS
			NV	20	-40000.00	-7.532957	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-7.532957	20	PASS
		5510	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-7.259528	20	PASS
			NV	-10	-40000.00	-7.259528	20	PASS
			NV	0	-40000.00	-7.259528	20	PASS
			NV	10	-40000.00	-7.259528	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-7.259528	20	PASS
		5590	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS

			NV	-10	-80000.00	-14.311270	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-7.155635	20	PASS
			NV	50	40000.00	7.155635	20	PASS
		5670	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-7.054674	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.054674	20	PASS
			NV	10	40000.00	7.054674	20	PASS
			NV	20	-40000.00	-7.054674	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5755	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-6.950478	20	PASS
			NV	-10	-40000.00	-6.950478	20	PASS
			NV	0	-40000.00	-6.950478	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-40000.00	-6.950478	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5795	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-6.902502	20	PASS
			NV	10	-40000.00	-6.902502	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-6.902502	20	PASS
11AC20	Ant1	5180	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-20000.00	-3.861004	20	PASS
			NV	-10	-40000.00	-7.722008	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-7.722008	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.861004	20	PASS
			NV	50	-20000.00	-3.861004	20	PASS
		5200	NV	-30	-20000.00	-3.846154	20	PASS
			NV	-20	-20000.00	-3.846154	20	PASS
			NV	-10	-40000.00	-7.692308	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.846154	20	PASS
			NV	20	-20000.00	-3.846154	20	PASS
			NV	30	-20000.00	-3.846154	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5240	NV	-30	-20000.00	-3.816794	20	PASS
			NV	-20	-20000.00	-3.816794	20	PASS
			NV	-10	-40000.00	-7.633588	20	PASS
			NV	0	-20000.00	-3.816794	20	PASS
			NV	10	-20000.00	-3.816794	20	PASS
			NV	20	-20000.00	-3.816794	20	PASS
			NV	30	-20000.00	-3.816794	20	PASS
			NV	40	-40000.00	-7.633588	20	PASS
			NV	50	-20000.00	-3.816794	20	PASS
		5260	NV	-30	-20000.00	-3.802281	20	PASS
			NV	-20	-20000.00	-3.802281	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.604563	20	PASS
			NV	10	-20000.00	-3.802281	20	PASS
			NV	20	0.00	0.000000	20	PASS

			NV	30	-20000.00	-3.802281	20	PASS
			NV	40	-20000.00	-3.802281	20	PASS
			NV	50	-20000.00	-3.802281	20	PASS
		5300	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-20000.00	-3.773585	20	PASS
			NV	0	-20000.00	-3.773585	20	PASS
			NV	10	-20000.00	-3.773585	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.773585	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5320	NV	-30	-20000.00	-3.759398	20	PASS
			NV	-20	-20000.00	-3.759398	20	PASS
			NV	-10	-20000.00	-3.759398	20	PASS
			NV	0	-20000.00	-3.759398	20	PASS
			NV	10	-20000.00	-3.759398	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-40000.00	-7.518797	20	PASS
			NV	40	-20000.00	-3.759398	20	PASS
			NV	50	-20000.00	-3.759398	20	PASS
		5500	NV	-30	-20000.00	-3.636364	20	PASS
			NV	-20	-20000.00	-3.636364	20	PASS
			NV	-10	-20000.00	-3.636364	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-60000.00	-10.909091	20	PASS
			NV	20	-20000.00	-3.636364	20	PASS
			NV	30	-20000.00	-3.636364	20	PASS
			NV	40	-20000.00	-3.636364	20	PASS
			NV	50	-20000.00	-3.636364	20	PASS
		5600	NV	-30	-20000.00	-3.571429	20	PASS
			NV	-20	20000.00	3.571429	20	PASS
			NV	-10	-20000.00	-3.571429	20	PASS
			NV	0	-20000.00	-3.571429	20	PASS
			NV	10	-20000.00	-3.571429	20	PASS
			NV	20	-20000.00	-3.571429	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.571429	20	PASS
			NV	50	-40000.00	-7.142857	20	PASS
		5700	NV	-30	-20000.00	-3.508772	20	PASS
			NV	-20	-40000.00	-7.017544	20	PASS
			NV	-10	-60000.00	-10.526316	20	PASS
			NV	0	-20000.00	-3.508772	20	PASS
			NV	10	-40000.00	-7.017544	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-40000.00	-7.017544	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5745	NV	-30	-20000.00	-3.481288	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-20000.00	-3.481288	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-6.962576	20	PASS
			NV	30	-20000.00	-3.481288	20	PASS
			NV	40	-20000.00	-3.481288	20	PASS
		5785	NV	50	0.00	0.000000	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	-20000.00	-3.457217	20	PASS
			NV	-10	-20000.00	-3.457217	20	PASS
			NV	0	-40000.00	-6.914434	20	PASS
			NV	10	-20000.00	-3.457217	20	PASS
			NV	20	-20000.00	-3.457217	20	PASS
			NV	30	-40000.00	-6.914434	20	PASS
		5825	NV	40	-20000.00	-3.457217	20	PASS
			NV	50	-40000.00	-6.914434	20	PASS
		5825	NV	-30	-20000.00	-3.433476	20	PASS

			NV	-20	-40000.00	-6.866953	20	PASS
			NV	-10	-20000.00	-3.433476	20	PASS
			NV	0	-20000.00	-3.433476	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-6.866953	20	PASS
			NV	30	-20000.00	-3.433476	20	PASS
			NV	40	-20000.00	-3.433476	20	PASS
11AC40	Ant1	5190	NV	50	-20000.00	-3.433476	20	PASS
			NV	-30	40000.00	7.707129	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.707129	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-7.707129	20	PASS
		5230	NV	30	0.00	0.000000	20	PASS
			NV	40	40000.00	7.707129	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
		5270	NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-7.648184	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	40000.00	7.648184	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	40000.00	7.590133	20	PASS
		5310	NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-7.590133	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	40000.00	7.590133	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5510	NV	-30	80000.00	15.065913	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-40000.00	-7.532957	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	40000.00	7.532957	20	PASS
			NV	30	-40000.00	-7.532957	20	PASS
		5590	NV	40	40000.00	7.532957	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	40000.00	7.259528	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
		5670	NV	20	40000.00	7.259528	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	80000.00	14.311270	20	PASS
			NV	-10	40000.00	7.155635	20	PASS
		5670	NV	0	0.00	0.000000	20	PASS
			NV	10	40000.00	7.155635	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-80000.00	-14.311270	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	-30	40000.00	7.054674	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-7.054674	20	PASS

			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5755	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-6.950478	20	PASS
			NV	-10	40000.00	6.950478	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-6.950478	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5795	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-6.902502	20	PASS
			NV	10	-40000.00	-6.902502	20	PASS
			NV	20	-40000.00	-6.902502	20	PASS
			NV	30	40000.00	6.902502	20	PASS
			NV	40	-40000.00	-6.902502	20	PASS
			NV	50	-40000.00	-6.902502	20	PASS
11AC80	Ant1	5210	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	80000.00	15.355086	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
		5290	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
		5530	NV	-30	80000.00	15.122873	20	PASS
			NV	-20	80000.00	14.466546	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	80000.00	14.466546	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	80000.00	14.466546	20	PASS
			NV	40	80000.00	14.466546	20	PASS
		5610	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
		5775	NV	-30	80000.00	14.260250	20	PASS
			NV	-20	80000.00	13.852814	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-80000.00	-13.852814	20	PASS
			NV	10	80000.00	13.852814	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS

APPENDIX I - Emissions in Restricted Bands

Test Mode	Antenna	Ch Name	Freq (MHz)	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11A	Ant1	Low	5180	AV	4500.000	-56.9	≤-41.20	38.30	≤54	PASS
				AV	5032.609	-54.29	≤-41.20	40.91	≤54	PASS
				AV	5150.000	-54.89	≤-41.20	40.31	≤54	PASS
				Peak	4500.000	-36.71	≤-21.20	58.49	≤74	PASS
				Peak	4623.768	-33.67	≤-21.20	61.53	≤74	PASS
				Peak	5150.000	-35.52	≤-21.20	59.68	≤74	PASS
		High	5240	AV	5350.000	-54.87	≤-41.20	40.33	≤54	PASS
				AV	5453.043	-53.47	≤-41.20	41.73	≤54	PASS
				AV	5460.000	-54.63	≤-41.20	40.57	≤54	PASS
				Peak	5350.000	-45.13	≤-21.20	50.07	≤74	PASS
				Peak	5452.696	-41.54	≤-21.20	53.66	≤74	PASS
				Peak	5460.000	-42.64	≤-21.20	52.56	≤74	PASS
		Low	5260	AV	4500.000	-57.03	≤-41.20	38.17	≤54	PASS
				AV	4755.319	-54.85	≤-41.20	40.35	≤54	PASS
				AV	5150.000	-56.16	≤-41.20	39.04	≤54	PASS
				Peak	4500.000	-36.94	≤-21.20	58.26	≤74	PASS
				Peak	5044.986	-34.45	≤-21.20	60.75	≤74	PASS
				Peak	5150.000	-36.36	≤-21.20	58.84	≤74	PASS
		High	5320	AV	5350.000	-54.56	≤-41.20	40.64	≤54	PASS
				AV	5452.812	-53.36	≤-41.20	41.84	≤54	PASS
				AV	5460.000	-54.51	≤-41.20	40.69	≤54	PASS
				Peak	5350.000	-44.19	≤-21.20	51.01	≤74	PASS
				Peak	5357.275	-39.92	≤-21.20	55.28	≤74	PASS
				Peak	5460.000	-42.92	≤-21.20	52.28	≤74	PASS
		Low	5500	AV	5350.000	-55.29	≤-41.20	39.91	≤54	PASS
				AV	5456.130	-52.91	≤-41.20	42.29	≤54	PASS
				AV	5460.000	-53.23	≤-41.20	41.97	≤54	PASS
				Peak	5350.000	-44.18	≤-21.20	51.02	≤74	PASS
				Peak	5454.913	-41	≤-21.20	54.20	≤74	PASS
				Peak	5460.000	-42.11	≤-21.20	53.09	≤74	PASS
			5745	Peak	5650.000	-45.25	≤-27.00	---	---	PASS
				Peak	5700.000	-41.37	≤10.00	---	---	PASS
				Peak	5720.000	-40.8	≤15.60	---	---	PASS
				Peak	5725.000	-36.21	≤27.00	---	---	PASS
		High	5825	Peak	5850.000	-42.17	≤27.00	---	---	PASS
				Peak	5855.000	-41.63	≤15.60	---	---	PASS
				Peak	5875.000	-41.19	≤10.00	---	---	PASS
				Peak	5925.000	-43.47	≤-27.00	---	---	PASS
11N20	Ant1	Low	5180	AV	4500.000	-56.9	≤-41.20	38.30	≤54	PASS
				AV	5032.609	-54.29	≤-41.20	40.91	≤54	PASS
				AV	5150.000	-55.02	≤-41.20	40.18	≤54	PASS
				Peak	4500.000	-37.45	≤-21.20	57.75	≤74	PASS
				Peak	4697.826	-34.29	≤-21.20	60.91	≤74	PASS
				Peak	5150.000	-36.26	≤-21.20	58.94	≤74	PASS
		High	5240	AV	5350.000	-54.87	≤-41.20	40.33	≤54	PASS
				AV	5453.043	-53.43	≤-41.20	41.77	≤54	PASS
				AV	5460.000	-54.65	≤-41.20	40.55	≤54	PASS
				Peak	5350.000	-43.54	≤-21.20	51.66	≤74	PASS
				Peak	5448.522	-40.2	≤-21.20	55.00	≤74	PASS
				Peak	5460.000	-43.38	≤-21.20	51.82	≤74	PASS
		Low	5260	AV	4500.000	-57.05	≤-41.20	38.15	≤54	PASS
				AV	4754.174	-54.84	≤-41.20	40.36	≤54	PASS
				AV	5150.000	-56.19	≤-41.20	39.01	≤54	PASS
				Peak	4500.000	-36.71	≤-21.20	58.49	≤74	PASS
				Peak	5041.551	-34.45	≤-21.20	60.75	≤74	PASS
				Peak	5150.000	-36.7	≤-21.20	58.50	≤74	PASS
		High	5320	AV	5350.000	-54.58	≤-41.20	40.62	≤54	PASS
				AV	5452.812	-53.46	≤-41.20	41.74	≤54	PASS

				AV	5460.000	-54.61	≤-41.20	40.59	≤54	PASS
				Peak	5350.000	-42.86	≤-21.20	52.34	≤74	PASS
				Peak	5370.029	-41.74	≤-21.20	53.46	≤74	PASS
				Peak	5460.000	-43.88	≤-21.20	51.32	≤74	PASS
		Low	5500	AV	5350.000	-55.32	≤-41.20	39.88	≤54	PASS
				AV	5442.435	-52.86	≤-41.20	42.34	≤54	PASS
				AV	5460.000	-53.23	≤-41.20	41.97	≤54	PASS
				Peak	5350.000	-43.5	≤-21.20	51.70	≤74	PASS
			5745	Peak	5457.652	-40.85	≤-21.20	54.35	≤74	PASS
				Peak	5460.000	-40.83	≤-21.20	54.37	≤74	PASS
				Peak	5650.000	-43.45	≤-27.00	---	---	PASS
				Peak	5700.000	-42.01	≤10.00	---	---	PASS
11N40	Ant1	High	5825	Peak	5720.000	-42.01	≤15.60	---	---	PASS
				Peak	5725.000	-32.04	≤27.00	- - -	- - -	PASS
				Peak	5850.000	-38.75	≤27.00	---	---	PASS
				Peak	5855.000	-40.53	≤15.60	---	---	PASS
			5795	Peak	5875.000	-43.39	≤10.00	---	---	PASS
				Peak	5925.000	-43.57	≤-27.00	- - -	- - -	PASS
		Low	5190	AV	4500.000	-56.9	≤-41.20	38.30	≤54	PASS
				AV	5032.609	-54.39	≤-41.20	40.81	≤54	PASS
				AV	5150.000	-55.24	≤-41.20	39.96	≤54	PASS
				Peak	4500.000	-36.25	≤-21.20	58.95	≤74	PASS
				Peak	5049.855	-33.69	≤-21.20	61.51	≤74	PASS
				Peak	5150.000	-36.18	≤-21.20	59.02	≤74	PASS
			5230	AV	5350.000	-54.98	≤-41.20	40.22	≤54	PASS
				AV	5452.841	-51.76	≤-41.20	43.44	≤54	PASS
				AV	5460.000	-53.9	≤-41.20	41.30	≤54	PASS
				Peak	5350.000	-40.47	≤-21.20	54.73	≤74	PASS
				Peak	5449.072	-39.87	≤-21.20	55.33	≤74	PASS
				Peak	5460.000	-43.7	≤-21.20	51.50	≤74	PASS
			5270	AV	4500.000	-57.03	≤-41.20	38.17	≤54	PASS
				AV	4756.464	-54.87	≤-41.20	40.33	≤54	PASS
				AV	5150.000	-56.24	≤-41.20	38.96	≤54	PASS
				Peak	4500.000	-36.68	≤-21.20	58.52	≤74	PASS
				Peak	5070.174	-34.15	≤-21.20	61.05	≤74	PASS
				Peak	5150.000	-36.73	≤-21.20	58.47	≤74	PASS
			5310	AV	5350.000	-53.91	≤-41.20	41.29	≤54	PASS
				AV	5452.812	-53.35	≤-41.20	41.85	≤54	PASS
				AV	5460.000	-54.56	≤-41.20	40.64	≤54	PASS
				Peak	5350.000	-37.68	≤-21.20	57.52	≤74	PASS
				Peak	5351.246	-37.08	≤-21.20	58.12	≤74	PASS
				Peak	5460.000	-44	≤-21.20	51.20	≤74	PASS
			5510	AV	5350.000	-55.41	≤-41.20	39.79	≤54	PASS
				AV	5452.725	-52.41	≤-41.20	42.79	≤54	PASS
				AV	5460.000	-53.65	≤-41.20	41.55	≤54	PASS
				Peak	5350.000	-45.29	≤-21.20	49.91	≤74	PASS
				Peak	5455.594	-38.49	≤-21.20	56.71	≤74	PASS
				Peak	5460.000	-42.65	≤-21.20	52.55	≤74	PASS
			5755	Peak	5650.000	-43.7	≤-27.00	---	---	PASS
				Peak	5700.000	-42.57	≤10.00	---	---	PASS
				Peak	5720.000	-25.21	≤15.60	---	---	PASS
				Peak	5725.000	-29.04	≤27.00	- - -	- - -	PASS
		High	5795	Peak	5850.000	-43.59	≤27.00	---	---	PASS
				Peak	5855.000	-41.58	≤15.60	---	---	PASS
				Peak	5875.000	-41.85	≤10.00	---	---	PASS
				Peak	5925.000	-43.22	≤-27.00	- - -	- - -	PASS
11AC20	Ant1	Low	5180	AV	4500.000	-56.94	≤-41.20	38.26	≤54	PASS
				AV	5032.609	-54.36	≤-41.20	40.84	≤54	PASS
				AV	5150.000	-55.57	≤-41.20	39.63	≤54	PASS
				Peak	4500.000	-36.12	≤-21.20	59.08	≤74	PASS
				Peak	4549.710	-34.01	≤-21.20	61.19	≤74	PASS
				Peak	5150.000	-36.02	≤-21.20	59.18	≤74	PASS
		High	5240	AV	5350.000	-54.88	≤-41.20	40.32	≤54	PASS
				AV	5453.043	-53.41	≤-41.20	41.79	≤54	PASS
				AV	5460.000	-54.72	≤-41.20	40.48	≤54	PASS
				Peak	5350.000	-42.93	≤-21.20	52.27	≤74	PASS
				Peak	5446.783	-40.09	≤-21.20	55.11	≤74	PASS
				Peak	5446.783	-40.09	≤-21.20	55.11	≤74	PASS


		Low	5260	Peak	5460.000	-43.13	≤-21.20	52.07	≤74	PASS
				AV	4500.000	-57.07	≤-41.20	38.13	≤54	PASS
				AV	4756.464	-54.79	≤-41.20	40.41	≤54	PASS
				AV	5150.000	-56.14	≤-41.20	39.06	≤54	PASS
				Peak	4500.000	-37	≤-21.20	58.20	≤74	PASS
				Peak	4711.812	-34.23	≤-21.20	60.97	≤74	PASS
		High	5320	Peak	5150.000	-36.47	≤-21.20	58.73	≤74	PASS
				AV	5350.000	-54.49	≤-41.20	40.71	≤54	PASS
				AV	5452.812	-53.37	≤-41.20	41.83	≤54	PASS
				AV	5460.000	-54.58	≤-41.20	40.62	≤54	PASS
				Peak	5350.000	-40.05	≤-21.20	55.15	≤74	PASS
				Peak	5350.087	-40.08	≤-21.20	55.12	≤74	PASS
		Low	5500	Peak	5460.000	-41.46	≤-21.20	53.74	≤74	PASS
				AV	5350.000	-55.32	≤-41.20	39.88	≤54	PASS
				AV	5442.130	-52.84	≤-41.20	42.36	≤54	PASS
				AV	5460.000	-53.24	≤-41.20	41.96	≤54	PASS
				Peak	5350.000	-43.03	≤-21.20	52.17	≤74	PASS
				Peak	5455.826	-39.82	≤-21.20	55.38	≤74	PASS
			5745	Peak	5460.000	-41.35	≤-21.20	53.85	≤74	PASS
				Peak	5650.000	-43.85	≤-27.00	---	---	PASS
				Peak	5700.000	-42.79	≤10.00	---	---	PASS
				Peak	5720.000	-40.06	≤15.60	---	---	PASS
		High	5825	Peak	5725.000	-32.49	≤27.00	---	---	PASS
				Peak	5850.000	-39.18	≤27.00	---	---	PASS
				Peak	5855.000	-42.23	≤15.60	---	---	PASS
				Peak	5875.000	-42.73	≤10.00	---	---	PASS
				Peak	5925.000	-43.17	≤-27.00	---	---	PASS
11AC40	Ant1	Low	5190	AV	4500.000	-56.92	≤-41.20	38.28	≤54	PASS
				AV	5032.609	-54.26	≤-41.20	40.94	≤54	PASS
				AV	5150.000	-54.83	≤-41.20	40.37	≤54	PASS
				Peak	4500.000	-36.8	≤-21.20	58.40	≤74	PASS
				Peak	5146.232	-25.9	≤-21.20	69.30	≤74	PASS
				Peak	5150.000	-36.56	≤-21.20	58.64	≤74	PASS
		High	5230	AV	5350.000	-55.17	≤-41.20	40.03	≤54	PASS
				AV	5452.841	-51.29	≤-41.20	43.91	≤54	PASS
				AV	5460.000	-53.6	≤-41.20	41.60	≤54	PASS
				Peak	5350.000	-44.09	≤-21.20	51.11	≤74	PASS
				Peak	5453.217	-39.96	≤-21.20	55.24	≤74	PASS
				Peak	5460.000	-42.11	≤-21.20	53.09	≤74	PASS
		Low	5270	AV	4500.000	-57.04	≤-41.20	38.16	≤54	PASS
				AV	4754.174	-54.82	≤-41.20	40.38	≤54	PASS
				AV	5150.000	-56.09	≤-41.20	39.11	≤54	PASS
				Peak	4500.000	-35.97	≤-21.20	59.23	≤74	PASS
				Peak	5022.087	-33.67	≤-21.20	61.53	≤74	PASS
				Peak	5150.000	-36.86	≤-21.20	58.34	≤74	PASS
		High	5310	AV	5350.000	-53.95	≤-41.20	41.25	≤54	PASS
				AV	5452.812	-53.37	≤-41.20	41.83	≤54	PASS
				AV	5460.000	-54.53	≤-41.20	40.67	≤54	PASS
				Peak	5350.000	-42.22	≤-21.20	52.98	≤74	PASS
				Peak	5381.391	-41.49	≤-21.20	53.71	≤74	PASS
				Peak	5460.000	-43.8	≤-21.20	51.40	≤74	PASS
		Low	5510	AV	5350.000	-55.38	≤-41.20	39.82	≤54	PASS
				AV	5452.725	-52.4	≤-41.20	42.80	≤54	PASS
				AV	5460.000	-53.74	≤-41.20	41.46	≤54	PASS
				Peak	5350.000	-43.72	≤-21.20	51.48	≤74	PASS
				Peak	5452.406	-40.63	≤-21.20	54.57	≤74	PASS
				Peak	5460.000	-41.9	≤-21.20	53.30	≤74	PASS
			5755	Peak	5650.000	-44.25	≤-27.00	---	---	PASS
				Peak	5700.000	-42.01	≤10.00	---	---	PASS
				Peak	5720.000	-41.28	≤15.60	---	---	PASS
				Peak	5725.000	-42.15	≤27.00	---	---	PASS
		High	5795	Peak	5850.000	-43.1	≤27.00	---	---	PASS
				Peak	5855.000	-43.04	≤15.60	---	---	PASS
				Peak	5875.000	-42.01	≤10.00	---	---	PASS
				Peak	5925.000	-43.61	≤-27.00	---	---	PASS
11AC80	Ant1	Low	5210	AV	4500.000	-56.95	≤-41.20	38.25	≤54	PASS
				AV	5025.000	-54.51	≤-41.20	40.69	≤54	PASS

				AV	5150.000	-54.83	≤-41.20	40.37	≤54	PASS
				Peak	4500.000	-36.15	≤-21.20	59.05	≤74	PASS
				Peak	4591.304	-33.8	≤-21.20	61.40	≤74	PASS
				Peak	5150.000	-35.94	≤-21.20	59.26	≤74	PASS
		High	5210	AV	5350.000	-54.87	≤-41.20	40.33	≤54	PASS
				AV	5448.232	-53.47	≤-41.20	41.73	≤54	PASS
				AV	5460.000	-54.48	≤-41.20	40.72	≤54	PASS
				Peak	5350.000	-42.12	≤-21.20	53.08	≤74	PASS
				Peak	5454.725	-41.43	≤-21.20	53.77	≤74	PASS
				Peak	5460.000	-43.97	≤-21.20	51.23	≤74	PASS
		Low	5290	AV	4500.000	-57.03	≤-41.20	38.17	≤54	PASS
				AV	5026.014	-54.62	≤-41.20	40.58	≤54	PASS
				AV	5150.000	-56.92	≤-41.20	38.28	≤54	PASS
				Peak	4500.000	-36.31	≤-21.20	58.89	≤74	PASS
				Peak	4716.812	-34.26	≤-21.20	60.94	≤74	PASS
				Peak	5150.000	-35.54	≤-21.20	59.66	≤74	PASS
		High	5290	AV	5350.000	-52.23	≤-41.20	42.97	≤54	PASS
				AV	5355.942	-52.03	≤-41.20	43.17	≤54	PASS
				AV	5460.000	-54.58	≤-41.20	40.62	≤54	PASS
				Peak	5350.000	-40.92	≤-21.20	54.28	≤74	PASS
				Peak	5354.783	-38.45	≤-21.20	56.75	≤74	PASS
				Peak	5460.000	-43.99	≤-21.20	51.21	≤74	PASS
		Low	5530	AV	5350.000	-55.36	≤-41.20	39.84	≤54	PASS
				AV	5455.826	-52.83	≤-41.20	42.37	≤54	PASS
				AV	5460.000	-53.11	≤-41.20	42.09	≤54	PASS
				Peak	5350.000	-44.32	≤-21.20	50.88	≤74	PASS
				Peak	5456.232	-39.84	≤-21.20	55.36	≤74	PASS
				Peak	5460.000	-41.94	≤-21.20	53.26	≤74	PASS
			5775	Peak	5650.000	-44.45	≤-27.00	---	---	PASS
				Peak	5700.000	-41.88	≤10.00	---	---	PASS
				Peak	5720.000	-41.52	≤15.60	---	---	PASS
				Peak	5725.000	-42.07	≤27.00	- - -	- - -	PASS
		High	5775	Peak	5850.000	-39.31	≤27.00	---	---	PASS
				Peak	5855.000	-38.74	≤15.60	---	---	PASS
				Peak	5875.000	-41.67	≤10.00	---	---	PASS
				Peak	5925.000	-43.86	≤-27.00	- - -	- - -	PASS

Note:


1. The Antenna Gain is compensated in the graph.
2. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

11A Ant1 Low 5180 AV




Date: 9 JAN.2025 11:29:00

11A Ant1 Low 5180 Peak




Date: 9 JAN.2025 11:28:35

11A Ant1 High 5240 AV




Date: 9 JAN.2025 11:30:21


11A Ant1 High 5240 Peak




11A Ant1 Low 5260 AV




11A Ant1 Low 5260 Peak




11A Ant1 High 5320 AV




11A Ant1 High 5320 Peak




11A Ant1 Low 5500 AV




11A Ant1 Low 5500 Peak




11A Ant1 Low 5745 Peak




11A Ant1 High 5825 Peak




11N20 Ant1 Low 5180 AV



11N20 Ant1 Low 5180 Peak



11N20 Ant1 High 5240 AV



11N20 Ant1 High 5240 Peak