

receive recognize book

Client Name: New China Eastern Airlines

Customer Part Number: E.ID.30065045

Our model: YC-G41.5-6.5UH-10MM

Sample delivery date: 2024 year 11 month 11 day

Supplier: Dongguan Jieruisi Technology Co., Ltd


Tel: Dongguan Jieruisi Technology Co., Ltd

Fax: 86+13632701380

Address: Langhu Road, Dalingshan Town, Dongguan City 96 number(Jinxiongda Science and Technology Park Lridgepole 3 floor)

Client name	Customer part number	Our model	Edition	Date
New China Eastern Airlines	E.ID.30065045	YC-G41.5-6.5UH-10MM	A0	2024.11.11

1. FLOOR PLAN: UNIT: MM



2. Product parameters:

foot bit	line diameter	circle number	prepare concentrate
1 - 2	0.08*80P	12 T	Hot air stranded wire

3. Technical requirements:

- Fix the end of the thread to prevent the thread from loosening and breaking
- CUT OFF THE EXCESSIVELY LONG THREAD ACCORDING TO THE CUSTOMER'S REQUIREMENTS, AND PLATING IT WITH TIN, AND THE TIN PLATING DEPTH IS 2±1MM
- Point the appropriate white glue on the magnetic sheet and paste it on the coil, and ensure that the surface of the product is clean and tidy in the process
- The magnetic sheet used is a double groove with round holes, and there is no damage
- Additional operations (according to customer requirements): Non

4. Electrical parameters:

1. Inductance value, Q value:

PIN 1 — 2 = 6.5 UH±10%

The above inductance values are based on Quanhua 1062A instrument, in order to 10KHZ/0.3Vrms is a standard or equivalent instrument.

5. List of materials:

serial number	name	Material	vendor	prepare concentrate
1	Hot air stranded wire	0.08*80 P	Weihan or equivalent	
2	magnetism slice	G41.5*8.0*0.8 Hard substrates	Tiantong or equivalent	
3	tin	High temperature and environmental protection	Thousand Islands or equivalent	
4	white glue	BY882	Baoyue or equivalent	
5	Double-sided tape	Diameter 38*8mm	Hung Fai or equivalent	
6	High temperature tape	3MM	Outsourcin g	