

A.7 Conducted Emissions

Note ¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note ²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.


Note ³: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)

Test Data and Plots

Left Ear

PHASE L


CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.324	37.67	10.24	59.60	21.93	Peak	L	Pass
1**	0.324	26.01	10.24	49.60	23.59	AV	L	Pass
2	0.724	35.70	10.42	56.00	20.30	Peak	L	Pass
2**	0.724	24.77	10.42	46.00	21.23	AV	L	Pass
3	1.264	35.81	10.47	56.00	20.19	Peak	L	Pass
3**	1.264	24.90	10.47	46.00	21.10	AV	L	Pass
4	2.364	35.67	10.10	56.00	20.33	Peak	L	Pass
4**	2.364	24.21	10.10	46.00	21.79	AV	L	Pass
5	4.184	35.50	10.09	56.00	20.50	Peak	L	Pass
5**	4.184	23.47	10.09	46.00	22.53	AV	L	Pass
6	28.682	37.39	11.25	60.00	22.61	Peak	L	Pass
6**	28.682	25.19	11.25	50.00	24.81	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15C




No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.332	37.44	10.40	59.40	21.96	Peak	N	Pass
1**	0.332	25.17	10.40	49.40	24.23	AV	N	Pass
2	0.560	36.72	10.06	56.00	19.28	Peak	N	Pass
2**	0.560	24.67	10.06	46.00	21.33	AV	N	Pass
3	1.046	36.56	10.16	56.00	19.44	Peak	N	Pass
3**	1.046	24.70	10.16	46.00	21.30	AV	N	Pass
4	2.668	36.42	10.14	56.00	19.58	Peak	N	Pass
4**	2.668	23.96	10.14	46.00	22.04	AV	N	Pass
5	4.398	36.72	10.39	56.00	19.28	Peak	N	Pass
5**	4.398	24.87	10.39	46.00	21.13	AV	N	Pass
6	19.706	37.08	10.84	60.00	22.92	Peak	N	Pass
6**	19.706	24.47	10.84	50.00	25.53	AV	N	Pass

Right Ear

PHASE L


CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.324	36.73	10.24	59.60	22.87	Peak	L	Pass
1**	0.324	25.88	10.24	49.60	23.72	AV	L	Pass
2	0.690	35.52	10.57	56.00	20.48	Peak	L	Pass
2**	0.690	25.10	10.57	46.00	20.90	AV	L	Pass
3	1.152	36.76	10.37	56.00	19.24	Peak	L	Pass
3**	1.152	24.59	10.37	46.00	21.41	AV	L	Pass
4	2.050	35.74	10.46	56.00	20.26	Peak	L	Pass
4**	2.050	23.22	10.46	46.00	22.78	AV	L	Pass
5	4.490	35.73	10.41	56.00	20.27	Peak	L	Pass
5**	4.490	24.59	10.41	46.00	21.41	AV	L	Pass
6	21.212	38.17	10.94	60.00	21.83	Peak	L	Pass
6**	21.212	25.78	10.94	50.00	24.22	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.354	37.99	10.74	58.87	20.88	Peak	N	Pass
1**	0.354	25.24	10.74	48.87	23.63	AV	N	Pass
2	0.418	37.70	10.36	57.49	19.79	Peak	N	Pass
2**	0.418	25.23	10.36	47.49	22.26	AV	N	Pass
3	0.834	36.67	10.59	56.00	19.33	Peak	N	Pass
3**	0.834	25.14	10.59	46.00	20.86	AV	N	Pass
4	1.316	36.10	10.34	56.00	19.90	Peak	N	Pass
4**	1.316	24.62	10.34	46.00	21.38	AV	N	Pass
5	2.666	35.77	10.14	56.00	20.23	Peak	N	Pass
5**	2.666	24.46	10.14	46.00	21.54	AV	N	Pass
6	10.994	37.19	10.71	60.00	22.81	Peak	N	Pass
6**	10.994	25.38	10.71	50.00	24.62	AV	N	Pass

A.8 Radiated Spurious Emission

Note ¹: The symbol of “--” in the table which means not application.

Note ²: For the test data above 1 GHz, according the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ³: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and DH5-Hopping mode is the worst.

Note ⁴: Results (dBuV/m) = Original reading level of Spectrum Analyzer (dBuV/m) + Factor (dB)


The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Test Data and Plots

Left Ear

30 MHz to 1 GHz, ANT H


10m RE Test Case_FCC Certification_FCC 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	55.941	17.01	-26.20	29.5	12.49	Peak	340.00	200	Horizontal	Pass
2	127.946	16.73	-27.27	33.0	16.27	Peak	31.00	100	Horizontal	Pass
3	159.948	14.14	-25.69	33.0	18.86	Peak	360.00	200	Horizontal	Pass
4	248.438	20.45	-26.80	35.5	15.05	Peak	199.00	200	Horizontal	Pass
5	287.956	20.02	-25.18	35.5	15.48	Peak	123.00	200	Horizontal	Pass
6	897.448	30.26	-10.56	35.5	5.24	Peak	262.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

10m RE Test Case_FCC Certification_FCC 15C 30MHz-1GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	36.546	16.32	-27.15	29.5	13.18	Peak	360.00	200	Vertical	Pass
2	55.941	18.13	-26.20	29.5	11.37	Peak	329.00	200	Vertical	Pass
3	70.245	14.15	-28.24	29.5	15.35	Peak	340.00	200	Vertical	Pass
4	120.430	15.06	-28.09	33.0	17.94	Peak	113.00	100	Vertical	Pass
5	131.582	18.46	-27.01	33.0	14.54	Peak	360.00	200	Vertical	Pass
6	249.893	24.50	-26.71	35.5	11.00	Peak	145.00	100	Vertical	Pass

Right Ear

30 MHz to 1 GHz, ANT H


10m RE Test Case_FCC Certification_FCC 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	55.699	18.46	-26.18	29.5	11.04	Peak	358.00	200	Horizontal	Pass
2	127.946	15.84	-27.27	33.0	17.16	Peak	183.00	100	Horizontal	Pass
3	166.736	13.86	-25.72	33.0	19.14	Peak	360.00	200	Horizontal	Pass
4	242.134	20.89	-26.92	35.5	14.61	Peak	192.00	200	Horizontal	Pass
5	253.287	20.89	-26.82	35.5	14.61	Peak	40.00	200	Horizontal	Pass
6	897.448	30.27	-10.56	35.5	5.23	Peak	275.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

10m RE Test Case_FCC Certification_FCC 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	30.727	15.39	-27.73	29.5	14.11	Peak	360.00	200	Vertical	Pass
2	55.941	17.70	-26.20	29.5	11.80	Peak	133.00	200	Vertical	Pass
3	131.097	17.67	-27.09	33.0	15.33	Peak	360.00	200	Vertical	Pass
4	248.680	18.31	-26.78	35.5	17.19	Peak	167.00	100	Vertical	Pass
5	325.776	17.84	-23.95	35.5	17.66	Peak	157.00	100	Vertical	Pass
6	872.719	28.02	-11.18	35.5	7.48	Peak	222.00	100	Vertical	Pass

Note ¹: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note ²: The spurious from 18GHz-25GHz is noise only, do not show on the report.

Left Ear

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1397.900	42.63	74.0	31.37	Peak	332.00	400	Horizontal	Pass
1**	1397.900	31.71	54.0	22.29	AV	332.00	400	Horizontal	Pass
2	2402.000	100.21	74.0	-26.21	Peak	1.00	200	Horizontal	N/A
2**	2402.000	99.74	54.0	-45.74	AV	1.00	200	Horizontal	N/A
3	4775.600	51.61	74.0	22.39	Peak	360.00	100	Horizontal	Pass
3**	4775.600	42.01	54.0	11.99	AV	360.00	100	Horizontal	Pass
4	7205.850	50.59	74.0	23.41	Peak	141.00	150	Horizontal	Pass
4**	7205.850	46.77	54.0	7.23	AV	141.00	150	Horizontal	Pass
5	12757.349	51.31	74.0	22.69	Peak	280.00	100	Horizontal	Pass
5**	12757.349	41.65	54.0	12.35	AV	280.00	100	Horizontal	Pass
6	17467.650	54.99	74.0	19.01	Peak	280.00	200	Horizontal	Pass
6**	17467.650	46.48	54.0	7.52	AV	280.00	200	Horizontal	Pass

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.500	44.04	74.0	29.96	Peak	249.00	100	Vertical	Pass
1**	1159.500	31.43	54.0	22.57	AV	249.00	100	Vertical	Pass
2	2402.100	96.90	74.0	-22.90	Peak	275.00	200	Vertical	N/A
2**	2402.100	96.62	54.0	-42.62	AV	275.00	200	Vertical	N/A
3	4776.000	51.45	74.0	22.55	Peak	133.00	200	Vertical	Pass
3**	4776.000	42.67	54.0	11.33	AV	133.00	200	Vertical	Pass
4	7206.425	52.40	74.0	21.60	Peak	275.00	150	Vertical	Pass
4**	7206.425	49.36	54.0	4.64	AV	275.00	150	Vertical	Pass
5	11930.050	52.43	74.0	21.57	Peak	163.00	400	Vertical	Pass
5**	11930.050	42.54	54.0	11.46	AV	163.00	400	Vertical	Pass
6	17437.989	55.20	74.0	18.80	Peak	228.00	300	Vertical	Pass
6**	17437.989	46.18	54.0	7.82	AV	228.00	300	Vertical	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1586.700	42.08	74.0	31.92	Peak	253.00	200	Horizontal	Pass
1**	1586.700	32.92	54.0	21.08	AV	253.00	200	Horizontal	Pass
2	2441.100	97.45	74.0	-23.45	Peak	10.00	200	Horizontal	N/A
2**	2441.100	97.26	54.0	-43.26	AV	10.00	200	Horizontal	N/A
3	4811.000	51.28	74.0	22.72	Peak	223.00	150	Horizontal	Pass
3**	4811.000	41.98	54.0	12.02	AV	223.00	150	Horizontal	Pass
4	7323.150	51.01	74.0	22.99	Peak	330.00	150	Horizontal	Pass
4**	7323.150	47.47	54.0	6.53	AV	330.00	150	Horizontal	Pass
5	12397.237	51.75	74.0	22.25	Peak	42.00	200	Horizontal	Pass
5**	12397.237	42.65	54.0	11.35	AV	42.00	200	Horizontal	Pass
6	16087.425	55.52	74.0	18.48	Peak	309.00	400	Horizontal	Pass
6**	16087.425	45.11	54.0	8.89	AV	309.00	400	Horizontal	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.500	47.54	74.0	26.46	Peak	266.00	100	Vertical	Pass
1**	1161.500	31.69	54.0	22.31	AV	266.00	100	Vertical	Pass
2	2440.900	98.31	74.0	-24.31	Peak	281.00	200	Vertical	N/A
2**	2440.900	97.62	54.0	-43.62	AV	281.00	200	Vertical	N/A
3	7323.150	54.57	74.0	19.43	Peak	294.00	100	Vertical	Pass
3**	7323.150	50.27	54.0	3.73	AV	294.00	100	Vertical	Pass
4	7323.438	54.07	74.0	19.93	Peak	277.00	150	Vertical	Pass
4**	7323.438	50.91	54.0	3.09	AV	277.00	150	Vertical	Pass
5	11935.225	51.95	74.0	22.05	Peak	209.00	300	Vertical	Pass
5**	11935.225	43.01	54.0	10.99	AV	209.00	300	Vertical	Pass
6	17410.687	55.06	74.0	18.94	Peak	272.00	300	Vertical	Pass
6**	17410.687	45.86	54.0	8.14	AV	272.00	300	Vertical	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1492.000	42.00	74.0	32.00	Peak	31.00	400	Horizontal	Pass
1**	1492.000	32.78	54.0	21.22	AV	31.00	400	Horizontal	Pass
2	2480.100	96.89	74.0	-22.89	Peak	11.00	100	Horizontal	N/A
2**	2480.100	96.68	54.0	-42.68	AV	11.00	100	Horizontal	N/A
3	4894.000	51.56	74.0	22.44	Peak	346.00	150	Horizontal	Pass
3**	4894.000	41.99	54.0	12.01	AV	346.00	150	Horizontal	Pass
4	7439.875	51.70	74.0	22.30	Peak	146.00	150	Horizontal	Pass
4**	7439.875	47.73	54.0	6.27	AV	146.00	150	Horizontal	Pass
5	11942.412	52.50	74.0	21.50	Peak	45.00	200	Horizontal	Pass
5**	11942.412	42.31	54.0	11.69	AV	45.00	200	Horizontal	Pass
6	15205.162	55.10	74.0	18.90	Peak	209.00	100	Horizontal	Pass
6**	15205.162	44.56	54.0	9.44	AV	209.00	100	Horizontal	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.200	48.18	74.0	25.82	Peak	237.00	300	Vertical	Pass
1**	1329.200	39.36	54.0	14.64	AV	237.00	300	Vertical	Pass
2	2479.900	97.56	74.0	-23.56	Peak	277.00	150	Vertical	N/A
2**	2479.900	97.05	54.0	-43.05	AV	277.00	150	Vertical	N/A
3	4982.200	51.64	74.0	22.36	Peak	360.00	150	Vertical	Pass
3**	4982.200	42.72	54.0	11.28	AV	360.00	150	Vertical	Pass
4	7439.875	51.99	74.0	22.01	Peak	278.00	150	Vertical	Pass
4**	7439.875	47.63	54.0	6.37	AV	278.00	150	Vertical	Pass
5	11784.575	51.75	74.0	22.25	Peak	75.00	200	Vertical	Pass
5**	11784.575	42.79	54.0	11.21	AV	75.00	200	Vertical	Pass
6	17443.238	55.13	74.0	18.87	Peak	330.00	200	Vertical	Pass
6**	17443.238	47.00	54.0	7.00	AV	330.00	200	Vertical	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1435.500	42.15	74.0	31.85	Peak	137.00	400	Horizontal	Pass
1**	1435.500	32.09	54.0	21.91	AV	137.00	400	Horizontal	Pass
2	2402.000	95.91	74.0	-21.91	Peak	360.00	200	Horizontal	N/A
2**	2402.000	95.38	54.0	-41.38	AV	360.00	200	Horizontal	N/A
3	4776.800	50.88	74.0	23.12	Peak	156.00	100	Horizontal	Pass
3**	4776.800	42.60	54.0	11.40	AV	156.00	100	Horizontal	Pass
4	6152.600	54.39	74.0	19.61	Peak	31.00	400	Horizontal	Pass
4**	6152.600	45.33	54.0	8.67	AV	31.00	400	Horizontal	Pass
5	11941.838	51.97	74.0	22.03	Peak	111.00	200	Horizontal	Pass
5**	11941.838	43.13	54.0	10.87	AV	111.00	200	Horizontal	Pass
6	17423.550	55.16	74.0	18.84	Peak	114.00	100	Horizontal	Pass
6**	17423.550	46.71	54.0	7.29	AV	114.00	100	Horizontal	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.000	44.64	74.0	29.36	Peak	234.00	300	Vertical	Pass
1**	1330.000	33.06	54.0	20.94	AV	234.00	300	Vertical	Pass
2	2402.100	94.85	74.0	-20.85	Peak	275.00	150	Vertical	N/A
2**	2402.100	92.14	54.0	-38.14	AV	275.00	150	Vertical	N/A
3	4810.000	51.19	74.0	22.81	Peak	54.00	150	Vertical	Pass
3**	4810.000	42.24	54.0	11.76	AV	54.00	150	Vertical	Pass
4	6989.000	55.28	74.0	18.72	Peak	326.00	100	Vertical	Pass
4**	6989.000	46.27	54.0	7.73	AV	326.00	100	Vertical	Pass
5	12823.763	51.70	74.0	22.30	Peak	215.00	300	Vertical	Pass
5**	12823.763	41.58	54.0	12.42	AV	215.00	300	Vertical	Pass
6	17425.388	55.69	74.0	18.31	Peak	312.00	100	Vertical	Pass
6**	17425.388	46.65	54.0	7.35	AV	312.00	100	Vertical	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.200	41.98	74.0	32.02	Peak	95.00	400	Horizontal	Pass
1**	1333.200	32.15	54.0	21.85	AV	95.00	400	Horizontal	Pass
2	2441.100	96.00	74.0	-22.00	Peak	5.00	150	Horizontal	N/A
2**	2441.100	93.44	54.0	-39.44	AV	5.00	150	Horizontal	N/A
3	4879.200	51.38	74.0	22.62	Peak	64.00	100	Horizontal	Pass
3**	4879.200	41.44	54.0	12.56	AV	64.00	100	Horizontal	Pass
4	6151.400	55.02	74.0	18.98	Peak	309.00	200	Horizontal	Pass
4**	6151.400	46.62	54.0	7.38	AV	309.00	200	Horizontal	Pass
5	11931.201	51.95	74.0	22.05	Peak	260.00	400	Horizontal	Pass
5**	11931.201	42.58	54.0	11.42	AV	260.00	400	Horizontal	Pass
6	17436.938	55.02	74.0	18.98	Peak	196.00	400	Horizontal	Pass
6**	17436.938	46.38	54.0	7.62	AV	196.00	400	Horizontal	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.300	46.91	74.0	27.09	Peak	330.00	400	Vertical	Pass
1**	1331.300	37.08	54.0	16.92	AV	330.00	400	Vertical	Pass
2	2441.000	95.14	74.0	-21.14	Peak	283.00	100	Vertical	N/A
2**	2441.000	92.50	54.0	-38.50	AV	283.00	100	Vertical	N/A
3	4977.800	50.88	74.0	23.12	Peak	219.00	150	Vertical	Pass
3**	4977.800	42.77	54.0	11.23	AV	219.00	150	Vertical	Pass
4	6806.000	54.71	74.0	19.29	Peak	52.00	300	Vertical	Pass
4**	6806.000	46.02	54.0	7.98	AV	52.00	300	Vertical	Pass
5	12327.663	52.02	74.0	21.98	Peak	211.00	400	Vertical	Pass
5**	12327.663	41.90	54.0	12.10	AV	211.00	400	Vertical	Pass
6	17436.676	55.21	74.0	18.79	Peak	231.00	400	Vertical	Pass
6**	17436.676	45.87	54.0	8.13	AV	231.00	400	Vertical	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.600	42.39	74.0	31.61	Peak	344.00	200	Horizontal	Pass
1**	1583.600	32.33	54.0	21.67	AV	344.00	200	Horizontal	Pass
2	2479.800	95.42	74.0	-21.42	Peak	357.00	100	Horizontal	N/A
2**	2479.800	93.81	54.0	-39.81	AV	357.00	100	Horizontal	N/A
3	4778.800	51.83	74.0	22.17	Peak	248.00	200	Horizontal	Pass
3**	4778.800	42.19	54.0	11.81	AV	248.00	200	Horizontal	Pass
4	6807.000	55.23	74.0	18.77	Peak	225.00	300	Horizontal	Pass
4**	6807.000	45.79	54.0	8.21	AV	225.00	300	Horizontal	Pass
5	11761.000	52.18	74.0	21.82	Peak	66.00	300	Horizontal	Pass
5**	11761.000	42.47	54.0	11.53	AV	66.00	300	Horizontal	Pass
6	17323.012	54.63	74.0	19.37	Peak	0.00	300	Horizontal	Pass
6**	17323.012	44.90	54.0	9.10	AV	0.00	300	Horizontal	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.700	46.21	74.0	27.79	Peak	245.00	200	Vertical	Pass
1**	1327.700	32.06	54.0	21.94	AV	245.00	200	Vertical	Pass
2	2480.000	96.80	74.0	-22.80	Peak	278.00	100	Vertical	N/A
2**	2480.000	94.81	54.0	-40.81	AV	278.00	100	Vertical	N/A
3	4802.600	51.23	74.0	22.77	Peak	334.00	150	Vertical	Pass
3**	4802.600	41.79	54.0	12.21	AV	334.00	150	Vertical	Pass
4	6976.200	54.35	74.0	19.65	Peak	108.00	400	Vertical	Pass
4**	6976.200	46.22	54.0	7.78	AV	108.00	400	Vertical	Pass
5	12423.113	52.35	74.0	21.65	Peak	278.00	300	Vertical	Pass
5**	12423.113	41.80	54.0	12.20	AV	278.00	300	Vertical	Pass
6	17428.802	55.29	74.0	18.71	Peak	360.00	100	Vertical	Pass
6**	17428.802	46.31	54.0	7.69	AV	360.00	100	Vertical	Pass

Right Ear**GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT H**

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.100	43.49	74.0	30.51	Peak	177.00	400	Horizontal	Pass
1**	1329.100	33.67	54.0	20.33	AV	177.00	400	Horizontal	Pass
2	2402.200	99.94	74.0	-25.94	Peak	326.00	200	Horizontal	N/A
2**	2402.200	99.62	54.0	-45.62	AV	326.00	200	Horizontal	N/A
3	4804.000	52.22	74.0	21.78	Peak	268.00	100	Horizontal	Pass
3**	4804.000	49.20	54.0	4.80	AV	268.00	100	Horizontal	Pass
4	7206.000	53.16	74.0	20.84	Peak	53.00	100	Horizontal	Pass
4**	7206.000	49.56	54.0	4.44	AV	53.00	100	Horizontal	Pass
5	12542.188	53.55	74.0	20.45	Peak	113.00	400	Horizontal	Pass
5**	12542.188	44.50	54.0	9.50	AV	113.00	400	Horizontal	Pass
6	17036.625	55.41	74.0	18.59	Peak	127.00	300	Horizontal	Pass
6**	17036.625	46.00	54.0	8.00	AV	127.00	300	Horizontal	Pass

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.800	47.13	74.0	26.87	Peak	141.00	200	Vertical	Pass
1**	1328.800	38.90	54.0	15.10	AV	141.00	200	Vertical	Pass
2	2402.100	94.00	74.0	-20.00	Peak	150.00	200	Vertical	N/A
2**	2402.100	93.74	54.0	-39.74	AV	150.00	200	Vertical	N/A
3	4804.250	50.66	74.0	23.34	Peak	268.00	100	Vertical	Pass
3**	4804.250	46.84	54.0	7.16	AV	268.00	100	Vertical	Pass
4	7206.250	52.45	74.0	21.55	Peak	229.00	100	Vertical	Pass
4**	7206.250	48.64	54.0	5.36	AV	229.00	100	Vertical	Pass
5	12512.026	53.86	74.0	20.14	Peak	74.00	400	Vertical	Pass
5**	12512.026	44.52	54.0	9.48	AV	74.00	400	Vertical	Pass
6	17101.463	55.85	74.0	18.15	Peak	78.00	300	Vertical	Pass
6**	17101.463	45.82	54.0	8.18	AV	78.00	300	Vertical	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1582.500	42.04	74.0	31.96	Peak	0.00	400	Horizontal	Pass
1**	1582.500	32.98	54.0	21.02	AV	0.00	400	Horizontal	Pass
2	2440.900	99.70	74.0	-25.70	Peak	317.00	200	Horizontal	N/A
2**	2440.900	99.29	54.0	-45.29	AV	317.00	200	Horizontal	N/A
3	4882.000	51.76	74.0	22.24	Peak	290.00	200	Horizontal	Pass
3**	4882.000	46.87	54.0	7.13	AV	290.00	200	Horizontal	Pass
4	4882.250	50.85	74.0	23.15	Peak	290.00	100	Horizontal	Pass
4**	4882.250	47.51	54.0	6.49	AV	290.00	100	Horizontal	Pass
5	7323.500	52.61	74.0	21.39	Peak	16.00	100	Horizontal	Pass
5**	7323.500	49.15	54.0	4.85	AV	16.00	100	Horizontal	Pass
6	17011.687	55.58	74.0	18.42	Peak	76.00	100	Horizontal	Pass
6**	17011.687	46.09	54.0	7.91	AV	76.00	100	Horizontal	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.800	45.99	74.0	28.01	Peak	34.00	300	Vertical	Pass
1**	1165.800	38.39	54.0	15.61	AV	34.00	300	Vertical	Pass
2	2441.100	93.34	74.0	-19.34	Peak	138.00	100	Vertical	N/A
2**	2441.100	92.98	54.0	-38.98	AV	138.00	100	Vertical	N/A
3	4882.250	51.44	74.0	22.56	Peak	328.00	100	Vertical	Pass
3**	4882.250	46.51	54.0	7.49	AV	328.00	100	Vertical	Pass
4	4882.500	49.82	74.0	24.18	Peak	173.00	100	Vertical	Pass
4**	4882.500	47.79	54.0	6.21	AV	173.00	100	Vertical	Pass
5	7323.250	52.19	74.0	21.81	Peak	290.00	100	Vertical	Pass
5**	7323.250	47.00	54.0	7.00	AV	290.00	100	Vertical	Pass
6	17463.187	54.92	74.0	19.08	Peak	18.00	100	Vertical	Pass
6**	17463.187	45.18	54.0	8.82	AV	18.00	100	Vertical	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1425.200	42.62	74.0	31.38	Peak	245.00	100	Horizontal	Pass
1**	1425.200	33.19	54.0	20.81	AV	245.00	100	Horizontal	Pass
2	2479.900	99.08	74.0	-25.08	Peak	307.00	100	Horizontal	N/A
2**	2479.900	98.56	54.0	-44.56	AV	307.00	100	Horizontal	N/A
3	4959.500	49.64	74.0	24.36	Peak	132.00	150	Horizontal	Pass
3**	4959.500	41.46	54.0	12.54	AV	132.00	150	Horizontal	Pass
4	4960.500	47.95	74.0	26.05	Peak	289.00	100	Horizontal	Pass
4**	4960.500	45.24	54.0	8.76	AV	289.00	100	Horizontal	Pass
5	12482.575	53.72	74.0	20.28	Peak	247.00	200	Horizontal	Pass
5**	12482.575	44.33	54.0	9.67	AV	247.00	200	Horizontal	Pass
6	17010.114	56.06	74.0	17.94	Peak	290.00	400	Horizontal	Pass
6**	17010.114	45.77	54.0	8.23	AV	290.00	400	Horizontal	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.900	46.88	74.0	27.12	Peak	72.00	400	Vertical	Pass
1**	1163.900	35.03	54.0	18.97	AV	72.00	400	Vertical	Pass
2	2480.100	94.04	74.0	-20.04	Peak	142.00	200	Vertical	N/A
2**	2480.100	93.74	54.0	-39.74	AV	142.00	200	Vertical	N/A
3	4960.250	47.85	74.0	26.15	Peak	0.00	100	Vertical	Pass
3**	4960.250	43.72	54.0	10.28	AV	0.00	100	Vertical	Pass
4	7440.250	50.94	74.0	23.06	Peak	94.00	100	Vertical	Pass
4**	7440.250	46.70	54.0	7.30	AV	94.00	100	Vertical	Pass
5	12504.424	53.70	74.0	20.30	Peak	360.00	400	Vertical	Pass
5**	12504.424	44.66	54.0	9.34	AV	360.00	400	Vertical	Pass
6	17437.463	55.25	74.0	18.75	Peak	103.00	100	Vertical	Pass
6**	17437.463	45.36	54.0	8.64	AV	103.00	100	Vertical	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1000.000	43.60	74.0	30.40	Peak	155.00	300	Horizontal	Pass
1**	1000.000	32.17	54.0	21.83	AV	155.00	300	Horizontal	Pass
2	2401.900	98.22	74.0	-24.22	Peak	360.00	200	Horizontal	N/A
2**	2401.900	95.68	54.0	-41.68	AV	360.00	200	Horizontal	N/A
3	4804.250	53.53	74.0	20.47	Peak	324.00	100	Horizontal	Pass
3**	4804.250	48.01	54.0	5.99	AV	324.00	100	Horizontal	Pass
4	4804.750	51.79	74.0	22.21	Peak	305.00	100	Horizontal	Pass
4**	4804.750	48.81	54.0	5.19	AV	305.00	100	Horizontal	Pass
5	12467.613	53.64	74.0	20.36	Peak	200.00	200	Horizontal	Pass
5**	12467.613	45.07	54.0	8.93	AV	200.00	200	Horizontal	Pass
6	17463.450	54.96	74.0	19.04	Peak	360.00	100	Horizontal	Pass
6**	17463.450	45.72	54.0	8.28	AV	360.00	100	Horizontal	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.800	47.47	74.0	26.53	Peak	137.00	100	Vertical	Pass
1**	1330.800	32.69	54.0	21.31	AV	137.00	100	Vertical	Pass
2	2401.900	94.14	74.0	-20.14	Peak	101.00	150	Vertical	N/A
2**	2401.900	91.35	54.0	-37.35	AV	101.00	150	Vertical	N/A
3	4803.500	50.03	74.0	23.97	Peak	125.00	100	Vertical	Pass
3**	4803.500	42.94	54.0	11.06	AV	125.00	100	Vertical	Pass
4	4804.250	49.10	74.0	24.90	Peak	125.00	100	Vertical	Pass
4**	4804.250	45.38	54.0	8.62	AV	125.00	100	Vertical	Pass
5	12467.138	53.53	74.0	20.47	Peak	55.00	400	Vertical	Pass
5**	12467.138	44.24	54.0	9.76	AV	55.00	400	Vertical	Pass
6	17090.699	55.65	74.0	18.35	Peak	189.00	300	Vertical	Pass
6**	17090.699	45.78	54.0	8.22	AV	189.00	300	Vertical	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.000	43.92	74.0	30.08	Peak	236.00	300	Horizontal	Pass
1**	1331.000	35.86	54.0	18.14	AV	236.00	300	Horizontal	Pass
2	2440.900	98.20	74.0	-24.20	Peak	14.00	200	Horizontal	N/A
2**	2440.900	97.16	54.0	-43.16	AV	14.00	200	Horizontal	N/A
3	4881.500	51.05	74.0	22.95	Peak	303.00	200	Horizontal	Pass
3**	4881.500	44.60	54.0	9.40	AV	303.00	200	Horizontal	Pass
4	7979.750	53.39	74.0	20.61	Peak	360.00	200	Horizontal	Pass
4**	7979.750	44.72	54.0	9.28	AV	360.00	200	Horizontal	Pass
5	12984.674	53.93	74.0	20.07	Peak	196.00	200	Horizontal	Pass
5**	12984.674	44.36	54.0	9.64	AV	196.00	200	Horizontal	Pass
6	17020.875	55.20	74.0	18.80	Peak	70.00	300	Horizontal	Pass
6**	17020.875	46.94	54.0	7.06	AV	70.00	300	Horizontal	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.000	48.25	74.0	25.75	Peak	65.00	300	Vertical	Pass
1**	1161.000	35.26	54.0	18.74	AV	65.00	300	Vertical	Pass
2	2440.900	94.16	74.0	-20.16	Peak	216.00	150	Vertical	N/A
2**	2440.900	91.21	54.0	-37.21	AV	216.00	150	Vertical	N/A
3	4882.000	48.77	74.0	25.23	Peak	126.00	100	Vertical	Pass
3**	4882.000	44.03	54.0	9.97	AV	126.00	100	Vertical	Pass
4	4882.750	49.78	74.0	24.22	Peak	126.00	200	Vertical	Pass
4**	4882.750	42.17	54.0	11.83	AV	126.00	200	Vertical	Pass
5	12512.737	54.02	74.0	19.98	Peak	0.00	200	Vertical	Pass
5**	12512.737	44.21	54.0	9.79	AV	0.00	200	Vertical	Pass
6	17097.525	56.73	74.0	17.27	Peak	85.00	300	Vertical	Pass
6**	17097.525	46.85	54.0	7.15	AV	85.00	300	Vertical	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.800	42.26	74.0	31.74	Peak	117.00	100	Horizontal	Pass
1**	1527.800	33.38	54.0	20.62	AV	117.00	100	Horizontal	Pass
2	2480.000	97.13	74.0	-23.13	Peak	11.00	150	Horizontal	N/A
2**	2480.000	95.97	54.0	-41.97	AV	11.00	150	Horizontal	N/A
3	4960.000	47.92	74.0	26.08	Peak	322.00	100	Horizontal	Pass
3**	4960.000	44.53	54.0	9.47	AV	322.00	100	Horizontal	Pass
4	7978.750	53.77	74.0	20.23	Peak	283.00	200	Horizontal	Pass
4**	7978.750	44.12	54.0	9.88	AV	283.00	200	Horizontal	Pass
5	12505.375	54.66	74.0	19.34	Peak	253.00	100	Horizontal	Pass
5**	12505.375	44.04	54.0	9.96	AV	253.00	100	Horizontal	Pass
6	17006.437	55.02	74.0	18.98	Peak	199.00	100	Horizontal	Pass
6**	17006.437	47.17	54.0	6.83	AV	199.00	100	Horizontal	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.000	47.50	74.0	26.50	Peak	84.00	400	Vertical	Pass
1**	1162.000	36.02	54.0	17.98	AV	84.00	400	Vertical	Pass
2	2480.000	93.18	74.0	-19.18	Peak	156.00	150	Vertical	N/A
2**	2480.000	90.13	54.0	-36.13	AV	156.00	150	Vertical	N/A
3	4902.500	49.60	74.0	24.40	Peak	106.00	200	Vertical	Pass
3**	4902.500	40.07	54.0	13.93	AV	106.00	200	Vertical	Pass
4	7994.750	54.04	74.0	19.96	Peak	360.00	400	Vertical	Pass
4**	7994.750	44.68	54.0	9.32	AV	360.00	400	Vertical	Pass
5	12971.288	54.04	74.0	19.96	Peak	75.00	100	Vertical	Pass
5**	12971.288	44.24	54.0	9.76	AV	75.00	100	Vertical	Pass
6	17125.614	54.96	74.0	19.04	Peak	159.00	100	Vertical	Pass
6**	17125.614	45.66	54.0	8.34	AV	159.00	100	Vertical	Pass

A.9 Band Edge (Restricted-band band-edge)

Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note ³: According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ⁴: The Level (dBuV/m) has been corrected by factor.

Test DataLeft Ear

GFSK LOW CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2349.950	55.57	74.0	18.43	Peak	25.00	100	Horizontal	Pass
1**	2349.950	43.84	54.0	10.16	AV	25.00	100	Horizontal	Pass
2	2389.950	53.08	74.0	20.92	Peak	78.00	150	Horizontal	Pass
2**	2389.950	43.18	54.0	10.82	AV	78.00	150	Horizontal	Pass

GFSK HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	53.78	74.0	20.22	Peak	197.00	150	Horizontal	Pass
1**	2483.530	44.02	54.0	9.98	AV	197.00	150	Horizontal	Pass
2	2491.555	55.94	74.0	18.06	Peak	243.00	150	Horizontal	Pass
2**	2491.555	44.16	54.0	9.84	AV	243.00	150	Horizontal	Pass

8-DPSK LOW CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2333.300	55.74	74.0	18.26	Peak	232.00	200	Horizontal	Pass
1**	2333.300	44.06	54.0	9.94	AV	232.00	200	Horizontal	Pass
2	2389.950	53.79	74.0	20.21	Peak	145.00	150	Horizontal	Pass
2**	2389.950	43.05	54.0	10.95	AV	145.00	150	Horizontal	Pass

8-DPSK HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	54.95	74.0	19.05	Peak	360.00	200	Horizontal	Pass
1**	2483.530	43.74	54.0	10.26	AV	360.00	200	Horizontal	Pass
2	2491.930	55.75	74.0	18.25	Peak	20.00	100	Horizontal	Pass
2**	2491.930	44.13	54.0	9.87	AV	20.00	100	Horizontal	Pass

Right Ear**GFSK LOW CHANNEL**

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2381.700	55.75	74.0	18.25	Peak	304.00	150	Horizontal	Pass
1**	2381.700	43.69	54.0	10.31	AV	304.00	150	Horizontal	Pass
2	2389.950	52.94	74.0	21.06	Peak	187.00	100	Horizontal	Pass
2**	2389.950	43.13	54.0	10.87	AV	187.00	100	Horizontal	Pass

GFSK HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	55.97	74.0	18.03	Peak	24.00	100	Horizontal	Pass
1**	2483.515	44.01	54.0	9.99	AV	24.00	100	Horizontal	Pass
2	2484.790	56.37	74.0	17.63	Peak	2.00	150	Horizontal	Pass
2**	2484.790	46.40	54.0	7.60	AV	2.00	150	Horizontal	Pass

8-DPSK LOW CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2337.500	55.67	74.0	18.33	Peak	330.00	150	Horizontal	Pass
1**	2337.500	43.92	54.0	10.08	AV	330.00	150	Horizontal	Pass
2	2389.950	53.94	74.0	20.06	Peak	242.00	100	Horizontal	Pass
2**	2389.950	43.33	54.0	10.67	AV	242.00	100	Horizontal	Pass

8-DPSK HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	55.28	74.0	18.72	Peak	245.00	100	Horizontal	Pass
1**	2483.590	43.75	54.0	10.25	AV	245.00	100	Horizontal	Pass
2	2484.895	57.02	74.0	16.98	Peak	352.00	200	Horizontal	Pass
2**	2484.895	45.20	54.0	8.80	AV	352.00	200	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2510794-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2510794-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2510794-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--