

## Material requirement specification for the S-DN003D project antenna

Customer name: XieChuang

Customer product name: S-DN003D

Product name: WIFI 2 antenna

Product specification: See the BOM table for more details

Product code: 400104170

### Change Content CV:

| order<br>number | edition | state           | Start and end<br>date | person<br>liable | page<br>number | remarks |
|-----------------|---------|-----------------|-----------------------|------------------|----------------|---------|
| 1               | V0.6    | editio princeps | 2024-12-11            | Li Jieyi         | 14             |         |

### The Supplier acknowledges the signature of the following documents:

| Responsible person / date |  | IQC/ date | Review / Date | Approval / Date |
|---------------------------|--|-----------|---------------|-----------------|
| MD                        |  |           |               |                 |
| RF                        |  |           |               |                 |

### The Demander acknowledges the signature (please send it back after the confirmation):

|                                                                                                         |                     |                             |                                        |
|---------------------------------------------------------------------------------------------------------|---------------------|-----------------------------|----------------------------------------|
| The demander's judgment result: <input type="checkbox"/> qualified <input type="checkbox"/> unqualified |                     |                             |                                        |
| Development &<br>Design Engineer /<br>Date                                                              | SQE Engineer / Date | Purchasing Leader /<br>Date | Development Manager<br>approval / date |
|                                                                                                         |                     |                             |                                        |

# Catalogue

|                                                        |           |
|--------------------------------------------------------|-----------|
| <b>1. OVERVIEW .....</b>                               | <b>3</b>  |
| 1.1 SCOPE OF APPLICATION .....                         | 3         |
| 1.2 PROJECT BASIC INFORMATION .....                    | 3         |
| <b>2. TECHNICAL INDEX REQUIREMENTS .....</b>           | <b>3</b>  |
| 2.1 ACTIVE REPORTING .....                             | 3         |
| 2.2 TEST INSTRUCTIONS .....                            | 3         |
| 2.2.1 ANT-2 ANTENNA (FILE LOGMAG + VSWR + SMITH) ..... | 4         |
| 2.2.2 WIFI-2-ANTENNA EFFICIENCY AND GAIN .....         | 4         |
| 2.2.3 ANTENNA ACTIVE PARAMETERS .....                  | 5         |
| 2.2.4 ANTENNA ISOLATION .....                          | 6         |
| 2.2.5. COORDINATE SYSTEM OF THE WHOLE MACHINE .....    | 6         |
| 2.2.6 ANT2-2.4G .....                                  | 7         |
| 2.2.7 ANT2-2.4G .....                                  | 7         |
| 2.2.8 ANT2-5.8G .....                                  | 8         |
| 2.2.9 ANT2-5.8G .....                                  | 8         |
| 2.2.10 ANTENNA POSITION-ANT 2-J4 .....                 | 9         |
| <b>3. ENGINEERING DRAWINGS .....</b>                   | <b>10</b> |
| 3.1 WIFI2 .....                                        | 10        |
| <b>4. BILL OF MATERIAL .....</b>                       | <b>11</b> |
| <b>5. PACKAGE SCHEMATIC DIAGRAM .....</b>              | <b>12</b> |

## 1. Overview

### 1.1 Scope of application

This requirement specifies the antenna technical requirements and material requirements specifications for S-DN003D products.

This requirement is applicable to the antenna selection, testing and acceptance of S-DN003D products.

### 1.2 Project basic information

|                   |                                   |
|-------------------|-----------------------------------|
| Antenna name:     | <b>S-DN003D</b>                   |
| Antenna band:     | WIFI : 2. 4G-2. 5G<br>5. 1G-5. 8G |
| Antenna material: | FPC antenna + coaxis              |

## 2. Technical index requirements

### 2.1 Active Reporting

### 2.2 Test instructions


Test tools: Agilent8960 instrument, R & S CMW500, full wave far field ETS dark room, high precision positioning system and its controller and computer with automatic test program

Test environment: temperature  $22^{\circ}\text{C} \pm 3^{\circ}\text{C}$ , humidity  $50\% \pm 15\%$

Test method: DUT is fixed in the center of the turntable with H plane, on the same horizontal line as the center of the horn antenna.

The positioning system enables the DUT to rotate in the whole sphere to satisfy the high-precision 3 D positioning. Each RF instrument and turntable controller communicate with the PC with automatic test software through the GPIB interface.

### 2.2.1 ANT-2 antenna (file LOGMAG + VSWR + SMITH)



### 2.2.2 WIFI-2-Antenna efficiency and gain


| Passive Test For 2400MHz~2500MHz |          |           |            |  | Passive Test For 5100MHz~5800MHz |          |           |            |  |
|----------------------------------|----------|-----------|------------|--|----------------------------------|----------|-----------|------------|--|
| Freq (MHz)                       | Effi (%) | Effi (dB) | Gain (dBi) |  | Freq (MHz)                       | Effi (%) | Effi (dB) | Gain (dBi) |  |
| 2400                             | 60.3%    | -2.20     | 2.21       |  | 5170.0                           | 60.8%    | -2.16     | 2.39       |  |
| 2410                             | 60.6%    | -2.18     | 2.34       |  | 5210.0                           | 61.2%    | -2.13     | 2.44       |  |
| 2420                             | 60.9%    | -2.15     | 2.53       |  | 5250.0                           | 61.7%    | -2.10     | 2.57       |  |
| 2430                             | 61.2%    | -2.13     | 2.66       |  | 5290.0                           | 62.8%    | -2.02     | 2.63       |  |
| 2440                             | 61.7%    | -2.10     | 2.82       |  | 5330.0                           | 63.9%    | -1.94     | 2.72       |  |
| 2450                             | 61.9%    | -2.08     | 2.95       |  | 5370.0                           | 64.6%    | -1.90     | 2.54       |  |
| 2460                             | 62.1%    | -2.07     | 3.05       |  | 5410.0                           | 65.9%    | -1.81     | 2.59       |  |
| 2470                             | 61.5%    | -2.11     | 2.99       |  | 5450.0                           | 67.2%    | -1.73     | 2.74       |  |
| 2480                             | 60.8%    | -2.16     | 2.97       |  | 5490.0                           | 66.4%    | -1.78     | 2.69       |  |
| 2490                             | 60.4%    | -2.19     | 2.87       |  | 5530.0                           | 65.6%    | -1.83     | 2.65       |  |
| 2500                             | 60.7%    | -2.17     | 2.93       |  | 5570.0                           | 64.8%    | -1.88     | 2.58       |  |
|                                  |          |           |            |  | 5610.0                           | 64.1%    | -1.93     | 2.42       |  |
|                                  |          |           |            |  | 5650.0                           | 63.4%    | -1.98     | 2.34       |  |
|                                  |          |           |            |  | 5690.0                           | 63.2%    | -1.99     | 2.46       |  |
|                                  |          |           |            |  | 5730.0                           | 62.5%    | -2.04     | 2.48       |  |
|                                  |          |           |            |  | 5770.0                           | 61.5%    | -2.11     | 2.44       |  |
|                                  |          |           |            |  | 5810.0                           | 60.9%    | -2.15     | 2.38       |  |
|                                  |          |           |            |  | 5850.0                           | 60.5%    | -2.19     | 2.31       |  |

### 2.2.3 Antenna active parameters


|      | 802.11    | channel number | Single-root antenna- J3 |           | Single-root antenna-J4 |           |
|------|-----------|----------------|-------------------------|-----------|------------------------|-----------|
|      |           |                | TRP (db)                | TIS (dbm) | TRP (db)               | TIS (dbm) |
| WIFI | 11B (11M) | CH1            | 18.23                   | -85.14    | 17.76                  | -83.32    |
|      |           | CH6            | 18.14                   | -85.09    | 17.89                  | -83.05    |
|      |           | CH11           | 18.17                   | -84.92    | 17.44                  | -82.59    |
|      | 11A (54M) | CH36           | 15.63                   | -72.89    | 15.22                  | -72.23    |
|      |           | CH149          | 16.04                   | -72.45    | 15.57                  | -72.13    |
|      |           | CH165          | 16.17                   | -72.18    | 15.04                  | -72.35    |

|      | 802.11    | channel number | J3+J4    |           |
|------|-----------|----------------|----------|-----------|
|      |           |                | TRP (db) | TIS (dbm) |
| WIFI | 11B (11M) | CH1            | 20.76    | -85.98    |
|      |           | CH6            | 20.5     | -86.1     |
|      |           | CH11           | 20.68    | -86.37    |
|      | 11A (54M) | CH36           | 17.57    | -75.67    |
|      |           | CH149          | 18.23    | -75.08    |
|      |           | CH165          | 18.19    | -74.99    |


## 2.2.4 Antenna isolation




## 2.2.5. Coordinate system of the whole machine




## 2.2.6 ANT2-2.4G




## 2.2.7 ANT2-2.4G



## 2.2.8 ANT2-5.8G



## 2.2.9 ANT2-5.8G





### 2.2.10 Antenna position-ANT 2-J4



## 3. Engineering drawings

### 3.1 WIFI2

| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 2                  | 3                                           | 4      | 5                                                                                                                                                                                                                        | 6 |                                                            |                    |         |        |  |  |                                  |  |                     |  |      |  |                                   |  |                                |  |        |  |                              |  |                              |  |        |  |                              |  |                           |  |    |  |                            |  |                               |  |     |  |                      |  |                            |  |  |  |                                |  |                                             |  |  |  |                            |  |  |  |  |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------------|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|------------------------------------------------------------|--------------------|---------|--------|--|--|----------------------------------|--|---------------------|--|------|--|-----------------------------------|--|--------------------------------|--|--------|--|------------------------------|--|------------------------------|--|--------|--|------------------------------|--|---------------------------|--|----|--|----------------------------|--|-------------------------------|--|-----|--|----------------------|--|----------------------------|--|--|--|--------------------------------|--|---------------------------------------------|--|--|--|----------------------------|--|--|--|--|--|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                    |                                             |        | <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>DATE</th> <th>Modify the content</th> <th>Version</th> <th>Revise</th> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table> |   | DATE                                                       | Modify the content | Version | Revise |  |  |                                  |  |                     |  |      |  |                                   |  |                                |  |        |  |                              |  |                              |  |        |  |                              |  |                           |  |    |  |                            |  |                               |  |     |  |                      |  |                            |  |  |  |                                |  |                                             |  |  |  |                            |  |  |  |  |  |
| DATE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Modify the content | Version                                     | Revise |                                                                                                                                                                                                                          |   |                                                            |                    |         |        |  |  |                                  |  |                     |  |      |  |                                   |  |                                |  |        |  |                              |  |                              |  |        |  |                              |  |                           |  |    |  |                            |  |                               |  |     |  |                      |  |                            |  |  |  |                                |  |                                             |  |  |  |                            |  |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                    |                                             |        |                                                                                                                                                                                                                          |   |                                                            |                    |         |        |  |  |                                  |  |                     |  |      |  |                                   |  |                                |  |        |  |                              |  |                              |  |        |  |                              |  |                           |  |    |  |                            |  |                               |  |     |  |                      |  |                            |  |  |  |                                |  |                                             |  |  |  |                            |  |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                    |                                             |        |                                                                                                                                                                                                                          |   |                                                            |                    |         |        |  |  |                                  |  |                     |  |      |  |                                   |  |                                |  |        |  |                              |  |                              |  |        |  |                              |  |                           |  |    |  |                            |  |                               |  |     |  |                      |  |                            |  |  |  |                                |  |                                             |  |  |  |                            |  |  |  |  |  |
| <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="6" style="text-align: center;"> <b>skills requirements:</b> </td> </tr> <tr> <td colspan="2">1. PCB substrate specifications:</td> <td colspan="4">PI substrate: 1.0mm</td> </tr> <tr> <td colspan="2">2. Electroplating specifications:</td> <td colspan="4">Electrolytic copper: 0.5oz(OD)</td> </tr> <tr> <td colspan="2">3. Surface ink requirements:</td> <td colspan="4">Double-sided tape: 9M-971158</td> </tr> <tr> <td colspan="2">4. Reliability requirements:</td> <td colspan="4">QEP antioxidant treatment</td> </tr> <tr> <td colspan="2">5. Tolerance requirements:</td> <td colspan="4">Surface ink color: Matt black</td> </tr> <tr> <td colspan="2">6. Key control size:</td> <td colspan="4">Printing font color: White</td> </tr> <tr> <td colspan="2">7. Environmental requirements:</td> <td colspan="4">Printing font height: According to drawings</td> </tr> <tr> <td colspan="2">8. Packaging requirements:</td> <td colspan="4"> </td> </tr> </table> |                    |                                             |        |                                                                                                                                                                                                                          |   | <b>skills requirements:</b>                                |                    |         |        |  |  | 1. PCB substrate specifications: |  | PI substrate: 1.0mm |  |      |  | 2. Electroplating specifications: |  | Electrolytic copper: 0.5oz(OD) |  |        |  | 3. Surface ink requirements: |  | Double-sided tape: 9M-971158 |  |        |  | 4. Reliability requirements: |  | QEP antioxidant treatment |  |    |  | 5. Tolerance requirements: |  | Surface ink color: Matt black |  |     |  | 6. Key control size: |  | Printing font color: White |  |  |  | 7. Environmental requirements: |  | Printing font height: According to drawings |  |  |  | 8. Packaging requirements: |  |  |  |  |  |
| <b>skills requirements:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                    |                                             |        |                                                                                                                                                                                                                          |   |                                                            |                    |         |        |  |  |                                  |  |                     |  |      |  |                                   |  |                                |  |        |  |                              |  |                              |  |        |  |                              |  |                           |  |    |  |                            |  |                               |  |     |  |                      |  |                            |  |  |  |                                |  |                                             |  |  |  |                            |  |  |  |  |  |
| 1. PCB substrate specifications:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                    | PI substrate: 1.0mm                         |        |                                                                                                                                                                                                                          |   |                                                            |                    |         |        |  |  |                                  |  |                     |  |      |  |                                   |  |                                |  |        |  |                              |  |                              |  |        |  |                              |  |                           |  |    |  |                            |  |                               |  |     |  |                      |  |                            |  |  |  |                                |  |                                             |  |  |  |                            |  |  |  |  |  |
| 2. Electroplating specifications:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                    | Electrolytic copper: 0.5oz(OD)              |        |                                                                                                                                                                                                                          |   |                                                            |                    |         |        |  |  |                                  |  |                     |  |      |  |                                   |  |                                |  |        |  |                              |  |                              |  |        |  |                              |  |                           |  |    |  |                            |  |                               |  |     |  |                      |  |                            |  |  |  |                                |  |                                             |  |  |  |                            |  |  |  |  |  |
| 3. Surface ink requirements:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                    | Double-sided tape: 9M-971158                |        |                                                                                                                                                                                                                          |   |                                                            |                    |         |        |  |  |                                  |  |                     |  |      |  |                                   |  |                                |  |        |  |                              |  |                              |  |        |  |                              |  |                           |  |    |  |                            |  |                               |  |     |  |                      |  |                            |  |  |  |                                |  |                                             |  |  |  |                            |  |  |  |  |  |
| 4. Reliability requirements:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                    | QEP antioxidant treatment                   |        |                                                                                                                                                                                                                          |   |                                                            |                    |         |        |  |  |                                  |  |                     |  |      |  |                                   |  |                                |  |        |  |                              |  |                              |  |        |  |                              |  |                           |  |    |  |                            |  |                               |  |     |  |                      |  |                            |  |  |  |                                |  |                                             |  |  |  |                            |  |  |  |  |  |
| 5. Tolerance requirements:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                    | Surface ink color: Matt black               |        |                                                                                                                                                                                                                          |   |                                                            |                    |         |        |  |  |                                  |  |                     |  |      |  |                                   |  |                                |  |        |  |                              |  |                              |  |        |  |                              |  |                           |  |    |  |                            |  |                               |  |     |  |                      |  |                            |  |  |  |                                |  |                                             |  |  |  |                            |  |  |  |  |  |
| 6. Key control size:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                    | Printing font color: White                  |        |                                                                                                                                                                                                                          |   |                                                            |                    |         |        |  |  |                                  |  |                     |  |      |  |                                   |  |                                |  |        |  |                              |  |                              |  |        |  |                              |  |                           |  |    |  |                            |  |                               |  |     |  |                      |  |                            |  |  |  |                                |  |                                             |  |  |  |                            |  |  |  |  |  |
| 7. Environmental requirements:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                    | Printing font height: According to drawings |        |                                                                                                                                                                                                                          |   |                                                            |                    |         |        |  |  |                                  |  |                     |  |      |  |                                   |  |                                |  |        |  |                              |  |                              |  |        |  |                              |  |                           |  |    |  |                            |  |                               |  |     |  |                      |  |                            |  |  |  |                                |  |                                             |  |  |  |                            |  |  |  |  |  |
| 8. Packaging requirements:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                    |                                             |        |                                                                                                                                                                                                                          |   |                                                            |                    |         |        |  |  |                                  |  |                     |  |      |  |                                   |  |                                |  |        |  |                              |  |                              |  |        |  |                              |  |                           |  |    |  |                            |  |                               |  |     |  |                      |  |                            |  |  |  |                                |  |                                             |  |  |  |                            |  |  |  |  |  |
| <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="6" style="text-align: center;"> <b>Shenzhen Yu Sheng Communication Equipment Co., Ltd.</b> </td> </tr> <tr> <td colspan="2">Model</td> <td colspan="2">S-DN003D</td> <td colspan="2">DATE</td> </tr> <tr> <td colspan="2">Name</td> <td colspan="2">WIFI2 Antenna</td> <td colspan="2">Design</td> </tr> <tr> <td colspan="2">Part NO</td> <td colspan="2">661001-1A-TC</td> <td colspan="2">Review</td> </tr> <tr> <td colspan="2">Material quality</td> <td colspan="2">Electrolytic copper</td> <td colspan="2">RF</td> </tr> <tr> <td colspan="2"> </td> <td colspan="2"> </td> <td colspan="2">tq1</td> </tr> </table>                                                                                                                                                                                                                                                                                                                                                      |                    |                                             |        |                                                                                                                                                                                                                          |   | <b>Shenzhen Yu Sheng Communication Equipment Co., Ltd.</b> |                    |         |        |  |  | Model                            |  | S-DN003D            |  | DATE |  | Name                              |  | WIFI2 Antenna                  |  | Design |  | Part NO                      |  | 661001-1A-TC                 |  | Review |  | Material quality             |  | Electrolytic copper       |  | RF |  |                            |  |                               |  | tq1 |  |                      |  |                            |  |  |  |                                |  |                                             |  |  |  |                            |  |  |  |  |  |
| <b>Shenzhen Yu Sheng Communication Equipment Co., Ltd.</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                    |                                             |        |                                                                                                                                                                                                                          |   |                                                            |                    |         |        |  |  |                                  |  |                     |  |      |  |                                   |  |                                |  |        |  |                              |  |                              |  |        |  |                              |  |                           |  |    |  |                            |  |                               |  |     |  |                      |  |                            |  |  |  |                                |  |                                             |  |  |  |                            |  |  |  |  |  |
| Model                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                    | S-DN003D                                    |        | DATE                                                                                                                                                                                                                     |   |                                                            |                    |         |        |  |  |                                  |  |                     |  |      |  |                                   |  |                                |  |        |  |                              |  |                              |  |        |  |                              |  |                           |  |    |  |                            |  |                               |  |     |  |                      |  |                            |  |  |  |                                |  |                                             |  |  |  |                            |  |  |  |  |  |
| Name                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                    | WIFI2 Antenna                               |        | Design                                                                                                                                                                                                                   |   |                                                            |                    |         |        |  |  |                                  |  |                     |  |      |  |                                   |  |                                |  |        |  |                              |  |                              |  |        |  |                              |  |                           |  |    |  |                            |  |                               |  |     |  |                      |  |                            |  |  |  |                                |  |                                             |  |  |  |                            |  |  |  |  |  |
| Part NO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                    | 661001-1A-TC                                |        | Review                                                                                                                                                                                                                   |   |                                                            |                    |         |        |  |  |                                  |  |                     |  |      |  |                                   |  |                                |  |        |  |                              |  |                              |  |        |  |                              |  |                           |  |    |  |                            |  |                               |  |     |  |                      |  |                            |  |  |  |                                |  |                                             |  |  |  |                            |  |  |  |  |  |
| Material quality                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                    | Electrolytic copper                         |        | RF                                                                                                                                                                                                                       |   |                                                            |                    |         |        |  |  |                                  |  |                     |  |      |  |                                   |  |                                |  |        |  |                              |  |                              |  |        |  |                              |  |                           |  |    |  |                            |  |                               |  |     |  |                      |  |                            |  |  |  |                                |  |                                             |  |  |  |                            |  |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                    |                                             |        | tq1                                                                                                                                                                                                                      |   |                                                            |                    |         |        |  |  |                                  |  |                     |  |      |  |                                   |  |                                |  |        |  |                              |  |                              |  |        |  |                              |  |                           |  |    |  |                            |  |                               |  |     |  |                      |  |                            |  |  |  |                                |  |                                             |  |  |  |                            |  |  |  |  |  |

## 4.Bill Of Material

### 661006 (S-DN003D) -BOM

edition : T:A


client : 661

Type of aircTCft : 661006

Set a date : 2024/8/12

| Item number | *Material code  | *Material name | name      | *Machine type | Specification and model                          | colour            | *UNIT | dosage | remark |
|-------------|-----------------|----------------|-----------|---------------|--------------------------------------------------|-------------------|-------|--------|--------|
| 2           | 661006-IB-TC    | WIFI2 antenna  |           | S-DN003D      | WIFI1-FPC+CABLE+weld                             | black             | PCS   | 1      |        |
| 2.1         | 661006-IB-01-TC | FPC            |           | S-DN003D      | WIFI2-FPC Electrolytic copper<br>8.75*41*0.12 mm | black             | PCS   | 1      |        |
| 2.2         | 661006-IB-02-TC | CABLE          |           | S-DN003D      | First generation terminal φ<br>1.13*87.00 mm     | white             | PCS   | 1      |        |
| 2.3         | 661006-IB-03-TC | weld           |           | S-DN003D      | weld                                             | black             | PCS   | 1      |        |
| verify :    |                 |                | examine : |               |                                                  | manufacture : BYZ |       |        |        |

## 5. Package schematic diagram

| Packaging method diagram                                                                                                                                                   |                                                                                                                                             |                                                                                    |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| product name                                                                                                                                                               | Antenna components                                                                                                                          |                                                                                    |
| P / N                                                                                                                                                                      | 661006                                                                                                                                      |                                                                                    |
| Project model                                                                                                                                                              | S-DN003D                                                                                                                                    |                                                                                    |
| File details                                                                                                                                                               | Carton Size 1:<br>270*260*200MM<br><br>Carton Size 2:<br>260*200*200MM<br><br>Carton Size 3:<br>Depending on the order<br>quantity / volume |  |
|                                                                                                                                                                            | Boating method                                                                                                                              | Packaging by order quantity                                                        |
|                                                                                                                                                                            | Total number of binning                                                                                                                     | Packaging by order quantity                                                        |
| labeling<br>requirement                                                                                                                                                    | Tag Size 1:<br>Universal use 100 * 100mm<br><br>Tag Size 2:<br>According to customer<br>requirements                                        |                                                                                    |
| matters need attention                                                                                                                                                     |                                                                                                                                             |                                                                                    |
| 1. Due to the limitation of order quantity, the packing method of each material is the size of the box according to the total quantity of the order or the physical volume |                                                                                                                                             |                                                                                    |
| 2. Storage temperature: room temperature                                                                                                                                   |                                                                                                                                             |                                                                                    |
| 3. Preservation conditions: store them in a cool and dry place                                                                                                             |                                                                                                                                             |                                                                                    |