


Conducted Spurious Emission


TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	Reference	4.30	4.30	---	PASS
			30~1000	4.30	-39.7	≤-15.7	PASS
			1000~26500	4.30	-31.46	≤-15.7	PASS
		2441	Reference	4.08	4.08	---	PASS
			30~1000	4.08	-40.5	≤-15.92	PASS
			1000~26500	4.08	-31.26	≤-15.92	PASS
		2480	Reference	3.26	3.26	---	PASS
			30~1000	3.26	-40.41	≤-16.74	PASS
			1000~26500	3.26	-31.66	≤-16.74	PASS
3DH5	Ant1	2402	Reference	1.14	1.14	---	PASS
			30~1000	1.14	-40.44	≤-18.86	PASS
			1000~26500	1.14	-31.62	≤-18.86	PASS
		2441	Reference	1.06	1.06	---	PASS
			30~1000	1.06	-40.84	≤-18.94	PASS
			1000~26500	1.06	-31.5	≤-18.94	PASS
		2480	Reference	2.58	2.58	---	PASS
			30~1000	2.58	-41.32	≤-17.42	PASS
			1000~26500	2.58	-31.49	≤-17.42	PASS













Appendix A.7: Test Results of Radiated Spurious Emissions


Note:

- 1) This testing was carried out on different modulations, but only the worst case was presented in this report.
- 2) Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

30 MHz - 1GHz

EUT Information

EUT Name:	CORDLESS ROBOTIC POOL CLEANER
Model:	PRX9
Test Mode:	BR_DH5_Mid channel
Order No/Sample No:	168513747/A003916704-001
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
67.531539	28.75	40.00	11.25	100.0	H	155.0	-21.1
77.343462	28.26	40.00	11.74	100.0	H	82.0	-23.5
144.012308	33.83	43.50	9.67	100.0	H	0.0	-22.4
168.038462	32.49	43.50	11.01	100.0	H	341.0	-21.4
192.027308	32.62	43.50	10.88	100.0	H	185.0	-19.5
216.016154	33.66	46.00	12.34	100.0	H	341.0	-18.7
298.540769	32.41	46.00	13.59	100.0	H	147.0	-16.3
883.450769	35.82	46.00	10.18	100.0	H	280.0	-5.0

Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	CORDLESS ROBOTIC POOL CLEANER
Model:	PRX9
Test Mode:	BR_DH5_Mid channel
Order No/Sample No:	168513747/A003916704-001
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
67.867308	21.96	40.00	18.04	100.0	V	233.0	-21.2
133.267692	30.87	43.50	12.64	100.0	V	261.0	-22.1
216.016154	29.43	46.00	16.57	100.0	V	112.0	-18.7
367.783846	28.51	46.00	17.49	100.0	V	0.0	-14.5
712.842692	33.99	46.00	12.01	100.0	V	136.0	-7.7
962.841539	36.86	54.00	17.14	100.0	V	145.0	-4.1

Final_Result


Frequency (MHz)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

1GHz - 18GHz

Note: The highest waveform in the figure is Bluetooth Fundamental.

EUT Information

EUT Name:	CORDLESS ROBOTIC POOL CLEANER
Model:	PRX9
Test Mode:	BR_DH5_Low channel
Order No/Sample No:	168513747/A003916704-001
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4810.500000	---	41.17	54.00	12.83	150.0	H	299.0	13.3
4822.500000	53.03	---	74.00	20.97	150.0	H	330.0	13.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: CORDLESS ROBOTIC POOL CLEANER
Model: PRX9
Test Mode: BR_DH5_Low channel
Order No/Sample No: 168513747/A003916704-001
Test Voltage:: Battery
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4746.500000	53.30	---	74.00	20.70	150.0	V	194.0	13.4
4808.000000	---	40.83	54.00	13.17	150.0	V	100.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: CORDLESS ROBOTIC POOL CLEANER
 Model: PRX9
 Test Mode: BR_DH5_Low channel
 Order No/Sample No: 168513747/A003916704-001
 Test Voltage:: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7173.500000	43.66	---	74.00	30.34	150.0	H	0.0	8.7
7200.050000	---	35.90	54.00	18.10	150.0	H	249.0	8.8
12145.233333	---	42.93	54.00	11.07	150.0	H	76.0	16.6
12146.216667	51.04	---	74.00	22.96	150.0	H	303.0	16.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: CORDLESS ROBOTIC POOL CLEANER
Model: PRX9
Test Mode: BR_DH5_Low channel
Order No/Sample No: 168513747/A003916704-001
Test Voltage:: Battery
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7250.691667	---	35.92	54.00	18.08	150.0	V	209.0	8.5
7261.508333	43.16	---	74.00	30.84	150.0	V	276.0	8.5
12135.400000	51.07	---	74.00	22.93	150.0	V	187.0	16.3
12143.758333	---	42.93	54.00	11.07	150.0	V	230.0	16.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: CORDLESS ROBOTIC POOL CLEANER
Model: PRX9
Test Mode: BR_DH5_Mid channel
Order No/Sample No: 168513747/A003916704-001
Test Voltage:: Battery
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4861.500000	52.25	---	74.00	21.75	150.0	H	84.0	13.3
4901.000000	---	41.22	54.00	12.78	150.0	H	0.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: CORDLESS ROBOTIC POOL CLEANER
Model: PRX9
Test Mode: BR_DH5_Mid channel
Order No/Sample No: 168513747/A003916704-001
Test Voltage:: Battery
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4862.000000	52.24	---	74.00	21.76	150.0	V	314.0	13.3
4900.500000	---	40.81	54.00	13.19	150.0	V	121.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: CORDLESS ROBOTIC POOL CLEANER
Model: PRX9
Test Mode: BR_DH5_Mid channel
Order No/Sample No: 168513747/A003916704-001
Test Voltage:: Battery
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7467.025000	44.40	---	74.00	29.60	150.0	H	225.0	8.6
7468.991667	---	35.67	54.00	18.33	150.0	H	4.0	8.6
12127.533333	50.48	---	74.00	23.52	150.0	H	191.0	16.1
12128.516667	---	42.28	54.00	11.72	150.0	H	270.0	16.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: CORDLESS ROBOTIC POOL CLEANER
 Model: PRX9
 Test Mode: BR_DH5_Mid channel
 Order No/Sample No: 168513747/A003916704-001
 Test Voltage:: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7453.258333	---	35.73	54.00	18.27	150.0	V	113.0	8.5
7566.341667	44.69	---	74.00	29.31	150.0	V	0.0	8.7
12121.141667	---	43.16	54.00	10.84	150.0	V	57.0	16.0
12143.758333	51.19	---	74.00	22.81	150.0	V	302.0	16.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: CORDLESS ROBOTIC POOL CLEANER
Model: PRX9
Test Mode: BR_DH5_High channel
Order No/Sample No: 168513747/A003916704-001
Test Voltage:: Battery
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4951.000000	---	40.98	54.00	13.02	150.0	H	263.0	13.3
4953.500000	51.51	---	74.00	22.49	150.0	H	341.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: CORDLESS ROBOTIC POOL CLEANER
Model: PRX9
Test Mode: BR_DH5_High channel
Order No/Sample No: 168513747/A003916704-001
Test Voltage:: Battery
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4947.000000	51.59	---	74.00	22.41	150.0	V	201.0	13.3
4947.500000	---	41.10	54.00	12.90	150.0	V	103.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: CORDLESS ROBOTIC POOL CLEANER
 Model: PRX9
 Test Mode: BR_DH5_High channel
 Order No/Sample No: 168513747/A003916704-001
 Test Voltage:: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7420.316667	---	35.34	54.00	18.66	150.0	H	134.0	8.4
7464.566667	43.55	---	74.00	30.45	150.0	H	335.0	8.6
12041.983333	51.23	---	74.00	22.77	150.0	H	226.0	16.2
12047.391667	---	42.96	54.00	11.04	150.0	H	77.0	16.4

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: CORDLESS ROBOTIC POOL CLEANER
Model: PRX9
Test Mode: BR_DH5_High channel
Order No/Sample No: 168513747/A003916704-001
Test Voltage:: Battery
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7458.175000	43.97	---	74.00	30.03	150.0	V	185.0	8.5
7483.741667	---	35.52	54.00	18.48	150.0	V	41.0	8.7
12148.675000	50.49	---	74.00	23.51	150.0	V	9.0	16.7
12154.575000	---	42.81	54.00	11.19	150.0	V	128.0	16.5


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

Appendix A.8: Test Results of Radiated Emissions in Restricted Bands

EUT Information

EUT Name:	CORDLESS ROBOTIC POOL CLEANER
Model:	PRX9
Test Mode:	BR_DH5_Low channel
Order No/Sample No:	168513747/A003916704-001
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2387.428824	---	40.39	54.00	13.61	150.0	H	351.0	8.5
2388.527206	51.78	---	74.00	22.22	150.0	H	330.0	8.5

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: CORDLESS ROBOTIC POOL CLEANER
Model: PRX9
Test Mode: BR_DH5_Low channel
Order No/Sample No: 168513747/A003916704-001
Test Voltage:: Battery
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2338.700588	50.14	---	74.00	23.86	150.0	V	74.0	8.4
2338.871765	---	40.25	54.00	13.75	150.0	V	244.0	8.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	CORDLESS ROBOTIC POOL CLEANER
Model:	PRX9
Test Mode:	BR_DH5_High channel
Order No/Sample No:	168513747/A003916704-001
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.807647	51.96	---	74.00	22.04	150.0	H	241.0	9.0
2485.851618	---	41.83	54.00	12.17	150.0	H	162.0	9.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	CORDLESS ROBOTIC POOL CLEANER
Model:	PRX9
Test Mode:	BR_DH5_High channel
Order No/Sample No:	168513747/A003916704-001
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2486.998235	52.17	---	74.00	21.83	150.0	V	129.0	9.0
2487.143677	---	41.44	54.00	12.56	150.0	V	291.0	9.0


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix A.9: Test Results of Conducted Emission

Common Information

Test Description: CORDLESS ROBOTIC POOL CLEANER
Model: PRX9
Test Mode: Charging and Wireless link
Comment:




Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Meas. Time (ms)	Bandwidth h (kHz)	Line	Corr. (dB)
0.183750	52.18	---	64.31	12.13	1000.0	9.000	L1	10.3
0.246750	48.80	---	61.87	13.07	1000.0	9.000	L1	10.3
4.800750	---	38.70	46.00	7.30	1000.0	9.000	L1	10.3
4.800750	39.91	---	56.00	16.09	1000.0	9.000	L1	10.3
4.944750	---	39.60	46.00	6.40	1000.0	9.000	L1	10.3
4.944750	40.93	---	56.00	15.07	1000.0	9.000	L1	10.3
5.309250	---	40.89	50.00	9.11	1000.0	9.000	L1	10.4
18.471750	---	40.12	50.00	9.88	1000.0	9.000	L1	11.0
18.618000	43.13	---	60.00	16.87	1000.0	9.000	L1	11.0
18.618000	---	40.65	50.00	9.35	1000.0	9.000	L1	11.0
18.764250	---	39.62	50.00	10.38	1000.0	9.000	L1	11.0
18.764250	42.36	---	60.00	17.64	1000.0	9.000	L1	11.0

Common Information

Test Description: CORDLESS ROBOTIC POOL CLEANER
Model: PRX9
Test Mode: Charging and Wireless link
Comment:



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Meas. Time (ms)	Bandwidth h (kHz)	Line	Corr. (dB)
0.183750	52.43	---	64.31	11.89	1000.0	9.000	N	10.6
0.249000	48.84	---	61.79	12.95	1000.0	9.000	N	10.7
4.654500	---	37.83	46.00	8.17	1000.0	9.000	N	10.7
4.654500	40.67	---	56.00	15.33	1000.0	9.000	N	10.7
4.800750	---	39.57	46.00	6.43	1000.0	9.000	N	10.7
4.800750	41.91	---	56.00	14.09	1000.0	9.000	N	10.7
4.944750	---	40.41	46.00	5.59	1000.0	9.000	N	10.7
4.944750	42.54	---	56.00	13.46	1000.0	9.000	N	10.7
5.163000	---	40.18	50.00	9.82	1000.0	9.000	N	10.7
5.309250	---	41.26	50.00	8.74	1000.0	9.000	N	10.7
5.309250	43.19	---	60.00	16.81	1000.0	9.000	N	10.7
16.435500	---	40.51	50.00	9.49	1000.0	9.000	N	11.2