


Test Report

Project Information			
EUT:	Vehicle wireless module		
Customer:			
Model:	P13.A01.H4	SN:	
Mode:	11AC80_5530	Voltage:	DC 4.2V
Environment:	Temp: 25℃; Humi:60%	Engineer:	Soho Liu
Remark:	Power Set:10		
Test Standard: FCC Part15C AV			

Start of Test:2024-12-04 17:27:12

Test Graph




Suspected Data List								
NO.	Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity	Verdict
1	5425.8429	52.10	74.00	21.90	150	159	Vertical	PASS
2	5460.0600	51.32	74.00	22.68	150	134	Vertical	PASS

Test Report

Project Information			
EUT:	Vehicle wireless module		
Customer:			
Model:	P13.A01.H4	SN:	
Mode:	11AC80_5610	Voltage:	DC 4.2V
Environment:	Temp: 25℃; Humi:60%	Engineer:	Soho Liu
Remark:	Power Set:10		
Test Standard: FCC Part15C AV			

Start of Test:2024-12-04 17:29:39

Test Graph




Suspected Data List								
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity	Verdict
1	5725.0875	50.37	74.00	23.63	150	84	Horizontal	PASS
2	5749.2997	52.69	74.00	21.31	150	358	Horizontal	PASS

Test Report

Project Information			
EUT:	Vehicle wireless module		
Customer:			
Model:	P13.A01.H4	SN:	
Mode:	11AC80_5610	Voltage:	DC 4.2V
Environment:	Temp: 25℃; Humi:60%	Engineer:	Soho Liu
Remark:	Power Set:10		
Test Standard: FCC Part15C AV			

Start of Test:2024-12-04 17:30:21

Test Graph



Suspected Data List								
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity	Verdict
1	5725.0875	50.31	74.00	23.69	150	274	Vertical	PASS
2	5732.3912	52.33	74.00	21.67	150	294	Vertical	PASS

END OF REPORT