


Annex A.5 Spurious Emission at Antenna Terminals

GPRS

1. GPRS_GSM850


1.1. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.95	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.94	-13	Pass	2986
30	500	0.1	Peak	421.6	-43.4	-13	Pass	4701
500	1000	0.1	Peak	824.2	32.26	-13	N/A	5001
1000	10000	1	Peak	7590	-19.67	-13	Pass	9002




1.2. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.99	-13	Pass	401
0.15	30	0.01	Peak	0.2	-54.2	-13	Pass	2986
30	500	0.1	Peak	474.4	-42.27	-13	Pass	4701
500	1000	0.1	Peak	836.7	32.39	-13	N/A	5001
1000	10000	1	Peak	7208	-19.68	-13	Pass	9002



1.3. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.12	-13	Pass	401
0.15	30	0.01	Peak	0.19	-54.14	-13	Pass	2986
30	500	0.1	Peak	449	-43.42	-13	Pass	4701
500	1000	0.1	Peak	848.9	31.91	-13	N/A	5001
1000	10000	1	Peak	7426	-19.67	-13	Pass	9002



2. GPRS_PCS


2.1. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-60.9	-13	Pass	401
0.15	30	0.01	Peak	0.29	-58.96	-13	Pass	2986
30	1000	0.1	Peak	843.6	-47.95	-13	Pass	9701
1000	3000	1	Peak	1850	29.17	-13	N/A	2001
3000	20000	1	Peak	19432	-40.44	-13	Pass	17003




2.2. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-61.38	-13	Pass	401
0.15	30	0.01	Peak	0.19	-56.76	-13	Pass	2986
30	1000	0.1	Peak	855.004	-48.55	-13	Pass	9701
1000	3000	1	Peak	1879	26.96	-13	N/A	2001
3000	20000	1	Peak	19434	-39.95	-13	Pass	17003



2.3. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-60.26	-13	Pass	401
0.15	30	0.01	Peak	0.22	-59.05	-13	Pass	2986
30	1000	0.1	Peak	862.209	-48.03	-13	Pass	9701
1000	3000	1	Peak	1910	29.59	-13	N/A	2001
3000	20000	1	Peak	19386	-39.83	-13	Pass	17003




WCDMA

1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-56.1	-13	Pass	401
0.15	30	0.01	Peak	0.28	-48.01	-13	Pass	2986
30	1000	0.1	Peak	189	-38.09	-13	Pass	9701
1000	3000	1	Peak	1851	20.11	-13	N/A	2001
3000	20000	1	Peak	19374	-21.57	-13	Pass	17003




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-56.13	-13	Pass	401
0.15	30	0.01	Peak	0.29	-49	-13	Pass	2986
30	1000	0.1	Peak	189	-38	-13	Pass	9701
1000	3000	1	Peak	1879	20.05	-13	N/A	2001
3000	20000	1	Peak	19815	-21.07	-13	Pass	17003



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-56.35	-13	Pass	401
0.15	30	0.01	Peak	0.28	-50.08	-13	Pass	2986
30	1000	0.1	Peak	189	-38.16	-13	Pass	9701
1000	3000	1	Peak	1906	20.06	-13	N/A	2001
3000	20000	1	Peak	19390	-21.54	-13	Pass	17003



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-55.93	-13	Pass	401
0.15	30	0.01	Peak	0.28	-45.87	-13	Pass	2986
30	1000	0.1	Peak	189	-38.25	-13	Pass	9701
1000	3000	1	Peak	1711	20.3	-13	N/A	2001
3000	20000	1	Peak	19100	-21.73	-13	Pass	17003




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-55.79	-13	Pass	401
0.15	30	0.01	Peak	0.28	-46.71	-13	Pass	2986
30	1000	0.1	Peak	189	-38.33	-13	Pass	9701
1000	3000	1	Peak	1731	19.9	-13	N/A	2001
3000	20000	1	Peak	19869	-21.54	-13	Pass	17003



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-56.23	-13	Pass	401
0.15	30	0.01	Peak	0.29	-46.44	-13	Pass	2986
30	1000	0.1	Peak	189.1	-38.15	-13	Pass	9701
1000	3000	1	Peak	1751	19.45	-13	N/A	2001
3000	20000	1	Peak	19423	-21.51	-13	Pass	17003



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-55.71	-13	Pass	401
0.15	30	0.01	Peak	0.29	-50.68	-13	Pass	2986
30	500	0.1	Peak	189	-38.31	-13	Pass	4701
500	1000	0.1	Peak	827.6	13.44	-13	N/A	5001
1000	10000	1	Peak	7278	-29.7	-13	Pass	9002




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-56.37	-13	Pass	401
0.15	30	0.01	Peak	0.29	-49.16	-13	Pass	2986
30	500	0.1	Peak	189	-38.65	-13	Pass	4701
500	1000	0.1	Peak	835.3	13.49	-13	N/A	5001
1000	10000	1	Peak	7142	-30.18	-13	Pass	9002



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-56	-13	Pass	401
0.15	30	0.01	Peak	0.28	-48.43	-13	Pass	2986
30	500	0.1	Peak	189	-38.57	-13	Pass	4701
500	1000	0.1	Peak	845.8	14.27	-13	N/A	5001
1000	10000	1	Peak	7419	-29.91	-13	Pass	9002




LTE

1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-13	Pass	2986
30	1000	0.1	RMS	851.402	-63.83	-13	Pass	9701
1000	1840	1	RMS	1840	-51.78	-13	Pass	841
1840	1920	1	RMS	1850.2	22.24	60	Pass	401
1920	3000	1	RMS	2949	-48.95	-13	Pass	1081
3000	12000	1	RMS	11854	-41.81	-13	Pass	9002
12000	20000	1	RMS	19403	-33.86	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.5	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.27	-13	Pass	2986
30	1000	0.1	RMS	851.902	-63.8	-13	Pass	9701
1000	1840	1	RMS	1840	-51.9	-13	Pass	841
1840	1920	1	RMS	1850.2	21.3	60	Pass	401
1920	3000	1	RMS	2955	-48.91	-13	Pass	1081
3000	12000	1	RMS	11847	-41.69	-13	Pass	9002
12000	20000	1	RMS	19702	-33.94	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.65	-13	Pass	2986
30	1000	0.1	RMS	849.3	-63.83	-13	Pass	9701
1000	1840	1	RMS	1840	-52.34	-13	Pass	841
1840	1920	1	RMS	1879.4	22.14	60	Pass	401
1920	3000	1	RMS	2957	-48.91	-13	Pass	1081
3000	12000	1	RMS	11848	-41.73	-13	Pass	9002
12000	20000	1	RMS	19403	-33.87	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.83	-13	Pass	401
0.15	30	0.01	RMS	0.28	-71.09	-13	Pass	2986
30	1000	0.1	RMS	834.6	-63.84	-13	Pass	9701
1000	1840	1	RMS	1810	-52.37	-13	Pass	841
1840	1920	1	RMS	1879.4	21.19	60	Pass	401
1920	3000	1	RMS	2959	-48.94	-13	Pass	1081
3000	12000	1	RMS	11851	-41.77	-13	Pass	9002
12000	20000	1	RMS	19412	-33.89	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.91	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.1	-13	Pass	2986
30	1000	0.1	RMS	847.7	-63.84	-13	Pass	9701
1000	1840	1	RMS	1840	-52.34	-13	Pass	841
1840	1920	1	RMS	1908.8	21.89	60	Pass	401
1920	3000	1	RMS	2960	-48.94	-13	Pass	1081
3000	12000	1	RMS	11954	-41.77	-13	Pass	9002
12000	20000	1	RMS	19403	-33.87	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.16	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.91	-13	Pass	2986
30	1000	0.1	RMS	851.602	-63.88	-13	Pass	9701
1000	1840	1	RMS	1810	-52.38	-13	Pass	841
1840	1920	1	RMS	1908.8	21.03	60	Pass	401
1920	3000	1	RMS	2957	-48.88	-13	Pass	1081
3000	12000	1	RMS	11848	-41.73	-13	Pass	9002
12000	20000	1	RMS	19408	-33.88	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.61	-13	Pass	2986
30	1000	0.1	RMS	852.402	-63.83	-13	Pass	9701
1000	1840	1	RMS	1840	-51.62	-13	Pass	841
1840	1920	1	RMS	1850.2	22.34	60	Pass	401
1920	3000	1	RMS	2954	-48.89	-13	Pass	1081
3000	12000	1	RMS	11850	-41.75	-13	Pass	9002
12000	20000	1	RMS	19403	-33.88	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.7	-13	Pass	401
0.15	30	0.01	RMS	0.28	-70.7	-13	Pass	2986
30	1000	0.1	RMS	849.5	-63.87	-13	Pass	9701
1000	1840	1	RMS	1840	-51.85	-13	Pass	841
1840	1920	1	RMS	1850.2	21.54	60	Pass	401
1920	3000	1	RMS	2947	-48.9	-13	Pass	1081
3000	12000	1	RMS	11951	-41.75	-13	Pass	9002
12000	20000	1	RMS	19397	-33.91	-13	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.08	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.98	-13	Pass	2986
30	1000	0.1	RMS	834.1	-63.93	-13	Pass	9701
1000	1840	1	RMS	1838	-52.32	-13	Pass	841
1840	1920	1	RMS	1878.6	22.24	60	Pass	401
1920	3000	1	RMS	2959	-48.89	-13	Pass	1081
3000	12000	1	RMS	11847	-41.74	-13	Pass	9002
12000	20000	1	RMS	19400	-33.8	-13	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.35	-13	Pass	2986
30	1000	0.1	RMS	852.602	-63.8	-13	Pass	9701
1000	1840	1	RMS	1834	-52.33	-13	Pass	841
1840	1920	1	RMS	1878.6	21.25	60	Pass	401
1920	3000	1	RMS	2957	-48.9	-13	Pass	1081
3000	12000	1	RMS	11849	-41.75	-13	Pass	9002
12000	20000	1	RMS	19401	-33.92	-13	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.67	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.42	-13	Pass	2986
30	1000	0.1	RMS	849.5	-63.87	-13	Pass	9701
1000	1840	1	RMS	1810	-52.36	-13	Pass	841
1840	1920	1	RMS	1907.2	21.93	60	Pass	401
1920	3000	1	RMS	2956	-48.93	-13	Pass	1081
3000	12000	1	RMS	11850	-41.79	-13	Pass	9002
12000	20000	1	RMS	19401	-33.9	-13	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.26	-13	Pass	401
0.15	30	0.01	RMS	0.28	-70.63	-13	Pass	2986
30	1000	0.1	RMS	847.2	-63.8	-13	Pass	9701
1000	1840	1	RMS	1835	-52.38	-13	Pass	841
1840	1920	1	RMS	1907.2	21.08	60	Pass	401
1920	3000	1	RMS	2958	-48.95	-13	Pass	1081
3000	12000	1	RMS	11850	-41.79	-13	Pass	9002
12000	20000	1	RMS	19402	-33.91	-13	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.57	-13	Pass	401
0.15	30	0.01	RMS	0.28	-71.65	-13	Pass	2986
30	1000	0.1	RMS	856.405	-63.88	-13	Pass	9701
1000	1840	1	RMS	1840	-49.46	-13	Pass	841
1840	1920	1	RMS	1850.2	22.49	60	Pass	401
1920	3000	1	RMS	2959	-48.9	-13	Pass	1081
3000	12000	1	RMS	11949	-41.77	-13	Pass	9002
12000	20000	1	RMS	19402	-33.9	-13	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.61	-13	Pass	401
0.15	30	0.01	RMS	0.28	-71.59	-13	Pass	2986
30	1000	0.1	RMS	855.704	-63.87	-13	Pass	9701
1000	1840	1	RMS	1840	-51.03	-13	Pass	841
1840	1920	1	RMS	1850.2	21.45	60	Pass	401
1920	3000	1	RMS	2961	-48.96	-13	Pass	1081
3000	12000	1	RMS	11846	-41.75	-13	Pass	9002
12000	20000	1	RMS	19401	-33.81	-13	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.34	-13	Pass	2986
30	1000	0.1	RMS	850.701	-63.95	-13	Pass	9701
1000	1840	1	RMS	1808	-52.36	-13	Pass	841
1840	1920	1	RMS	1877.8	22.27	60	Pass	401
1920	3000	1	RMS	2957	-48.96	-13	Pass	1081
3000	12000	1	RMS	11847	-41.78	-13	Pass	9002
12000	20000	1	RMS	19405	-33.81	-13	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	Pass	2986
30	1000	0.1	RMS	854.303	-63.89	-13	Pass	9701
1000	1840	1	RMS	1805	-52.34	-13	Pass	841
1840	1920	1	RMS	1877.8	21.37	60	Pass	401
1920	3000	1	RMS	2957	-48.94	-13	Pass	1081
3000	12000	1	RMS	11848	-41.72	-13	Pass	9002
12000	20000	1	RMS	19398	-33.88	-13	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.37	-13	Pass	401
0.15	30	0.01	RMS	0.19	-69.96	-13	Pass	2986
30	1000	0.1	RMS	846.4	-63.92	-13	Pass	9701
1000	1840	1	RMS	1817	-52.37	-13	Pass	841
1840	1920	1	RMS	1905.2	22.03	60	Pass	401
1920	3000	1	RMS	2957	-48.93	-13	Pass	1081
3000	12000	1	RMS	11946	-41.8	-13	Pass	9002
12000	20000	1	RMS	19402	-33.85	-13	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.94	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.59	-13	Pass	2986
30	1000	0.1	RMS	844.9	-63.81	-13	Pass	9701
1000	1840	1	RMS	1789	-52.38	-13	Pass	841
1840	1920	1	RMS	1905.2	21.18	60	Pass	401
1920	3000	1	RMS	2957	-48.91	-13	Pass	1081
3000	12000	1	RMS	11849	-41.76	-13	Pass	9002
12000	20000	1	RMS	19401	-33.9	-13	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66	-13	Pass	401
0.15	30	0.01	RMS	0.29	-71.03	-13	Pass	2986
30	1000	0.1	RMS	851.902	-63.92	-13	Pass	9701
1000	1840	1	RMS	1833	-36.48	-13	Pass	841
1840	1920	1	RMS	1850.4	22.32	60	Pass	401
1920	3000	1	RMS	2956	-48.92	-13	Pass	1081
3000	12000	1	RMS	11847	-41.76	-13	Pass	9002
12000	20000	1	RMS	19398	-33.89	-13	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.22	-13	Pass	401
0.15	30	0.01	RMS	0.32	-71.13	-13	Pass	2986
30	1000	0.1	RMS	853.803	-63.88	-13	Pass	9701
1000	1840	1	RMS	1833	-37.97	-13	Pass	841
1840	1920	1	RMS	1850.4	21.44	60	Pass	401
1920	3000	1	RMS	2951	-48.96	-13	Pass	1081
3000	12000	1	RMS	11952	-41.78	-13	Pass	9002
12000	20000	1	RMS	19396	-33.86	-13	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.77	-13	Pass	401
0.15	30	0.01	RMS	0.31	-70.76	-13	Pass	2986
30	1000	0.1	RMS	845.6	-63.68	-13	Pass	9701
1000	1840	1	RMS	1840	-52.25	-13	Pass	841
1840	1920	1	RMS	1875.4	22.18	60	Pass	401
1920	3000	1	RMS	2963	-48.89	-13	Pass	1081
3000	12000	1	RMS	11951	-41.74	-13	Pass	9002
12000	20000	1	RMS	19400	-33.89	-13	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-13	Pass	2986
30	1000	0.1	RMS	850.801	-63.83	-13	Pass	9701
1000	1840	1	RMS	1840	-52.3	-13	Pass	841
1840	1920	1	RMS	1875.4	21.2	60	Pass	401
1920	3000	1	RMS	2953	-48.95	-13	Pass	1081
3000	12000	1	RMS	11851	-41.77	-13	Pass	9002
12000	20000	1	RMS	19409	-33.84	-13	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.91	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.5	-13	Pass	2986
30	1000	0.1	RMS	891.728	-61.31	-13	Pass	9701
1000	1840	1	RMS	1809	-52.34	-13	Pass	841
1840	1920	1	RMS	1900.4	21.9	60	Pass	401
1920	3000	1	RMS	2947	-48.93	-13	Pass	1081
3000	12000	1	RMS	11947	-41.81	-13	Pass	9002
12000	20000	1	RMS	19405	-33.87	-13	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.04	-13	Pass	401
0.15	30	0.01	RMS	0.31	-70.48	-13	Pass	2986
30	1000	0.1	RMS	868.013	-63.89	-13	Pass	9701
1000	1840	1	RMS	1798	-52.35	-13	Pass	841
1840	1920	1	RMS	1900.4	21.03	60	Pass	401
1920	3000	1	RMS	2953	-48.89	-13	Pass	1081
3000	12000	1	RMS	11849	-41.79	-13	Pass	9002
12000	20000	1	RMS	19401	-33.84	-13	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.06	-13	Pass	401
0.15	30	0.01	RMS	0.32	-71.31	-13	Pass	2986
30	1000	0.1	RMS	850.401	-63.83	-13	Pass	9701
1000	1840	1	RMS	1824	-48.68	-13	Pass	841
1840	1920	1	RMS	1850.8	22.3	60	Pass	401
1920	3000	1	RMS	2957	-48.92	-13	Pass	1081
3000	12000	1	RMS	11849	-41.78	-13	Pass	9002
12000	20000	1	RMS	19401	-33.83	-13	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.6	-13	Pass	2986
30	1000	0.1	RMS	854.203	-63.83	-13	Pass	9701
1000	1840	1	RMS	1838	-49.59	-13	Pass	841
1840	1920	1	RMS	1850.8	21.48	60	Pass	401
1920	3000	1	RMS	2955	-48.9	-13	Pass	1081
3000	12000	1	RMS	11853	-41.74	-13	Pass	9002
12000	20000	1	RMS	19398	-33.89	-13	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	Pass	2986
30	1000	0.1	RMS	833.6	-63.94	-13	Pass	9701
1000	1840	1	RMS	1812	-52.33	-13	Pass	841
1840	1920	1	RMS	1873.2	22.28	60	Pass	401
1920	3000	1	RMS	2959	-48.94	-13	Pass	1081
3000	12000	1	RMS	11952	-41.78	-13	Pass	9002
12000	20000	1	RMS	19707	-33.88	-13	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.07	-13	Pass	2986
30	1000	0.1	RMS	853.103	-63.8	-13	Pass	9701
1000	1840	1	RMS	1807	-52.35	-13	Pass	841
1840	1920	1	RMS	1873.2	21.29	60	Pass	401
1920	3000	1	RMS	2948	-48.92	-13	Pass	1081
3000	12000	1	RMS	11849	-41.72	-13	Pass	9002
12000	20000	1	RMS	19404	-33.79	-13	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	Pass	2986
30	1000	0.1	RMS	847.8	-63.84	-13	Pass	9701
1000	1840	1	RMS	1813	-52.36	-13	Pass	841
1840	1920	1	RMS	1895.8	22.01	60	Pass	401
1920	3000	1	RMS	2961	-48.92	-13	Pass	1081
3000	12000	1	RMS	11848	-41.8	-13	Pass	9002
12000	20000	1	RMS	19406	-33.86	-13	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.19	-13	Pass	401
0.15	30	0.01	RMS	0.28	-70.86	-13	Pass	2986
30	1000	0.1	RMS	859.707	-63.89	-13	Pass	9701
1000	1840	1	RMS	1807	-52.35	-13	Pass	841
1840	1920	1	RMS	1895.8	21.11	60	Pass	401
1920	3000	1	RMS	2944	-48.98	-13	Pass	1081
3000	12000	1	RMS	11950	-41.78	-13	Pass	9002
12000	20000	1	RMS	19404	-33.81	-13	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.08	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.58	-13	Pass	2986
30	1000	0.1	RMS	849.1	-63.71	-13	Pass	9701
1000	1840	1	RMS	1833	-49.5	-13	Pass	841
1840	1920	1	RMS	1851	22.25	60	Pass	401
1920	3000	1	RMS	2955	-48.88	-13	Pass	1081
3000	12000	1	RMS	11849	-41.82	-13	Pass	9002
12000	20000	1	RMS	19401	-33.91	-13	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70	-13	Pass	2986
30	1000	0.1	RMS	848.3	-63.93	-13	Pass	9701
1000	1840	1	RMS	1840	-50.15	-13	Pass	841
1840	1920	1	RMS	1851	21.34	60	Pass	401
1920	3000	1	RMS	2945	-48.94	-13	Pass	1081
3000	12000	1	RMS	11848	-41.79	-13	Pass	9002
12000	20000	1	RMS	19394	-33.95	-13	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-13	Pass	2986
30	1000	0.1	RMS	850.601	-63.77	-13	Pass	9701
1000	1840	1	RMS	1835	-44.01	-13	Pass	841
1840	1920	1	RMS	1871	22.19	60	Pass	401
1920	3000	1	RMS	2945	-48.94	-13	Pass	1081
3000	12000	1	RMS	11949	-41.74	-13	Pass	9002
12000	20000	1	RMS	19409	-33.87	-13	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.51	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.53	-13	Pass	2986
30	1000	0.1	RMS	851.301	-63.8	-13	Pass	9701
1000	1840	1	RMS	1835	-45.59	-13	Pass	841
1840	1920	1	RMS	1871	21.19	60	Pass	401
1920	3000	1	RMS	2947	-48.92	-13	Pass	1081
3000	12000	1	RMS	11844	-41.78	-13	Pass	9002
12000	20000	1	RMS	19404	-33.94	-13	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.95	-13	Pass	2986
30	1000	0.1	RMS	847.2	-63.89	-13	Pass	9701
1000	1840	1	RMS	1810	-52.31	-13	Pass	841
1840	1920	1	RMS	1891	21.9	60	Pass	401
1920	3000	1	RMS	2958	-48.9	-13	Pass	1081
3000	12000	1	RMS	11849	-41.74	-13	Pass	9002
12000	20000	1	RMS	19400	-33.9	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.8	-13	Pass	2986
30	1000	0.1	RMS	848.2	-63.88	-13	Pass	9701
1000	1840	1	RMS	1809	-52.35	-13	Pass	841
1840	1920	1	RMS	1891	20.88	60	Pass	401
1920	3000	1	RMS	2952	-48.89	-13	Pass	1081
3000	12000	1	RMS	11844	-41.76	-13	Pass	9002
12000	20000	1	RMS	19405	-33.86	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.88	-13	Pass	2986
30	1000	0.1	RMS	852.502	-63.72	-13	Pass	9701
1000	1700	1	RMS	1700	-51.59	-13	Pass	701
1700	1765	1	RMS	1710.238	22.99	60	Pass	401
1765	3000	1	RMS	2954	-48.93	-13	Pass	1236
3000	12000	1	RMS	11853	-41.81	-13	Pass	9002
12000	20000	1	RMS	19401	-33.87	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.33	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.79	-13	Pass	2986
30	1000	0.1	RMS	867.712	-63.84	-13	Pass	9701
1000	1700	1	RMS	1700	-51.92	-13	Pass	701
1700	1765	1	RMS	1710.238	22.07	60	Pass	401
1765	3000	1	RMS	2955	-48.95	-13	Pass	1236
3000	12000	1	RMS	11848	-41.79	-13	Pass	9002
12000	20000	1	RMS	19403	-33.77	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.58	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.28	-13	Pass	2986
30	1000	0.1	RMS	874.017	-63.85	-13	Pass	9701
1000	1700	1	RMS	1700	-52.62	-13	Pass	701
1700	1765	1	RMS	1732.013	22.85	60	Pass	401
1765	3000	1	RMS	2949	-48.93	-13	Pass	1236
3000	12000	1	RMS	11853	-41.78	-13	Pass	9002
12000	20000	1	RMS	19401	-33.84	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.83	-13	Pass	2986
30	1000	0.1	RMS	849.7	-63.87	-13	Pass	9701
1000	1700	1	RMS	1700	-52.62	-13	Pass	701
1700	1765	1	RMS	1732.013	21.89	60	Pass	401
1765	3000	1	RMS	2958	-48.92	-13	Pass	1236
3000	12000	1	RMS	11950	-41.77	-13	Pass	9002
12000	20000	1	RMS	19402	-33.83	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.72	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.14	-13	Pass	2986
30	1000	0.1	RMS	852.202	-63.87	-13	Pass	9701
1000	1700	1	RMS	1700	-52.6	-13	Pass	701
1700	1765	1	RMS	1753.788	22.98	60	Pass	401
1765	3000	1	RMS	2956	-48.91	-13	Pass	1236
3000	12000	1	RMS	11939	-41.78	-13	Pass	9002
12000	20000	1	RMS	19403	-33.79	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.84	-13	Pass	2986
30	1000	0.1	RMS	834.9	-63.86	-13	Pass	9701
1000	1700	1	RMS	1699	-52.66	-13	Pass	701
1700	1765	1	RMS	1753.788	22.05	60	Pass	401
1765	3000	1	RMS	2952	-48.89	-13	Pass	1236
3000	12000	1	RMS	11851	-41.74	-13	Pass	9002
12000	20000	1	RMS	19400	-33.86	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.96	-13	Pass	401
0.15	30	0.01	RMS	0.29	-70.82	-13	Pass	2986
30	1000	0.1	RMS	849.2	-63.77	-13	Pass	9701
1000	1700	1	RMS	1700	-51.44	-13	Pass	701
1700	1765	1	RMS	1710.238	23	60	Pass	401
1765	3000	1	RMS	2948	-48.91	-13	Pass	1236
3000	12000	1	RMS	11849	-41.73	-13	Pass	9002
12000	20000	1	RMS	19410	-33.92	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.78	-13	Pass	2986
30	1000	0.1	RMS	842.9	-63.85	-13	Pass	9701
1000	1700	1	RMS	1700	-51.61	-13	Pass	701
1700	1765	1	RMS	1710.075	22.18	60	Pass	401
1765	3000	1	RMS	2945	-48.9	-13	Pass	1236
3000	12000	1	RMS	11843	-41.81	-13	Pass	9002
12000	20000	1	RMS	19399	-33.9	-13	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.2	-13	Pass	401
0.15	30	0.01	RMS	0.29	-71.17	-13	Pass	2986
30	1000	0.1	RMS	848.5	-63.83	-13	Pass	9701
1000	1700	1	RMS	1700	-52.62	-13	Pass	701
1700	1765	1	RMS	1731.2	22.86	60	Pass	401
1765	3000	1	RMS	2948	-48.93	-13	Pass	1236
3000	12000	1	RMS	11949	-41.77	-13	Pass	9002
12000	20000	1	RMS	19398	-33.85	-13	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.36	-13	Pass	401
0.15	30	0.01	RMS	0.28	-70.09	-13	Pass	2986
30	1000	0.1	RMS	854.103	-63.76	-13	Pass	9701
1000	1700	1	RMS	1697	-52.62	-13	Pass	701
1700	1765	1	RMS	1731.2	21.9	60	Pass	401
1765	3000	1	RMS	2950	-48.89	-13	Pass	1236
3000	12000	1	RMS	11850	-41.79	-13	Pass	9002
12000	20000	1	RMS	19400	-33.78	-13	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.64	-13	Pass	2986
30	1000	0.1	RMS	842.4	-63.9	-13	Pass	9701
1000	1700	1	RMS	1700	-52.63	-13	Pass	701
1700	1765	1	RMS	1752.163	22.94	60	Pass	401
1765	3000	1	RMS	2957	-48.86	-13	Pass	1236
3000	12000	1	RMS	11949	-41.78	-13	Pass	9002
12000	20000	1	RMS	19400	-33.86	-13	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.67	-13	Pass	401
0.15	30	0.01	RMS	0.28	-71.23	-13	Pass	2986
30	1000	0.1	RMS	855.404	-63.81	-13	Pass	9701
1000	1700	1	RMS	1698	-52.62	-13	Pass	701
1700	1765	1	RMS	1752.163	22.06	60	Pass	401
1765	3000	1	RMS	2954	-48.91	-13	Pass	1236
3000	12000	1	RMS	11851	-41.76	-13	Pass	9002
12000	20000	1	RMS	19401	-33.89	-13	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.6	-13	Pass	2986
30	1000	0.1	RMS	848.2	-63.85	-13	Pass	9701
1000	1700	1	RMS	1700	-48.35	-13	Pass	701
1700	1765	1	RMS	1710.238	23.13	60	Pass	401
1765	3000	1	RMS	2954	-48.9	-13	Pass	1236
3000	12000	1	RMS	11843	-41.79	-13	Pass	9002
12000	20000	1	RMS	19398	-33.87	-13	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.63	-13	Pass	401
0.15	30	0.01	RMS	0.3	-70.77	-13	Pass	2986
30	1000	0.1	RMS	847.5	-63.62	-13	Pass	9701
1000	1700	1	RMS	1700	-49.23	-13	Pass	701
1700	1765	1	RMS	1710.238	22.17	60	Pass	401
1765	3000	1	RMS	2957	-48.87	-13	Pass	1236
3000	12000	1	RMS	11957	-41.8	-13	Pass	9002
12000	20000	1	RMS	19397	-33.91	-13	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.64	-13	Pass	2986
30	1000	0.1	RMS	845.6	-63.73	-13	Pass	9701
1000	1700	1	RMS	1699	-52.5	-13	Pass	701
1700	1765	1	RMS	1730.225	22.96	60	Pass	401
1765	3000	1	RMS	2957	-48.91	-13	Pass	1236
3000	12000	1	RMS	11958	-41.79	-13	Pass	9002
12000	20000	1	RMS	19399	-33.88	-13	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.35	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.5	-13	Pass	2986
30	1000	0.1	RMS	866.211	-63.88	-13	Pass	9701
1000	1700	1	RMS	1698	-52.57	-13	Pass	701
1700	1765	1	RMS	1730.225	22.08	60	Pass	401
1765	3000	1	RMS	2958	-48.91	-13	Pass	1236
3000	12000	1	RMS	11849	-41.81	-13	Pass	9002
12000	20000	1	RMS	19401	-33.86	-13	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.88	-13	Pass	401
0.15	30	0.01	RMS	0.19	-69.94	-13	Pass	2986
30	1000	0.1	RMS	866.812	-63.91	-13	Pass	9701
1000	1700	1	RMS	1699	-52.61	-13	Pass	701
1700	1765	1	RMS	1750.213	23.01	60	Pass	401
1765	3000	1	RMS	2951	-48.87	-13	Pass	1236
3000	12000	1	RMS	11846	-41.74	-13	Pass	9002
12000	20000	1	RMS	19400	-33.86	-13	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.73	-13	Pass	401
0.15	30	0.01	RMS	0.31	-70.35	-13	Pass	2986
30	1000	0.1	RMS	947.265	-63.88	-13	Pass	9701
1000	1700	1	RMS	1697	-52.64	-13	Pass	701
1700	1765	1	RMS	1750.213	22.18	60	Pass	401
1765	3000	1	RMS	2952	-48.94	-13	Pass	1236
3000	12000	1	RMS	11846	-41.74	-13	Pass	9002
12000	20000	1	RMS	19397	-33.79	-13	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.51	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.91	-13	Pass	2986
30	1000	0.1	RMS	849.4	-63.89	-13	Pass	9701
1000	1700	1	RMS	1693	-30.13	-13	Pass	701
1700	1765	1	RMS	1710.563	23.11	60	Pass	401
1765	3000	1	RMS	2948	-48.89	-13	Pass	1236
3000	12000	1	RMS	11837	-41.78	-13	Pass	9002
12000	20000	1	RMS	19397	-33.9	-13	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.85	-13	Pass	2986
30	1000	0.1	RMS	850.901	-63.88	-13	Pass	9701
1000	1700	1	RMS	1693	-31.62	-13	Pass	701
1700	1765	1	RMS	1710.563	22.27	60	Pass	401
1765	3000	1	RMS	2951	-48.9	-13	Pass	1236
3000	12000	1	RMS	11848	-41.75	-13	Pass	9002
12000	20000	1	RMS	19402	-33.87	-13	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.8	-13	Pass	2986
30	1000	0.1	RMS	857.606	-63.94	-13	Pass	9701
1000	1700	1	RMS	1693	-52.47	-13	Pass	701
1700	1765	1	RMS	1727.95	22.92	60	Pass	401
1765	3000	1	RMS	2958	-48.95	-13	Pass	1236
3000	12000	1	RMS	11852	-41.73	-13	Pass	9002
12000	20000	1	RMS	19401	-33.82	-13	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.12	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.92	-13	Pass	2986
30	1000	0.1	RMS	844.4	-63.93	-13	Pass	9701
1000	1700	1	RMS	1693	-52.51	-13	Pass	701
1700	1765	1	RMS	1727.95	21.92	60	Pass	401
1765	3000	1	RMS	2955	-48.87	-13	Pass	1236
3000	12000	1	RMS	11854	-41.82	-13	Pass	9002
12000	20000	1	RMS	19399	-33.87	-13	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.3	-13	Pass	2986
30	1000	0.1	RMS	848.4	-63.82	-13	Pass	9701
1000	1700	1	RMS	1695	-52.63	-13	Pass	701
1700	1765	1	RMS	1745.5	22.97	60	Pass	401
1765	3000	1	RMS	1765	-48.64	-13	Pass	1236
3000	12000	1	RMS	11951	-41.68	-13	Pass	9002
12000	20000	1	RMS	19399	-33.86	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.88	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.72	-13	Pass	2986
30	1000	0.1	RMS	856.905	-63.83	-13	Pass	9701
1000	1700	1	RMS	1699	-52.64	-13	Pass	701
1700	1765	1	RMS	1745.5	22.08	60	Pass	401
1765	3000	1	RMS	2956	-48.96	-13	Pass	1236
3000	12000	1	RMS	11953	-41.8	-13	Pass	9002
12000	20000	1	RMS	19401	-33.9	-13	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.33	-13	Pass	2986
30	1000	0.1	RMS	857.906	-63.77	-13	Pass	9701
1000	1700	1	RMS	1700	-48.44	-13	Pass	701
1700	1765	1	RMS	1710.725	23.01	60	Pass	401
1765	3000	1	RMS	2948	-48.91	-13	Pass	1236
3000	12000	1	RMS	11952	-41.76	-13	Pass	9002
12000	20000	1	RMS	19399	-33.9	-13	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.01	-13	Pass	2986
30	1000	0.1	RMS	849.1	-63.87	-13	Pass	9701
1000	1700	1	RMS	1700	-48.76	-13	Pass	701
1700	1765	1	RMS	1710.725	22.18	60	Pass	401
1765	3000	1	RMS	2960	-48.93	-13	Pass	1236
3000	12000	1	RMS	11954	-41.79	-13	Pass	9002
12000	20000	1	RMS	19403	-33.91	-13	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.76	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.44	-13	Pass	2986
30	1000	0.1	RMS	826.1	-63.83	-13	Pass	9701
1000	1700	1	RMS	1699	-31.13	-13	Pass	701
1700	1765	1	RMS	1725.838	22.8	60	Pass	401
1765	3000	1	RMS	2960	-48.88	-13	Pass	1236
3000	12000	1	RMS	11951	-41.71	-13	Pass	9002
12000	20000	1	RMS	19404	-33.87	-13	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.56	-13	Pass	2986
30	1000	0.1	RMS	844.3	-63.87	-13	Pass	9701
1000	1700	1	RMS	1699	-32.51	-13	Pass	701
1700	1765	1	RMS	1725.838	21.83	60	Pass	401
1765	3000	1	RMS	2954	-48.92	-13	Pass	1236
3000	12000	1	RMS	11945	-41.78	-13	Pass	9002
12000	20000	1	RMS	19407	-33.85	-13	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.8	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.91	-13	Pass	2986
30	1000	0.1	RMS	851.001	-63.62	-13	Pass	9701
1000	1700	1	RMS	1700	-52.57	-13	Pass	701
1700	1765	1	RMS	1740.788	22.89	60	Pass	401
1765	3000	1	RMS	1767	-29.3	-13	Pass	1236
3000	12000	1	RMS	11850	-41.73	-13	Pass	9002
12000	20000	1	RMS	19402	-33.85	-13	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-65.94	-13	Pass	401
0.15	30	0.01	RMS	0.3	-71.23	-13	Pass	2986
30	1000	0.1	RMS	851.201	-63.77	-13	Pass	9701
1000	1700	1	RMS	1696	-52.61	-13	Pass	701
1700	1765	1	RMS	1740.788	22.02	60	Pass	401
1765	3000	1	RMS	1767	-29.7	-13	Pass	1236
3000	12000	1	RMS	11853	-41.72	-13	Pass	9002
12000	20000	1	RMS	19405	-33.83	-13	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.67	-13	Pass	2986
30	1000	0.1	RMS	827.8	-63.74	-13	Pass	9701
1000	1700	1	RMS	1700	-49.06	-13	Pass	701
1700	1765	1	RMS	1711.05	23.01	60	Pass	401
1765	3000	1	RMS	2942	-48.88	-13	Pass	1236
3000	12000	1	RMS	11847	-41.73	-13	Pass	9002
12000	20000	1	RMS	19401	-33.85	-13	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.39	-13	Pass	401
0.15	30	0.01	RMS	0.29	-70.78	-13	Pass	2986
30	1000	0.1	RMS	864.71	-63.84	-13	Pass	9701
1000	1700	1	RMS	1700	-49.49	-13	Pass	701
1700	1765	1	RMS	1711.05	22.14	60	Pass	401
1765	3000	1	RMS	2951	-48.92	-13	Pass	1236
3000	12000	1	RMS	11944	-41.8	-13	Pass	9002
12000	20000	1	RMS	19402	-33.88	-13	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.96	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.4	-13	Pass	2986
30	1000	0.1	RMS	840	-63.76	-13	Pass	9701
1000	1700	1	RMS	1688	-42.69	-13	Pass	701
1700	1765	1	RMS	1723.563	22.82	60	Pass	401
1765	3000	1	RMS	2958	-48.87	-13	Pass	1236
3000	12000	1	RMS	11844	-41.74	-13	Pass	9002
12000	20000	1	RMS	19402	-33.87	-13	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.87	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.21	-13	Pass	2986
30	1000	0.1	RMS	835.8	-63.87	-13	Pass	9701
1000	1700	1	RMS	1688	-44.15	-13	Pass	701
1700	1765	1	RMS	1723.563	21.83	60	Pass	401
1765	3000	1	RMS	2946	-48.92	-13	Pass	1236
3000	12000	1	RMS	11954	-41.81	-13	Pass	9002
12000	20000	1	RMS	19401	-33.86	-13	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.5	-13	Pass	401
0.15	30	0.01	RMS	0.19	-69.96	-13	Pass	2986
30	1000	0.1	RMS	850.501	-63.82	-13	Pass	9701
1000	1700	1	RMS	1700	-32.75	-13	Pass	701
1700	1765	1	RMS	1736.075	22.71	60	Pass	401
1765	3000	1	RMS	1772	-29.53	-13	Pass	1236
3000	12000	1	RMS	11845	-41.74	-13	Pass	9002
12000	20000	1	RMS	19397	-33.91	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.45	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.93	-13	Pass	2986
30	1000	0.1	RMS	849.5	-63.77	-13	Pass	9701
1000	1700	1	RMS	1700	-34.01	-13	Pass	701
1700	1765	1	RMS	1736.075	21.84	60	Pass	401
1765	3000	1	RMS	1772	-29.97	-13	Pass	1236
3000	12000	1	RMS	11951	-41.79	-13	Pass	9002
12000	20000	1	RMS	19402	-33.86	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.6	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.37	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.79	-13	Pass	7841
814	860	0.1	RMS	824.2	19.75	60	Pass	461
860	1000	0.1	RMS	867.2	-64.01	-13	Pass	1401
1000	3000	1	RMS	1648	-47.9	-13	Pass	2001
3000	10000	1	RMS	6960	-41.98	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.42	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.53	-13	Pass	7841
814	860	0.1	RMS	824.3	18.91	60	Pass	461
860	1000	0.1	RMS	876.3	-63.94	-13	Pass	1401
1000	3000	1	RMS	1648	-48.59	-13	Pass	2001
3000	10000	1	RMS	6960	-41.92	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.89	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.66	-13	Pass	2986
30	814	0.1	RMS	813.6	-64.2	-13	Pass	7841
814	860	0.1	RMS	836	19.71	60	Pass	461
860	1000	0.1	RMS	869.3	-63.87	-13	Pass	1401
1000	3000	1	RMS	1672	-48.27	-13	Pass	2001
3000	10000	1	RMS	6962	-42.08	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.67	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.48	-13	Pass	2986
30	814	0.1	RMS	813.5	-64.2	-13	Pass	7841
814	860	0.1	RMS	836.1	18.95	60	Pass	461
860	1000	0.1	RMS	868.6	-64.01	-13	Pass	1401
1000	3000	1	RMS	1672	-48.88	-13	Pass	2001
3000	10000	1	RMS	6961	-41.94	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.87	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.38	-13	Pass	2986
30	814	0.1	RMS	812.3	-64.18	-13	Pass	7841
814	860	0.1	RMS	847.9	19.56	60	Pass	461
860	1000	0.1	RMS	870.8	-63.97	-13	Pass	1401
1000	3000	1	RMS	2543	-46.66	-13	Pass	2001
3000	10000	1	RMS	6961	-41.98	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.69	-13	Pass	2986
30	814	0.1	RMS	811	-64.21	-13	Pass	7841
814	860	0.1	RMS	847.9	18.88	60	Pass	461
860	1000	0.1	RMS	911.9	-63.96	-13	Pass	1401
1000	3000	1	RMS	2543	-47.17	-13	Pass	2001
3000	10000	1	RMS	6963	-41.95	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.95	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.61	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.19	-13	Pass	7841
814	860	0.1	RMS	824.2	20	60	Pass	461
860	1000	0.1	RMS	972.3	-63.96	-13	Pass	1401
1000	3000	1	RMS	1648	-47.86	-13	Pass	2001
3000	10000	1	RMS	6961	-41.96	-13	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.8	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.3	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.39	-13	Pass	7841
814	860	0.1	RMS	824.2	19.33	60	Pass	461
860	1000	0.1	RMS	861.4	-64.02	-13	Pass	1401
1000	3000	1	RMS	1648	-48.35	-13	Pass	2001
3000	10000	1	RMS	6962	-42.01	-13	Pass	7001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.89	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.23	-13	Pass	2986
30	814	0.1	RMS	799	-64.26	-13	Pass	7841
814	860	0.1	RMS	835.2	20	60	Pass	461
860	1000	0.1	RMS	865.6	-63.96	-13	Pass	1401
1000	3000	1	RMS	1670	-46.82	-13	Pass	2001
3000	10000	1	RMS	6962	-42.02	-13	Pass	7001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.82	-13	Pass	2986
30	814	0.1	RMS	812.7	-64.26	-13	Pass	7841
814	860	0.1	RMS	835.2	19.25	60	Pass	461
860	1000	0.1	RMS	863.6	-63.97	-13	Pass	1401
1000	3000	1	RMS	1670	-47.51	-13	Pass	2001
3000	10000	1	RMS	6959	-42.01	-13	Pass	7001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.48	-13	Pass	2986
30	814	0.1	RMS	809.8	-64.24	-13	Pass	7841
814	860	0.1	RMS	846.2	19.82	60	Pass	461
860	1000	0.1	RMS	952.7	-63.89	-13	Pass	1401
1000	3000	1	RMS	2538	-44.44	-13	Pass	2001
3000	10000	1	RMS	6961	-42.02	-13	Pass	7001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.02	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.84	-13	Pass	2986
30	814	0.1	RMS	751.2	-64.26	-13	Pass	7841
814	860	0.1	RMS	846.2	19.17	60	Pass	461
860	1000	0.1	RMS	940.4	-63.88	-13	Pass	1401
1000	3000	1	RMS	2538	-45.29	-13	Pass	2001
3000	10000	1	RMS	6961	-41.96	-13	Pass	7001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.59	-13	Pass	401
0.15	30	0.01	RMS	0.28	-71.16	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.23	-13	Pass	7841
814	860	0.1	RMS	824.3	20.07	60	Pass	461
860	1000	0.1	RMS	862.6	-63.72	-13	Pass	1401
1000	3000	1	RMS	1648	-47.66	-13	Pass	2001
3000	10000	1	RMS	6961	-41.99	-13	Pass	7001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.4	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.55	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.61	-13	Pass	7841
814	860	0.1	RMS	824.3	19.27	60	Pass	461
860	1000	0.1	RMS	866.8	-63.95	-13	Pass	1401
1000	3000	1	RMS	1648	-48.66	-13	Pass	2001
3000	10000	1	RMS	6962	-42.01	-13	Pass	7001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.52	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.08	-13	Pass	2986
30	814	0.1	RMS	808.3	-64.19	-13	Pass	7841
814	860	0.1	RMS	834.3	20.1	60	Pass	461
860	1000	0.1	RMS	860.1	-63.94	-13	Pass	1401
1000	3000	1	RMS	1668	-46.5	-13	Pass	2001
3000	10000	1	RMS	6959	-42.07	-13	Pass	7001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.2	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.45	-13	Pass	2986
30	814	0.1	RMS	741.7	-64.28	-13	Pass	7841
814	860	0.1	RMS	834.3	19.38	60	Pass	461
860	1000	0.1	RMS	873.8	-64.06	-13	Pass	1401
1000	3000	1	RMS	1668	-47.18	-13	Pass	2001
3000	10000	1	RMS	6961	-41.91	-13	Pass	7001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.19	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.39	-13	Pass	2986
30	814	0.1	RMS	804.9	-64.18	-13	Pass	7841
814	860	0.1	RMS	844.3	20.02	60	Pass	461
860	1000	0.1	RMS	867	-64.05	-13	Pass	1401
1000	3000	1	RMS	1688	-47	-13	Pass	2001
3000	10000	1	RMS	6959	-42.03	-13	Pass	7001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.78	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.87	-13	Pass	2986
30	814	0.1	RMS	805.8	-64.29	-13	Pass	7841
814	860	0.1	RMS	844.3	19.35	60	Pass	461
860	1000	0.1	RMS	860.7	-63.95	-13	Pass	1401
1000	3000	1	RMS	1688	-47.6	-13	Pass	2001
3000	10000	1	RMS	6960	-41.98	-13	Pass	7001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.77	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.63	-13	Pass	2986
30	814	0.1	RMS	813.9	-63.12	-13	Pass	7841
814	860	0.1	RMS	824.6	20.52	60	Pass	461
860	1000	0.1	RMS	864.2	-64	-13	Pass	1401
1000	3000	1	RMS	1649	-47.89	-13	Pass	2001
3000	10000	1	RMS	6962	-42	-13	Pass	7001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.05	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.76	-13	Pass	7841
814	860	0.1	RMS	824.6	19.86	60	Pass	461
860	1000	0.1	RMS	975.6	-63.97	-13	Pass	1401
1000	3000	1	RMS	1649	-48.3	-13	Pass	2001
3000	10000	1	RMS	6963	-42.03	-13	Pass	7001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.9	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.08	-13	Pass	2986
30	814	0.1	RMS	811.1	-64.26	-13	Pass	7841
814	860	0.1	RMS	832.1	20.52	60	Pass	461
860	1000	0.1	RMS	862.8	-63.88	-13	Pass	1401
1000	3000	1	RMS	1664	-47.13	-13	Pass	2001
3000	10000	1	RMS	6960	-42.01	-13	Pass	7001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.83	-13	Pass	2986
30	814	0.1	RMS	809.5	-64.2	-13	Pass	7841
814	860	0.1	RMS	832.1	19.62	60	Pass	461
860	1000	0.1	RMS	866.6	-64	-13	Pass	1401
1000	3000	1	RMS	1664	-47.99	-13	Pass	2001
3000	10000	1	RMS	6961	-41.91	-13	Pass	7001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.8	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.14	-13	Pass	2986
30	814	0.1	RMS	813.1	-64.18	-13	Pass	7841
814	860	0.1	RMS	839.6	20.35	60	Pass	461
860	1000	0.1	RMS	887.3	-64	-13	Pass	1401
1000	3000	1	RMS	1679	-46.48	-13	Pass	2001
3000	10000	1	RMS	6959	-41.95	-13	Pass	7001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.62	-13	Pass	2986
30	814	0.1	RMS	811.6	-64.26	-13	Pass	7841
814	860	0.1	RMS	839.6	19.69	60	Pass	461
860	1000	0.1	RMS	915.7	-63.98	-13	Pass	1401
1000	3000	1	RMS	1679	-47.15	-13	Pass	2001
3000	10000	1	RMS	6960	-41.96	-13	Pass	7001

