




Fragrant plasma Comfort system

A more advanced upgrade of the original car will start
your healthy and comfortable car life.





directory

content

01

Product
feature

02

Function
Introduction

03

product
demonstration



01

Product features

Product Features



First, the ultra-small design



Second, strong adaptability

1) adapt to all models in the market.



2) Strong maneuverability-voice, applet, electronic remote control

Third, diversification of installation

1) The fragrance plasma comfort system is installed in the co-pilot storage box in a concealed way, with various installation methods: upright installation, side installation and



2) Non-destructive installation, no damage to a
The fragrance port is placed at the air outlet

Fourth, security

1) Non-corrosive to the car body-The solid perfume carrier absorbs the essence by improving the original molecular structure, and then diffuses the fragrance through the fan and chip control. Form an independent fresh air system, and the essence will not overflow.



2) The essence is selected from the raw material supplier of Audi and Lexus-ROBERTET of France. Plant natural essence is safe and harmless to human body, and enjoys the fragrance of nature in the car.

V. Plasma purification

- 1) generate 500Wcm³ purified air per second.
- 2) There are two carbon brushes inside to absorb air impurities in the car.
- 3) It has the effects of deodorizing, inhibiting bacteria, purifying air and improving sleep in the car.



Six, ultra-quiet fan

The running noise is less than 35dB, so you can enjoy the unique quiet in the car.



Seven, balm

1) high content of fragrance absorption, multi-fragrance hole design, instant fragrance experience.

2) chip identification, sealed and preserved,

3) The balm box is made of special materials to increase the service life of the fragrance.



02

Function introduction

First, small programs


The balm is mainly controlled by WeChat independently developed by the company, and the fragrance concentration, fragrance selection and fragrance eruption time can be set at any time. The service life of balm can reach 3 months or 120H depending on the fragrance type.



Second, the fragrance instructions




Scan applet QR code



Step 1: Enter the applet interface. If Bluetooth is not connected, click the icon button or manually connect in the settings. (Bluetooth shows the disconnected state, so you need to manually connect and control the fragrance host.)




Jump to the setting interface, and click Connect Bluetooth manually. (fragrance instructions: installation instructions and instructions for use. The Bluetooth name can be modified. Scent version upgrade, etc.)




Step 2: Select the Bluetooth corresponding to the fragrance host to connect, and control the fragrance after the connection is completed.






Step 3: Turn on the fragrance concentration and adjust it appropriately. (Percent shows the remaining amount of balm.)



Step 4: Turn on the plasma.
(It can purify the air, prevent haze, inhibit bacteria, remove odor, etc.)



Step 5: Choose the working mode, which can spray incense continuously or intermittently. (the time setting is combined with your own situation.)

Third, the fragrance type



飘茗 PIAOMIN

馥郁芳香，魅惑而撩人持久的香味与肌肤精妙融为一体，让人打开自由悸动的心扉。

前调：梨、柑橘

中调：橙花、茉莉

后调：咖啡、抹茶、麝香、香草

东方 DONGFANG

以檀香和琥珀为基调，重现了这片天人合一的氛围清新的气，舒缓紧张的思绪。由风信子、白松香和洋甘橘味，别致香气塑造的前调，又彰显着与众不同是独特的亚洲香味。

前调：风信子、白松香、洋甘橘

中调：玫瑰、茉莉

后调：琥珀、维吉尼亚松



蔚蓝 WEILAN

来自卡拉布里亚或西西里岛的佛手柑与海水的味道弥漫在湛蓝的天空与前海的海岸之间。在摇曳的风中，还隐约飘散着青苹果的清新、以及薰衣草、柏树、与琥珀的气息。

前调：佛手柑、青苹果

中调：薰衣草、海水、柏树

后调：琥珀、麝香

旷野 KUANGYE

承袭Dior迪奥旷野男士系列的锐意清新感，新添一抹深邃感性色彩。大胆蜕变，重新诠释经典芳香组合。

前调：胡椒、香柠檬

中调：老鹳草、薰衣草、粉红胡椒、香根草

后调：雪松、降龙涎香



花漾年 HUAYANGNIAN

Miss Dior 以花园和远东的香气为灵感，Miss Dior 的果香初调包括柑橘香调和西西里岛香橙精华，香气像果粒。中调香气包括牡丹花香调、来自玫瑰原精的玫瑰果香和牡丹。底调包括法国西普香水感觉的广藿香和木香气味。

前调：橙、橙花油、西西里柑橘

中调：牡丹、玫瑰

后调：广藿香、木香



松雪 SONGXUE

境北空山雪松林，薄雾晨霜，摇曳小豆蔻和清新的橙花香自然交融，冷冽的寒冬为此系上温暖的围巾，燃烧的壁炉篝火烘烤潮湿的水汽，混合泥土气息的苔藓带来冬日生机。紫罗兰的芬芳交织着根草的纤细温柔，初雪压弯的雪松枝头在诉说坚韧的执着。

前调：小豆蔻、橙花

中调：苔藓、紫罗兰

后调：香根草、雪松



茶韵 CHAYUN

茶香扑鼻，沁人心脾，曾经被定格的时光再次流转，在浮躁和追求效率的“快”时代，“慢”亦有“慢”的好，细嗅茶香，嘈杂的世界仿佛被抛在脑后感知生活的至纯至净享受独一无二的禅意时光。

前调：香柠檬、橙花、小豆蔻

中调：茉莉、栀子花、茶

后调：香根草、雪松



栀子花 ZHIZIHUA

栀子花甘烈，晚香玉清幽。淡淡的奶油气息中中和了青涩绿意，花香馥郁香浓，质感细腻，丝滑般顺滑。细节之处，最显动人。

前调：依兰、苹果花

中调：栀子花、晚香玉

后调：白花、香草、辛香

半夏 BANXIA

优雅而经典的花香西普调，让人难以忘怀，以现代风味重新诠释性感与独特，让花香调弥漫所有角落，在人群中熠熠生辉。

前调：醋香、香柠檬、蜜橘

中调：玫瑰、铃兰、含羞草

后调：广藿香、岩蔷薇、香根草



晨光 CHENQUANG

感受东方辛香的神秘之美。清新的前调营造出愉悦氛围，薰衣草与白花芳香围绕盘旋，生姜独特的辛香带来活力，配合馥郁的木香与动物香，再增添一抹东方韵味的神秘。

前调：佛手柑、薰衣草、甜橙

中调：茉莉、生姜、铃兰

后调：檀香木、香豆素、麝香

03

Product demonstration

I. Schematic diagram of installation

产品安装

弥散出香，全车净化，360°清香无死角



Second, the wiring diagram





Third, the product list

产品配置

1 set of main machine, 1 power cord, 1 perfume tube, 1 plasma generator, 1 set of fragrance, 1 set of installation accessories

产品参数

Operating voltage :11.5V-14.8V

售后承诺

From the date of delivery, 1 year free maintenance warranty (except perfumes and consumable products)

使用须知

The fragrance of the system is consumable and must be purchased by the owner at his own expense



Fourth, product parameters

rated voltage	DC12V
Working temperature	-20℃+70℃
operational current	<200MA
quiescent current	<10MA
Plasma concentration	> 5 million/cm

V. Schematic diagram of power connection

Connect long power, with memory function

Answering ACC is like driving keys.



Ground wire is mainly to prevent leakage.

Vi. Presentation of fragrance display stand


Fragrance system:

It is such a system that the fragrance of balm stored in the device in advance is input to the automobile air conditioning system through the fragrance transmission pipe through the electronic atomizing device, so that the pleasant fragrance can be evenly distributed to the whole interior space through the air outlet of the air conditioning.

Plasma system:

Pulse and oscillator are used to raise the low voltage to the high voltage, and positive ions (H^+) and negative ions (O_2^-) are generated on two different electrodes by alternating current forward high voltage and reverse high voltage. H^+ and O_2^- react chemically on the specific surface of particles to form OH radicals, and H^+ is extracted from protein of planktonic bacteria to inactivate it, thus achieving the functions of sterilization, formaldehyde removal, static electricity removal and deodorization.





Thanks for
watching!



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Warning: changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment

Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.