



## Final Result

Frequency (MHz)	MaxPeak (dBFSV/m)	Average (dBFSV/m)	Limit (dBFSV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1115.500000	---	28.20	54.00	25.80	500.0	200.0	V	48.0	-10.0
1289.625000	40.86	---	68.20	27.34	500.0	200.0	H	64.0	-8.3
1369.250000	---	30.48	54.00	23.52	500.0	200.0	V	179.0	-7.7
1704.375000	---	31.68	54.00	22.32	500.0	200.0	V	267.0	-6.0
1930.125000	44.03	---	68.20	24.17	500.0	200.0	H	56.0	-4.8
2565.375000	46.53	---	68.20	21.67	500.0	200.0	V	213.0	-2.1
2816.500000	---	35.79	54.00	18.21	500.0	200.0	H	255.0	-1.2
3435.125000	51.03	---	68.20	17.17	500.0	200.0	H	351.0	1.5
3973.250000	---	39.72	54.00	14.28	500.0	200.0	V	187.0	3.1
4458.875000	49.80	---	68.20	18.40	500.0	200.0	V	284.0	3.6
6512.500000	53.22	---	68.20	14.98	500.0	200.0	H	177.0	6.3
7342.875000	---	41.30	54.00	12.70	500.0	200.0	V	272.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1091.875000	---	27.99	54.00	26.01	500.0	200.0	H	223.0	-10.2
1272.125000	41.08	---	68.20	27.12	500.0	200.0	V	205.0	-8.4
1413.875000	---	30.13	54.00	23.87	500.0	200.0	V	126.0	-7.5
1709.625000	---	31.58	54.00	22.42	500.0	200.0	H	16.0	-5.9
1858.375000	44.96	---	68.20	23.24	500.0	200.0	H	121.0	-5.2
2641.500000	46.63	---	68.20	21.57	500.0	200.0	H	44.0	-2.0
2811.250000	---	35.98	54.00	18.02	500.0	200.0	H	7.0	-1.2
3485.875000	51.09	---	68.20	17.11	500.0	200.0	V	143.0	1.7
3996.875000	---	39.52	54.00	14.48	500.0	200.0	V	164.0	3.2
4416.000000	49.22	---	68.20	18.98	500.0	200.0	H	198.0	3.6
6581.625000	53.42	---	68.20	14.78	500.0	200.0	V	164.0	6.6
7558.125000	---	41.12	54.00	12.88	500.0	200.0	H	138.0	7.1




## Final Result

Frequency (MHz)	MaxPeak (dBfGv/m)	Average (dBfGv/m)	Limit (dBfGv/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1099.750000	---	27.73	54.00	26.27	500.0	200.0	H	28.0	-10.1
1294.875000	41.97	---	68.20	26.23	500.0	200.0	H	19.0	-8.2
1392.000000	---	30.47	54.00	23.53	500.0	200.0	H	180.0	-7.6
1707.875000	---	32.01	54.00	21.99	500.0	200.0	H	192.0	-5.9
1942.375000	44.01	---	68.20	24.19	500.0	200.0	V	0.0	-4.7
2638.000000	46.46	---	68.20	21.74	500.0	200.0	V	122.0	-2.0
2731.625000	---	35.71	54.00	18.29	500.0	200.0	H	175.0	-1.5
3582.125000	51.03	---	68.20	17.17	500.0	200.0	H	187.0	1.8
3996.000000	---	39.81	54.00	14.19	500.0	200.0	V	97.0	3.2
4477.250000	49.70	---	68.20	18.50	500.0	200.0	H	86.0	3.7
6684.000000	53.10	---	68.20	15.10	500.0	200.0	V	332.0	6.5
7359.500000	---	41.03	54.00	12.97	500.0	200.0	V	0.0	7.1




## Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1109.375000	---	27.70	54.00	26.30	500.0	200.0	H	37.0	-10.0
1292.250000	41.40	---	68.20	26.80	500.0	200.0	H	122.0	-8.2
1413.875000	---	30.33	54.00	23.67	500.0	200.0	H	151.0	-7.5
1720.125000	---	31.54	54.00	22.46	500.0	200.0	H	235.0	-5.9
1905.625000	44.09	---	68.20	24.11	500.0	200.0	H	351.0	-5.0
2601.250000	46.39	---	68.20	21.81	500.0	200.0	V	165.0	-2.0
2791.125000	---	36.11	54.00	17.89	500.0	200.0	H	61.0	-1.3
3537.500000	50.41	---	68.20	17.79	500.0	200.0	H	185.0	1.7
3993.375000	---	39.75	54.00	14.25	500.0	200.0	H	201.0	3.2
4465.875000	50.99	---	68.20	17.21	500.0	200.0	H	57.0	3.6
6973.625000	53.43	---	68.20	14.77	500.0	200.0	H	114.0	7.1
7286.000000	---	41.33	54.00	12.67	500.0	200.0	H	194.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dBfGv/m)	Average (dBfGv/m)	Limit (dBfGv/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1081.375000	---	27.91	54.00	26.09	500.0	200.0	H	33.0	-10.3
1289.625000	40.89	---	68.20	27.31	500.0	200.0	V	230.0	-8.3
1381.500000	---	30.44	54.00	23.56	500.0	200.0	V	141.0	-7.7
1676.375000	---	31.68	54.00	22.32	500.0	200.0	V	338.0	-6.1
1981.750000	44.22	---	68.20	23.98	500.0	200.0	V	243.0	-4.7
2682.625000	47.36	---	68.20	20.84	500.0	200.0	V	75.0	-1.8
2809.500000	---	35.73	54.00	18.27	500.0	200.0	V	154.0	-1.2
3562.000000	50.52	---	68.20	17.68	500.0	200.0	H	199.0	1.7
3994.250000	---	39.62	54.00	14.38	500.0	200.0	H	182.0	3.2
4416.000000	50.49	---	68.20	17.71	500.0	200.0	H	212.0	3.6
6558.000000	53.57	---	68.20	14.63	500.0	200.0	V	260.0	6.5
7343.750000	---	41.12	54.00	12.88	500.0	200.0	H	187.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1299.250000	40.84	---	68.20	27.36	500.0	200.0	H	38.0	-8.2
1400.750000	---	30.28	54.00	23.72	500.0	200.0	V	311.0	-7.6
1703.500000	---	31.67	54.00	22.33	500.0	200.0	V	101.0	-6.0
1935.375000	43.66	---	68.20	24.54	500.0	200.0	H	0.0	-4.8
2632.750000	46.97	---	68.20	21.23	500.0	200.0	V	306.0	-2.0
2793.750000	---	35.82	54.00	18.18	500.0	200.0	H	250.0	-1.3
3546.250000	50.95	---	68.20	17.25	500.0	200.0	V	289.0	1.7
3990.750000	---	39.73	54.00	14.27	500.0	200.0	V	215.0	3.2
5140.500000	---	39.76	54.00	14.24	500.0	200.0	V	286.0	5.0
5201.750000	51.16	---	68.20	17.04	500.0	200.0	V	331.0	5.3
6607.875000	53.80	---	68.20	14.40	500.0	200.0	V	126.0	6.7
7422.500000	---	41.46	54.00	12.54	500.0	200.0	V	339.0	7.2




## Final Result

Frequency (MHz)	MaxPeak (dBfGv/m)	Average (dBfGv/m)	Limit (dBfGv/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1085.750000	---	27.90	54.00	26.10	500.0	200.0	H	271.0	-10.2
1282.625000	41.50	---	68.20	26.70	500.0	200.0	V	300.0	-8.3
1364.875000	---	30.33	54.00	23.67	500.0	200.0	H	128.0	-7.7
1708.750000	---	31.47	54.00	22.53	500.0	200.0	H	161.0	-5.9
1820.750000	44.32	---	68.20	23.88	500.0	200.0	H	23.0	-5.3
2559.250000	47.26	---	68.20	20.94	500.0	200.0	H	101.0	-2.1
2772.750000	---	35.77	54.00	18.23	500.0	200.0	H	318.0	-1.4
3459.625000	51.29	---	68.20	16.91	500.0	200.0	V	142.0	1.6
3996.875000	---	39.82	54.00	14.18	500.0	200.0	H	254.0	3.2
5221.000000	50.80	---	68.20	17.40	500.0	200.0	V	193.0	5.3
6728.625000	53.36	---	68.20	14.84	500.0	200.0	V	346.0	6.5
7293.875000	---	41.17	54.00	12.83	500.0	200.0	H	36.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dBfGv/m)	Average (dBfGv/m)	Limit (dBfGv/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1108.500000	---	28.19	54.00	25.81	500.0	200.0	H	54.0	-10.0
1255.500000	41.30	---	68.20	26.90	500.0	200.0	H	211.0	-8.6
1389.375000	---	30.26	54.00	23.74	500.0	200.0	H	50.0	-7.6
1709.625000	---	31.66	54.00	22.34	500.0	200.0	V	295.0	-5.9
1966.875000	44.11	---	68.20	24.09	500.0	200.0	H	88.0	-4.7
2654.625000	47.24	---	68.20	20.96	500.0	200.0	V	258.0	-1.9
2789.375000	---	35.79	54.00	18.21	500.0	200.0	V	152.0	-1.3
3450.000000	51.25	---	68.20	16.95	500.0	200.0	V	199.0	1.6
4033.625000	---	39.71	54.00	14.29	500.0	200.0	V	350.0	3.2
4470.250000	49.80	---	68.20	18.40	500.0	200.0	H	46.0	3.7
6622.750000	53.15	---	68.20	15.05	500.0	200.0	V	304.0	6.6
7429.500000	---	41.03	54.00	12.97	500.0	200.0	V	266.0	7.1




## Final Result

Frequency (MHz)	MaxPeak (dB $\text{EgV/m}$ )	Average (dB $\text{EgV/m}$ )	Limit (dB $\text{EgV/m}$ )	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1267.750000	40.82	---	68.20	27.38	500.0	200.0	V	169.0	-8.5
1338.625000	---	30.09	54.00	23.91	500.0	200.0	V	135.0	-8.0
1706.125000	---	31.67	54.00	22.33	500.0	200.0	V	329.0	-6.0
1980.875000	44.18	---	68.20	24.02	500.0	200.0	H	83.0	-4.7
2684.375000	47.05	---	68.20	21.15	500.0	200.0	H	258.0	-1.7
2744.750000	---	35.78	54.00	18.23	500.0	200.0	H	75.0	-1.5
3437.750000	50.96	---	68.20	17.24	500.0	200.0	H	112.0	1.5
3899.750000	---	39.48	54.00	14.52	500.0	200.0	V	0.0	2.6
4467.625000	50.17	---	68.20	18.03	500.0	200.0	H	71.0	3.7
5141.375000	---	39.88	54.00	14.12	500.0	200.0	V	249.0	5.0
6987.625000	53.84	---	68.20	14.36	500.0	200.0	V	282.0	7.1
7293.875000	---	41.27	54.00	12.73	500.0	200.0	H	146.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dBfGv/m)	Average (dBfGv/m)	Limit (dBfGv/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1089.250000	---	27.86	54.00	26.14	500.0	200.0	H	163.0	-10.2
1298.375000	40.60	---	68.20	27.60	500.0	200.0	V	98.0	-8.2
1381.500000	---	30.37	54.00	23.63	500.0	200.0	V	0.0	-7.7
1706.125000	---	31.47	54.00	22.53	500.0	200.0	V	176.0	-6.0
1992.250000	44.12	---	68.20	24.08	500.0	200.0	V	299.0	-4.6
2519.875000	46.77	---	68.20	21.43	500.0	200.0	V	357.0	-2.2
2765.750000	---	35.71	54.00	18.29	500.0	200.0	H	75.0	-1.5
3528.750000	50.20	---	68.20	18.00	500.0	200.0	V	232.0	1.7
3984.625000	---	39.61	54.00	14.39	500.0	200.0	H	139.0	3.2
4458.875000	50.05	---	68.20	18.15	500.0	200.0	V	357.0	3.6
6936.875000	53.32	---	68.20	14.88	500.0	200.0	V	164.0	7.0
7259.750000	---	41.04	54.00	12.96	500.0	200.0	V	332.0	7.1




## Final Result

Frequency (MHz)	MaxPeak (dB $\text{EgV/m}$ )	Average (dB $\text{EgV/m}$ )	Limit (dB $\text{EgV/m}$ )	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1098.875000	---	27.96	54.00	26.04	500.0	200.0	H	43.0	-10.1
1278.250000	41.22	---	68.20	26.98	500.0	200.0	H	77.0	-8.4
1368.375000	---	30.28	54.00	23.72	500.0	200.0	H	18.0	-7.7
1621.250000	---	31.55	54.00	22.45	500.0	200.0	V	245.0	-6.3
1994.875000	43.97	---	68.20	24.23	500.0	200.0	H	178.0	-4.6
2635.375000	46.74	---	68.20	21.46	500.0	200.0	V	308.0	-2.0
2770.125000	---	35.95	54.00	18.05	500.0	200.0	V	258.0	-1.4
3586.500000	50.54	---	68.20	17.66	500.0	200.0	V	160.0	1.8
3991.625000	---	39.58	54.00	14.42	500.0	200.0	V	186.0	3.2
4486.875000	51.34	---	68.20	16.86	500.0	200.0	H	208.0	3.8
6866.875000	54.11	---	68.20	14.09	500.0	200.0	V	207.0	6.8
7554.625000	---	40.97	54.00	13.03	500.0	200.0	V	71.0	7.1




## Final Result

Frequency (MHz)	MaxPeak (dB $\text{EgV}/\text{m}$ )	Average (dB $\text{EgV}/\text{m}$ )	Limit (dB $\text{EgV}/\text{m}$ )	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1103.250000	---	27.96	54.00	26.04	500.0	200.0	H	54.0	-10.0
1280.875000	40.95	---	68.20	27.25	500.0	200.0	H	102.0	-8.3
1384.125000	---	30.79	54.00	23.21	500.0	200.0	V	292.0	-7.7
1686.000000	---	31.56	54.00	22.44	500.0	200.0	H	221.0	-6.0
1845.250000	44.17	---	68.20	24.03	500.0	200.0	V	101.0	-5.2
2571.500000	47.11	---	68.20	21.09	500.0	200.0	V	37.0	-2.0
2808.625000	---	35.86	54.00	18.14	500.0	200.0	V	242.0	-1.2
3542.750000	50.56	---	68.20	17.64	500.0	200.0	H	70.0	1.7
3996.000000	---	39.39	54.00	14.61	500.0	200.0	H	200.0	3.2
4470.250000	50.18	---	68.20	18.03	500.0	200.0	V	143.0	3.7
6737.375000	53.31	---	68.20	14.89	500.0	200.0	H	174.0	6.5
7426.000000	---	41.17	54.00	12.83	500.0	200.0	H	29.0	7.2




## Final Result

Frequency (MHz)	MaxPeak (dBc/m)	Average (dBc/m)	Limit (dBc/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1065.625000	---	27.69	54.00	26.31	500.0	200.0	H	143.0	-10.3
1269.500000	40.93	---	68.20	27.27	500.0	200.0	H	151.0	-8.4
1400.750000	---	30.31	54.00	23.69	500.0	200.0	H	134.0	-7.6
1686.000000	---	31.47	54.00	22.53	500.0	200.0	H	249.0	-6.0
1895.125000	45.01	---	68.20	23.19	500.0	200.0	V	334.0	-5.0
2638.875000	47.57	---	68.20	20.63	500.0	200.0	H	35.0	-2.0
2791.125000	---	35.74	54.00	18.26	500.0	200.0	V	229.0	-1.3
3454.375000	51.01	---	68.20	17.19	500.0	200.0	V	189.0	1.6
3967.125000	---	39.59	54.00	14.41	500.0	200.0	V	334.0	3.0
4462.375000	50.21	---	68.20	17.99	500.0	200.0	H	224.0	3.6
7034.000000	53.43	---	68.20	14.77	500.0	200.0	V	296.0	6.9
7334.125000	---	41.13	54.00	12.87	500.0	200.0	V	359.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dBfGv/m)	Average (dBfGv/m)	Limit (dBfGv/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1093.625000	---	27.77	54.00	26.23	500.0	200.0	H	132.0	-10.1
1296.625000	40.96	---	68.20	27.24	500.0	200.0	H	208.0	-8.2
1385.875000	---	30.25	54.00	23.75	500.0	200.0	H	80.0	-7.7
1675.500000	---	31.56	54.00	22.44	500.0	200.0	V	102.0	-6.1
1924.875000	44.89	---	68.20	23.31	500.0	200.0	H	212.0	-4.9
2680.000000	46.67	---	68.20	21.53	500.0	200.0	V	183.0	-1.8
2807.750000	---	35.93	54.00	18.07	500.0	200.0	H	266.0	-1.2
3501.625000	50.77	---	68.20	17.43	500.0	200.0	V	226.0	1.8
3996.875000	---	39.78	54.00	14.22	500.0	200.0	V	315.0	3.2
4460.625000	49.37	---	68.20	18.83	500.0	200.0	H	161.0	3.6
6774.125000	51.99	---	68.20	16.21	500.0	200.0	H	50.0	6.6
7260.625000	---	41.04	54.00	12.96	500.0	200.0	V	217.0	7.1




## Final Result

Frequency (MHz)	MaxPeak (dBfGv/m)	Average (dBfGv/m)	Limit (dBfGv/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1085.750000	---	28.02	54.00	25.98	500.0	200.0	H	90.0	-10.2
1287.875000	42.65	---	68.20	25.55	500.0	200.0	V	280.0	-8.3
1378.000000	---	30.37	54.00	23.63	500.0	200.0	V	150.0	-7.7
1690.375000	---	31.68	54.00	22.32	500.0	200.0	H	205.0	-6.0
1984.375000	43.98	---	68.20	24.22	500.0	200.0	V	44.0	-4.6
2657.250000	47.52	---	68.20	20.68	500.0	200.0	H	65.0	-1.9
2788.500000	---	35.80	54.00	18.20	500.0	200.0	V	292.0	-1.3
3409.750000	50.17	---	68.20	18.03	500.0	200.0	H	69.0	1.4
3978.500000	---	39.38	54.00	14.62	500.0	200.0	V	288.0	3.1
4467.625000	49.53	---	68.20	18.67	500.0	200.0	V	111.0	3.7
6937.750000	53.09	---	68.20	15.11	500.0	200.0	V	216.0	7.0
7345.500000	---	41.10	54.00	12.90	500.0	200.0	H	0.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dBgV/m)	Average (dBgV/m)	Limit (dBgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1105.000000	---	28.38	54.00	25.62	500.0	200.0	H	191.0	-10.0
1287.000000	41.07	---	68.20	27.13	500.0	200.0	V	263.0	-8.3
1362.250000	---	30.28	54.00	23.72	500.0	200.0	H	148.0	-7.8
1721.875000	---	31.47	54.00	22.53	500.0	200.0	V	314.0	-5.9
1994.875000	44.69	---	68.20	23.51	500.0	200.0	V	96.0	-4.6
2676.500000	46.89	---	68.20	21.31	500.0	200.0	H	107.0	-1.8
2809.500000	---	35.82	54.00	18.18	500.0	200.0	V	301.0	-1.2
3476.250000	50.21	---	68.20	17.99	500.0	200.0	V	63.0	1.7
3985.500000	---	39.50	54.00	14.50	500.0	200.0	V	67.0	3.2
4461.500000	49.84	---	68.20	18.36	500.0	200.0	V	175.0	3.6
6740.000000	53.61	---	68.20	14.59	500.0	200.0	V	343.0	6.5
7334.125000	---	41.19	54.00	12.81	500.0	200.0	H	123.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dB $\text{EgV/m}$ )	Average (dB $\text{EgV/m}$ )	Limit (dB $\text{EgV/m}$ )	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1108.500000	---	28.22	54.00	25.78	500.0	200.0	H	73.0	-10.0
1294.875000	40.81	---	68.20	27.39	500.0	200.0	H	92.0	-8.2
1413.875000	---	30.24	54.00	23.76	500.0	200.0	H	159.0	-7.5
1706.125000	---	31.56	54.00	22.44	500.0	200.0	H	264.0	-6.0
1955.500000	44.24	---	68.20	23.96	500.0	200.0	V	225.0	-4.7
2558.375000	46.46	---	68.20	21.74	500.0	200.0	H	113.0	-2.1
2766.625000	---	35.68	54.00	18.32	500.0	200.0	V	4.0	-1.4
3420.250000	50.50	---	68.20	17.70	500.0	200.0	H	218.0	1.4
3989.875000	---	39.46	54.00	14.54	500.0	200.0	V	262.0	3.2
4456.250000	49.64	---	68.20	18.56	500.0	200.0	H	0.0	3.6
6727.750000	53.47	---	68.20	14.73	500.0	200.0	H	113.0	6.5
7281.625000	---	41.07	54.00	12.93	500.0	200.0	V	345.0	7.1




## Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1133.875000	---	28.04	54.00	25.96	500.0	200.0	H	175.0	-9.8
1290.500000	42.31	---	68.20	25.89	500.0	200.0	V	315.0	-8.3
1400.750000	---	30.24	54.00	23.76	500.0	200.0	H	217.0	-7.6
1708.750000	---	31.57	54.00	22.43	500.0	200.0	V	207.0	-5.9
1994.000000	43.97	---	68.20	24.23	500.0	200.0	H	81.0	-4.6
2633.625000	46.53	---	68.20	21.67	500.0	200.0	V	269.0	-2.0
2768.375000	---	36.15	54.00	17.85	500.0	200.0	V	181.0	-1.4
3419.375000	50.43	---	68.20	17.77	500.0	200.0	H	64.0	1.4
3962.750000	---	39.57	54.00	14.43	500.0	200.0	H	259.0	2.9
4469.375000	49.86	---	68.20	18.34	500.0	200.0	H	141.0	3.7
6996.375000	54.09	---	68.20	14.11	500.0	200.0	V	173.0	7.1
7335.000000	---	41.29	54.00	12.71	500.0	200.0	V	0.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1093.625000	---	27.97	54.00	26.03	500.0	200.0	H	322.0	-10.1
1275.625000	40.78	---	68.20	27.42	500.0	200.0	H	160.0	-8.4
1356.125000	---	30.25	54.00	23.75	500.0	200.0	H	270.0	-7.8
1708.750000	---	31.79	54.00	22.21	500.0	200.0	V	85.0	-5.9
1991.375000	44.12	---	68.20	24.08	500.0	200.0	V	18.0	-4.6
2466.500000	46.75	---	68.20	21.45	500.0	200.0	V	55.0	-2.3
2771.875000	---	35.81	54.00	18.19	500.0	200.0	V	179.0	-1.4
3418.500000	50.53	---	68.20	17.67	500.0	200.0	H	29.0	1.4
3996.875000	---	39.66	54.00	14.34	500.0	200.0	V	106.0	3.2
5627.000000	50.94	---	68.20	17.26	500.0	200.0	H	124.0	5.5
6929.000000	53.34	---	68.20	14.86	500.0	200.0	V	247.0	7.0
7532.750000	---	41.21	54.00	12.79	500.0	200.0	H	25.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dB $\text{EgV/m}$ )	Average (dB $\text{EgV/m}$ )	Limit (dB $\text{EgV/m}$ )	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1299.250000	40.92	---	68.20	27.28	500.0	200.0	H	0.0	-8.2
1407.750000	---	30.42	54.00	23.58	500.0	200.0	H	35.0	-7.5
1707.875000	---	31.84	54.00	22.16	500.0	200.0	V	115.0	-5.9
1994.000000	44.07	---	68.20	24.13	500.0	200.0	H	228.0	-4.6
2659.000000	46.67	---	68.20	21.53	500.0	200.0	H	183.0	-1.9
2791.125000	---	35.78	54.00	18.22	500.0	200.0	V	285.0	-1.3
3531.375000	50.69	---	68.20	17.51	500.0	200.0	H	57.0	1.7
3961.875000	---	39.48	54.00	14.52	500.0	200.0	H	150.0	2.9
5141.375000	---	40.09	54.00	13.91	500.0	200.0	V	0.0	5.0
5578.000000	51.39	---	68.20	16.81	500.0	200.0	H	192.0	5.6
7568.625000	---	41.13	54.00	12.87	500.0	200.0	V	358.0	7.1
7887.125000	53.51	---	68.20	14.69	500.0	200.0	V	196.0	7.7




## Final Result

Frequency (MHz)	MaxPeak (dBc/gV/m)	Average (dBc/gV/m)	Limit (dBc/gV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1274.750000	41.27	---	68.20	26.93	500.0	200.0	V	108.0	-8.4
1344.750000	---	30.23	54.00	23.77	500.0	200.0	V	0.0	-8.0
1680.750000	---	31.47	54.00	22.53	500.0	200.0	V	352.0	-6.0
1973.000000	44.22	---	68.20	23.98	500.0	200.0	H	21.0	-4.7
2571.500000	46.54	---	68.20	21.66	500.0	200.0	H	104.0	-2.0
2729.000000	---	35.76	54.00	18.24	500.0	200.0	V	336.0	-1.5
3438.625000	50.74	---	68.20	17.46	500.0	200.0	V	308.0	1.5
3952.250000	---	39.52	54.00	14.48	500.0	200.0	H	122.0	2.8
5122.125000	---	39.82	54.00	14.18	500.0	200.0	H	184.0	5.1
5564.000000	51.54	---	68.20	16.66	500.0	200.0	H	167.0	5.5
6831.000000	53.05	---	68.20	15.15	500.0	200.0	H	130.0	6.8
7419.875000	---	41.23	54.00	12.77	500.0	200.0	V	317.0	7.2




## Final Result

Frequency (MHz)	MaxPeak (dBf/m)	Average (dBf/m)	Limit (dBf/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1291.375000	40.85	---	68.20	27.35	500.0	200.0	V	327.0	-8.3
1400.750000	---	30.19	54.00	23.81	500.0	200.0	V	327.0	-7.6
1610.750000	---	31.74	54.00	22.26	500.0	200.0	H	81.0	-6.3
1967.750000	43.76	---	68.20	24.44	500.0	200.0	H	89.0	-4.7
2661.625000	46.81	---	68.20	21.39	500.0	200.0	V	115.0	-1.9
2827.875000	---	35.86	54.00	18.14	500.0	200.0	H	358.0	-1.1
3447.375000	50.29	---	68.20	17.91	500.0	200.0	H	199.0	1.5
3982.875000	---	39.64	54.00	14.36	500.0	200.0	H	182.0	3.2
5144.000000	---	39.75	54.00	14.25	500.0	200.0	H	64.0	5.0
5474.750000	50.93	---	68.20	17.27	500.0	200.0	H	283.0	5.4
6574.625000	53.42	---	68.20	14.78	500.0	200.0	H	182.0	6.6
7419.000000	---	41.14	54.00	12.86	500.0	200.0	V	202.0	7.2




## Final Result

Frequency (MHz)	MaxPeak (dBfGv/m)	Average (dBfGv/m)	Limit (dBfGv/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1103.250000	---	27.99	54.00	26.01	500.0	200.0	V	312.0	-10.0
1276.500000	41.19	---	68.20	27.01	500.0	200.0	H	0.0	-8.4
1328.125000	---	30.36	54.00	23.64	500.0	200.0	V	219.0	-8.0
1719.250000	---	31.58	54.00	22.42	500.0	200.0	V	105.0	-5.9
1998.375000	43.48	---	68.20	24.72	500.0	200.0	V	279.0	-4.6
2526.875000	47.17	---	68.20	21.03	500.0	200.0	H	14.0	-2.2
2807.750000	---	35.94	54.00	18.06	500.0	200.0	H	313.0	-1.2
3440.375000	50.08	---	68.20	18.12	500.0	200.0	V	93.0	1.5
3947.000000	---	39.43	54.00	14.57	500.0	200.0	V	114.0	2.8
4464.125000	50.05	---	68.20	18.15	500.0	200.0	H	155.0	3.6
7016.500000	53.48	---	68.20	14.72	500.0	200.0	V	304.0	7.0
7334.125000	---	41.23	54.00	12.77	500.0	200.0	V	241.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dBfGv/m)	Average (dBfGv/m)	Limit (dBfGv/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1074.375000	---	28.08	54.00	25.92	500.0	200.0	V	300.0	-10.3
1273.000000	41.69	---	68.20	26.51	500.0	200.0	H	191.0	-8.4
1384.125000	---	30.38	54.00	23.62	500.0	200.0	V	355.0	-7.7
1708.750000	---	31.67	54.00	22.33	500.0	200.0	H	284.0	-5.9
1882.875000	43.78	---	68.20	24.42	500.0	200.0	H	0.0	-5.1
2628.375000	46.89	---	68.20	21.32	500.0	200.0	H	76.0	-2.0
2794.625000	---	36.00	54.00	18.00	500.0	200.0	H	110.0	-1.3
3534.000000	50.95	---	68.20	17.25	500.0	200.0	V	284.0	1.7
3999.500000	---	39.54	54.00	14.46	500.0	200.0	H	110.0	3.2
4430.875000	48.95	---	68.20	19.25	500.0	200.0	H	114.0	3.5
6869.500000	53.17	---	68.20	15.03	500.0	200.0	V	123.0	6.8
7343.750000	---	41.17	54.00	12.83	500.0	200.0	V	11.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dBfGv/m)	Average (dBfGv/m)	Limit (dBfGv/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1244.125000	40.89	---	68.20	27.31	500.0	200.0	H	191.0	-8.6
1396.375000	---	30.24	54.00	23.76	500.0	200.0	H	123.0	-7.6
1626.500000	---	31.43	54.00	22.57	500.0	200.0	V	189.0	-6.2
1924.000000	43.60	---	68.20	24.60	500.0	200.0	H	195.0	-4.9
2674.750000	46.71	---	68.20	21.49	500.0	200.0	V	324.0	-1.8
2809.500000	---	35.81	54.00	18.19	500.0	200.0	H	24.0	-1.2
3492.000000	50.34	---	68.20	17.86	500.0	200.0	V	286.0	1.8
3999.500000	---	39.50	54.00	14.50	500.0	200.0	V	222.0	3.2
5146.625000	---	39.74	54.00	14.26	500.0	200.0	V	235.0	5.0
5218.375000	51.54	---	68.20	16.66	500.0	200.0	V	50.0	5.3
6628.875000	53.35	---	68.20	14.85	500.0	200.0	V	15.0	6.6
7306.125000	---	41.28	54.00	12.72	500.0	200.0	H	33.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dBfGv/m)	Average (dBfGv/m)	Limit (dBfGv/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1132.125000	---	27.95	54.00	26.05	500.0	200.0	H	114.0	-9.9
1296.625000	41.16	---	68.20	27.04	500.0	200.0	H	22.0	-8.2
1377.125000	---	30.30	54.00	23.70	500.0	200.0	V	117.0	-7.7
1705.250000	---	31.44	54.00	22.56	500.0	200.0	H	179.0	-6.0
1987.000000	44.45	---	68.20	23.75	500.0	200.0	H	60.0	-4.6
2541.750000	47.09	---	68.20	21.11	500.0	200.0	H	0.0	-2.1
2813.875000	---	35.72	54.00	18.28	500.0	200.0	V	201.0	-1.2
3454.375000	50.64	---	68.20	17.56	500.0	200.0	V	213.0	1.6
4081.750000	---	39.79	54.00	14.21	500.0	200.0	H	119.0	3.4
5159.750000	51.32	---	68.20	16.88	500.0	200.0	H	114.0	5.1
6590.375000	53.72	---	68.20	14.48	500.0	200.0	H	302.0	6.6
7274.625000	---	41.14	54.00	12.86	500.0	200.0	H	98.0	7.1




## Final Result

Frequency (MHz)	MaxPeak (dBfGv/m)	Average (dBfGv/m)	Limit (dBfGv/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1299.250000	41.49	---	68.20	26.71	500.0	200.0	H	337.0	-8.2
1378.000000	---	30.55	54.00	23.45	500.0	200.0	V	299.0	-7.7
1692.125000	---	32.09	54.00	21.91	500.0	200.0	V	187.0	-6.0
1988.750000	44.89	---	68.20	23.31	500.0	200.0	V	78.0	-4.6
2678.250000	47.68	---	68.20	20.52	500.0	200.0	V	337.0	-1.8
2807.750000	---	36.36	54.00	17.64	500.0	200.0	V	316.0	-1.2
3509.500000	50.84	---	68.20	17.36	500.0	200.0	V	307.0	1.8
3964.500000	---	40.55	54.00	13.45	500.0	200.0	V	154.0	3.0
5109.875000	---	41.43	54.00	12.57	500.0	200.0	V	260.0	5.1
5214.875000	53.01	---	68.20	15.19	500.0	200.0	V	0.0	5.3
6847.625000	56.14	---	68.20	12.06	500.0	200.0	V	303.0	6.8
7364.750000	---	43.52	54.00	10.48	500.0	200.0	V	273.0	7.1




## Final Result

Frequency (MHz)	MaxPeak (dBFSV/m)	Average (dBFSV/m)	Limit (dBFSV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1099.750000	---	27.59	54.00	26.41	500.0	200.0	H	123.0	-10.1
1245.000000	40.88	---	68.20	27.32	500.0	200.0	H	29.0	-8.6
1407.750000	---	30.27	54.00	23.73	500.0	200.0	H	0.0	-7.5
1591.500000	---	31.39	54.00	22.61	500.0	200.0	V	109.0	-6.4
1982.625000	44.28	---	68.20	23.92	500.0	200.0	H	242.0	-4.6
2680.875000	46.87	---	68.20	21.33	500.0	200.0	H	140.0	-1.8
2728.125000	---	35.76	54.00	18.24	500.0	200.0	V	298.0	-1.5
3405.375000	50.78	---	68.20	17.42	500.0	200.0	V	356.0	1.4
4082.625000	---	39.64	54.00	14.36	500.0	200.0	V	151.0	3.4
5551.750000	51.93	---	68.20	16.27	500.0	200.0	V	243.0	5.4
6711.125000	53.31	---	68.20	14.89	500.0	200.0	V	272.0	6.5
7285.125000	---	41.25	54.00	12.75	500.0	200.0	V	281.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dBc/gV/m)	Average (dBc/gV/m)	Limit (dBc/gV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1299.250000	40.98	---	68.20	27.22	500.0	200.0	H	11.0	-8.2
1332.500000	---	30.12	54.00	23.88	500.0	200.0	H	74.0	-8.0
1681.625000	---	31.60	54.00	22.40	500.0	200.0	H	152.0	-6.0
1943.250000	44.46	---	68.20	23.74	500.0	200.0	H	215.0	-4.7
2572.375000	46.66	---	68.20	21.54	500.0	200.0	V	283.0	-2.0
2814.750000	---	35.67	54.00	18.33	500.0	200.0	V	217.0	-1.2
3459.625000	50.51	---	68.20	17.69	500.0	200.0	H	111.0	1.6
3998.625000	---	39.55	54.00	14.45	500.0	200.0	H	131.0	3.2
5120.375000	---	39.88	54.00	14.12	500.0	200.0	H	275.0	5.1
5579.750000	51.43	---	68.20	16.77	500.0	200.0	V	305.0	5.6
6755.750000	53.85	---	68.20	14.35	500.0	200.0	H	65.0	6.5
7342.000000	---	41.31	54.00	12.69	500.0	200.0	V	326.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1295.750000	41.54	—	68.20	26.66	500.0	200.0	H	159.0	-8.2
1385.875000	—	30.29	54.00	23.71	500.0	200.0	H	223.0	-7.7
1708.750000	—	31.82	54.00	22.18	500.0	200.0	V	285.0	-5.9
1973.875000	43.67	—	68.20	24.53	500.0	200.0	H	76.0	-4.7
2656.375000	47.27	—	68.20	20.93	500.0	200.0	V	289.0	-1.9
2814.750000	—	35.92	54.00	18.08	500.0	200.0	V	208.0	-1.2
3391.375000	50.60	—	68.20	17.60	500.0	200.0	H	151.0	1.3
3998.625000	—	39.38	54.00	14.62	500.0	200.0	V	0.0	3.2
4480.750000	51.14	—	68.20	17.06	500.0	200.0	H	226.0	3.8
5137.875000	—	39.84	54.00	14.16	500.0	200.0	H	101.0	5.0
6738.250000	54.57	—	68.20	13.63	500.0	200.0	H	223.0	6.5
7266.750000	—	41.12	54.00	12.88	500.0	200.0	H	247.0	7.1




## Final Result

Frequency (MHz)	MaxPeak (dBfGv/m)	Average (dBfGv/m)	Limit (dBfGv/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1083.125000	---	28.34	54.00	25.66	500.0	200.0	V	329.0	-10.2
1268.625000	41.27	---	68.20	26.93	500.0	200.0	V	92.0	-8.5
1385.000000	---	30.36	54.00	23.64	500.0	200.0	V	292.0	-7.7
1721.000000	---	31.75	54.00	22.25	500.0	200.0	V	304.0	-5.9
1849.625000	44.04	---	68.20	24.16	500.0	200.0	V	49.0	-5.2
2589.875000	46.29	---	68.20	21.91	500.0	200.0	H	106.0	-2.0
2816.500000	---	35.70	54.00	18.30	500.0	200.0	V	284.0	-1.2
3449.125000	50.66	---	68.20	17.54	500.0	200.0	V	344.0	1.6
3968.875000	---	39.55	54.00	14.45	500.0	200.0	V	204.0	3.0
4462.375000	48.94	---	68.20	19.26	500.0	200.0	H	119.0	3.6
6984.125000	53.49	---	68.20	14.71	500.0	200.0	H	136.0	7.1
7317.500000	---	41.17	54.00	12.83	500.0	200.0	H	36.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dB $\text{EgV/m}$ )	Average (dB $\text{EgV/m}$ )	Limit (dB $\text{EgV/m}$ )	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1108.500000	---	27.77	54.00	26.23	500.0	200.0	H	162.0	-10.0
1285.250000	41.16	---	68.20	27.04	500.0	200.0	V	190.0	-8.3
1408.625000	---	30.28	54.00	23.72	500.0	200.0	V	276.0	-7.5
1679.000000	---	31.49	54.00	22.51	500.0	200.0	V	86.0	-6.0
1898.625000	44.30	---	68.20	23.90	500.0	200.0	V	0.0	-5.0
2606.500000	46.63	---	68.20	21.57	500.0	200.0	V	289.0	-2.0
2793.750000	---	35.79	54.00	18.21	500.0	200.0	V	351.0	-1.3
3588.250000	50.50	---	68.20	17.70	500.0	200.0	V	310.0	1.8
3999.500000	---	39.44	54.00	14.56	500.0	200.0	H	108.0	3.2
4468.500000	49.47	---	68.20	18.73	500.0	200.0	H	166.0	3.7
6628.875000	54.09	---	68.20	14.11	500.0	200.0	H	125.0	6.6
7339.375000	---	41.57	54.00	12.43	500.0	200.0	V	31.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dBfGv/m)	Average (dBfGv/m)	Limit (dBfGv/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1111.125000	---	27.97	54.00	26.03	500.0	200.0	V	272.0	-10.0
1294.875000	40.94	---	68.20	27.26	500.0	200.0	V	84.0	-8.2
1382.375000	---	30.30	54.00	23.70	500.0	200.0	V	0.0	-7.7
1688.625000	---	31.74	54.00	22.26	500.0	200.0	V	343.0	-6.0
1924.875000	44.73	---	68.20	23.47	500.0	200.0	V	223.0	-4.9
2523.375000	46.67	---	68.20	21.53	500.0	200.0	V	307.0	-2.2
2769.250000	---	35.71	54.00	18.29	500.0	200.0	V	67.0	-1.4
3465.750000	50.49	---	68.20	17.71	500.0	200.0	V	117.0	1.6
3995.125000	---	39.62	54.00	14.38	500.0	200.0	H	89.0	3.2
4479.000000	50.08	---	68.20	18.12	500.0	200.0	H	1.0	3.7
6842.375000	54.21	---	68.20	13.99	500.0	200.0	H	38.0	6.8
7283.375000	---	41.35	54.00	12.65	500.0	200.0	H	221.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dB $\text{EgV}/\text{m}$ )	Average (dB $\text{EgV}/\text{m}$ )	Limit (dB $\text{EgV}/\text{m}$ )	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1104.125000	---	28.39	54.00	25.61	500.0	200.0	V	253.0	-10.0
1254.625000	40.88	---	68.20	27.32	500.0	200.0	H	114.0	-8.6
1396.375000	---	30.23	54.00	23.77	500.0	200.0	V	270.0	-7.6
1720.125000	---	31.69	54.00	22.31	500.0	200.0	V	165.0	-5.9
1999.250000	44.57	---	68.20	23.63	500.0	200.0	V	186.0	-4.5
2668.625000	46.96	---	68.20	21.24	500.0	200.0	V	245.0	-1.9
2771.000000	---	35.81	54.00	18.19	500.0	200.0	V	248.0	-1.4
3543.625000	50.56	---	68.20	17.64	500.0	200.0	H	166.0	1.7
3994.250000	---	39.70	54.00	14.30	500.0	200.0	V	157.0	3.2
4417.750000	49.92	---	68.20	18.28	500.0	200.0	H	195.0	3.6
6873.000000	53.91	---	68.20	14.29	500.0	200.0	H	249.0	6.7
7491.625000	---	41.25	54.00	12.75	500.0	200.0	H	126.0	6.9




## Final Result

Frequency (MHz)	MaxPeak (dBfGv/m)	Average (dBfGv/m)	Limit (dBfGv/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1061.250000	---	28.15	54.00	25.85	500.0	200.0	H	88.0	-10.4
1296.625000	41.52	---	68.20	26.68	500.0	200.0	H	258.0	-8.2
1384.125000	---	30.56	54.00	23.44	500.0	200.0	V	153.0	-7.7
1719.250000	---	31.58	54.00	22.42	500.0	200.0	V	166.0	-5.9
1954.625000	44.30	---	68.20	23.90	500.0	200.0	H	150.0	-4.7
2687.875000	47.01	---	68.20	21.19	500.0	200.0	V	237.0	-1.7
2767.500000	---	35.93	54.00	18.07	500.0	200.0	V	115.0	-1.4
3527.875000	50.92	---	68.20	17.28	500.0	200.0	H	71.0	1.7
3985.500000	---	39.58	54.00	14.42	500.0	200.0	H	113.0	3.2
4465.000000	50.28	---	68.20	17.92	500.0	200.0	H	245.0	3.6
6585.125000	53.34	---	68.20	14.86	500.0	200.0	H	338.0	6.6
7559.875000	---	41.16	54.00	12.84	500.0	200.0	V	111.0	7.1




## Final Result

Frequency (MHz)	MaxPeak (dBfGv/m)	Average (dBfGv/m)	Limit (dBfGv/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1097.125000	---	<b>28.14</b>	<b>54.00</b>	<b>25.86</b>	500.0	200.0	V	313.0	-10.1
1241.500000	<b>40.97</b>	---	<b>68.20</b>	<b>27.23</b>	500.0	200.0	V	346.0	-8.6
1394.625000	---	<b>30.18</b>	<b>54.00</b>	<b>23.82</b>	500.0	200.0	H	220.0	-7.6
1705.250000	---	<b>31.63</b>	<b>54.00</b>	<b>22.37</b>	500.0	200.0	V	89.0	-6.0
1943.250000	<b>44.30</b>	---	<b>68.20</b>	<b>23.90</b>	500.0	200.0	H	0.0	-4.7
2682.625000	<b>47.08</b>	---	<b>68.20</b>	<b>21.12</b>	500.0	200.0	V	246.0	-1.8
2792.000000	---	<b>35.68</b>	<b>54.00</b>	<b>18.32</b>	500.0	200.0	H	1.0	-1.3
3534.000000	<b>51.49</b>	---	<b>68.20</b>	<b>16.71</b>	500.0	200.0	H	203.0	1.7
3640.750000	---	<b>39.65</b>	<b>54.00</b>	<b>14.35</b>	500.0	200.0	V	131.0	2.0
4465.875000	<b>50.80</b>	---	<b>68.20</b>	<b>17.40</b>	500.0	200.0	H	187.0	3.6
6963.125000	<b>54.14</b>	---	<b>68.20</b>	<b>14.06</b>	500.0	200.0	H	207.0	7.1
7287.750000	---	<b>41.33</b>	<b>54.00</b>	<b>12.67</b>	500.0	200.0	H	93.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dBfGv/m)	Average (dBfGv/m)	Limit (dBfGv/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1290.500000	41.72	---	68.20	26.48	500.0	200.0	V	244.0	-8.3
1365.750000	---	30.54	54.00	23.46	500.0	200.0	H	67.0	-7.7
1721.875000	---	31.65	54.00	22.35	500.0	200.0	V	160.0	-5.9
1960.750000	44.31	---	68.20	23.89	500.0	200.0	V	301.0	-4.7
2652.000000	46.87	---	68.20	21.33	500.0	200.0	V	285.0	-2.0
2791.125000	---	35.99	54.00	18.01	500.0	200.0	V	330.0	-1.3
3452.625000	50.33	---	68.20	17.87	500.0	200.0	V	116.0	1.6
3986.375000	---	39.85	54.00	14.15	500.0	200.0	H	297.0	3.2
5143.125000	---	39.74	54.00	14.26	500.0	200.0	V	231.0	5.0
5205.250000	51.27	---	68.20	16.93	500.0	200.0	H	55.0	5.3
6844.125000	53.72	---	68.20	14.48	500.0	200.0	V	134.0	6.8
7314.000000	---	41.14	54.00	12.86	500.0	200.0	H	63.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dBfGv/m)	Average (dBfGv/m)	Limit (dBfGv/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1104.125000	---	28.53	54.00	25.47	500.0	200.0	H	36.0	-10.0
1258.125000	40.99	---	68.20	27.21	500.0	200.0	H	57.0	-8.6
1385.000000	---	30.32	54.00	23.68	500.0	200.0	V	0.0	-7.7
1721.875000	---	31.57	54.00	22.43	500.0	200.0	V	313.0	-5.9
1931.875000	44.13	---	68.20	24.07	500.0	200.0	H	226.0	-4.8
2678.250000	46.92	---	68.20	21.28	500.0	200.0	H	194.0	-1.8
2778.000000	---	35.68	54.00	18.32	500.0	200.0	H	0.0	-1.4
3446.500000	50.47	---	68.20	17.73	500.0	200.0	V	91.0	1.5
3988.125000	---	39.71	54.00	14.29	500.0	200.0	H	152.0	3.2
4438.750000	49.18	---	68.20	19.02	500.0	200.0	H	239.0	3.5
6794.250000	52.54	---	68.20	15.66	500.0	200.0	H	110.0	6.8
7339.375000	---	41.39	54.00	12.61	500.0	200.0	H	127.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dBc/gV/m)	Average (dBc/gV/m)	Limit (dBc/gV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1297.500000	41.39	---	68.20	26.81	500.0	200.0	H	350.0	-8.2
1406.000000	---	30.30	54.00	23.70	500.0	200.0	V	69.0	-7.5
1684.250000	---	31.65	54.00	22.35	500.0	200.0	V	152.0	-6.0
1985.250000	44.47	---	68.20	23.73	500.0	200.0	V	347.0	-4.6
2563.625000	46.56	---	68.20	21.64	500.0	200.0	H	182.0	-2.1
2813.000000	---	36.14	54.00	17.86	500.0	200.0	H	99.0	-1.2
3527.875000	51.00	---	68.20	17.20	500.0	200.0	V	309.0	1.7
3996.875000	---	39.87	54.00	14.13	500.0	200.0	H	90.0	3.2
4480.750000	50.47	---	68.20	17.73	500.0	200.0	V	267.0	3.8
5120.375000	---	39.82	54.00	14.18	500.0	200.0	H	204.0	5.1
6639.375000	53.79	---	68.20	14.41	500.0	200.0	H	153.0	6.6
7530.125000	---	41.24	54.00	12.76	500.0	200.0	H	70.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dBfG/V/m)	Average (dBfG/V/m)	Limit (dBfG/V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1077.000000	---	27.66	54.00	26.34	500.0	200.0	H	112.0	-10.3
1282.625000	40.66	---	68.20	27.54	500.0	200.0	H	183.0	-8.3
1385.875000	---	30.45	54.00	23.55	500.0	200.0	V	292.0	-7.7
1721.000000	---	31.56	54.00	22.44	500.0	200.0	H	242.0	-5.9
1994.875000	44.57	---	68.20	23.63	500.0	200.0	H	16.0	-4.6
2635.375000	47.41	---	68.20	20.79	500.0	200.0	H	20.0	-2.0
2815.625000	---	35.87	54.00	18.13	500.0	200.0	V	200.0	-1.2
3547.125000	50.94	---	68.20	17.26	500.0	200.0	H	191.0	1.7
4080.000000	---	39.92	54.00	14.08	500.0	200.0	V	249.0	3.4
4481.625000	50.37	---	68.20	17.83	500.0	200.0	V	271.0	3.8
6924.625000	51.91	---	68.20	16.29	500.0	200.0	H	74.0	6.9
7292.125000	---	41.34	54.00	12.66	500.0	200.0	V	342.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1074.375000	---	27.79	54.00	26.21	500.0	200.0	H	89.0	-10.3
1294.875000	41.53	---	68.20	26.67	500.0	200.0	V	253.0	-8.2
1399.875000	---	30.22	54.00	23.78	500.0	200.0	V	25.0	-7.6
1700.000000	---	31.69	54.00	22.31	500.0	200.0	V	89.0	-6.0
1906.500000	44.05	---	68.20	24.15	500.0	200.0	H	51.0	-5.0
2468.250000	46.93	---	68.20	21.27	500.0	200.0	V	169.0	-2.3
2736.000000	---	35.86	54.00	18.14	500.0	200.0	H	186.0	-1.5
3450.875000	50.99	---	68.20	17.21	500.0	200.0	H	43.0	1.6
3985.500000	---	39.55	54.00	14.45	500.0	200.0	H	30.0	3.2
4464.125000	50.00	---	68.20	18.20	500.0	200.0	H	97.0	3.6
6725.125000	52.98	---	68.20	15.22	500.0	200.0	H	148.0	6.5
7335.875000	---	41.21	54.00	12.79	500.0	200.0	H	26.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dBfGv/m)	Average (dBfGv/m)	Limit (dBfGv/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1108.500000	---	27.65	54.00	26.35	500.0	200.0	H	228.0	-10.0
1259.000000	41.07	---	68.20	27.13	500.0	200.0	V	210.0	-8.5
1371.875000	---	30.23	54.00	23.77	500.0	200.0	V	92.0	-7.7
1707.000000	---	31.70	54.00	22.30	500.0	200.0	H	321.0	-5.9
1991.375000	44.54	---	68.20	23.66	500.0	200.0	V	218.0	-4.6
2661.625000	46.85	---	68.20	21.35	500.0	200.0	V	144.0	-1.9
2759.625000	---	35.78	54.00	18.22	500.0	200.0	V	231.0	-1.5
3415.000000	50.54	---	68.20	17.66	500.0	200.0	V	135.0	1.4
3984.625000	---	39.68	54.00	14.32	500.0	200.0	V	67.0	3.2
4416.000000	50.08	---	68.20	18.12	500.0	200.0	H	24.0	3.6
6908.000000	53.49	---	68.20	14.71	500.0	200.0	V	15.0	6.8
7358.625000	---	41.32	54.00	12.68	500.0	200.0	H	149.0	7.1




## Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1081.375000	---	27.44	54.00	26.56	500.0	200.0	H	266.0	-10.3
1287.875000	41.63	---	68.20	26.57	500.0	200.0	H	337.0	-8.3
1371.000000	---	30.59	54.00	23.41	500.0	200.0	V	334.0	-7.7
1702.625000	---	31.73	54.00	22.27	500.0	200.0	V	296.0	-6.0
1968.625000	44.32	---	68.20	23.88	500.0	200.0	V	317.0	-4.7
2560.125000	47.02	---	68.20	21.18	500.0	200.0	V	238.0	-2.1
2734.250000	---	35.82	54.00	18.18	500.0	200.0	V	32.0	-1.5
3584.750000	51.15	---	68.20	17.05	500.0	200.0	H	198.0	1.8
3984.625000	---	39.71	54.00	14.29	500.0	200.0	H	203.0	3.2
4458.000000	50.25	---	68.20	17.95	500.0	200.0	H	24.0	3.6
6588.625000	53.30	---	68.20	14.90	500.0	200.0	H	41.0	6.6
7277.250000	---	41.28	54.00	12.72	500.0	200.0	V	300.0	7.1




## Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1102.375000	---	27.55	54.00	26.45	500.0	200.0	H	170.0	-10.1
1287.875000	41.35	---	68.20	26.85	500.0	200.0	H	300.0	-8.3
1413.875000	---	30.19	54.00	23.82	500.0	200.0	V	276.0	-7.5
1704.375000	---	31.52	54.00	22.48	500.0	200.0	V	92.0	-6.0
1946.750000	44.79	---	68.20	23.41	500.0	200.0	V	230.0	-4.7
2673.000000	46.29	---	68.20	21.91	500.0	200.0	H	110.0	-1.8
2792.875000	---	35.78	54.00	18.22	500.0	200.0	H	84.0	-1.3
3415.000000	50.52	---	68.20	17.68	500.0	200.0	H	18.0	1.4
3960.125000	---	39.59	54.00	14.41	500.0	200.0	V	305.0	2.9
4416.000000	49.69	---	68.20	18.51	500.0	200.0	V	151.0	3.6
6576.375000	53.90	---	68.20	14.30	500.0	200.0	H	84.0	6.6
7335.875000	---	41.18	54.00	12.82	500.0	200.0	H	173.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1093.625000	---	28.21	54.00	25.79	500.0	200.0	H	53.0	-10.1
1287.000000	41.04	---	68.20	27.16	500.0	200.0	H	318.0	-8.3
1383.250000	---	30.19	54.00	23.81	500.0	200.0	V	285.0	-7.7
1721.875000	---	31.58	54.00	22.42	500.0	200.0	H	97.0	-5.9
1987.000000	44.20	---	68.20	24.00	500.0	200.0	H	142.0	-4.6
2637.125000	46.66	---	68.20	21.54	500.0	200.0	V	282.0	-2.0
2817.375000	---	35.84	54.00	18.16	500.0	200.0	H	28.0	-1.2
3433.375000	50.99	---	68.20	17.21	500.0	200.0	H	88.0	1.5
3997.750000	---	39.51	54.00	14.49	500.0	200.0	H	133.0	3.2
4407.250000	50.09	---	68.20	18.11	500.0	200.0	H	142.0	3.6
6859.875000	51.38	---	68.20	16.82	500.0	200.0	H	24.0	6.8
7263.250000	---	41.34	54.00	12.66	500.0	200.0	V	314.0	7.1




## Final Result

Frequency (MHz)	MaxPeak (dBfGv/m)	Average (dBfGv/m)	Limit (dBfGv/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1074.375000	---	27.98	54.00	26.02	500.0	200.0	H	119.0	-10.3
1270.375000	40.66	---	68.20	27.54	500.0	200.0	H	203.0	-8.4
1413.000000	---	30.19	54.00	23.81	500.0	200.0	H	93.0	-7.5
1705.250000	---	31.62	54.00	22.38	500.0	200.0	H	131.0	-6.0
1973.875000	44.13	---	68.20	24.07	500.0	200.0	V	196.0	-4.7
2633.625000	46.43	---	68.20	21.77	500.0	200.0	H	43.0	-2.0
2789.375000	---	35.90	54.00	18.10	500.0	200.0	H	240.0	-1.3
3542.750000	51.05	---	68.20	17.15	500.0	200.0	H	67.0	1.7
3994.250000	---	39.54	54.00	14.46	500.0	200.0	H	13.0	3.2
4423.875000	49.62	---	68.20	18.58	500.0	200.0	H	85.0	3.5
6859.000000	51.57	---	68.20	16.63	500.0	200.0	H	330.0	6.8
7286.000000	---	41.23	54.00	12.77	500.0	200.0	H	17.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dBfGv/m)	Average (dBfGv/m)	Limit (dBfGv/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1089.250000	---	28.31	54.00	25.69	500.0	200.0	V	190.0	-10.2
1243.250000	40.80	---	68.20	27.40	500.0	200.0	V	290.0	-8.6
1413.875000	---	30.86	54.00	23.14	500.0	200.0	V	67.0	-7.5
1707.875000	---	31.64	54.00	22.36	500.0	200.0	H	9.0	-5.9
1889.875000	43.99	---	68.20	24.21	500.0	200.0	H	98.0	-5.1
2626.625000	46.82	---	68.20	21.38	500.0	200.0	H	59.0	-2.0
2819.125000	---	35.81	54.00	18.19	500.0	200.0	H	132.0	-1.2
3432.500000	50.19	---	68.20	18.01	500.0	200.0	H	208.0	1.5
3995.125000	---	39.68	54.00	14.32	500.0	200.0	V	0.0	3.2
4474.625000	49.90	---	68.20	18.30	500.0	200.0	H	94.0	3.7
6859.000000	54.12	---	68.20	14.08	500.0	200.0	H	115.0	6.8
7342.000000	---	41.20	54.00	12.80	500.0	200.0	H	119.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dB $\text{EgV/m}$ )	Average (dB $\text{EgV/m}$ )	Limit (dB $\text{EgV/m}$ )	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1089.250000	---	28.68	54.00	25.32	500.0	200.0	V	352.0	-10.2
1276.500000	40.91	---	68.20	27.29	500.0	200.0	V	352.0	-8.4
1409.500000	---	30.44	54.00	23.56	500.0	200.0	H	199.0	-7.5
1680.750000	---	31.70	54.00	22.30	500.0	200.0	V	352.0	-6.0
1973.875000	44.52	---	68.20	23.68	500.0	200.0	H	0.0	-4.7
2578.500000	47.27	---	68.20	20.93	500.0	200.0	V	287.0	-2.0
2813.000000	---	35.96	54.00	18.04	500.0	200.0	V	207.0	-1.2
3393.125000	50.52	---	68.20	17.68	500.0	200.0	H	24.0	1.3
3981.125000	---	39.64	54.00	14.36	500.0	200.0	H	0.0	3.1
4461.500000	49.74	---	68.20	18.46	500.0	200.0	H	187.0	3.6
6827.500000	53.28	---	68.20	14.92	500.0	200.0	H	297.0	6.8
7334.125000	---	41.54	54.00	12.46	500.0	200.0	H	0.0	7.0

**Wi-Fi 5GHz\_a CH40\_1-8GHz**



## Final Result

Frequency (MHz)	MaxPeak (dB $\text{EgV}/\text{m}$ )	Average (dB $\text{EgV}/\text{m}$ )	Limit (dB $\text{EgV}/\text{m}$ )	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1246.750000	41.72	---	68.20	26.48	500.0	100.0	V	353.0	-8.6
1399.875000	---	31.24	54.00	22.76	500.0	100.0	V	223.0	-7.6
1686.875000	---	31.92	54.00	22.08	500.0	100.0	H	207.0	-6.0
1919.625000	44.72	---	68.20	23.48	500.0	100.0	H	34.0	-4.9
2628.375000	47.15	---	68.20	21.05	500.0	100.0	V	252.0	-2.0
2816.500000	---	36.75	54.00	17.25	500.0	100.0	V	290.0	-1.2
3452.625000	51.46	---	68.20	16.74	500.0	100.0	V	303.0	1.6
3997.750000	---	40.76	54.00	13.24	500.0	100.0	H	51.0	3.2
4489.500000	52.32	---	68.20	15.88	500.0	100.0	V	178.0	3.8
4905.125000	---	40.89	54.00	13.11	500.0	100.0	V	336.0	4.6
6853.750000	56.17	---	68.20	12.03	500.0	100.0	V	328.0	6.8
7335.000000	---	44.06	54.00	9.94	500.0	100.0	H	207.0	7.0




## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8456.250000	---	36.18	54.00	17.82	1000.0	100.0	H	178.0	3.0
8598.750000	48.69	---	68.20	19.51	1000.0	200.0	V	167.0	3.1
9378.750000	---	36.48	54.00	17.52	1000.0	200.0	V	346.0	2.6
10143.750000	49.72	---	68.20	18.48	1000.0	100.0	V	141.0	2.9
10557.500000	49.20	---	68.20	19.00	1000.0	100.0	H	60.0	2.6
10628.750000	---	36.15	54.00	17.85	1000.0	200.0	V	262.0	2.4
11927.500000	---	38.35	54.00	15.65	1000.0	100.0	H	274.0	4.3
12677.500000	---	39.38	54.00	14.62	1000.0	200.0	V	167.0	5.5
13630.000000	51.79	---	68.20	16.41	1000.0	200.0	V	231.0	5.9
14302.500000	53.62	---	68.20	14.58	1000.0	100.0	H	28.0	5.6
15707.500000	---	43.35	54.00	10.65	1000.0	200.0	H	256.0	6.2
17698.750000	56.19	---	68.20	12.01	1000.0	200.0	H	75.0	10.1




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8491.250000	---	36.34	54.00	17.66	1000.0	100.0	V	122.0	3.0
8635.000000	48.44	---	68.20	19.76	1000.0	200.0	H	13.0	3.1
9341.250000	---	36.50	54.00	17.50	1000.0	200.0	V	273.0	2.6
10023.750000	49.40	---	68.20	18.80	1000.0	100.0	V	199.0	3.0
10511.250000	48.76	---	68.20	19.44	1000.0	200.0	H	140.0	2.7
11922.500000	---	38.46	54.00	15.54	1000.0	200.0	H	34.0	4.3
12647.500000	---	39.47	54.00	14.53	1000.0	100.0	H	39.0	5.4
13482.500000	52.35	---	68.20	15.85	1000.0	200.0	H	86.0	5.6
15337.500000	54.03	---	68.20	14.17	1000.0	200.0	V	326.0	5.8
15696.250000	---	43.23	54.00	10.77	1000.0	100.0	V	80.0	6.1
17652.500000	55.79	---	68.20	12.41	1000.0	100.0	V	174.0	10.1
17740.000000	---	43.86	54.00	10.14	1000.0	100.0	V	0.0	10.2




## Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8481.250000	---	36.38	54.00	17.62	1000.0	200.0	V	282.0	3.0
8738.750000	48.40	---	68.20	19.80	1000.0	200.0	H	0.0	3.0
9350.000000	---	36.48	54.00	17.52	1000.0	200.0	V	188.0	2.6
10352.500000	49.26	---	68.20	18.94	1000.0	100.0	V	216.0	2.7
10488.750000	48.79	---	68.20	19.41	1000.0	100.0	H	92.0	2.7
11915.000000	---	38.40	54.00	15.60	1000.0	200.0	H	88.0	4.3
12651.250000	---	39.54	54.00	14.46	1000.0	200.0	V	303.0	5.4
13605.000000	52.22	---	68.20	15.98	1000.0	100.0	V	216.0	5.9
15248.750000	53.65	---	68.20	14.55	1000.0	100.0	H	282.0	5.7
15713.750000	---	43.21	54.00	10.79	1000.0	200.0	H	152.0	6.2
17625.000000	56.51	---	68.20	11.69	1000.0	100.0	H	345.0	10.1
17802.500000	---	43.97	54.00	10.03	1000.0	200.0	H	141.0	10.3




## Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8482.500000	---	36.35	54.00	17.65	1000.0	200.0	V	346.0	3.0
8590.000000	48.83	---	68.20	19.37	1000.0	100.0	V	354.0	3.1
9341.250000	---	36.76	54.00	17.24	1000.0	100.0	V	4.0	2.6
10193.750000	49.31	---	68.20	18.89	1000.0	100.0	H	262.0	2.8
10561.250000	48.37	---	68.20	19.83	1000.0	200.0	V	282.0	2.6
11981.250000	---	38.41	54.00	15.59	1000.0	200.0	V	82.0	4.5
13335.000000	---	39.52	54.00	14.48	1000.0	100.0	H	252.0	5.6
13636.250000	52.04	---	68.20	16.17	1000.0	200.0	V	0.0	5.9
15198.750000	53.34	---	68.20	14.86	1000.0	200.0	V	50.0	5.7
15710.000000	---	43.24	54.00	10.76	1000.0	200.0	H	225.0	6.2
17523.750000	56.07	---	68.20	12.13	1000.0	100.0	V	162.0	10.1
17818.750000	---	43.85	54.00	10.15	1000.0	100.0	V	25.0	10.4



## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8685.000000	48.55	---	68.20	19.65	1000.0	200.0	V	115.0	3.1
9072.500000	---	36.23	54.00	17.77	1000.0	100.0	V	56.0	2.7
9337.500000	---	36.61	54.00	17.39	1000.0	100.0	V	0.0	2.6
10283.750000	49.59	---	68.20	18.61	1000.0	200.0	H	343.0	2.9
10583.750000	49.10	---	68.20	19.10	1000.0	100.0	H	197.0	2.5
11987.500000	---	38.45	54.00	15.55	1000.0	100.0	V	77.0	4.5
12643.750000	---	39.41	54.00	14.59	1000.0	200.0	H	0.0	5.4
13600.000000	51.76	---	68.20	16.44	1000.0	200.0	V	295.0	5.9
15327.500000	54.25	---	68.20	13.95	1000.0	100.0	V	140.0	5.8
15705.000000	---	43.29	54.00	10.71	1000.0	200.0	H	0.0	6.2
17673.750000	56.26	---	68.20	11.94	1000.0	100.0	V	0.0	10.1
17793.750000	---	43.90	54.00	10.10	1000.0	100.0	H	229.0	10.3




## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8937.500000	48.43	---	68.20	19.77	500.0	100.0	V	25.0	2.9
9081.250000	---	36.86	54.00	17.14	500.0	200.0	H	226.0	2.7
9373.750000	---	37.01	54.00	16.99	500.0	100.0	V	243.0	2.6
9773.750000	49.36	---	68.20	18.84	500.0	200.0	H	204.0	3.0
10525.000000	49.04	---	68.20	19.16	500.0	200.0	V	88.0	2.7
11977.500000	---	38.96	54.00	15.04	500.0	100.0	V	3.0	4.5
13321.250000	---	40.14	54.00	13.86	500.0	100.0	H	149.0	5.6
13620.000000	51.72	---	68.20	16.48	500.0	100.0	H	73.0	5.9
15312.500000	53.62	---	68.20	14.58	500.0	100.0	H	255.0	5.8
15708.750000	---	43.75	54.00	10.25	500.0	200.0	V	171.0	6.2
17655.000000	56.06	---	68.20	12.14	500.0	100.0	V	107.0	10.1
17903.750000	---	43.97	54.00	10.03	500.0	100.0	H	119.0	10.6




## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8872.500000	48.73	---	68.20	19.47	500.0	200.0	V	5.0	2.8
9120.000000	---	37.12	54.00	16.88	500.0	200.0	H	140.0	2.7
9312.500000	---	37.05	54.00	16.95	500.0	200.0	H	291.0	2.6
10203.750000	49.03	---	68.20	19.17	500.0	200.0	V	49.0	2.8
10497.500000	47.95	---	68.20	20.25	500.0	200.0	H	110.0	2.7
11901.250000	---	38.80	54.00	15.20	500.0	200.0	H	306.0	4.2
12657.500000	---	39.74	54.00	14.26	500.0	200.0	H	345.0	5.4
13621.250000	52.25	---	68.20	15.95	500.0	200.0	H	72.0	5.9
15307.500000	53.63	---	68.20	14.57	500.0	200.0	V	139.0	5.8
15710.000000	---	43.73	54.00	10.27	500.0	200.0	V	42.0	6.2
17623.750000	55.92	---	68.20	12.28	500.0	200.0	H	125.0	10.1
17902.500000	---	43.96	54.00	10.04	500.0	200.0	V	115.0	10.6




## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8615.000000	49.24	---	68.20	18.96	500.0	200.0	H	352.0	3.1
9151.250000	---	37.72	54.00	16.28	500.0	200.0	V	60.0	2.7
9341.250000	---	36.73	54.00	17.27	500.0	200.0	V	113.0	2.6
10291.250000	49.55	---	68.20	18.65	500.0	200.0	V	1.0	2.9
10503.750000	48.53	---	68.20	19.67	500.0	200.0	V	151.0	2.7
11995.000000	---	38.77	54.00	15.23	500.0	200.0	H	232.0	4.5
12657.500000	---	40.01	54.00	13.99	500.0	200.0	V	136.0	5.4
12705.000000	51.83	---	68.20	16.37	500.0	200.0	V	295.0	5.5
15297.500000	53.83	---	68.20	14.37	500.0	200.0	V	0.0	5.8
15706.250000	---	43.57	54.00	10.43	500.0	200.0	V	98.0	6.2
17672.500000	55.70	---	68.20	12.50	500.0	200.0	V	181.0	10.1
17831.250000	---	43.98	54.00	10.02	500.0	200.0	V	204.0	10.4




## Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8047.500000	---	37.99	54.00	16.01	500.0	100.0	H	70.0	2.3
8901.250000	48.38	---	68.20	19.82	500.0	100.0	H	341.0	2.9
9311.250000	---	37.04	54.00	16.96	500.0	200.0	V	212.0	2.6
10242.500000	49.25	---	68.20	18.95	500.0	100.0	H	62.0	2.9
10486.250000	49.21	---	68.20	18.99	500.0	200.0	V	303.0	2.7
11977.500000	---	39.01	54.00	14.99	500.0	100.0	V	141.0	4.5
12655.000000	---	39.74	54.00	14.26	500.0	100.0	V	224.0	5.4
13598.750000	51.52	---	68.20	16.68	500.0	200.0	H	215.0	5.9
15321.250000	53.49	---	68.20	14.71	500.0	200.0	H	223.0	5.8
15713.750000	---	43.95	54.00	10.05	500.0	200.0	V	9.0	6.2
17288.750000	56.72	---	68.20	11.48	500.0	200.0	V	137.0	9.7
17858.750000	---	43.97	54.00	10.03	500.0	100.0	V	193.0	10.5




## Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8105.000000	---	37.22	54.00	16.78	500.0	200.0	V	72.0	2.6
8553.750000	48.64	---	68.20	19.56	500.0	200.0	H	83.0	3.1
9337.500000	---	36.94	54.00	17.06	500.0	200.0	H	120.0	2.6
10195.000000	49.27	---	68.20	18.93	500.0	200.0	H	128.0	2.8
10551.250000	48.23	---	68.20	19.97	500.0	200.0	H	150.0	2.6
11982.500000	---	39.02	54.00	14.98	500.0	200.0	V	342.0	4.5
12213.750000	---	39.89	54.00	14.11	500.0	200.0	V	342.0	5.0
13577.500000	51.35	---	68.20	16.85	500.0	200.0	V	282.0	5.9
15312.500000	53.13	---	68.20	15.07	500.0	200.0	V	57.0	5.8
15705.000000	---	43.63	54.00	10.37	500.0	200.0	H	340.0	6.2
17675.000000	56.17	---	68.20	12.03	500.0	200.0	H	196.0	10.1
17821.250000	---	43.96	54.00	10.04	500.0	200.0	V	238.0	10.4




## Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8148.750000	---	37.72	54.00	16.28	500.0	200.0	V	254.0	2.8
8648.750000	48.33	---	68.20	19.87	500.0	200.0	H	151.0	3.1
9320.000000	---	37.97	54.00	16.03	500.0	200.0	V	284.0	2.6
10267.500000	48.93	---	68.20	19.27	500.0	200.0	H	106.0	2.9
10483.750000	48.28	---	68.20	19.92	500.0	200.0	V	208.0	2.7
11911.250000	---	38.93	54.00	15.07	500.0	200.0	H	38.0	4.2
12691.250000	---	39.91	54.00	14.09	500.0	200.0	V	359.0	5.5
13612.500000	51.87	---	68.20	16.33	500.0	200.0	V	133.0	5.9
15306.250000	53.40	---	68.20	14.80	500.0	200.0	V	344.0	5.8
15433.750000	---	40.91	54.00	13.09	500.0	200.0	V	223.0	6.0
17266.250000	55.94	---	68.20	12.26	500.0	200.0	H	196.0	9.6
17815.000000	---	43.88	54.00	10.12	500.0	200.0	H	76.0	10.4




## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8591.250000	48.73	---	68.20	19.47	500.0	200.0	H	0.0	3.1
9040.000000	---	36.74	54.00	17.26	500.0	200.0	V	53.0	2.7
9335.000000	---	37.06	54.00	16.94	500.0	200.0	H	299.0	2.6
10286.250000	49.33	---	68.20	18.87	500.0	200.0	H	299.0	2.9
10502.500000	48.75	---	68.20	19.45	500.0	200.0	H	64.0	2.7
11961.250000	---	39.02	54.00	14.98	500.0	200.0	V	16.0	4.4
13317.500000	---	40.09	54.00	13.91	500.0	200.0	H	0.0	5.6
13593.750000	52.36	---	68.20	15.84	500.0	200.0	V	31.0	5.9
15283.750000	53.23	---	68.20	14.97	500.0	200.0	H	193.0	5.7
15705.000000	---	43.70	54.00	10.30	500.0	200.0	H	313.0	6.2
17532.500000	55.98	---	68.20	12.22	500.0	200.0	H	208.0	10.1
17896.250000	---	43.89	54.00	10.11	500.0	200.0	V	256.0	10.6




## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8461.250000	---	37.03	54.00	16.97	500.0	200.0	V	122.0	3.0
8618.750000	48.93	---	68.20	19.27	500.0	200.0	H	199.0	3.1
9377.500000	---	36.90	54.00	17.10	500.0	200.0	V	205.0	2.6
9915.000000	48.80	---	68.20	19.40	500.0	200.0	V	100.0	3.1
10525.000000	49.08	---	68.20	19.12	500.0	200.0	V	85.0	2.7
11983.750000	---	39.21	54.00	14.79	500.0	200.0	V	205.0	4.5
13307.500000	---	39.70	54.00	14.30	500.0	200.0	H	162.0	5.6
13553.750000	52.40	---	68.20	15.80	500.0	200.0	V	0.0	5.9
13886.250000	53.41	---	68.20	14.79	500.0	200.0	V	175.0	6.3
15712.500000	---	43.61	54.00	10.39	500.0	200.0	V	145.0	6.2
17695.000000	56.13	---	68.20	12.07	500.0	200.0	H	57.0	10.1
17885.000000	---	43.94	54.00	10.06	500.0	200.0	V	85.0	10.6




## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8463.750000	---	37.18	54.00	16.82	500.0	200.0	H	338.0	3.0
8503.750000	48.52	---	68.20	19.68	500.0	200.0	V	0.0	3.0
9341.250000	---	37.41	54.00	16.59	500.0	200.0	H	239.0	2.6
10212.500000	49.20	---	68.20	19.00	500.0	200.0	V	16.0	2.8
10563.750000	48.02	---	68.20	20.18	500.0	200.0	H	72.0	2.6
11996.250000	---	39.08	54.00	14.92	500.0	200.0	H	261.0	4.5
12653.750000	---	39.82	54.00	14.18	500.0	200.0	V	152.0	5.4
13725.000000	51.33	---	68.20	16.87	500.0	200.0	V	129.0	5.7
15306.250000	53.89	---	68.20	14.31	500.0	200.0	H	286.0	5.8
15718.750000	---	43.64	54.00	10.36	500.0	200.0	V	174.0	6.2
17688.750000	57.02	---	68.20	11.18	500.0	200.0	H	34.0	10.1
17850.000000	---	43.97	54.00	10.03	500.0	200.0	H	193.0	10.5




## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8445.000000	---	37.02	54.00	16.98	500.0	200.0	V	26.0	3.0
8650.000000	48.42	---	68.20	19.78	500.0	200.0	V	168.0	3.1
9342.500000	---	37.12	54.00	16.88	500.0	200.0	H	232.0	2.6
10287.500000	48.73	---	68.20	19.47	500.0	200.0	H	0.0	2.9
10505.000000	48.14	---	68.20	20.06	500.0	200.0	H	277.0	2.7
11968.750000	---	38.98	54.00	15.02	500.0	200.0	V	56.0	4.4
13322.500000	---	40.00	54.00	14.00	500.0	200.0	V	153.0	5.6
13490.000000	51.59	---	68.20	16.61	500.0	200.0	H	358.0	5.6
15197.500000	52.97	---	68.20	15.23	500.0	200.0	V	33.0	5.7
15703.750000	---	43.89	54.00	10.11	500.0	200.0	H	217.0	6.2
17682.500000	55.97	---	68.20	12.23	500.0	200.0	V	183.0	10.1
17910.000000	---	43.69	54.00	10.31	500.0	200.0	H	329.0	10.6



## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8450.000000	---	36.79	54.00	17.21	500.0	200.0	H	329.0	3.0
8643.750000	48.70	---	68.20	19.50	500.0	200.0	H	63.0	3.1
9316.250000	---	36.99	54.00	17.01	500.0	200.0	H	70.0	2.6
10172.500000	49.12	---	68.20	19.08	500.0	200.0	H	224.0	2.8
10531.250000	48.29	---	68.20	19.91	500.0	200.0	H	254.0	2.7
11965.000000	---	38.91	54.00	15.09	500.0	200.0	H	11.0	4.4
12645.000000	---	39.80	54.00	14.20	500.0	200.0	H	314.0	5.4
13601.250000	52.57	---	68.20	15.63	500.0	200.0	V	106.0	5.9
15292.500000	53.57	---	68.20	14.63	500.0	200.0	H	346.0	5.8
15703.750000	---	43.75	54.00	10.25	500.0	200.0	H	247.0	6.2
17621.250000	56.13	---	68.20	12.07	500.0	200.0	H	224.0	10.1
17881.250000	---	43.94	54.00	10.06	500.0	200.0	H	247.0	10.5



## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8177.500000	---	36.91	54.00	17.09	500.0	200.0	H	163.0	2.8
8798.750000	48.10	---	68.20	20.10	500.0	200.0	H	42.0	2.8
9357.500000	---	37.18	54.00	16.82	500.0	200.0	H	321.0	2.6
10306.250000	49.34	---	68.20	18.86	500.0	200.0	V	68.0	2.8
10532.500000	48.41	---	68.20	19.79	500.0	200.0	V	203.0	2.7
11975.000000	---	38.90	54.00	15.10	500.0	200.0	V	219.0	4.4
13333.750000	---	39.71	54.00	14.29	500.0	200.0	V	173.0	5.6
13570.000000	51.83	---	68.20	16.37	500.0	200.0	H	223.0	5.9
15302.500000	53.07	---	68.20	15.13	500.0	200.0	V	211.0	5.8
15718.750000	---	43.59	54.00	10.41	500.0	200.0	H	328.0	6.2
17676.250000	56.77	---	68.20	11.43	500.0	200.0	H	306.0	10.1
17933.750000	---	43.77	54.00	10.23	500.0	200.0	V	68.0	10.7