






Band 5 3MHz/847.5/High QPSK 15@0




Band 5 3MHz/847.5/High 16QAM 15@0




Band 5 3MHz/836.5/Mid QPSK 15@0




Band 5 3MHz/836.5/Mid 16QAM 15@0




Band 5 3MHz/825.5/Low QPSK 15@0



Band 5 3MHz/825.5/Low 16QAM 15@0




Band 7 15MHz/2562.5/High QPSK 75@0




Band 7 15MHz/2562.5/High 16QAM 75@0




Band 7 15MHz/2535.0/Mid QPSK 75@0



Band 7 15MHz/2535.0/Mid 16QAM 75@0



Band 7 15MHz/2507.5/Low QPSK 75@0



Band 7 15MHz/2507.5/Low 16QAM 75@0

4 Frequency Stability

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
2	1.4	19193	1909.3	QPSK	6@0	-18.48	-0.00968	±2.5	PASS	VL
2	1.4	19193	1909.3	QPSK	6@0	6.21	0.00325	±2.5	PASS	VN
2	1.4	19193	1909.3	QPSK	6@0	20.81	0.0109	±2.5	PASS	VH
2	1.4	19193	1909.3	QPSK	6@0	32.52	0.01703	±2.5	PASS	-30℃
2	1.4	19193	1909.3	QPSK	6@0	39.61	0.02075	±2.5	PASS	-20℃
2	1.4	19193	1909.3	QPSK	6@0	43.42	0.02274	±2.5	PASS	-10℃
2	1.4	19193	1909.3	QPSK	6@0	47.45	0.02485	±2.5	PASS	0℃
2	1.4	19193	1909.3	QPSK	6@0	-6.44	-0.00337	±2.5	PASS	10℃
2	1.4	19193	1909.3	QPSK	6@0	-5.58	-0.00292	±2.5	PASS	20℃
2	1.4	19193	1909.3	QPSK	6@0	0.32	0.00017	±2.5	PASS	30℃
2	1.4	19193	1909.3	QPSK	6@0	5.19	0.00272	±2.5	PASS	40℃
2	1.4	19193	1909.3	QPSK	6@0	7.14	0.00374	±2.5	PASS	50℃
2	1.4	18900	1880.0	QPSK	6@0	-3.48	-0.00185	±2.5	PASS	VL
2	1.4	18900	1880.0	QPSK	6@0	-11.44	-0.00609	±2.5	PASS	VN
2	1.4	18900	1880.0	QPSK	6@0	-18.1	-0.00963	±2.5	PASS	VH
2	1.4	18900	1880.0	QPSK	6@0	-20.69	-0.011	±2.5	PASS	-30℃
2	1.4	18900	1880.0	QPSK	6@0	-23.0	-0.01224	±2.5	PASS	-20℃
2	1.4	18900	1880.0	QPSK	6@0	-24.99	-0.01329	±2.5	PASS	-10℃
2	1.4	18900	1880.0	QPSK	6@0	-25.13	-0.01337	±2.5	PASS	0℃
2	1.4	18900	1880.0	QPSK	6@0	-26.36	-0.01402	±2.5	PASS	10℃
2	1.4	18900	1880.0	QPSK	6@0	-31.86	-0.01695	±2.5	PASS	20℃
2	1.4	18900	1880.0	QPSK	6@0	-28.6	-0.01521	±2.5	PASS	30℃
2	1.4	18900	1880.0	QPSK	6@0	-28.37	-0.01509	±2.5	PASS	40℃
2	1.4	18900	1880.0	QPSK	6@0	-30.11	-0.01602	±2.5	PASS	50℃
2	1.4	18607	1850.7	QPSK	6@0	3.28	0.00177	±2.5	PASS	VL
2	1.4	18607	1850.7	QPSK	6@0	2.76	0.00149	±2.5	PASS	VN
2	1.4	18607	1850.7	QPSK	6@0	11.5	0.00621	±2.5	PASS	VH
2	1.4	18607	1850.7	QPSK	6@0	21.49	0.01161	±2.5	PASS	-30℃
2	1.4	18607	1850.7	QPSK	6@0	25.06	0.01354	±2.5	PASS	-20℃
2	1.4	18607	1850.7	QPSK	6@0	28.71	0.01551	±2.5	PASS	-10℃
2	1.4	18607	1850.7	QPSK	6@0	26.82	0.01449	±2.5	PASS	0℃
2	1.4	18607	1850.7	QPSK	6@0	29.6	0.01599	±2.5	PASS	10℃
2	1.4	18607	1850.7	QPSK	6@0	33.25	0.01796	±2.5	PASS	20℃

2	1.4	18607	1850.7	QPSK	6@0	37.94	0.0205	±2.5	PASS	30℃
2	1.4	18607	1850.7	QPSK	6@0	40.57	0.02192	±2.5	PASS	40℃
2	1.4	18607	1850.7	QPSK	6@0	40.94	0.02212	±2.5	PASS	50℃
2	5.0	19175	1907.5	QPSK	25@0	-17.24	-0.00904	±2.5	PASS	VL
2	5.0	19175	1907.5	QPSK	25@0	-4.63	-0.00243	±2.5	PASS	VN
2	5.0	19175	1907.5	QPSK	25@0	12.4	0.0065	±2.5	PASS	VH
2	5.0	19175	1907.5	QPSK	25@0	17.04	0.00893	±2.5	PASS	-30℃
2	5.0	19175	1907.5	QPSK	25@0	18.35	0.00962	±2.5	PASS	-20℃
2	5.0	19175	1907.5	QPSK	25@0	20.34	0.01066	±2.5	PASS	-10℃
2	5.0	19175	1907.5	QPSK	25@0	25.12	0.01317	±2.5	PASS	0℃
2	5.0	19175	1907.5	QPSK	25@0	24.19	0.01268	±2.5	PASS	10℃
2	5.0	19175	1907.5	QPSK	25@0	26.35	0.01381	±2.5	PASS	20℃
2	5.0	19175	1907.5	QPSK	25@0	28.37	0.01487	±2.5	PASS	30℃
2	5.0	19175	1907.5	QPSK	25@0	34.78	0.01823	±2.5	PASS	40℃
2	5.0	19175	1907.5	QPSK	25@0	32.49	0.01703	±2.5	PASS	50℃
2	5.0	18900	1880.0	QPSK	25@0	-13.23	-0.00704	±2.5	PASS	VL
2	5.0	18900	1880.0	QPSK	25@0	-21.9	-0.01165	±2.5	PASS	VN
2	5.0	18900	1880.0	QPSK	25@0	-24.99	-0.01329	±2.5	PASS	VH
2	5.0	18900	1880.0	QPSK	25@0	-32.37	-0.01722	±2.5	PASS	-30℃
2	5.0	18900	1880.0	QPSK	25@0	-32.43	-0.01725	±2.5	PASS	-20℃
2	5.0	18900	1880.0	QPSK	25@0	-36.02	-0.01916	±2.5	PASS	-10℃
2	5.0	18900	1880.0	QPSK	25@0	-39.55	-0.02104	±2.5	PASS	0℃
2	5.0	18900	1880.0	QPSK	25@0	-36.95	-0.01965	±2.5	PASS	10℃
2	5.0	18900	1880.0	QPSK	25@0	-42.4	-0.02255	±2.5	PASS	20℃
2	5.0	18900	1880.0	QPSK	25@0	-34.99	-0.01861	±2.5	PASS	30℃
2	5.0	18900	1880.0	QPSK	25@0	-38.19	-0.02032	±2.5	PASS	40℃
2	5.0	18900	1880.0	QPSK	25@0	-43.52	-0.02315	±2.5	PASS	50℃
2	5.0	18625	1852.5	QPSK	25@0	-5.99	-0.00324	±2.5	PASS	VL
2	5.0	18625	1852.5	QPSK	25@0	-2.06	-0.00111	±2.5	PASS	VN
2	5.0	18625	1852.5	QPSK	25@0	8.78	0.00474	±2.5	PASS	VH
2	5.0	18625	1852.5	QPSK	25@0	15.34	0.00828	±2.5	PASS	-30℃
2	5.0	18625	1852.5	QPSK	25@0	16.69	0.00901	±2.5	PASS	-20℃
2	5.0	18625	1852.5	QPSK	25@0	24.22	0.01307	±2.5	PASS	-10℃
2	5.0	18625	1852.5	QPSK	25@0	29.35	0.01585	±2.5	PASS	0℃
2	5.0	18625	1852.5	QPSK	25@0	31.51	0.01701	±2.5	PASS	10℃
2	5.0	18625	1852.5	QPSK	25@0	34.48	0.01861	±2.5	PASS	20℃

2	5.0	18625	1852.5	QPSK	25@0	36.42	0.01966	±2.5	PASS	30℃
2	5.0	18625	1852.5	QPSK	25@0	-13.59	-0.00734	±2.5	PASS	40℃
2	5.0	18625	1852.5	QPSK	25@0	-10.83	-0.00585	±2.5	PASS	50℃
2	20.0	19100	1900.0	QPSK	100@0	-6.87	-0.00361	±2.5	PASS	VL
2	20.0	19100	1900.0	QPSK	100@0	0.54	0.00029	±2.5	PASS	VN
2	20.0	19100	1900.0	QPSK	100@0	13.92	0.00733	±2.5	PASS	VH
2	20.0	19100	1900.0	QPSK	100@0	16.95	0.00892	±2.5	PASS	-30℃
2	20.0	19100	1900.0	QPSK	100@0	18.94	0.00997	±2.5	PASS	-20℃
2	20.0	19100	1900.0	QPSK	100@0	24.56	0.01293	±2.5	PASS	-10℃
2	20.0	19100	1900.0	QPSK	100@0	26.78	0.01409	±2.5	PASS	0℃
2	20.0	19100	1900.0	QPSK	100@0	28.12	0.0148	±2.5	PASS	10℃
2	20.0	19100	1900.0	QPSK	100@0	31.67	0.01667	±2.5	PASS	20℃
2	20.0	19100	1900.0	QPSK	100@0	34.85	0.01834	±2.5	PASS	30℃
2	20.0	19100	1900.0	QPSK	100@0	31.56	0.01661	±2.5	PASS	40℃
2	20.0	19100	1900.0	QPSK	100@0	32.64	0.01718	±2.5	PASS	50℃
2	20.0	18900	1880.0	QPSK	100@0	-8.08	-0.0043	±2.5	PASS	VL
2	20.0	18900	1880.0	QPSK	100@0	-9.34	-0.00497	±2.5	PASS	VN
2	20.0	18900	1880.0	QPSK	100@0	-13.93	-0.00741	±2.5	PASS	VH
2	20.0	18900	1880.0	QPSK	100@0	-18.27	-0.00972	±2.5	PASS	-30℃
2	20.0	18900	1880.0	QPSK	100@0	-18.6	-0.00989	±2.5	PASS	-20℃
2	20.0	18900	1880.0	QPSK	100@0	-18.12	-0.00964	±2.5	PASS	-10℃
2	20.0	18900	1880.0	QPSK	100@0	-20.77	-0.01105	±2.5	PASS	0℃
2	20.0	18900	1880.0	QPSK	100@0	-18.93	-0.01007	±2.5	PASS	10℃
2	20.0	18900	1880.0	QPSK	100@0	-22.44	-0.01194	±2.5	PASS	20℃
2	20.0	18900	1880.0	QPSK	100@0	-21.24	-0.0113	±2.5	PASS	30℃
2	20.0	18900	1880.0	QPSK	100@0	-24.36	-0.01296	±2.5	PASS	40℃
2	20.0	18900	1880.0	QPSK	100@0	-25.23	-0.01342	±2.5	PASS	50℃
2	20.0	18700	1860.0	QPSK	100@0	6.37	0.00342	±2.5	PASS	VL
2	20.0	18700	1860.0	QPSK	100@0	8.28	0.00445	±2.5	PASS	VN
2	20.0	18700	1860.0	QPSK	100@0	14.16	0.00761	±2.5	PASS	VH
2	20.0	18700	1860.0	QPSK	100@0	10.84	0.00583	±2.5	PASS	-30℃
2	20.0	18700	1860.0	QPSK	100@0	18.1	0.00973	±2.5	PASS	-20℃
2	20.0	18700	1860.0	QPSK	100@0	19.03	0.01023	±2.5	PASS	-10℃
2	20.0	18700	1860.0	QPSK	100@0	18.83	0.01012	±2.5	PASS	0℃
2	20.0	18700	1860.0	QPSK	100@0	18.4	0.00989	±2.5	PASS	10℃
2	20.0	18700	1860.0	QPSK	100@0	23.55	0.01266	±2.5	PASS	20℃

2	20.0	18700	1860.0	QPSK	100@0	22.52	0.01211	±2.5	PASS	30℃
2	20.0	18700	1860.0	QPSK	100@0	26.91	0.01447	±2.5	PASS	40℃
2	20.0	18700	1860.0	QPSK	100@0	27.55	0.01481	±2.5	PASS	50℃
5	1.4	20643	848.3	QPSK	6@0	-8.25	-0.00973	±2.5	PASS	VL
5	1.4	20643	848.3	QPSK	6@0	-5.14	-0.00605	±2.5	PASS	VN
5	1.4	20643	848.3	QPSK	6@0	0.41	0.00049	±2.5	PASS	VH
5	1.4	20643	848.3	QPSK	6@0	0.82	0.00096	±2.5	PASS	-30℃
5	1.4	20643	848.3	QPSK	6@0	4.18	0.00492	±2.5	PASS	-20℃
5	1.4	20643	848.3	QPSK	6@0	2.0	0.00236	±2.5	PASS	-10℃
5	1.4	20643	848.3	QPSK	6@0	2.59	0.00305	±2.5	PASS	0℃
5	1.4	20643	848.3	QPSK	6@0	4.81	0.00567	±2.5	PASS	10℃
5	1.4	20643	848.3	QPSK	6@0	4.11	0.00484	±2.5	PASS	20℃
5	1.4	20643	848.3	QPSK	6@0	4.23	0.00499	±2.5	PASS	30℃
5	1.4	20643	848.3	QPSK	6@0	2.19	0.00258	±2.5	PASS	40℃
5	1.4	20643	848.3	QPSK	6@0	4.02	0.00474	±2.5	PASS	50℃
5	1.4	20525	836.5	QPSK	6@0	-1.33	-0.00159	±2.5	PASS	VL
5	1.4	20525	836.5	QPSK	6@0	-8.04	-0.00961	±2.5	PASS	VN
5	1.4	20525	836.5	QPSK	6@0	-8.57	-0.01024	±2.5	PASS	VH
5	1.4	20525	836.5	QPSK	6@0	-11.74	-0.01404	±2.5	PASS	-30℃
5	1.4	20525	836.5	QPSK	6@0	-15.99	-0.01912	±2.5	PASS	-20℃
5	1.4	20525	836.5	QPSK	6@0	-18.94	-0.02264	±2.5	PASS	-10℃
5	1.4	20525	836.5	QPSK	6@0	-17.78	-0.02126	±2.5	PASS	0℃
5	1.4	20525	836.5	QPSK	6@0	-18.87	-0.02256	±2.5	PASS	10℃
5	1.4	20525	836.5	QPSK	6@0	-19.63	-0.02346	±2.5	PASS	20℃
5	1.4	20525	836.5	QPSK	6@0	-20.86	-0.02493	±2.5	PASS	30℃
5	1.4	20525	836.5	QPSK	6@0	-20.81	-0.02488	±2.5	PASS	40℃
5	1.4	20525	836.5	QPSK	6@0	-23.66	-0.02829	±2.5	PASS	50℃
5	1.4	20407	824.7	QPSK	6@0	1.26	0.00153	±2.5	PASS	VL
5	1.4	20407	824.7	QPSK	6@0	-1.09	-0.00132	±2.5	PASS	VN
5	1.4	20407	824.7	QPSK	6@0	-2.17	-0.00264	±2.5	PASS	VH
5	1.4	20407	824.7	QPSK	6@0	-3.83	-0.00465	±2.5	PASS	-30℃
5	1.4	20407	824.7	QPSK	6@0	-5.24	-0.00635	±2.5	PASS	-20℃
5	1.4	20407	824.7	QPSK	6@0	-3.43	-0.00416	±2.5	PASS	-10℃
5	1.4	20407	824.7	QPSK	6@0	-6.78	-0.00822	±2.5	PASS	0℃
5	1.4	20407	824.7	QPSK	6@0	-6.62	-0.00803	±2.5	PASS	10℃
5	1.4	20407	824.7	QPSK	6@0	-8.24	-0.00999	±2.5	PASS	20℃

5	1.4	20407	824.7	QPSK	6@0	-7.94	-0.00963	±2.5	PASS	30℃
5	1.4	20407	824.7	QPSK	6@0	-10.34	-0.01254	±2.5	PASS	40℃
5	1.4	20407	824.7	QPSK	6@0	-9.61	-0.01166	±2.5	PASS	50℃
5	5.0	20625	846.5	QPSK	25@0	-7.14	-0.00843	±2.5	PASS	VL
5	5.0	20625	846.5	QPSK	25@0	0.32	0.00038	±2.5	PASS	VN
5	5.0	20625	846.5	QPSK	25@0	6.25	0.00738	±2.5	PASS	VH
5	5.0	20625	846.5	QPSK	25@0	11.26	0.0133	±2.5	PASS	-30℃
5	5.0	20625	846.5	QPSK	25@0	15.15	0.0179	±2.5	PASS	-20℃
5	5.0	20625	846.5	QPSK	25@0	15.26	0.01803	±2.5	PASS	-10℃
5	5.0	20625	846.5	QPSK	25@0	17.11	0.02021	±2.5	PASS	0℃
5	5.0	20625	846.5	QPSK	25@0	17.57	0.02075	±2.5	PASS	10℃
5	5.0	20625	846.5	QPSK	25@0	19.14	0.02261	±2.5	PASS	20℃
5	5.0	20625	846.5	QPSK	25@0	19.73	0.0233	±2.5	PASS	30℃
5	5.0	20625	846.5	QPSK	25@0	19.91	0.02352	±2.5	PASS	40℃
5	5.0	20625	846.5	QPSK	25@0	22.03	0.02602	±2.5	PASS	50℃
5	5.0	20525	836.5	QPSK	25@0	3.5	0.00419	±2.5	PASS	VL
5	5.0	20525	836.5	QPSK	25@0	-1.33	-0.00159	±2.5	PASS	VN
5	5.0	20525	836.5	QPSK	25@0	-2.36	-0.00282	±2.5	PASS	VH
5	5.0	20525	836.5	QPSK	25@0	-4.09	-0.00489	±2.5	PASS	-30℃
5	5.0	20525	836.5	QPSK	25@0	-4.61	-0.00551	±2.5	PASS	-20℃
5	5.0	20525	836.5	QPSK	25@0	-7.14	-0.00853	±2.5	PASS	-10℃
5	5.0	20525	836.5	QPSK	25@0	-5.99	-0.00717	±2.5	PASS	0℃
5	5.0	20525	836.5	QPSK	25@0	-8.0	-0.00956	±2.5	PASS	10℃
5	5.0	20525	836.5	QPSK	25@0	-7.82	-0.00935	±2.5	PASS	20℃
5	5.0	20525	836.5	QPSK	25@0	-8.15	-0.00975	±2.5	PASS	30℃
5	5.0	20525	836.5	QPSK	25@0	-6.05	-0.00723	±2.5	PASS	40℃
5	5.0	20525	836.5	QPSK	25@0	-10.54	-0.0126	±2.5	PASS	50℃
5	5.0	20425	826.5	QPSK	25@0	0.32	0.00039	±2.5	PASS	VL
5	5.0	20425	826.5	QPSK	25@0	2.26	0.00273	±2.5	PASS	VN
5	5.0	20425	826.5	QPSK	25@0	-0.37	-0.00045	±2.5	PASS	VH
5	5.0	20425	826.5	QPSK	25@0	-1.67	-0.00203	±2.5	PASS	-30℃
5	5.0	20425	826.5	QPSK	25@0	-1.19	-0.00144	±2.5	PASS	-20℃
5	5.0	20425	826.5	QPSK	25@0	-2.33	-0.00282	±2.5	PASS	-10℃
5	5.0	20425	826.5	QPSK	25@0	-3.46	-0.00419	±2.5	PASS	0℃
5	5.0	20425	826.5	QPSK	25@0	-0.63	-0.00076	±2.5	PASS	10℃
5	5.0	20425	826.5	QPSK	25@0	-3.09	-0.00374	±2.5	PASS	20℃

5	5.0	20425	826.5	QPSK	25@0	0.32	0.00039	±2.5	PASS	30℃
5	5.0	20425	826.5	QPSK	25@0	-3.55	-0.00429	±2.5	PASS	40℃
5	5.0	20425	826.5	QPSK	25@0	-4.76	-0.00576	±2.5	PASS	50℃
5	10.0	20600	844.0	QPSK	50@0	-6.97	-0.00825	±2.5	PASS	VL
5	10.0	20600	844.0	QPSK	50@0	-3.15	-0.00373	±2.5	PASS	VN
5	10.0	20600	844.0	QPSK	50@0	-0.26	-0.00031	±2.5	PASS	VH
5	10.0	20600	844.0	QPSK	50@0	5.05	0.00598	±2.5	PASS	-30℃
5	10.0	20600	844.0	QPSK	50@0	3.53	0.00419	±2.5	PASS	-20℃
5	10.0	20600	844.0	QPSK	50@0	5.84	0.00692	±2.5	PASS	-10℃
5	10.0	20600	844.0	QPSK	50@0	7.24	0.00858	±2.5	PASS	0℃
5	10.0	20600	844.0	QPSK	50@0	7.25	0.00859	±2.5	PASS	10℃
5	10.0	20600	844.0	QPSK	50@0	7.57	0.00897	±2.5	PASS	20℃
5	10.0	20600	844.0	QPSK	50@0	9.5	0.01125	±2.5	PASS	30℃
5	10.0	20600	844.0	QPSK	50@0	10.04	0.0119	±2.5	PASS	40℃
5	10.0	20600	844.0	QPSK	50@0	9.66	0.01144	±2.5	PASS	50℃
5	10.0	20600	844.0	16QAM	50@0	8.83	0.01046	±2.5	PASS	VL
5	10.0	20600	844.0	16QAM	50@0	8.37	0.00992	±2.5	PASS	VN
5	10.0	20600	844.0	16QAM	50@0	7.34	0.00869	±2.5	PASS	VH
5	10.0	20600	844.0	16QAM	50@0	6.95	0.00824	±2.5	PASS	-30℃
5	10.0	20600	844.0	16QAM	50@0	6.15	0.00729	±2.5	PASS	-20℃
5	10.0	20600	844.0	16QAM	50@0	4.43	0.00525	±2.5	PASS	-10℃
5	10.0	20600	844.0	16QAM	50@0	5.41	0.00641	±2.5	PASS	0℃
5	10.0	20600	844.0	16QAM	50@0	4.88	0.00578	±2.5	PASS	10℃
5	10.0	20600	844.0	16QAM	50@0	5.14	0.00608	±2.5	PASS	20℃
5	10.0	20600	844.0	16QAM	50@0	5.66	0.00671	±2.5	PASS	30℃
5	10.0	20600	844.0	16QAM	50@0	3.45	0.00408	±2.5	PASS	40℃
5	10.0	20600	844.0	16QAM	50@0	6.02	0.00714	±2.5	PASS	50℃
5	10.0	20525	836.5	QPSK	50@0	0.37	0.00044	±2.5	PASS	VL
5	10.0	20525	836.5	QPSK	50@0	-0.9	-0.00108	±2.5	PASS	VN
5	10.0	20525	836.5	QPSK	50@0	0.32	0.00038	±2.5	PASS	VH
5	10.0	20525	836.5	QPSK	50@0	-2.32	-0.00277	±2.5	PASS	-30℃
5	10.0	20525	836.5	QPSK	50@0	-0.53	-0.00063	±2.5	PASS	-20℃
5	10.0	20525	836.5	QPSK	50@0	-0.64	-0.00077	±2.5	PASS	-10℃
5	10.0	20525	836.5	QPSK	50@0	0.32	0.00038	±2.5	PASS	0℃
5	10.0	20525	836.5	QPSK	50@0	-0.53	-0.00063	±2.5	PASS	10℃
5	10.0	20525	836.5	QPSK	50@0	0.21	0.00026	±2.5	PASS	20℃

5	10.0	20525	836.5	QPSK	50@0	-2.02	-0.00241	±2.5	PASS	30℃
5	10.0	20525	836.5	QPSK	50@0	-2.27	-0.00272	±2.5	PASS	40℃
5	10.0	20525	836.5	QPSK	50@0	0.36	0.00043	±2.5	PASS	50℃
5	10.0	20525	836.5	16QAM	50@0	-0.86	-0.00103	±2.5	PASS	VL
5	10.0	20525	836.5	16QAM	50@0	-1.59	-0.0019	±2.5	PASS	VN
5	10.0	20525	836.5	16QAM	50@0	-3.38	-0.00404	±2.5	PASS	VH
5	10.0	20525	836.5	16QAM	50@0	-3.06	-0.00366	±2.5	PASS	-30℃
5	10.0	20525	836.5	16QAM	50@0	-5.46	-0.00653	±2.5	PASS	-20℃
5	10.0	20525	836.5	16QAM	50@0	-4.29	-0.00513	±2.5	PASS	-10℃
5	10.0	20525	836.5	16QAM	50@0	-6.37	-0.00761	±2.5	PASS	0℃
5	10.0	20525	836.5	16QAM	50@0	-8.64	-0.01033	±2.5	PASS	10℃
5	10.0	20525	836.5	16QAM	50@0	-7.35	-0.00879	±2.5	PASS	20℃
5	10.0	20525	836.5	16QAM	50@0	-4.95	-0.00592	±2.5	PASS	30℃
5	10.0	20525	836.5	16QAM	50@0	-6.48	-0.00775	±2.5	PASS	40℃
5	10.0	20525	836.5	16QAM	50@0	-7.48	-0.00894	±2.5	PASS	50℃
5	10.0	20450	829.0	QPSK	50@0	-4.09	-0.00494	±2.5	PASS	VL
5	10.0	20450	829.0	QPSK	50@0	-5.08	-0.00613	±2.5	PASS	VN
5	10.0	20450	829.0	QPSK	50@0	-3.13	-0.00378	±2.5	PASS	VH
5	10.0	20450	829.0	QPSK	50@0	-1.6	-0.00193	±2.5	PASS	-30℃
5	10.0	20450	829.0	QPSK	50@0	-2.02	-0.00243	±2.5	PASS	-20℃
5	10.0	20450	829.0	QPSK	50@0	-1.4	-0.00169	±2.5	PASS	-10℃
5	10.0	20450	829.0	QPSK	50@0	-0.66	-0.00079	±2.5	PASS	0℃
5	10.0	20450	829.0	QPSK	50@0	0.87	0.00105	±2.5	PASS	10℃
5	10.0	20450	829.0	QPSK	50@0	1.22	0.00147	±2.5	PASS	20℃
5	10.0	20450	829.0	QPSK	50@0	0.32	0.00039	±2.5	PASS	30℃
5	10.0	20450	829.0	QPSK	50@0	-0.24	-0.00029	±2.5	PASS	40℃
5	10.0	20450	829.0	QPSK	50@0	0.54	0.00066	±2.5	PASS	50℃
5	10.0	20450	829.0	16QAM	50@0	1.17	0.00141	±2.5	PASS	VL
5	10.0	20450	829.0	16QAM	50@0	0.67	0.00081	±2.5	PASS	VN
5	10.0	20450	829.0	16QAM	50@0	-2.23	-0.00269	±2.5	PASS	VH
5	10.0	20450	829.0	16QAM	50@0	-3.1	-0.00374	±2.5	PASS	-30℃
5	10.0	20450	829.0	16QAM	50@0	-4.31	-0.00519	±2.5	PASS	-20℃
5	10.0	20450	829.0	16QAM	50@0	-4.11	-0.00495	±2.5	PASS	-10℃
5	10.0	20450	829.0	16QAM	50@0	-5.89	-0.00711	±2.5	PASS	0℃
5	10.0	20450	829.0	16QAM	50@0	-4.85	-0.00585	±2.5	PASS	10℃
5	10.0	20450	829.0	16QAM	50@0	-4.92	-0.00594	±2.5	PASS	20℃

5	10.0	20450	829.0	16QAM	50@0	-6.55	-0.0079	±2.5	PASS	30℃
5	10.0	20450	829.0	16QAM	50@0	-5.28	-0.00637	±2.5	PASS	40℃
5	10.0	20450	829.0	16QAM	50@0	-8.3	-0.01001	±2.5	PASS	50℃
7	5.0	21425	2567.5	QPSK	25@0	-30.1	-0.01172	±2.5	PASS	VL
7	5.0	21425	2567.5	QPSK	25@0	-29.43	-0.01146	±2.5	PASS	VN
7	5.0	21425	2567.5	QPSK	25@0	-8.48	-0.0033	±2.5	PASS	VH
7	5.0	21425	2567.5	QPSK	25@0	0.32	0.00012	±2.5	PASS	-30℃
7	5.0	21425	2567.5	QPSK	25@0	5.14	0.002	±2.5	PASS	-20℃
7	5.0	21425	2567.5	QPSK	25@0	8.53	0.00332	±2.5	PASS	-10℃
7	5.0	21425	2567.5	QPSK	25@0	15.76	0.00614	±2.5	PASS	0℃
7	5.0	21425	2567.5	QPSK	25@0	17.47	0.0068	±2.5	PASS	10℃
7	5.0	21425	2567.5	QPSK	25@0	28.48	0.01109	±2.5	PASS	20℃
7	5.0	21425	2567.5	QPSK	25@0	36.01	0.01402	±2.5	PASS	30℃
7	5.0	21425	2567.5	QPSK	25@0	34.3	0.01336	±2.5	PASS	40℃
7	5.0	21425	2567.5	QPSK	25@0	37.28	0.01452	±2.5	PASS	50℃
7	5.0	21100	2535.0	QPSK	25@0	-8.97	-0.00354	±2.5	PASS	VL
7	5.0	21100	2535.0	QPSK	25@0	-15.38	-0.00607	±2.5	PASS	VN
7	5.0	21100	2535.0	QPSK	25@0	-14.1	-0.00556	±2.5	PASS	VH
7	5.0	21100	2535.0	QPSK	25@0	-16.52	-0.00652	±2.5	PASS	-30℃
7	5.0	21100	2535.0	QPSK	25@0	-12.62	-0.00498	±2.5	PASS	-20℃
7	5.0	21100	2535.0	QPSK	25@0	-14.43	-0.00569	±2.5	PASS	-10℃
7	5.0	21100	2535.0	QPSK	25@0	-10.3	-0.00406	±2.5	PASS	0℃
7	5.0	21100	2535.0	QPSK	25@0	-13.7	-0.00541	±2.5	PASS	10℃
7	5.0	21100	2535.0	QPSK	25@0	-14.83	-0.00585	±2.5	PASS	20℃
7	5.0	21100	2535.0	QPSK	25@0	-6.77	-0.00267	±2.5	PASS	30℃
7	5.0	21100	2535.0	QPSK	25@0	-8.65	-0.00341	±2.5	PASS	40℃
7	5.0	21100	2535.0	QPSK	25@0	-8.57	-0.00338	±2.5	PASS	50℃
7	5.0	20775	2502.5	QPSK	25@0	-11.86	-0.00474	±2.5	PASS	VL
7	5.0	20775	2502.5	QPSK	25@0	-8.81	-0.00352	±2.5	PASS	VN
7	5.0	20775	2502.5	QPSK	25@0	-9.84	-0.00393	±2.5	PASS	VH
7	5.0	20775	2502.5	QPSK	25@0	-5.22	-0.00209	±2.5	PASS	-30℃
7	5.0	20775	2502.5	QPSK	25@0	-3.98	-0.00159	±2.5	PASS	-20℃
7	5.0	20775	2502.5	QPSK	25@0	-9.48	-0.00379	±2.5	PASS	-10℃
7	5.0	20775	2502.5	QPSK	25@0	3.38	0.00135	±2.5	PASS	0℃
7	5.0	20775	2502.5	QPSK	25@0	3.58	0.00143	±2.5	PASS	10℃
7	5.0	20775	2502.5	QPSK	25@0	0.63	0.00025	±2.5	PASS	20℃

7	5.0	20775	2502.5	QPSK	25@0	5.87	0.00234	±2.5	PASS	30℃
7	5.0	20775	2502.5	QPSK	25@0	5.45	0.00218	±2.5	PASS	40℃
7	5.0	20775	2502.5	QPSK	25@0	3.48	0.00139	±2.5	PASS	50℃
7	10.0	21400	2565.0	QPSK	50@0	-16.79	-0.00655	±2.5	PASS	VL
7	10.0	21400	2565.0	QPSK	50@0	-11.93	-0.00465	±2.5	PASS	VN
7	10.0	21400	2565.0	QPSK	50@0	0.2	8e-05	±2.5	PASS	VH
7	10.0	21400	2565.0	QPSK	50@0	7.14	0.00278	±2.5	PASS	-30℃
7	10.0	21400	2565.0	QPSK	50@0	11.42	0.00445	±2.5	PASS	-20℃
7	10.0	21400	2565.0	QPSK	50@0	12.95	0.00505	±2.5	PASS	-10℃
7	10.0	21400	2565.0	QPSK	50@0	16.82	0.00656	±2.5	PASS	0℃
7	10.0	21400	2565.0	QPSK	50@0	16.21	0.00632	±2.5	PASS	10℃
7	10.0	21400	2565.0	QPSK	50@0	24.98	0.00974	±2.5	PASS	20℃
7	10.0	21400	2565.0	QPSK	50@0	23.42	0.00913	±2.5	PASS	30℃
7	10.0	21400	2565.0	QPSK	50@0	28.94	0.01128	±2.5	PASS	40℃
7	10.0	21400	2565.0	QPSK	50@0	27.52	0.01073	±2.5	PASS	50℃
7	10.0	21400	2565.0	16QAM	50@0	26.62	0.01038	±2.5	PASS	VL
7	10.0	21400	2565.0	16QAM	50@0	23.0	0.00897	±2.5	PASS	VN
7	10.0	21400	2565.0	16QAM	50@0	21.46	0.00837	±2.5	PASS	VH
7	10.0	21400	2565.0	16QAM	50@0	21.21	0.00827	±2.5	PASS	-30℃
7	10.0	21400	2565.0	16QAM	50@0	16.72	0.00652	±2.5	PASS	-20℃
7	10.0	21400	2565.0	16QAM	50@0	11.8	0.0046	±2.5	PASS	-10℃
7	10.0	21400	2565.0	16QAM	50@0	8.81	0.00344	±2.5	PASS	0℃
7	10.0	21400	2565.0	16QAM	50@0	12.99	0.00506	±2.5	PASS	10℃
7	10.0	21400	2565.0	16QAM	50@0	8.2	0.0032	±2.5	PASS	20℃
7	10.0	21400	2565.0	16QAM	50@0	10.29	0.00401	±2.5	PASS	30℃
7	10.0	21400	2565.0	16QAM	50@0	5.26	0.00205	±2.5	PASS	40℃
7	10.0	21400	2565.0	16QAM	50@0	7.18	0.0028	±2.5	PASS	50℃
7	10.0	21100	2535.0	QPSK	50@0	-18.57	-0.00732	±2.5	PASS	VL
7	10.0	21100	2535.0	QPSK	50@0	-16.62	-0.00656	±2.5	PASS	VN
7	10.0	21100	2535.0	QPSK	50@0	-16.54	-0.00652	±2.5	PASS	VH
7	10.0	21100	2535.0	QPSK	50@0	-19.64	-0.00775	±2.5	PASS	-30℃
7	10.0	21100	2535.0	QPSK	50@0	-14.13	-0.00558	±2.5	PASS	-20℃
7	10.0	21100	2535.0	QPSK	50@0	-15.94	-0.00629	±2.5	PASS	-10℃
7	10.0	21100	2535.0	QPSK	50@0	-15.72	-0.0062	±2.5	PASS	0℃
7	10.0	21100	2535.0	QPSK	50@0	-14.73	-0.00581	±2.5	PASS	10℃
7	10.0	21100	2535.0	QPSK	50@0	-16.62	-0.00656	±2.5	PASS	20℃

7	10.0	21100	2535.0	QPSK	50@0	-11.49	-0.00453	±2.5	PASS	30℃
7	10.0	21100	2535.0	QPSK	50@0	-13.55	-0.00534	±2.5	PASS	40℃
7	10.0	21100	2535.0	QPSK	50@0	-15.23	-0.00601	±2.5	PASS	50℃
7	10.0	21100	2535.0	16QAM	50@0	-15.81	-0.00624	±2.5	PASS	VL
7	10.0	21100	2535.0	16QAM	50@0	-15.86	-0.00626	±2.5	PASS	VN
7	10.0	21100	2535.0	16QAM	50@0	-16.79	-0.00662	±2.5	PASS	VH
7	10.0	21100	2535.0	16QAM	50@0	-20.67	-0.00815	±2.5	PASS	-30℃
7	10.0	21100	2535.0	16QAM	50@0	-29.05	-0.01146	±2.5	PASS	-20℃
7	10.0	21100	2535.0	16QAM	50@0	-22.9	-0.00903	±2.5	PASS	-10℃
7	10.0	21100	2535.0	16QAM	50@0	-25.94	-0.01023	±2.5	PASS	0℃
7	10.0	21100	2535.0	16QAM	50@0	-24.53	-0.00968	±2.5	PASS	10℃
7	10.0	21100	2535.0	16QAM	50@0	-31.39	-0.01238	±2.5	PASS	20℃
7	10.0	21100	2535.0	16QAM	50@0	-33.2	-0.0131	±2.5	PASS	30℃
7	10.0	21100	2535.0	16QAM	50@0	-32.47	-0.01281	±2.5	PASS	40℃
7	10.0	21100	2535.0	16QAM	50@0	-33.26	-0.01312	±2.5	PASS	50℃
7	10.0	20800	2505.0	QPSK	50@0	-17.44	-0.00696	±2.5	PASS	VL
7	10.0	20800	2505.0	QPSK	50@0	-16.11	-0.00643	±2.5	PASS	VN
7	10.0	20800	2505.0	QPSK	50@0	-12.57	-0.00502	±2.5	PASS	VH
7	10.0	20800	2505.0	QPSK	50@0	-9.71	-0.00388	±2.5	PASS	-30℃
7	10.0	20800	2505.0	QPSK	50@0	-11.24	-0.00449	±2.5	PASS	-20℃
7	10.0	20800	2505.0	QPSK	50@0	-11.94	-0.00477	±2.5	PASS	-10℃
7	10.0	20800	2505.0	QPSK	50@0	-9.3	-0.00371	±2.5	PASS	0℃
7	10.0	20800	2505.0	QPSK	50@0	-15.76	-0.00629	±2.5	PASS	10℃
7	10.0	20800	2505.0	QPSK	50@0	-12.13	-0.00484	±2.5	PASS	20℃
7	10.0	20800	2505.0	QPSK	50@0	-7.64	-0.00305	±2.5	PASS	30℃
7	10.0	20800	2505.0	QPSK	50@0	-5.75	-0.0023	±2.5	PASS	40℃
7	10.0	20800	2505.0	QPSK	50@0	-13.2	-0.00527	±2.5	PASS	50℃
7	10.0	20800	2505.0	16QAM	50@0	-5.82	-0.00232	±2.5	PASS	VL
7	10.0	20800	2505.0	16QAM	50@0	-5.48	-0.00219	±2.5	PASS	VN
7	10.0	20800	2505.0	16QAM	50@0	-9.53	-0.0038	±2.5	PASS	VH
7	10.0	20800	2505.0	16QAM	50@0	-7.78	-0.00311	±2.5	PASS	-30℃
7	10.0	20800	2505.0	16QAM	50@0	-17.31	-0.00691	±2.5	PASS	-20℃
7	10.0	20800	2505.0	16QAM	50@0	-20.79	-0.0083	±2.5	PASS	-10℃
7	10.0	20800	2505.0	16QAM	50@0	-23.42	-0.00935	±2.5	PASS	0℃
7	10.0	20800	2505.0	16QAM	50@0	-23.7	-0.00946	±2.5	PASS	10℃
7	10.0	20800	2505.0	16QAM	50@0	-23.7	-0.00946	±2.5	PASS	20℃

7	10.0	20800	2505.0	16QAM	50@0	-23.29	-0.0093	±2.5	PASS	30℃
7	10.0	20800	2505.0	16QAM	50@0	-25.62	-0.01023	±2.5	PASS	40℃
7	10.0	20800	2505.0	16QAM	50@0	-27.24	-0.01087	±2.5	PASS	50℃
7	20.0	21350	2560.0	QPSK	100@0	-32.46	-0.01268	±2.5	PASS	VL
7	20.0	21350	2560.0	QPSK	100@0	-28.8	-0.01125	±2.5	PASS	VN
7	20.0	21350	2560.0	QPSK	100@0	-20.36	-0.00795	±2.5	PASS	VH
7	20.0	21350	2560.0	QPSK	100@0	-19.54	-0.00763	±2.5	PASS	-30℃
7	20.0	21350	2560.0	QPSK	100@0	-11.34	-0.00443	±2.5	PASS	-20℃
7	20.0	21350	2560.0	QPSK	100@0	-10.97	-0.00429	±2.5	PASS	-10℃
7	20.0	21350	2560.0	QPSK	100@0	-2.8	-0.0011	±2.5	PASS	0℃
7	20.0	21350	2560.0	QPSK	100@0	0.37	0.00015	±2.5	PASS	10℃
7	20.0	21350	2560.0	QPSK	100@0	1.12	0.00044	±2.5	PASS	20℃
7	20.0	21350	2560.0	QPSK	100@0	-2.45	-0.00096	±2.5	PASS	30℃
7	20.0	21350	2560.0	QPSK	100@0	0.54	0.00021	±2.5	PASS	40℃
7	20.0	21350	2560.0	QPSK	100@0	0.4	0.00016	±2.5	PASS	50℃
7	20.0	21100	2535.0	QPSK	100@0	-17.4	-0.00686	±2.5	PASS	VL
7	20.0	21100	2535.0	QPSK	100@0	-20.11	-0.00793	±2.5	PASS	VN
7	20.0	21100	2535.0	QPSK	100@0	-14.79	-0.00583	±2.5	PASS	VH
7	20.0	21100	2535.0	QPSK	100@0	-17.85	-0.00704	±2.5	PASS	-30℃
7	20.0	21100	2535.0	QPSK	100@0	-19.25	-0.0076	±2.5	PASS	-20℃
7	20.0	21100	2535.0	QPSK	100@0	-16.71	-0.00659	±2.5	PASS	-10℃
7	20.0	21100	2535.0	QPSK	100@0	-11.9	-0.0047	±2.5	PASS	0℃
7	20.0	21100	2535.0	QPSK	100@0	-15.75	-0.00621	±2.5	PASS	10℃
7	20.0	21100	2535.0	QPSK	100@0	-7.88	-0.00311	±2.5	PASS	20℃
7	20.0	21100	2535.0	QPSK	100@0	-9.23	-0.00364	±2.5	PASS	30℃
7	20.0	21100	2535.0	QPSK	100@0	-11.89	-0.00469	±2.5	PASS	40℃
7	20.0	21100	2535.0	QPSK	100@0	-16.82	-0.00664	±2.5	PASS	50℃
7	20.0	20850	2510.0	QPSK	100@0	-0.53	-0.00021	±2.5	PASS	VL
7	20.0	20850	2510.0	QPSK	100@0	2.15	0.00085	±2.5	PASS	VN
7	20.0	20850	2510.0	QPSK	100@0	-5.22	-0.00208	±2.5	PASS	VH
7	20.0	20850	2510.0	QPSK	100@0	-5.05	-0.00201	±2.5	PASS	-30℃
7	20.0	20850	2510.0	QPSK	100@0	-8.93	-0.00356	±2.5	PASS	-20℃
7	20.0	20850	2510.0	QPSK	100@0	-2.88	-0.00115	±2.5	PASS	-10℃
7	20.0	20850	2510.0	QPSK	100@0	-8.6	-0.00343	±2.5	PASS	0℃
7	20.0	20850	2510.0	QPSK	100@0	-12.3	-0.0049	±2.5	PASS	10℃
7	20.0	20850	2510.0	QPSK	100@0	-9.33	-0.00372	±2.5	PASS	20℃


7	20.0	20850	2510.0	QPSK	100@0	-9.3	-0.0037	±2.5	PASS	30℃
7	20.0	20850	2510.0	QPSK	100@0	-11.62	-0.00463	±2.5	PASS	40℃
7	20.0	20850	2510.0	QPSK	100@0	-8.78	-0.0035	±2.5	PASS	50℃

5 Occupied Bandwidth


Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)	Verdict
2	1.4	19193	1909.3	QPSK	6@0	1.0763	1.239	PASS
2	1.4	19193	1909.3	16QAM	6@0	1.0804	1.226	PASS
2	1.4	18900	1880.0	QPSK	6@0	1.0789	1.259	PASS
2	1.4	18900	1880.0	16QAM	6@0	1.0767	1.228	PASS
2	1.4	18607	1850.7	QPSK	6@0	1.0830	1.217	PASS
2	1.4	18607	1850.7	16QAM	6@0	1.0808	1.249	PASS
2	5.0	19175	1907.5	QPSK	25@0	4.4644	5.152	PASS
2	5.0	19175	1907.5	16QAM	25@0	4.4603	4.959	PASS
2	5.0	18900	1880.0	QPSK	25@0	4.4602	4.895	PASS
2	5.0	18900	1880.0	16QAM	25@0	4.4637	5.036	PASS
2	5.0	18625	1852.5	QPSK	25@0	4.4531	4.989	PASS
2	5.0	18625	1852.5	16QAM	25@0	4.4726	5.002	PASS
2	20.0	19100	1900.0	QPSK	100@0	17.882	19.48	PASS
2	20.0	19100	1900.0	16QAM	100@0	17.884	19.19	PASS
2	20.0	18900	1880.0	QPSK	100@0	17.912	19.33	PASS
2	20.0	18900	1880.0	16QAM	100@0	17.878	19.28	PASS
2	20.0	18700	1860.0	QPSK	100@0	17.874	19.38	PASS
2	20.0	18700	1860.0	16QAM	100@0	17.911	19.46	PASS
5	1.4	20643	848.3	QPSK	6@0	1.0780	1.235	PASS
5	1.4	20643	848.3	16QAM	6@0	1.0817	1.230	PASS
5	1.4	20525	836.5	QPSK	6@0	1.0778	1.222	PASS
5	1.4	20525	836.5	16QAM	6@0	1.0764	1.218	PASS
5	1.4	20407	824.7	QPSK	6@0	1.0803	1.242	PASS
5	1.4	20407	824.7	16QAM	6@0	1.0790	1.234	PASS
5	5.0	20625	846.5	QPSK	25@0	4.4651	4.939	PASS
5	5.0	20625	846.5	16QAM	25@0	4.4587	4.777	PASS
5	5.0	20525	836.5	QPSK	25@0	4.4563	4.921	PASS
5	5.0	20525	836.5	16QAM	25@0	4.4537	4.940	PASS
5	5.0	20425	826.5	QPSK	25@0	4.4613	4.857	PASS
5	5.0	20425	826.5	16QAM	25@0	4.4540	5.013	PASS
5	10.0	20600	844.0	QPSK	50@0	8.9475	9.703	PASS
5	10.0	20600	844.0	16QAM	50@0	8.9339	9.822	PASS
5	10.0	20525	836.5	QPSK	50@0	8.9340	9.635	PASS

5	10.0	20525	836.5	16QAM	50@0	8.9398	9.645	PASS
5	10.0	20450	829.0	QPSK	50@0	8.9308	9.693	PASS
5	10.0	20450	829.0	16QAM	50@0	8.9333	9.783	PASS
7	5.0	21425	2567.5	QPSK	25@0	4.4726	5.012	PASS
7	5.0	21425	2567.5	16QAM	25@0	4.4605	4.953	PASS
7	5.0	21100	2535.0	QPSK	25@0	4.4579	4.926	PASS
7	5.0	21100	2535.0	16QAM	25@0	4.4560	4.962	PASS
7	5.0	20775	2502.5	QPSK	25@0	4.4578	4.923	PASS
7	5.0	20775	2502.5	16QAM	25@0	4.4692	5.115	PASS
7	10.0	21400	2565.0	QPSK	50@0	8.9639	9.721	PASS
7	10.0	21400	2565.0	16QAM	50@0	8.9342	9.808	PASS
7	10.0	21100	2535.0	QPSK	50@0	8.9456	9.790	PASS
7	10.0	21100	2535.0	16QAM	50@0	8.9429	9.658	PASS
7	10.0	20800	2505.0	QPSK	50@0	8.9498	9.691	PASS
7	10.0	20800	2505.0	16QAM	50@0	8.9452	9.666	PASS
7	20.0	21350	2560.0	QPSK	100@0	17.899	19.28	PASS
7	20.0	21350	2560.0	16QAM	100@0	17.893	19.13	PASS
7	20.0	21100	2535.0	QPSK	100@0	17.877	19.29	PASS
7	20.0	21100	2535.0	16QAM	100@0	17.881	19.38	PASS
7	20.0	20850	2510.0	QPSK	100@0	17.857	19.28	PASS
7	20.0	20850	2510.0	16QAM	100@0	17.838	19.18	PASS
2	3.0	19185	1908.5	QPSK	15@0	2.6892	2.966	PASS
2	3.0	19185	1908.5	16QAM	15@0	2.6837	2.950	PASS
2	3.0	18900	1880.0	QPSK	15@0	2.6819	2.970	PASS
2	3.0	18900	1880.0	16QAM	15@0	2.6890	2.961	PASS
2	3.0	18615	1851.5	QPSK	15@0	2.6889	2.961	PASS
2	3.0	18615	1851.5	16QAM	15@0	2.6871	2.973	PASS
2	10.0	19150	1905.0	QPSK	50@0	8.9549	9.728	PASS
2	10.0	19150	1905.0	16QAM	50@0	8.9400	9.671	PASS
2	10.0	18900	1880.0	QPSK	50@0	8.9352	9.754	PASS
2	10.0	18900	1880.0	16QAM	50@0	8.9522	9.721	PASS
2	10.0	18650	1855.0	QPSK	50@0	8.9291	9.628	PASS
2	10.0	18650	1855.0	16QAM	50@0	8.9283	9.876	PASS
2	15.0	19125	1902.5	QPSK	75@0	13.370	14.69	PASS
2	15.0	19125	1902.5	16QAM	75@0	13.380	14.36	PASS
2	15.0	18900	1880.0	QPSK	75@0	13.377	14.46	PASS


2	15.0	18900	1880.0	16QAM	75@0	13.374	14.58	PASS
2	15.0	18675	1857.5	QPSK	75@0	13.400	14.61	PASS
2	15.0	18675	1857.5	16QAM	75@0	13.375	14.22	PASS
5	3.0	20635	847.5	QPSK	15@0	2.6899	2.966	PASS
5	3.0	20635	847.5	16QAM	15@0	2.6811	2.963	PASS
5	3.0	20525	836.5	QPSK	15@0	2.6856	2.944	PASS
5	3.0	20525	836.5	16QAM	15@0	2.6775	3.041	PASS
5	3.0	20415	825.5	QPSK	15@0	2.6834	2.975	PASS
5	3.0	20415	825.5	16QAM	15@0	2.6795	3.042	PASS
7	15.0	21375	2562.5	QPSK	75@0	13.386	14.37	PASS
7	15.0	21375	2562.5	16QAM	75@0	13.369	14.44	PASS
7	15.0	21100	2535.0	QPSK	75@0	13.356	14.64	PASS
7	15.0	21100	2535.0	16QAM	75@0	13.397	14.46	PASS
7	15.0	20825	2507.5	QPSK	75@0	13.398	14.48	PASS
7	15.0	20825	2507.5	16QAM	75@0	13.388	14.33	PASS




Band 2 1.4MHz/1909.3/High QPSK 6@0




Band 2 1.4MHz/1909.3/High 16QAM 6@0




Band 2 1.4MHz/1880.0/Mid QPSK 6@0




Band 2 1.4MHz/1880.0/Mid 16QAM 6@0




Band 2 1.4MHz/1850.7/Low QPSK 6@0




Band 2 1.4MHz/1850.7/Low 16QAM 6@0




Band 2 5MHz/1907.5/High QPSK 25@0




Band 2 5MHz/1907.5/High 16QAM 25@0




Band 2 5MHz/1880.0/Mid QPSK 25@0




Band 2 5MHz/1880.0/Mid 16QAM 25@0




Band 2 5MHz/1852.5/Low QPSK 25@0




Band 2 5MHz/1852.5/Low 16QAM 25@0




Band 2 20MHz/1900.0/High QPSK 100@0




Band 2 20MHz/1900.0/High 16QAM 100@0




Band 2 20MHz/1880.0/Mid QPSK 100@0




Band 2 20MHz/1880.0/Mid 16QAM 100@0




Band 2 20MHz/1860.0/Low QPSK 100@0




Band 2 20MHz/1860.0/Low 16QAM 100@0




Band 5 1.4MHz/848.3/High QPSK 6@0




Band 5 1.4MHz/848.3/High 16QAM 6@0




Band 5 1.4MHz/836.5/Mid QPSK 6@0




Band 5 1.4MHz/836.5/Mid 16QAM 6@0




Band 5 1.4MHz/824.7/Low QPSK 6@0




Band 5 1.4MHz/824.7/Low 16QAM 6@0




Band 5 5MHz/846.5/High QPSK 25@0




Band 5 5MHz/846.5/High 16QAM 25@0




Band 5 5MHz/836.5/Mid QPSK 25@0



Band 5 5MHz/836.5/Mid 16QAM 25@0



Band 5 5MHz/826.5/Low QPSK 25@0



Band 5 5MHz/826.5/Low 16QAM 25@0