







MRM-G2, MHC-G2 Motor Instruction

Setting	Item	Operation	Result	Illustration
Technical Parameters & Fixing Motor		<p>Product name :DC Motor Model#: MRM-G2, MHC-G2 Battery Specs.:Lithium battery, DC 7.4V/2000mAH.</p> <p>Notes:</p> <ul style="list-style-type: none"> The side of motor head with SETTING button should toward outside. When the remote control distance is obviously closer, please replace the remote's battery in time. When starting the motor,red LED light flashes 3 times, and it can only run down, please charge the battery in time. When the motor runs continuously towards only one direction, it means the limit setting program failed. Please reset the limit setting operation accordingly. 		  
Program the remote with motor	1	Keep pressing the "Setting" button 3s or so.	Green LED light flashes slowly.	
	2	During Green LED light flashes slowly, keep pressing "Setting" button 3s or so again.	Motor jogsx2, and Red light flashes slowly.	  
	3	Press "C" button.	Motor jogsx2, and Green light flashes quickly, the program has been done.	
<p>•After limit setting, the blind can be manually controlled by the "setting" button in the motor head.</p>				
Manually Controlling by the motor head	1	Short Press "Setting" button once	Motor goes up	 
	2	Short Press "Setting" button again	Motor stops	 
	3	Short Press "Setting" button once again	Motor goes down.	 
Delete remote itself from motor		Short press "C" button 3 times.	When motor jogsx2, and Green LED light flashes 3 times quickly, the program has been done.	
Bluetooth Function Activated	1	Keep pressing the "Setting" button 3s or so.	Green LED light flashes slowly.	
	2	During Green LED light flashes slowly, short press "Setting" button 3 times.	Green LED light flashes quickly. The Bluetooth Function of the motor is successfully activated (which can be found and added on APP now, named as HD1300.)	 

FCC warning:

This device complies with Part 15 of the FCC rules. Operation is subjected to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void your authority to operate the equipment.

For DC Motor, This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

The distance between user and products should be no less than 20cm.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

IC warning:

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development (ISED) Canada's licence-exempt RSS(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

For DC Motor, The device has been evaluated to meet general RF exposure requirement.

The distance between user and products should be no less than 20cm.

Cet appareil contient des émetteurs/récepteurs exemptés de licence qui sont conformes aux flux RSS exempts de licence du Canada pour l'innovation, la Science et le développement économique (ISDE). Le fonctionnement est soumis aux deux conditions suivantes: (1) ce dispositif ne peut pas causer d'interférence, et (2) ce dispositif doit accepter toute interférence, y compris les interférences pouvant causer un fonctionnement indésirable du dispositif.

Pour le moteur DC, L'appareil a été évalué pour répondre aux exigences générales d'exposition aux RF.

la distance entre l'utilisateur et les produits devraient être au moins 20 cm.