

Touch Dynamic

TOUCH DYNAMIC

All in One Touch Terminal

(Vector)




TD


◇ Product Basic Information			
*	CPU Model	MT8395	
◇ Environment Characteristic			
*	Operating Temp	0℃ ~ +45℃	
*	Storage Temp	-20℃ ~ +60℃	
*	Humidity	10%~95% Non-condensing	
*	Fire-proof	V0	
◇ Memory			
*	Memory	64GB eMMC, 4GB LPDDR4X	
◇ Display Specification			
*	Screen	Main Screen	Second Screen
*	Size	15.6"	10.1 "
*	Technology	TFT IPS	TFT IPS
*	Resolution	1920*1080	1280*800
*	Brightness	260cd/m²	300cd/m²
◇ Touch Panel Features			
*	Touch Type	G+G, 10 points	G+G, 5points
*	Camera Type	2M	
◇ Keypad / Button			
*	Button	1 pcs power button	
◇ Audio Features			
*	Speaker	Yes, 2*2W, 98±3db, 10cm	

TD

Configuration 1




Configuration 2



- ① Main Screen
- ② Payment Module VP3350
- ③ Second Screen
- ④ Main Stand
- ⑤ Second Stand

TD

Configuration 3





- ⑥ Back Bracket
- ⑦ Payment Module Port Cover (for payment module or MSR)
- ⑧ Payment Module Port Cover (for payment module or MSR)
- ⑨ Payment Module Port Cover (for payment module)
- ⑩ Type-C cable port fix


TD

Spare Parts and Peripherals



Payment Module Type 1
(Main Screen)




Payment Module Type 2
(Second Screen)





Back Bracket for Main Screen



Signal Connection Line for
modules (payment/scanner)



Signal Connection Line for
Main screen and Second
screen



Type-C

DC

Type-C

RJ12

Type-A

Type-A

Type-A

RJ45

Type-C

TD

Operate temperature: 35°C (with adapter) , 45°C (without adapter) ; When the customer purchases the adapter themselves, they should select one that can operate at a temperature of at least 45°C.

FCC 15.19

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

FCC 15.21

NOTE: The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

FCC 15.105

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help
- This device and its antenna(s) must not be co-located or operating in conjunction with any other antenna or transmitter.

TD

RF output power:

Blue tooth: $13 \pm 1\text{dB}$ (EIRP)

WIFI 2.4G : $17 \pm 1\text{dB}$ (EIRP)

WIFI5.15 GHz–5.25 GHz: $14 \pm 1\text{dBm}$

WIFI5.25 GHz–5.35 GHz: $13 \pm 1\text{ dBm}$

WIFI5.47 GHz–5.725 GHz: $13 \pm 1\text{ dBm}$

5G WIFI statement

The device is restricted to indoor use when operated in 5150MHz~5350MHz to reduce the potential for interference.

	AT	BE	BG	CH	CY	CZ	DE
	DK	EE	EL	ES	FI	FR	HR
	HU	IE	IS	IT	LI	LT	LU
	LV	MT	NL	NO	PL	PT	RO
	SE	SI	SK	TR	UK(NI)		

RF exposure statement

RF exposure information: The Maximum Permissible Exposure (MPE) level has been calculated based on a distance of $d=20\text{ cm}$ between the device and the human body. To maintain compliance with RF exposure requirement, use product that maintain a 20cm distance between the device and human body.

Declaration of Conformity

Hereby, [TOUCH DYNAMIC INC.] declares that the radio equipment type [Vector] is in compliance with Directive 2014/53/EU.

The full text of the EU declaration of conformity is available at the following internet address:

<https://www.touchdynamic.com>