


## U-NII-2A 11ac20 CH64

Bandedge\_FCC-WIFI\_5G\_Band1&amp;2\_Right



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 58.27            | 5.40        | 74.0           | 15.73       | Peak     | 213.00         | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 49.27            | 5.40        | 54.0           | 4.73        | AV       | 213.00         | 150         | Horizontal | Pass    |
| 2   | 5351.650        | 60.49            | 5.45        | 74.0           | 13.51       | Peak     | 211.00         | 150         | Horizontal | Pass    |
| 2** | 5351.650        | 49.50            | 5.45        | 54.0           | 4.50        | AV       | 211.00         | 150         | Horizontal | Pass    |


## U-NII-2A 11ac40 CH54



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 55.60            | 5.21        | 74.0           | 18.40       | Peak     | 104.04         | 150         | Vertical | Pass    |
| 1** | 5150.000        | 45.48            | 5.21        | 54.0           | 8.52        | AV       | 104.04         | 150         | Vertical | Pass    |
| 2   | 5089.550        | 57.19            | 4.94        | 74.0           | 16.81       | Peak     | 158.00         | 150         | Vertical | Pass    |
| 2** | 5089.550        | 45.11            | 4.94        | 54.0           | 8.89        | AV       | 158.00         | 150         | Vertical | Pass    |


## U-NII-2A 11ac40 CH62

Bandedge\_FCC-WIFI\_5G\_Band1&amp;2\_Right




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 59.13            | 5.40        | 74.0           | 14.87       | Peak     | 222.00         | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 49.15            | 5.40        | 54.0           | 4.85        | AV       | 222.00         | 150         | Horizontal | Pass    |
| 2   | 5352.750        | 60.45            | 5.47        | 74.0           | 13.55       | Peak     | 219.00         | 150         | Horizontal | Pass    |
| 2** | 5352.750        | 48.50            | 5.47        | 54.0           | 5.50        | AV       | 219.00         | 150         | Horizontal | Pass    |

## U-NII-2A 11ac80 CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.110        | 63.01            | 5.40        | 74.0           | 10.99       | Peak     | 218.00         | 150         | Horizontal | Pass    |
| 1** | 5350.110        | 52.16            | 5.40        | 54.0           | 1.84        | AV       | 218.00         | 150         | Horizontal | Pass    |
| 2   | 5359.240        | 65.58            | 5.68        | 74.0           | 8.42        | Peak     | 239.00         | 150         | Horizontal | Pass    |
| 2** | 5359.240        | 51.81            | 5.68        | 54.0           | 2.19        | AV       | 239.00         | 150         | Horizontal | Pass    |
| 3   | 5359.680        | 63.87            | 5.69        | 74.0           | 10.13       | Peak     | 239.00         | 150         | Horizontal | Pass    |
| 3** | 5359.680        | 52.93            | 5.69        | 54.0           | 1.07        | AV       | 239.00         | 150         | Horizontal | Pass    |

## U-NII-2A 11ax20 (SU) CH52




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 55.20            | 5.21        | 74.0           | 18.80       | Peak     | 27.00          | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 45.11            | 5.21        | 54.0           | 8.89        | AV       | 27.00          | 150         | Horizontal | Pass    |
| 2   | 5069.400        | 56.97            | 5.22        | 74.0           | 17.03       | Peak     | 83.00          | 150         | Horizontal | Pass    |
| 2** | 5069.400        | 45.56            | 5.22        | 54.0           | 8.44        | AV       | 83.00          | 150         | Horizontal | Pass    |

## U-NII-2A 11ax20 (SU) CH64



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 56.37            | 5.40        | 74.0           | 17.63       | Peak     | 218.00         | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 47.86            | 5.40        | 54.0           | 6.14        | AV       | 218.00         | 150         | Horizontal | Pass    |
| 2   | 5354.510        | 59.79            | 5.52        | 74.0           | 14.21       | Peak     | 218.00         | 150         | Horizontal | Pass    |
| 2** | 5354.510        | 47.47            | 5.52        | 54.0           | 6.53        | AV       | 218.00         | 150         | Horizontal | Pass    |


## U-NII-2A 11ax40 (SU) CH54



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 56.29            | 5.21        | 74.0           | 17.71       | Peak     | 360.00         | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 45.43            | 5.21        | 54.0           | 8.57        | AV       | 360.00         | 150         | Horizontal | Pass    |
| 2   | 4973.850        | 56.86            | 4.96        | 74.0           | 17.14       | Peak     | 176.00         | 150         | Horizontal | Pass    |
| 2** | 4973.850        | 44.88            | 4.96        | 54.0           | 9.12        | AV       | 176.00         | 150         | Horizontal | Pass    |

## U-NII-2A 11ax40 (SU) CH62


Bandedge\_FCC-WIFI\_5G\_Band1&amp;2\_Right



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5350.000        | 57.14            | 5.40        | 74.0           | 16.86       | Peak     | 221.00         | 150         | Vertical | Pass    |
| 1** | 5350.000        | 46.68            | 5.40        | 54.0           | 7.32        | AV       | 221.00         | 150         | Vertical | Pass    |
| 2   | 5352.420        | 58.00            | 5.46        | 74.0           | 16.00       | Peak     | 234.00         | 150         | Vertical | Pass    |
| 2** | 5352.420        | 47.02            | 5.46        | 54.0           | 6.98        | AV       | 234.00         | 150         | Vertical | Pass    |




## U-NII-2A 11ax80 (SU) CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 61.58            | 5.40        | 74.0           | 12.42       | Peak     | 209.00         | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 51.37            | 5.40        | 54.0           | 2.63        | AV       | 209.00         | 150         | Horizontal | Pass    |
| 2   | 5353.190        | 64.90            | 5.48        | 74.0           | 9.10        | Peak     | 219.00         | 150         | Horizontal | Pass    |
| 2** | 5353.190        | 50.44            | 5.48        | 54.0           | 3.56        | AV       | 219.00         | 150         | Horizontal | Pass    |
| 3   | 5350.550        | 61.18            | 5.42        | 74.0           | 12.82       | Peak     | 222.00         | 150         | Horizontal | Pass    |
| 3** | 5350.550        | 51.77            | 5.42        | 54.0           | 2.23        | AV       | 222.00         | 150         | Horizontal | Pass    |

## U-NII-2C 11a CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5460.000        | 57.72            | 5.38        | 68.2           | 10.48       | Peak     | 223.69         | 150         | Horizontal | Pass    |
| 1** | 5460.000        | 48.46            | 5.38        | 54.0           | 5.54        | AV       | 223.69         | 150         | Horizontal | Pass    |
| 2   | 5468.560        | 60.80            | 5.77        | 68.2           | 7.40        | Peak     | 241.00         | 150         | Horizontal | Pass    |
| 2** | 5468.560        | 50.00            | 5.77        | --             | -50.00      | AV       | 241.00         | 150         | Horizontal | N/A     |

## U-NII-2C 11a CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5725.000        | 59.91            | 6.57        | 68.2           | 8.29        | Peak     | 279.00         | 150         | Vertical | Pass    |
| 2   | 5727.875        | 61.33            | 6.48        | 68.2           | 6.87        | Peak     | 274.00         | 150         | Vertical | Pass    |

## U-NII-2C 11n20 CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5460.000        | 58.03            | 5.38        | 68.2           | 10.17       | Peak     | 223.00         | 150         | Horizontal | Pass    |
| 1** | 5460.000        | 48.27            | 5.38        | 54.0           | 5.73        | AV       | 223.00         | 150         | Horizontal | Pass    |
| 2   | 5469.160        | 60.16            | 5.80        | 68.2           | 8.04        | Peak     | 219.00         | 150         | Horizontal | Pass    |
| 2** | 5469.160        | 49.73            | 5.80        | --             | -49.73      | AV       | 219.00         | 150         | Horizontal | N/A     |

## U-NII-2C 11n20 CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 60.58            | 6.57        | 68.2           | 7.62        | Peak     | 205.00         | 150         | Horizontal | Pass    |
| 2   | 5726.125        | 61.79            | 6.54        | 68.2           | 6.41        | Peak     | 217.00         | 150         | Horizontal | Pass    |

## U-NII-2C 11n40 CH102




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5460.000        | 57.28            | 5.38        | 68.2           | 10.92       | Peak     | 227.99         | 150         | Horizontal | Pass    |
| 1** | 5460.000        | 47.85            | 5.38        | 54.0           | 6.15        | AV       | 227.99         | 150         | Horizontal | Pass    |
| 2   | 5469.400        | 59.94            | 5.80        | 68.2           | 8.26        | Peak     | 221.00         | 150         | Horizontal | Pass    |
| 2** | 5469.400        | 48.98            | 5.80        | --             | -48.98      | AV       | 221.00         | 150         | Horizontal | N/A     |

## U-NII-2C 11n40 CH134



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5725.000        | 59.82            | 6.57        | 68.2           | 8.38        | Peak     | 270.00         | 150         | Vertical | Pass    |
| 2   | 5730.500        | 60.50            | 6.36        | 68.2           | 7.70        | Peak     | 276.00         | 150         | Vertical | Pass    |


## U-NII-2C 11ac80 CH106



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5460.000        | 61.69            | 5.38        | 68.2           | 6.51        | Peak     | 239.00         | 150         | Horizontal | Pass    |
| 1** | 5460.000        | 50.61            | 5.38        | 54.0           | 3.39        | AV       | 239.00         | 150         | Horizontal | Pass    |
| 2   | 5464.480        | 66.72            | 5.57        | 68.2           | 1.48        | Peak     | 241.00         | 150         | Horizontal | Pass    |
| 2** | 5464.480        | 51.87            | 5.57        | --             | -51.87      | AV       | 241.00         | 150         | Horizontal | N/A     |
| 3   | 5458.240        | 60.91            | 5.44        | 74.0           | 13.09       | Peak     | 235.00         | 150         | Horizontal | Pass    |
| 3** | 5458.240        | 51.87            | 5.44        | 54.0           | 2.13        | AV       | 235.00         | 150         | Horizontal | Pass    |




U-NII-2C 11ac80 CH122




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5725.000        | 60.63            | 6.57        | 68.2           | 7.57        | Peak     | 273.00         | 150         | Vertical | Pass    |
| 2   | 5730.000        | 60.92            | 6.36        | 68.2           | 7.28        | Peak     | 256.00         | 150         | Vertical | Pass    |

## U-NII-2C 11ax20 CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5460.000        | 56.61            | 5.38        | 68.2           | 11.59       | Peak     | 218.35         | 150         | Horizontal | Pass    |
| 1** | 5460.000        | 47.49            | 5.38        | 54.0           | 6.51        | AV       | 218.35         | 150         | Horizontal | Pass    |
| 2   | 5469.040        | 59.99            | 5.80        | 68.2           | 8.21        | Peak     | 216.00         | 150         | Horizontal | Pass    |
| 2** | 5469.040        | 48.13            | 5.80        | --             | -48.13      | AV       | 216.00         | 150         | Horizontal | N/A     |

## U-NII-2C 11ax20 CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5725.000        | 60.95            | 6.57        | 68.2           | 7.25        | Peak     | 290.00         | 150         | Vertical | Pass    |
| 2   | 5725.375        | 61.70            | 6.56        | 68.2           | 6.50        | Peak     | 216.00         | 150         | Vertical | Pass    |

## U-NII-2C 11ax40 CH102




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5460.000        | 56.16            | 5.38        | 68.2           | 12.04       | Peak     | 287.34         | 150         | Vertical | Pass    |
| 1** | 5460.000        | 46.80            | 5.38        | 54.0           | 7.20        | AV       | 287.34         | 150         | Vertical | Pass    |
| 2   | 5467.240        | 58.28            | 5.66        | 68.2           | 9.92        | Peak     | 267.00         | 150         | Vertical | Pass    |
| 2** | 5467.240        | 47.31            | 5.66        | --             | -47.31      | AV       | 267.00         | 150         | Vertical | N/A     |

## U-NII-2C 11ax40 CH134




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5725.000        | 59.07            | 6.57        | 68.2           | 9.13        | Peak     | 225.00         | 150         | Vertical | Pass    |
| 2   | 5725.875        | 59.81            | 6.55        | 68.2           | 8.39        | Peak     | 307.00         | 150         | Vertical | Pass    |

## U-NII-2C 11ax80 CH106




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5460.000        | 60.90            | 5.38        | 68.2           | 7.30        | Peak     | 271.34         | 150         | Vertical | Pass    |
| 1** | 5460.000        | 50.42            | 5.38        | 54.0           | 3.58        | AV       | 271.34         | 150         | Vertical | Pass    |
| 2   | 5466.040        | 66.41            | 5.62        | 68.2           | 1.79        | Peak     | 251.00         | 150         | Vertical | Pass    |
| 2** | 5466.040        | 52.27            | 5.62        | --             | -52.27      | AV       | 251.00         | 150         | Vertical | N/A     |
| 3   | 5457.880        | 60.48            | 5.46        | 74.0           | 13.52       | Peak     | 289.00         | 150         | Vertical | Pass    |
| 3** | 5457.880        | 51.29            | 5.46        | 54.0           | 2.71        | AV       | 289.00         | 150         | Vertical | Pass    |

## U-NII-2C 11ax80 CH122



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 59.76            | 6.57        | 68.2           | 8.44        | Peak     | 231.00         | 150         | Horizontal | Pass    |
| 2   | 5734.625        | 62.00            | 6.29        | 68.2           | 6.20        | Peak     | 220.00         | 150         | Horizontal | Pass    |


## U-NII-3 11a CH149



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5650.000        | 57.00            | 5.94        | 68.2           | 11.20       | Peak     | 0.30           | 150         | Horizontal | Pass    |
| 2   | 5640.625        | 59.94            | 5.92        | 68.2           | 8.26        | Peak     | 239.00         | 150         | Horizontal | Pass    |




## U-NII-3 11a CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 57.46            | 7.83        | 68.2           | 10.74       | Peak     | 0.02           | 150         | Vertical | Pass    |
| 2   | 5991.150        | 60.57            | 7.95        | 68.2           | 7.63        | Peak     | 3.00           | 150         | Vertical | Pass    |

## U-NII-3 11n20 CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 58.45            | 5.94        | 68.2           | 9.75        | Peak     | 254.03         | 150         | Vertical | Pass    |
| 2   | 5642.875        | 59.59            | 5.99        | 68.2           | 8.61        | Peak     | 271.00         | 150         | Vertical | Pass    |

## U-NII-3 11n20 CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 57.61            | 7.83        | 68.2           | 10.59       | Peak     | 1.21           | 150         | Vertical | Pass    |
| 2   | 5986.800        | 60.00            | 7.69        | 68.2           | 8.20        | Peak     | 360.00         | 150         | Vertical | Pass    |

## U-NII-3 11n40 CH151




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 58.07            | 5.94        | 68.2           | 10.13       | Peak     | 297.73         | 150         | Vertical | Pass    |
| 2   | 5635.375        | 59.46            | 5.86        | 68.2           | 8.74        | Peak     | 317.00         | 150         | Vertical | Pass    |

## U-NII-3 11n40 CH159




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5925.000        | 57.14            | 7.83        | 68.2           | 11.06       | Peak     | 330.65         | 150         | Horizontal | Pass    |
| 2   | 5934.750        | 59.85            | 7.51        | 68.2           | 8.35        | Peak     | 205.00         | 150         | Horizontal | Pass    |

## U-NII-3 11ac80 CH155




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 61.18            | 5.94        | 68.2           | 7.02        | Peak     | 265.99         | 150         | Vertical | Pass    |
| 2   | 5620.250        | 61.51            | 5.90        | 68.2           | 6.69        | Peak     | 258.00         | 150         | Vertical | Pass    |

## U-NII-3 11ax20 (SU) CH149



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5650.000        | 57.28            | 5.94        | 68.2           | 10.92       | Peak     | 360.00         | 150         | Horizontal | Pass    |
| 2   | 5648.500        | 59.82            | 5.96        | 68.2           | 8.38        | Peak     | 200.00         | 150         | Horizontal | Pass    |


## U-NII-3 11ax20 (SU) CH165



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 58.22            | 7.83        | 68.2           | 9.98        | Peak     | 247.06         | 150         | Vertical | Pass    |
| 2   | 5982.300        | 59.89            | 7.52        | 68.2           | 8.31        | Peak     | 153.00         | 150         | Vertical | Pass    |




## U-NII-3 11ax40 (SU) CH151




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 56.98            | 5.94        | 68.2           | 11.22       | Peak     | 356.95         | 150         | Vertical | Pass    |
| 2   | 5643.375        | 58.84            | 6.01        | 68.2           | 9.36        | Peak     | 229.00         | 150         | Vertical | Pass    |

## U-NII-3 11ax40 (SU) CH159



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5925.000        | 57.89            | 7.83        | 68.2           | 10.31       | Peak     | 33.28          | 150         | Horizontal | Pass    |
| 2   | 5943.900        | 60.38            | 7.38        | 68.2           | 7.82        | Peak     | 40.00          | 150         | Horizontal | Pass    |

## U-NII-3 11ax80 (SU) CH155




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 60.11            | 5.94        | 68.2           | 8.09        | Peak     | 296.97         | 150         | Vertical | Pass    |
| 2   | 5649.000        | 64.72            | 5.96        | 68.2           | 3.48        | Peak     | 291.00         | 150         | Vertical | Pass    |

Aux, Antenna:

## U-NII-1 11a CH36

Bandedge\_FCC-WIFI\_5G\_Band1&amp;2\_Left



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 60.17            | 5.21        | 74.0           | 13.83       | Peak     | 209.00         | 150         | Vertical | Pass    |
| 1** | 5150.000        | 51.00            | 5.21        | 54.0           | 3.00        | AV       | 209.00         | 150         | Vertical | Pass    |
| 2   | 5110.350        | 60.17            | 5.07        | 74.0           | 13.83       | Peak     | 218.00         | 150         | Vertical | Pass    |
| 2** | 5110.350        | 49.41            | 5.07        | 54.0           | 4.59        | AV       | 218.00         | 150         | Vertical | Pass    |


## U-NII-1 11a CH48

Bandedge\_FCC-WIFI\_5G\_Band1&amp;2\_Right



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5350.000        | 57.27            | 5.40        | 74.0           | 16.73       | Peak     | 211.00         | 150         | Vertical | Pass    |
| 1** | 5350.000        | 48.25            | 5.40        | 54.0           | 5.75        | AV       | 211.00         | 150         | Vertical | Pass    |
| 2   | 5350.660        | 59.72            | 5.42        | 74.0           | 14.28       | Peak     | 217.00         | 150         | Vertical | Pass    |
| 2** | 5350.660        | 48.46            | 5.42        | 54.0           | 5.54        | AV       | 217.00         | 150         | Vertical | Pass    |


## U-NII-1 11ac20 CH36



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 58.09            | 5.21        | 74.0           | 15.91       | Peak     | 221.00         | 150         | Vertical | Pass    |
| 1** | 5150.000        | 50.12            | 5.21        | 54.0           | 3.88        | AV       | 221.00         | 150         | Vertical | Pass    |
| 2   | 5148.050        | 59.87            | 5.26        | 74.0           | 14.13       | Peak     | 206.00         | 150         | Vertical | Pass    |
| 2** | 5148.050        | 49.70            | 5.26        | 54.0           | 4.30        | AV       | 206.00         | 150         | Vertical | Pass    |

## U-NII-1 11ac20 CH48


Bandedge\_FCC-WIFI\_5G\_Band1&amp;2\_Right



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5350.000        | 57.54            | 5.40        | 74.0           | 16.46       | Peak     | 206.00         | 150         | Vertical | Pass    |
| 1** | 5350.000        | 47.78            | 5.40        | 54.0           | 6.22        | AV       | 206.00         | 150         | Vertical | Pass    |
| 2   | 5356.050        | 59.37            | 5.58        | 74.0           | 14.63       | Peak     | 206.00         | 150         | Vertical | Pass    |
| 2** | 5356.050        | 47.60            | 5.58        | 54.0           | 6.40        | AV       | 206.00         | 150         | Vertical | Pass    |

## U-NII-1 11ac40 CH38

Bandedge\_FCC-WIFI\_5G\_Band1&amp;2\_Left




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 57.76            | 5.21        | 74.0           | 16.24       | Peak     | 214.00         | 150         | Vertical | Pass    |
| 1** | 5150.000        | 49.93            | 5.21        | 54.0           | 4.07        | AV       | 214.00         | 150         | Vertical | Pass    |
| 2   | 5141.550        | 59.76            | 5.55        | 74.0           | 14.24       | Peak     | 220.00         | 150         | Vertical | Pass    |
| 2** | 5141.550        | 49.49            | 5.55        | 54.0           | 4.51        | AV       | 220.00         | 150         | Vertical | Pass    |




## U-NII-1 11ac40 CH46

Bandedge\_FCC-WIFI\_5G\_Band1&amp;2\_Right




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5350.000        | 56.40            | 5.40        | 74.0           | 17.60       | Peak     | 215.00         | 150         | Vertical | Pass    |
| 1** | 5350.000        | 47.20            | 5.40        | 54.0           | 6.80        | AV       | 215.00         | 150         | Vertical | Pass    |
| 2   | 5376.180        | 58.25            | 5.56        | 74.0           | 15.75       | Peak     | 215.00         | 150         | Vertical | Pass    |
| 2** | 5376.180        | 46.90            | 5.56        | 54.0           | 7.10        | AV       | 215.00         | 150         | Vertical | Pass    |

## U-NII-1 11ac80 CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 60.35            | 5.21        | 74.0           | 13.65       | Peak     | 241.00         | 150         | Vertical | Pass    |
| 1** | 5150.000        | 52.49            | 5.21        | 54.0           | 1.51        | AV       | 241.00         | 150         | Vertical | Pass    |
| 2   | 5144.800        | 62.52            | 5.42        | 74.0           | 11.48       | Peak     | 198.00         | 150         | Vertical | Pass    |
| 2** | 5144.800        | 50.75            | 5.42        | 54.0           | 3.25        | AV       | 198.00         | 150         | Vertical | Pass    |

## U-NII-1 11ax20 (SU) CH36




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 57.44            | 5.21        | 74.0           | 16.56       | Peak     | 202.00         | 150         | Vertical | Pass    |
| 1** | 5150.000        | 48.82            | 5.21        | 54.0           | 5.18        | AV       | 202.00         | 150         | Vertical | Pass    |
| 2   | 5149.350        | 58.75            | 5.21        | 74.0           | 15.25       | Peak     | 202.00         | 150         | Vertical | Pass    |
| 2** | 5149.350        | 48.70            | 5.21        | 54.0           | 5.30        | AV       | 202.00         | 150         | Vertical | Pass    |

## U-NII-1 11ax20 (SU) CH48




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5350.000        | 57.07            | 5.40        | 74.0           | 16.93       | Peak     | 242.00         | 150         | Vertical | Pass    |
| 1** | 5350.000        | 46.83            | 5.40        | 54.0           | 7.17        | AV       | 242.00         | 150         | Vertical | Pass    |
| 2   | 5388.830        | 58.41            | 5.54        | 74.0           | 15.59       | Peak     | 314.00         | 150         | Vertical | Pass    |
| 2** | 5388.830        | 46.46            | 5.54        | 54.0           | 7.54        | AV       | 314.00         | 150         | Vertical | Pass    |

## U-NII-1 11ax40 (SU) CH38




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 57.81            | 5.21        | 74.0           | 16.19       | Peak     | 218.00         | 150         | Vertical | Pass    |
| 1** | 5150.000        | 49.56            | 5.21        | 54.0           | 4.44        | AV       | 218.00         | 150         | Vertical | Pass    |
| 2   | 5136.350        | 59.43            | 5.50        | 74.0           | 14.57       | Peak     | 214.00         | 150         | Vertical | Pass    |
| 2** | 5136.350        | 47.62            | 5.50        | 54.0           | 6.38        | AV       | 214.00         | 150         | Vertical | Pass    |

## U-NII-1 11ax40 (SU) CH46



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5350.000        | 55.97            | 5.40        | 74.0           | 18.03       | Peak     | 218.00         | 150         | Vertical | Pass    |
| 1** | 5350.000        | 46.05            | 5.40        | 54.0           | 7.95        | AV       | 218.00         | 150         | Vertical | Pass    |
| 2   | 5361.880        | 57.90            | 5.70        | 74.0           | 16.10       | Peak     | 308.00         | 150         | Vertical | Pass    |
| 2** | 5361.880        | 46.48            | 5.70        | 54.0           | 7.52        | AV       | 308.00         | 150         | Vertical | Pass    |


## U-NII-1 11ax80 (SU) CH42



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 60.53            | 5.21        | 74.0           | 13.47       | Peak     | 196.00         | 150         | Vertical | Pass    |
| 1** | 5150.000        | 51.65            | 5.21        | 54.0           | 2.35        | AV       | 196.00         | 150         | Vertical | Pass    |
| 2   | 5138.300        | 64.03            | 5.56        | 74.0           | 9.97        | Peak     | 216.00         | 150         | Vertical | Pass    |
| 2** | 5138.300        | 51.14            | 5.56        | 54.0           | 2.86        | AV       | 216.00         | 150         | Vertical | Pass    |

## U-NII-2A 11a CH52

Bandedge\_FCC-WIFI\_5G\_Band1&amp;2\_Left




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 56.36            | 5.21        | 74.0           | 17.64       | Peak     | 52.02          | 150         | Vertical | Pass    |
| 1** | 5150.000        | 46.92            | 5.21        | 54.0           | 7.08        | AV       | 52.02          | 150         | Vertical | Pass    |
| 2   | 4998.550        | 57.23            | 5.10        | 74.0           | 16.77       | Peak     | 334.00         | 150         | Vertical | Pass    |
| 2** | 4998.550        | 45.26            | 5.10        | 54.0           | 8.74        | AV       | 334.00         | 150         | Vertical | Pass    |




## U-NII-2A 11a CH64

Bandedge\_FCC-WIFI\_5G\_Band1&amp;2\_Right




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5350.000        | 62.61            | 5.40        | 74.0           | 11.39       | Peak     | 213.00         | 150         | Vertical | Pass    |
| 1** | 5350.000        | 51.45            | 5.40        | 54.0           | 2.55        | AV       | 213.00         | 150         | Vertical | Pass    |
| 2   | 5356.600        | 61.84            | 5.60        | 74.0           | 12.16       | Peak     | 211.00         | 150         | Vertical | Pass    |
| 2** | 5356.600        | 51.21            | 5.60        | 54.0           | 2.79        | AV       | 211.00         | 150         | Vertical | Pass    |

## U-NII-2A 11n20 CH52



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 55.69            | 5.21        | 74.0           | 18.31       | Peak     | 122.03         | 150         | Vertical | Pass    |
| 1** | 5150.000        | 46.14            | 5.21        | 54.0           | 7.86        | AV       | 122.03         | 150         | Vertical | Pass    |
| 2   | 5146.750        | 57.21            | 5.33        | 74.0           | 16.79       | Peak     | 216.00         | 150         | Vertical | Pass    |
| 2** | 5146.750        | 46.36            | 5.33        | 54.0           | 7.64        | AV       | 216.00         | 150         | Vertical | Pass    |


## U-NII-2A 11n20 CH64



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5350.000        | 59.48            | 5.40        | 74.0           | 14.52       | Peak     | 219.00         | 150         | Vertical | Pass    |
| 1** | 5350.000        | 51.42            | 5.40        | 54.0           | 2.58        | AV       | 219.00         | 150         | Vertical | Pass    |
| 2   | 5350.330        | 62.15            | 5.41        | 74.0           | 11.85       | Peak     | 212.00         | 150         | Vertical | Pass    |
| 2** | 5350.330        | 51.48            | 5.41        | 54.0           | 2.52        | AV       | 212.00         | 150         | Vertical | Pass    |

## U-NII-2A 11n40 CH54


Bandedge\_FCC-WIFI\_5G\_Band1&amp;2\_Left



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 55.87            | 5.21        | 74.0           | 18.13       | Peak     | 241.00         | 150         | Vertical | Pass    |
| 1** | 5150.000        | 46.16            | 5.21        | 54.0           | 7.84        | AV       | 241.00         | 150         | Vertical | Pass    |
| 2   | 5121.400        | 58.33            | 5.17        | 74.0           | 15.67       | Peak     | 246.00         | 150         | Vertical | Pass    |
| 2** | 5121.400        | 45.71            | 5.17        | 54.0           | 8.29        | AV       | 246.00         | 150         | Vertical | Pass    |

## U-NII-2A 11n40 CH62


Bandedge\_FCC-WIFI\_5G\_Band1&amp;2\_Right



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5350.000        | 60.75            | 5.40        | 74.0           | 13.25       | Peak     | 205.00         | 150         | Vertical | Pass    |
| 1** | 5350.000        | 51.95            | 5.40        | 54.0           | 2.05        | AV       | 205.00         | 150         | Vertical | Pass    |
| 2   | 5361.330        | 62.76            | 5.71        | 74.0           | 11.24       | Peak     | 205.00         | 150         | Vertical | Pass    |
| 2** | 5361.330        | 50.02            | 5.71        | 54.0           | 3.98        | AV       | 205.00         | 150         | Vertical | Pass    |


## U-NII-2A 11ac80 CH58

Bandedge\_FCC-WIFI\_5G\_Band1&amp;2\_Right




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5350.000        | 60.75            | 5.40        | 74.0           | 13.25       | Peak     | 201.00         | 150         | Vertical | Pass    |
| 1** | 5350.000        | 52.33            | 5.40        | 54.0           | 1.67        | AV       | 201.00         | 150         | Vertical | Pass    |
| 2   | 5362.540        | 62.49            | 5.68        | 74.0           | 11.51       | Peak     | 214.00         | 150         | Vertical | Pass    |
| 2** | 5362.540        | 50.27            | 5.68        | 54.0           | 3.73        | AV       | 214.00         | 150         | Vertical | Pass    |

## U-NII-2A 11ax20 (SU) CH52



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 56.52            | 5.21        | 74.0           | 17.48       | Peak     | 0.05           | 150         | Vertical | Pass    |
| 1** | 5150.000        | 46.15            | 5.21        | 54.0           | 7.85        | AV       | 0.05           | 150         | Vertical | Pass    |
| 2   | 5113.600        | 57.20            | 5.16        | 74.0           | 16.80       | Peak     | 219.00         | 150         | Vertical | Pass    |
| 2** | 5113.600        | 46.05            | 5.16        | 54.0           | 7.95        | AV       | 219.00         | 150         | Vertical | Pass    |

## U-NII-2A 11ax20 (SU) CH64




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5350.000        | 61.26            | 5.40        | 74.0           | 12.74       | Peak     | 209.00         | 150         | Vertical | Pass    |
| 1** | 5350.000        | 50.68            | 5.40        | 54.0           | 3.32        | AV       | 209.00         | 150         | Vertical | Pass    |
| 2   | 5354.510        | 61.23            | 5.52        | 74.0           | 12.77       | Peak     | 213.00         | 150         | Vertical | Pass    |
| 2** | 5354.510        | 49.99            | 5.52        | 54.0           | 4.01        | AV       | 213.00         | 150         | Vertical | Pass    |




## U-NII-2A 11ax40 (SU) CH54

Bandedge\_FCC-WIFI\_5G\_Band1&amp;2\_Left



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 56.05            | 5.21        | 74.0           | 17.95       | Peak     | 221.02         | 150         | Vertical | Pass    |
| 1** | 5150.000        | 45.88            | 5.21        | 54.0           | 8.12        | AV       | 221.02         | 150         | Vertical | Pass    |
| 2   | 5057.700        | 57.29            | 5.13        | 74.0           | 16.71       | Peak     | 136.00         | 150         | Vertical | Pass    |
| 2** | 5057.700        | 45.53            | 5.13        | 54.0           | 8.47        | AV       | 136.00         | 150         | Vertical | Pass    |


## U-NII-2A 11ax40 (SU) CH62



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5350.000        | 60.15            | 5.40        | 74.0           | 13.85       | Peak     | 207.00         | 150         | Vertical | Pass    |
| 1** | 5350.000        | 50.91            | 5.40        | 54.0           | 3.09        | AV       | 207.00         | 150         | Vertical | Pass    |
| 2   | 5350.770        | 61.39            | 5.42        | 74.0           | 12.61       | Peak     | 207.00         | 150         | Vertical | Pass    |
| 2** | 5350.770        | 50.31            | 5.42        | 54.0           | 3.69        | AV       | 207.00         | 150         | Vertical | Pass    |


## U-NII-2A 11ax80 (SU) CH58

Bandedge\_FCC-WIFI\_5G\_Band1&amp;2\_Right




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5350.000        | 59.89            | 5.40        | 74.0           | 14.11       | Peak     | 208.00         | 150         | Vertical | Pass    |
| 1** | 5350.000        | 51.82            | 5.40        | 54.0           | 2.18        | AV       | 208.00         | 150         | Vertical | Pass    |
| 2   | 5354.400        | 63.48            | 5.51        | 74.0           | 10.52       | Peak     | 208.00         | 150         | Vertical | Pass    |
| 2** | 5354.400        | 51.18            | 5.51        | 54.0           | 2.82        | AV       | 208.00         | 150         | Vertical | Pass    |

## U-NII-2C 11a CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5460.000        | 60.74            | 5.38        | 68.2           | 7.46        | Peak     | 212.34         | 150         | Vertical | Pass    |
| 1** | 5460.000        | 51.57            | 5.38        | 54.0           | 2.43        | AV       | 212.34         | 150         | Vertical | Pass    |
| 2   | 5469.400        | 64.03            | 5.80        | 68.2           | 4.17        | Peak     | 205.00         | 150         | Vertical | Pass    |
| 2** | 5469.400        | 52.79            | 5.80        | --             | -52.79      | AV       | 205.00         | 150         | Vertical | N/A     |

## U-NII-2C 11a CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5725.000        | 61.86            | 6.57        | 68.2           | 6.34        | Peak     | 209.00         | 150         | Vertical | Pass    |
| 2   | 5725.750        | 62.95            | 6.55        | 68.2           | 5.25        | Peak     | 197.00         | 150         | Vertical | Pass    |

## U-NII-2C 11n20 CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5460.000        | 55.82            | 5.38        | 68.2           | 12.38       | Peak     | 57.79          | 150         | Vertical | Pass    |
| 1** | 5460.000        | 46.92            | 5.38        | 54.0           | 7.08        | AV       | 57.79          | 150         | Vertical | Pass    |
| 2   | 5465.920        | 63.08            | 5.61        | 68.2           | 5.12        | Peak     | 211.00         | 150         | Vertical | Pass    |
| 2** | 5465.920        | 50.96            | 5.61        | --             | -50.96      | AV       | 211.00         | 150         | Vertical | N/A     |

## U-NII-2C 11n20 CH140



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5725.000        | 61.76            | 6.57        | 68.2           | 6.44        | Peak     | 216.00         | 150         | Vertical | Pass    |
| 2   | 5726.500        | 63.01            | 6.53        | 68.2           | 5.19        | Peak     | 220.00         | 150         | Vertical | Pass    |


## U-NII-2C 11n40 CH102



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5460.000        | 60.00            | 5.38        | 68.2           | 8.20        | Peak     | 218.67         | 150         | Vertical | Pass    |
| 1** | 5460.000        | 49.41            | 5.38        | 54.0           | 4.59        | AV       | 218.67         | 150         | Vertical | Pass    |
| 2   | 5469.640        | 62.20            | 5.80        | 68.2           | 6.00        | Peak     | 218.00         | 150         | Vertical | Pass    |
| 2** | 5469.640        | 50.54            | 5.80        | --             | -50.54      | AV       | 218.00         | 150         | Vertical | N/A     |




## U-NII-2C 11n40 CH134




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5725.000        | 60.45            | 6.57        | 68.2           | 7.75        | Peak     | 246.00         | 150         | Vertical | Pass    |
| 2   | 5725.625        | 63.26            | 6.56        | 68.2           | 4.94        | Peak     | 212.00         | 150         | Vertical | Pass    |

## U-NII-2C 11ac80 CH106




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5460.000        | 60.01            | 5.38        | 68.2           | 8.19        | Peak     | 207.00         | 150         | Vertical | Pass    |
| 1** | 5460.000        | 51.05            | 5.38        | 54.0           | 2.95        | AV       | 207.00         | 150         | Vertical | Pass    |
| 2   | 5469.880        | 64.82            | 5.80        | 68.2           | 3.38        | Peak     | 207.00         | 150         | Vertical | Pass    |
| 2** | 5469.880        | 52.30            | 5.80        | --             | -52.30      | AV       | 207.00         | 150         | Vertical | N/A     |

## U-NII-2C 11ac80 CH122




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 58.79            | 6.57        | 68.2           | 9.41        | Peak     | 339.00         | 150         | Horizontal | Pass    |
| 2   | 5802.500        | 59.66            | 6.46        | 68.2           | 8.54        | Peak     | 221.00         | 150         | Horizontal | Pass    |

## U-NII-2C 11ax20 (SU) CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5460.000        | 58.73            | 5.38        | 68.2           | 9.47        | Peak     | 208.66         | 150         | Vertical | Pass    |
| 1** | 5460.000        | 49.76            | 5.38        | 54.0           | 4.24        | AV       | 208.66         | 150         | Vertical | Pass    |
| 2   | 5469.640        | 60.81            | 5.80        | 68.2           | 7.39        | Peak     | 212.00         | 150         | Vertical | Pass    |
| 2** | 5469.640        | 50.22            | 5.80        | --             | -50.22      | AV       | 212.00         | 150         | Vertical | N/A     |

## U-NII-2C 11ax20 (SU) CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5725.000        | 61.86            | 6.57        | 68.2           | 6.34        | Peak     | 215.00         | 150         | Vertical | Pass    |
| 2   | 5727.875        | 62.94            | 6.48        | 68.2           | 5.26        | Peak     | 215.00         | 150         | Vertical | Pass    |

## U-NII-2C 11ax40 (SU) CH102




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5460.000        | 57.53            | 5.38        | 68.2           | 10.67       | Peak     | 206.64         | 150         | Vertical | Pass    |
| 1** | 5460.000        | 48.57            | 5.38        | 54.0           | 5.43        | AV       | 206.64         | 150         | Vertical | Pass    |
| 2   | 5467.600        | 60.22            | 5.69        | 68.2           | 7.98        | Peak     | 219.00         | 150         | Vertical | Pass    |
| 2** | 5467.600        | 48.87            | 5.69        | --             | -48.87      | AV       | 219.00         | 150         | Vertical | N/A     |

## U-NII-2C 11ax40 (SU) CH134



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5725.000        | 58.42            | 6.57        | 68.2           | 9.78        | Peak     | 212.00         | 150         | Vertical | Pass    |
| 2   | 5729.750        | 60.70            | 6.38        | 68.2           | 7.50        | Peak     | 199.00         | 150         | Vertical | Pass    |


## U-NII-2C 11ax80 (SU) CH106



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5460.000        | 61.24            | 5.38        | 68.2           | 6.96        | Peak     | 213.34         | 150         | Vertical | Pass    |
| 1** | 5460.000        | 50.79            | 5.38        | 54.0           | 3.21        | AV       | 213.34         | 150         | Vertical | Pass    |
| 2   | 5461.360        | 63.89            | 5.43        | 68.2           | 4.31        | Peak     | 206.00         | 150         | Vertical | Pass    |
| 2** | 5461.360        | 51.91            | 5.43        | --             | -51.91      | AV       | 206.00         | 150         | Vertical | N/A     |




## U-NII-2C 11ax80 (SU) CH122




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 58.24            | 6.57        | 68.2           | 9.96        | Peak     | 356.00         | 150         | Horizontal | Pass    |
| 2   | 5843.500        | 59.86            | 7.10        | 68.2           | 8.34        | Peak     | 90.00          | 150         | Horizontal | Pass    |

## U-NII-3 11a CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5650.000        | 58.58            | 5.94        | 68.2           | 9.62        | Peak     | 215.01         | 150         | Horizontal | Pass    |
| 2   | 5647.500        | 61.00            | 5.95        | 68.2           | 7.20        | Peak     | 215.00         | 150         | Horizontal | Pass    |

## U-NII-3 11a CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 60.68            | 7.83        | 68.2           | 7.52        | Peak     | 248.00         | 150         | Vertical | Pass    |
| 2   | 5983.350        | 60.93            | 7.54        | 68.2           | 7.27        | Peak     | 209.00         | 150         | Vertical | Pass    |

## U-NII-3 11n20 CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 58.97            | 5.94        | 68.2           | 9.23        | Peak     | 215.00         | 150         | Vertical | Pass    |
| 2   | 5643.250        | 59.78            | 6.01        | 68.2           | 8.42        | Peak     | 198.00         | 150         | Vertical | Pass    |

## U-NII-3 11n20 CH165



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 59.57            | 7.83        | 68.2           | 8.63        | Peak     | 221.03         | 150         | Vertical | Pass    |
| 2   | 5932.200        | 60.45            | 7.62        | 68.2           | 7.75        | Peak     | 211.00         | 150         | Vertical | Pass    |

## U-NII-3 11n40 CH151




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 58.97            | 5.94        | 68.2           | 9.23        | Peak     | 215.00         | 150         | Vertical | Pass    |
| 2   | 5644.125        | 59.79            | 6.02        | 68.2           | 8.41        | Peak     | 221.00         | 150         | Vertical | Pass    |

## U-NII-3 11n40 CH159



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 58.41            | 7.83        | 68.2           | 9.79        | Peak     | 221.02         | 150         | Vertical | Pass    |
| 2   | 5935.950        | 59.87            | 7.49        | 68.2           | 8.33        | Peak     | 234.00         | 150         | Vertical | Pass    |


## U-NII-3 11ac80 CH155



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5650.000        | 57.78            | 5.94        | 68.2           | 10.42       | Peak     | 112.10         | 150         | Horizontal | Pass    |
| 2   | 5605.625        | 59.48            | 5.89        | 68.2           | 8.72        | Peak     | 286.00         | 150         | Horizontal | Pass    |




## U-NII-3 11ax20 (SU) CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 58.45            | 5.94        | 68.2           | 9.75        | Peak     | 221.99         | 150         | Vertical | Pass    |
| 2   | 5641.375        | 60.22            | 5.93        | 68.2           | 7.98        | Peak     | 219.00         | 150         | Vertical | Pass    |

## U-NII-3 11ax20 (SU) CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 59.05            | 7.83        | 68.2           | 9.15        | Peak     | 209.05         | 150         | Vertical | Pass    |
| 2   | 5962.500        | 60.72            | 7.34        | 68.2           | 7.48        | Peak     | 239.00         | 150         | Vertical | Pass    |

## U-NII-3 11ax40 (SU) CH151




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 57.04            | 5.94        | 68.2           | 11.16       | Peak     | 0.28           | 150         | Vertical | Pass    |
| 2   | 5602.250        | 59.07            | 5.99        | 68.2           | 9.13        | Peak     | 238.00         | 150         | Vertical | Pass    |

## U-NII-3 11ax40 (SU) CH159



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 57.57            | 7.83        | 68.2           | 10.63       | Peak     | 0.29           | 150         | Vertical | Pass    |
| 2   | 5989.050        | 60.07            | 7.89        | 68.2           | 8.13        | Peak     | 347.00         | 150         | Vertical | Pass    |

## U-NII-3 11ax80 (SU) CH155



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 57.45            | 5.94        | 68.2           | 10.75       | Peak     | 310.91         | 150         | Vertical | Pass    |
| 2   | 5640.125        | 58.99            | 5.91        | 68.2           | 9.21        | Peak     | 277.00         | 150         | Vertical | Pass    |

## **ANNEX B TEST SETUP PHOTOS**

Please refer the document “BL-SH2490677-AR-1.PDF”.

## **ANNEX C EUT EXTERNAL PHOTOS**

Please refer the document “BL-SH2490677-AW.PDF”.

## **ANNEX D EUT INTERNAL PHOTOS**

Please refer the document “BL-SH2490677-AI.PDF”.

## Statement

1. The Testing Center guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. For the report with Accreditation Symbol, the items marked with "☆" are not within the accredited scope.
3. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the test report stamp.
4. The test data and results are only valid for the tested samples provided by the customer.
5. This report shall not be partially reproduced without the written permission of the Testing Center.
6. Any objection shall be raised to the Testing Center within 30 days after receiving the report.

--END OF REPORT--